

# Karl Mann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11120194/publications.pdf>

Version: 2024-02-01

187  
papers

17,981  
citations

10389

72  
h-index

14208

128  
g-index

199  
all docs

199  
docs citations

199  
times ranked

14469  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Examining a brief measure and observed cutoff scores to identify reward and relief drinking profiles: Psychometric properties and pharmacotherapy response. <i>Drug and Alcohol Dependence</i> , 2022, 232, 109257.                                    | 3.2 | 8         |
| 2  | Association Between Functional and Structural Brain Connectivity of the Default Mode Network in Non-treatment Seeking Individuals With Alcohol Use Disorder. <i>Alcohol and Alcoholism</i> , 2022, 57, 540-551.  | 1.6 | 4         |
| 3  | Substance Use Initiation, Particularly Alcohol, in Drug-Naive Adolescents: Possible Predictors and Consequences From a Large Cohort Naturalistic Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 623-636. | 0.5 | 25        |
| 4  | Reward drinking and naltrexone treatment response among young adult heavy drinkers. <i>Addiction</i> , 2021, 116, 2360-2371.   | 3.3 | 13        |
| 5  | FMRI-based prediction of naltrexone response in alcohol use disorder: a replication study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 915-927.  | 3.2 | 11        |
| 6  | Nalmefene attenuates neural alcohol cue-reactivity in the ventral striatum and subjective alcohol craving in patients with alcohol use disorder. <i>Psychopharmacology</i> , 2021, 238, 2179-2189.   | 3.1 | 14        |
| 7  | Genetic contributions to alcohol use disorder treatment outcomes: a genome-wide pharmacogenomics study. <i>Neuropsychopharmacology</i> , 2021, 46, 2132-2139.  | 5.4 | 19        |
| 8  | Incubation of neural alcohol cue reactivity after withdrawal and its blockade by naltrexone. <i>Addiction Biology</i> , 2020, 25, e12717.  | 2.6 | 57        |
| 9  | Safety of nalmefene for the treatment of alcohol use disorder: an update. <i>Expert Opinion on Drug Safety</i> , 2020, 19, 9-17.   | 2.4 | 3         |
| 10 | A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045.   | 7.4 | 200       |
| 11 | Neural Correlates of Adolescent Irritability and Its Comorbidity With Psychiatric Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 1371-1379.  | 0.5 | 18        |
| 12 | The IMAGEN study: a decade of imaging genetics in adolescents. <i>Molecular Psychiatry</i> , 2020, 25, 2648-2671.  | 7.9 | 46        |
| 13 | Reduction in World Health Organization Risk Drinking Levels and Cardiovascular Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1625-1635.   | 2.4 | 17        |
| 14 | Which conditions should be considered as disorders in the International Classification of Diseases (ICD-11) designation of "other specified disorders due to addictive behaviors"? <i>Journal of Behavioral Addictions</i> , 2020, , .                 | 3.7 | 165       |
| 15 | The initiation of cannabis use in adolescence is predicted by sex-specific psychosocial and neurobiological features. <i>European Journal of Neuroscience</i> , 2019, 50, 2346-2356.   | 2.6 | 32        |
| 16 | Epidemiological Challenges in the Study of Behavioral Addictions: a Call for High Standard Methodologies. <i>Current Addiction Reports</i> , 2019, 6, 331-337.   | 3.4 | 37        |
| 17 | Advancing Precision Medicine for Alcohol Use Disorder: Replication and Extension of Reward Drinking as a Predictor of Naltrexone Response. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 2395-2405.                                | 2.4 | 44        |
| 18 | Reduction in non-abstinent World Health Organization (WHO) drinking risk levels and drug use disorders: 3-year follow-up results in the US general population. <i>Drug and Alcohol Dependence</i> , 2019, 201, 16-22.                                  | 3.2 | 19        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Reduction in non-abstinent WHO drinking risk levels and depression/anxiety disorders: 3-year follow-up results in the US general population. <i>Drug and Alcohol Dependence</i> , 2019, 197, 228-235.  | 3.2  | 42        |
| 20 | The effects of nalmefene on emotion processing in alcohol use disorder – A randomized, controlled fMRI study. <i>European Neuropsychopharmacology</i> , 2019, 29, 1442-1452.   | 0.7  | 14        |
| 21 | Medication Development: Reducing Casualties in the Valley of Death and Providing Support for Survivors. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 22-25.   | 2.4  | 1         |
| 22 | Precision Medicine in Alcohol Dependence: A Controlled Trial Testing Pharmacotherapy Response Among Reward and Relief Drinking Phenotypes. <i>Neuropsychopharmacology</i> , 2018, 43, 891-899.   | 5.4  | 91        |
| 23 | Glutamate concentration in the anterior cingulate cortex in alcohol dependence. <i>Psychiatric Genetics</i> , 2018, 28, 94-95.   | 1.1  | 6         |
| 24 | Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669.   | 14.8 | 490       |
| 25 | Reduction in Nonabstinent <sc>WHO</sc> Drinking Risk Levels and Change in Risk for Liver Disease and Positive <sc>AUDIT</sc>â€C Scores: Prospective 3â€Year Followâ€Up Results in the <sc>U.S.</sc> General Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 2256-2265. | 2.4  | 43        |
| 26 | Balancing validity, utility and public health considerations in disorders due to addictive behaviours. <i>World Psychiatry</i> , 2018, 17, 363-364.  | 10.4 | 36        |
| 27 | Response to Letter to Editor (Precision medicine in alcohol dependence: evidence of efficacy and) Tj ETQq1 1 0.784314 rgBT 2/Overlo  | 5.4  | 2         |
| 28 | Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. <i>Journal of Behavioral Addictions</i> , 2018, 7, 556-561.  | 3.7  | 214       |
| 29 | Efficacy and safety of sodium oxybate in alcoholâ€dependent patients with a very high drinking risk level. <i>Addiction Biology</i> , 2018, 23, 969-986.   | 2.6  | 59        |
| 30 | Shared genetic etiology between alcohol dependence and major depressive disorder. <i>Psychiatric Genetics</i> , 2018, 28, 66-70.   | 1.1  | 19        |
| 31 | Frontal cortex gray matter volume alterations in pathological gambling occur independently from substance use disorder. <i>Addiction Biology</i> , 2017, 22, 864-872.  | 2.6  | 38        |
| 32 | Pathological gambling: a review of the neurobiological evidence relevant for its classification as an addictive disorder. <i>Addiction Biology</i> , 2017, 22, 885-897.  | 2.6  | 111       |
| 33 | Blunted ventral striatal responses to anticipated rewards foreshadow problematic drug use in novelty-seeking adolescents. <i>Nature Communications</i> , 2017, 8, 14140.   | 12.8 | 87        |
| 34 | Do alcohol-dependent patients show different neural activation during response inhibition than healthy controls in an alcohol-related fMRI go/no-go-task?. <i>Psychopharmacology</i> , 2017, 234, 1001-1015.   | 3.1  | 49        |
| 35 | Change in non-abstinent WHO drinking risk levels and alcohol dependence: a 3 year follow-up study in the US general population. <i>Lancet Psychiatry</i> , 2017, 4, 469-476.   | 7.4  | 108       |
| 36 | Reduced Drinking in Alcohol Dependence Treatment, What Is the Evidence?. <i>European Addiction Research</i> , 2017, 23, 219-230.   | 2.4  | 67        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Can reduced drinking be a viable goal for alcohol dependent patients?. World Psychiatry, 2017, 16, 325-326.   | 10.4 | 16        |
| 38 | Gaming disorder: Its delineation as an important condition for diagnosis, management, and prevention. Journal of Behavioral Addictions, 2017, 6, 271-279.   | 3.7  | 359       |
| 39 | Low $\mu$ 4-Opioid Receptor Status in Alcohol Dependence Identified by Combined Positron Emission Tomography and Post-Mortem Brain Analysis. Neuropsychopharmacology, 2017, 42, 606-614.  | 5.4  | 51        |
| 40 | Reward and relief dimensions of temptation to drink: construct validity and role in predicting differential benefit from acamprosate and naltrexone. Addiction Biology, 2017, 22, 1528-1539.  | 2.6  | 40        |
| 41 | Genetic Contribution to Alcohol Dependence: Investigation of a Heterogeneous German Sample of Individuals with Alcohol Dependence, Chronic Alcoholic Pancreatitis, and Alcohol-Related Cirrhosis. Genes, 2017, 8, 183.                                | 2.4  | 11        |
| 42 | The impact of cognitive impairment and impulsivity on relapse of alcohol-dependent patients: implications for psychotherapeutic treatment. Addiction Biology, 2016, 21, 873-884.  | 2.6  | 103       |
| 43 | A Point-By-Point Response to Brailon. CNS Neuroscience and Therapeutics, 2016, 22, 537-538.   | 3.9  | 0         |
| 44 | Pharmacotherapy for Alcohol Dependence: The 2015 Recommendations of the French Alcohol Society, Issued in Partnership with the European Federation of Addiction Societies. CNS Neuroscience and Therapeutics, 2016, 22, 25-37.                        | 3.9  | 91        |
| 45 | Structural brain correlates of adolescent resilience. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 1287-1296.   | 5.2  | 49        |
| 46 | Analysis of Rare Variants in the Alcohol Dependence Candidate Gene GATA 4. Alcoholism: Clinical and Experimental Research, 2016, 40, 1627-1632.   | 2.4  | 1         |
| 47 | Exploring the Neural Basis of Avatar Identification in Pathological Internet Gamers and of Self-Reflection in Pathological Social Network Users. Journal of Behavioral Addictions, 2016, 5, 485-499.  | 3.7  | 34        |
| 48 | Prediction of alcohol drinking in adolescents: Personality-traits, behavior, brain responses, and genetic variations in the context of reward sensitivity. Biological Psychology, 2016, 118, 79-87.   | 2.2  | 49        |
| 49 | Does Acamprosate Really Produce its Anti-Relapse Effects via Calcium? No Support from the PREDICT Study in Human Alcoholics. Neuropsychopharmacology, 2016, 41, 659-660.  | 5.4  | 18        |
| 50 | Pathological gambling: a behavioral addiction. World Psychiatry, 2016, 15, 297-298.   | 10.4 | 46        |
| 51 | Nalmefene for the management of alcohol dependence: review on its pharmacology, mechanism of action and meta-analysis on its clinical efficacy. European Neuropsychopharmacology, 2016, 26, 1941-1949.  | 0.7  | 77        |
| 52 | Marketing Status and Perceived Efficacy of Drugs for Supporting Abstinence and Reducing Alcohol Intake in Alcohol Use Disorders: A Survey among European Federation of Addiction Societies in Europe. European Addiction Research, 2016, 22, 318-321. | 2.4  | 6         |
| 53 | Neural basis of reward anticipation and its genetic determinants. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3879-3884.  | 7.1  | 53        |
| 54 | Longitudinal Mapping of Gyral and Sulcal Patterns of Cortical Thickness and Brain Volume Regain during Early Alcohol Abstinence. European Addiction Research, 2016, 22, 80-89.  | 2.4  | 17        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. Behavior Genetics, 2016, 46, 151-169. | 2.1 | 98        |
| 56 | From mother to child: orbitofrontal cortex gyrification and changes of drinking behaviour during adolescence. Addiction Biology, 2016, 21, 700-708.   | 2.6 | 21        |
| 57 | Response inhibition deficits: Reliability of alcohol-related assessment tasks. Sucht, 2016, 62, 203-215.  | 0.2 | 6         |
| 58 | Alcohol Dependence and Harmful Use of Alcohol: Diagnosis and Treatment Options. Deutsches A&#x0308;rztblatt International, 2016, 113, 301-10.   | 0.9 | 50        |
| 59 | The effects of single nucleotide polymorphisms in glutamatergic neurotransmission genes on neural response to alcohol cues and craving. Addiction Biology, 2015, 20, 1022-1032.                                     | 2.6 | 30        |
| 60 | Safety and tolerability of as-needed nalmefene in the treatment of alcohol dependence: results from the Phase III clinical programme. Expert Opinion on Drug Safety, 2015, 14, 495-504.                             | 2.4 | 18        |
| 61 | Pharmacological Long-Term Treatment of Alcohol Use Disorders. , 2015, , 319-331.  |     | 0         |
| 62 | Rsu1 regulates ethanol consumption in <i>Drosophila</i> and humans. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4085-93.   | 7.1 | 57        |
| 63 | Avatarâ€™s neurobiological traces in the self-concept of massively multiplayer online role-playing game (MMORPG) addicts.. Behavioral Neuroscience, 2015, 129, 8-17.  | 1.2 | 79        |
| 64 | Effects of d-cycloserine on extinction of mesolimbic cue reactivity in alcoholism: a randomized placebo-controlled trial. Psychopharmacology, 2015, 232, 2353-2362.   | 3.1 | 57        |
| 65 | XRCC5 as a Risk Gene for Alcohol Dependence: Evidence from a Genome-Wide Gene-Set-Based Analysis and Follow-up Studies in <i>Drosophila</i> and Humans. Neuropsychopharmacology, 2015, 40, 361-371.                 | 5.4 | 12        |
| 66 | Reinforcement-Related Subphenotypes as a Basis for Personalized Treatment in Alcoholism. Alcoholism: Clinical and Experimental Research, 2015, 39, 589-589.   | 2.4 | 0         |
| 67 | No differences in ventral striatum responsivity between adolescents with a positive family history of alcoholism and controls. Addiction Biology, 2015, 20, 534-545.  | 2.6 | 38        |
| 68 | Optimized protocol for high resolution functional magnetic resonance imaging at 3T using single-shot echo planar imaging. Journal of Neuroscience Methods, 2015, 239, 170-182.                                      | 2.5 | 2         |
| 69 | Positive Association of Video Game Playing with Left Frontal Cortical Thickness in Adolescents. PLoS ONE, 2014, 9, e91506.  | 2.5 | 70        |
| 70 | Predicting Naltrexone Response in Alcoholâ€Dependent Patients: The Contribution of Functional Magnetic Resonance Imaging. Alcoholism: Clinical and Experimental Research, 2014, 38, 2754-2762.                      | 2.4 | 79        |
| 71 | Aversive Learning in Adolescents: Modulation by Amygdalaâ€Prefrontal and Amygdalaâ€Hippocampal Connectivity and Neuroticism. Neuropsychopharmacology, 2014, 39, 875-884.  | 5.4 | 41        |
| 72 | Sex Differences in COMT Polymorphism Effects on Prefrontal Inhibitory Control in Adolescence. Neuropsychopharmacology, 2014, 39, 2560-2569.   | 5.4 | 53        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | DRD2/ANKK1 Polymorphism Modulates the Effect of Ventral Striatal Activation on Working Memory Performance. <i>Neuropsychopharmacology</i> , 2014, 39, 2357-2365.  | 5.4  | 31        |
| 74 | Predictors of Abstinence from Heavy Drinking During Treatment in <sc>COMBINE</sc> and External Validation in <sc>PREDICT</sc>. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2647-2656.   | 2.4  | 18        |
| 75 | Insula and striatum activity in effort-related monetary reward processing in gambling disorder: The role of depressive symptomatology. <i>NeuroImage: Clinical</i> , 2014, 6, 243-251.  | 2.7  | 31        |
| 76 | Decision-making deficits in patients diagnosed with disordered gambling using the Cambridge Gambling task: the effects of substance use disorder comorbidity. <i>Brain and Behavior</i> , 2014, 4, 484-494.   | 2.2  | 37        |
| 77 | Long-term efficacy, tolerability and safety of nalmefene as-needed in patients with alcohol dependence: A 1-year, randomised controlled study. <i>Journal of Psychopharmacology</i> , 2014, 28, 733-744.  | 4.0  | 109       |
| 78 | Genetic Variation in the Atrial Natriuretic Peptide Transcription Factor GATA4 Modulates Amygdala Responsiveness in Alcohol Dependence. <i>Biological Psychiatry</i> , 2014, 75, 790-797.   | 1.3  | 37        |
| 79 | Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.   | 0.7  | 152       |
| 80 | The Place of Additional Individual Psychotherapy in the Treatment of Alcoholism: A Randomized Controlled Study in Nonresponders to Anticraving Medication—Results of the <sc>PREDICT</sc> Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1118-1125. | 2.4  | 13        |
| 81 | Association between alcohol-cue modulated startle reactions and drinking behaviour in alcohol dependent patients — results of the PREDICT study. <i>International Journal of Psychophysiology</i> , 2014, 94, 263-271.  | 1.0  | 14        |
| 82 | Neurobiological correlates of physical self-concept and self-identification with avatars in addicted players of Massively Multiplayer Online Role-Playing Games (MMORPGs). <i>Addictive Behaviors</i> , 2014, 39, 1789-1797.  | 3.0  | 92        |
| 83 | Neuropsychosocial profiles of current and future adolescent alcohol misusers. <i>Nature</i> , 2014, 512, 185-189.   | 27.8 | 368       |
| 84 | Neural Mechanisms of Attention-Deficit/Hyperactivity Disorder Symptoms Are Stratified by MAOA Genotype. <i>Biological Psychiatry</i> , 2013, 74, 607-614.   | 1.3  | 54        |
| 85 | The risk variant in <sc>ODZ</sc>4 for bipolar disorder impacts on amygdala activation during reward processing. <i>Bipolar Disorders</i> , 2013, 15, 440-445.   | 1.9  | 31        |
| 86 | Extending the Treatment Options in Alcohol Dependence: A Randomized Controlled Study of As-Needed Nalmefene. <i>Biological Psychiatry</i> , 2013, 73, 706-713.  | 1.3  | 457       |
| 87 | Treating alcoholism reduces financial burden on caregivers and increases quality-adjusted life years. <i>Addiction</i> , 2013, 108, 62-70.  | 3.3  | 30        |
| 88 | A randomised, double-blind, placebo-controlled, efficacy study of nalmefene, as-needed use, in patients with alcohol dependence. <i>European Neuropsychopharmacology</i> , 2013, 23, 1432-1442.   | 0.7  | 359       |
| 89 | Reward and relief craving tendencies in patients with alcohol use disorders: Results from the PREDICT study. <i>Addictive Behaviors</i> , 2013, 38, 1532-1540.  | 3.0  | 46        |
| 90 | Rapid Partial Regeneration of Brain Volume During the First 14 Days of Abstinence from Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 67-74.  | 2.4  | 72        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Results of a double-blind, placebo-controlled pharmacotherapy trial in alcoholism conducted in Germany and comparison with the US COMBINE study. <i>Addiction Biology</i> , 2013, 18, 937-946.   | 2.6  | 98        |
| 92  | Î±CaMKII Autophosphorylation Controls the Establishment of Alcohol Drinking Behavior. <i>Neuropsychopharmacology</i> , 2013, 38, 1636-1647.  | 5.4  | 63        |
| 93  | Efficacy of As-Needed Nalmefene in Alcohol-Dependent Patients with at Least a High Drinking Risk Level: Results from a Subgroup Analysis of Two Randomized Controlled 6-Month Studies. <i>Alcohol and Alcoholism</i> , 2013, 48, 570-578.      | 1.6  | 293       |
| 94  | Improved Drinking Behaviour Improves Quality of Life: A Follow-Up in Alcohol-Dependent Subjects 7 Years After Treatment. <i>Alcohol and Alcoholism</i> , 2013, 48, 579-584.  | 1.6  | 21        |
| 95  | Consensus paper of the WFSBP task force on biological markers: Biological markers for alcoholism. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 549-564.   | 2.6  | 21        |
| 96  | Loss of Control of Alcohol Use and Severity of Alcohol Dependence in Non-Treatment-Seeking Heavy Drinkers Are Related to Lower Glutamate in Frontal White Matter. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1643-1649. | 2.4  | 37        |
| 97  | A Phenotypic Structure and Neural Correlates of Compulsive Behaviors in Adolescents. <i>PLoS ONE</i> , 2013, 8, e80151.  | 2.5  | 39        |
| 98  | Alcohol Abuse and Dependence. , 2013, , 1-8.   |      | 0         |
| 99  | The Alcohol Clinical Trials Initiative (ACTIVE): Purpose and Goals for Assessing Important and Salient Issues for Medications Development in Alcohol Use Disorders. <i>Neuropsychopharmacology</i> , 2012, 37, 402-411.                        | 5.4  | 25        |
| 100 | Determinants of Early Alcohol Use In Healthy Adolescents: The Differential Contribution of Neuroimaging and Psychological Factors. <i>Neuropsychopharmacology</i> , 2012, 37, 986-995.   | 5.4  | 124       |
| 101 | Risk Taking and the Adolescent Reward System: A Potential Common Link to Substance Abuse. <i>American Journal of Psychiatry</i> , 2012, 169, 39-46.  | 7.2  | 138       |
| 102 | Effect of Brain Structure, Brain Function, and Brain Connectivity on Relapse in Alcohol-Dependent Patients. <i>Archives of General Psychiatry</i> , 2012, 69, 842.   | 12.3 | 241       |
| 103 | Brain networks subserving fixed versus performance-adjusted delay stop trials in a stop signal task. <i>Behavioural Brain Research</i> , 2012, 235, 89-97.   | 2.2  | 15        |
| 104 | Translational Magnetic Resonance Spectroscopy Reveals Excessive Central Glutamate Levels During Alcohol Withdrawal in Humans and Rats. <i>Biological Psychiatry</i> , 2012, 71, 1015-1021.   | 1.3  | 173       |
| 105 | Adolescent impulsivity phenotypes characterized by distinct brain networks. <i>Nature Neuroscience</i> , 2012, 15, 920-925.  | 14.8 | 368       |
| 106 | MR spectroscopy in opiate maintenance therapy: association of glutamate with the number of previous withdrawals in the anterior cingulate cortex. <i>Addiction Biology</i> , 2012, 17, 659-667.  | 2.6  | 31        |
| 107 | Validating incentive salience with functional magnetic resonance imaging: association between mesolimbic cue reactivity and attentional bias in alcohol-dependent patients. <i>Addiction Biology</i> , 2012, 17, 807-816.                      | 2.6  | 121       |
| 108 | Genome-wide significant association between alcohol dependence and a variant in the <i>ADH</i> gene cluster. <i>Addiction Biology</i> , 2012, 17, 171-180.   | 2.6  | 154       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Suchterkrankungen. , 2012, , 291-346.   |     | 3         |
| 110 | Effects of Cue-Exposure Treatment on Neural Cue Reactivity in Alcohol Dependence: A Randomized Trial. <i>Biological Psychiatry</i> , 2011, 69, 1060-1066.   | 1.3 | 178       |
| 111 | Severity of dependence modulates smokers' neuronal cue reactivity and cigarette craving elicited by tobacco advertisement. <i>Addiction Biology</i> , 2011, 16, 166-175.  | 2.6 | 72        |
| 112 | Effects of Alcoholism and Continued Abstinence on Brain Volumes in Both Genders. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, no-no.   | 2.4 | 85        |
| 113 | Alcohol and the Human Brain: A Systematic Review of Different Neuroimaging Methods. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 1771-1793.  | 2.4 | 258       |
| 114 | Genetic variation in the PNPLA3 gene is associated with alcoholic liver injury in caucasians. <i>Hepatology</i> , 2011, 53, 86-95.  | 7.3 | 252       |
| 115 | Acamprosate: How, Where, and for Whom Does it Work? Mechanism of Action, Treatment Targets, and Individualized Therapy. <i>Current Pharmaceutical Design</i> , 2010, 16, 2098-2102.   | 1.9 | 62        |
| 116 | Individualised treatment in alcohol-dependent patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 116-120.  | 3.2 | 62        |
| 117 | Increased Activation of the ACC During a Spatial Working Memory Task in Alcohol-Dependence Versus Heavy Social Drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 771-776.                                     | 2.4 | 38        |
| 118 | Addiction Research Centres and the Nurturing of Creativity – Department of Addictive Behaviour and Addiction Medicine, Central Institute of Mental Health, Mannheim, University of Heidelberg. <i>Addiction</i> , 2010, 105, 2057-2061. | 3.3 | 4         |
| 119 | Initial, habitual and compulsive alcohol use is characterized by a shift of cue processing from ventral to dorsal striatum. <i>Addiction</i> , 2010, 105, 1741-1749.  | 3.3 | 305       |
| 120 | An integrated genome research network for studying the genetics of alcohol addiction. <i>Addiction Biology</i> , 2010, 15, 369-379.   | 2.6 | 57        |
| 121 | A genome-wide association study of alcohol dependence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 5082-5087.   | 7.1 | 418       |
| 122 | Supervised Disulfiram in Relapse Prevention in Alcohol-Dependent Patients Suffering From Comorbid Borderline Personality Disorder – A Case Series. <i>Alcohol and Alcoholism</i> , 2010, 45, 146-150.                                   | 1.6 | 16        |
| 123 | Effects of Repeated Withdrawal from Alcohol on Recovery of Cognitive Impairment under Abstinence and Rate of Relapse. <i>Alcohol and Alcoholism</i> , 2010, 45, 541-547.  | 1.6 | 92        |
| 124 | Why is Disulfiram Superior to Acamprosate in the Routine Clinical Setting? A Retrospective Long-Term Study in 353 Alcohol-Dependent Patients. <i>Alcohol and Alcoholism</i> , 2010, 45, 271-277.  | 1.6 | 44        |
| 125 | Diminished gray matter in the hippocampus of cannabis users: Possible protective effects of cannabidiol. <i>Drug and Alcohol Dependence</i> , 2010, 114, 242-5.   | 3.2 | 126       |
| 126 | Socioeconomic Factors, Hazardous Alcohol Consumption, and Smoking in Patients With Minor Trauma in an Inner-City Emergency Department. <i>Journal of Emergency Medicine</i> , 2010, 39, 554-560.  | 0.7 | 8         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Impairment of Cognitive Abilities and Decision Making after Chronic Use of Alcohol: The Impact of Multiple Detoxifications. <i>Alcohol and Alcoholism</i> , 2009, 44, 372-381.  | 1.6  | 149       |
| 128 | Avoidance of Alcohol-Related Stimuli Increases During the Early Stage of Abstinence in Alcohol-Dependent Patients. <i>Alcohol and Alcoholism</i> , 2009, 44, 458-463.   | 1.6  | 78        |
| 129 | Genome-wide Association Study of Alcohol Dependence. <i>Archives of General Psychiatry</i> , 2009, 66, 773.   | 12.3 | 354       |
| 130 | Decision Making of Heavy Cannabis Users on the Iowa Gambling Task: Stronger Association with THC of Hair Analysis than with Personality Traits of the Tridimensional Personality Questionnaire. <i>European Addiction Research</i> , 2009, 15, 94-98. | 2.4  | 35        |
| 131 | CLINICAL STUDY: Attentional bias in alcoholâ€dependent patients: the role of chronicity and executive functioning. <i>Addiction Biology</i> , 2009, 14, 194-203.  | 2.6  | 69        |
| 132 | Searching for Responders to Acamprosate and Naltrexone in Alcoholism Treatment: Rationale and Design of the <i>Predict Study</i>. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 674-683.  | 2.4  | 86        |
| 133 | Suchterkrankungen. , 2009, , 345-409.   |      | 1         |
| 134 | AlkoholabhÃngigkeit (ICD-10 F1). , 2009, , 23-38.   |      | 0         |
| 135 | Ratio of dopamine synthesis capacity to D2 receptor availability in ventral striatum correlates with central processing of affective stimuli. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 1147-1158.                | 6.4  | 18        |
| 136 | Acamprosate: Recent Findings and Future Research Directions. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1105-1110.   | 2.4  | 154       |
| 137 | REVIEW: HPAâ€axis activity in alcoholism: examples for a geneâ€environment interaction. <i>Addiction Biology</i> , 2008, 13, 1-14.  | 2.6  | 74        |
| 138 | The German Society for Addiction Research and Addiction Treatment. <i>Addiction</i> , 2008, 103, 6-8.   | 3.3  | 4         |
| 139 | Modifications of the Obsessive Compulsive Drinking Scale (OCDS-G) for use in longitudinal studies. <i>Addictive Behaviors</i> , 2008, 33, 1276-1281.  | 3.0  | 21        |
| 140 | Amygdala Volume Associated With Alcohol Abuse Relapse and Craving. <i>American Journal of Psychiatry</i> , 2008, 165, 1179-1184.  | 7.2  | 215       |
| 141 | Psychotherapie bei Alkoholismus. , 2008, , 501-522.   |      | 0         |
| 142 | The Startle Reflex in Alcohol-Dependent Patients: Changes after Cognitive-Behavioral Therapy and Predictive Validity for Drinking Behavior. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 385-390.  | 8.8  | 27        |
| 143 | Topiramate for Treating Alcohol Dependence&lt;SUBTITLE&gt;A Randomized Controlled Trial&lt;/SUBTITLE&gt;. <i>JAMA - Journal of the American Medical Association</i> , 2007, 298, 1641.  | 7.4  | 490       |
| 144 | The efficacy of the dopamine D2/D3 antagonist tiapride in maintaining abstinence: a randomized, double-blind, placebo-controlled trial in 299 alcohol-dependent patients. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 653-60. | 2.1  | 20        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Serotonin Transporter Genotype (5-HTTLPR): Effects of Neutral and Undefined Conditions on Amygdala Activation. <i>Biological Psychiatry</i> , 2007, 61, 1011-1014.  | 1.3  | 122       |
| 146 | Dorsolateral Prefrontal Cortex N-Acetylaspartate/Total Creatine (NAA/tCr) Loss in Male Recreational Cannabis Users. <i>Biological Psychiatry</i> , 2007, 61, 1281-1289.   | 1.3  | 125       |
| 147 | Deposition of cannabinoids in hair after long-term use of cannabis. <i>Forensic Science International</i> , 2007, 170, 46-50.   | 2.2  | 52        |
| 148 | Reduced fMRI activation of an occipital area in recently detoxified alcohol-dependent patients in a visual and acoustic stimulation paradigm. <i>Addiction Biology</i> , 2007, 12, 117-121.   | 2.6  | 29        |
| 149 | Brain Activation Elicited by Affectively Positive Stimuli Is Associated With a Lower Risk of Relapse in Detoxified Alcoholic Subjects. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1138-1147.                 | 2.4  | 131       |
| 150 | Alcoholism in women: is it different in onset and outcome compared to men?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 344-351.  | 3.2  | 97        |
| 151 | Alcohol consumption significantly influences the MR signal of frontal choline-containing compounds. <i>NeuroImage</i> , 2006, 32, 740-746.  | 4.2  | 50        |
| 152 | The Effect of Computerized Tailored Brief Advice on At-risk Drinking in Subcritically Injured Trauma Patients. <i>Journal of Trauma</i> , 2006, 61, 805-814.  | 2.3  | 135       |
| 153 | Net influx of plasma 6-[18F]fluoro-l-DOPA (FDOPA) to the ventral striatum correlates with prefrontal processing of affective stimuli. <i>European Journal of Neuroscience</i> , 2006, 24, 305-313.                                  | 2.6  | 48        |
| 154 | A Pilot Study of Oxcarbazepine Versus Acamprosate in Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 630-635.   | 2.4  | 31        |
| 155 | Blockade of Cue-induced Brain Activation of Abstinent Alcoholics by a Single Administration of Amisulpride as Measured With fMRI. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 1349-1354.                      | 2.4  | 88        |
| 156 | Cue exposure in the treatment of alcohol dependence: Effects on drinking outcome, craving and self-efficacy. <i>British Journal of Clinical Psychology</i> , 2006, 45, 515-529.   | 3.5  | 112       |
| 157 | Severity of nicotine dependence modulates cue-induced brain activity in regions involved in motor preparation and imagery. <i>Psychopharmacology</i> , 2006, 184, 577-588.  | 3.1  | 202       |
| 158 | Pharmacotherapy and Behavioral Intervention for Alcohol Dependence. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 1727.  | 7.4  | 24        |
| 159 | The long-term course of alcoholism, 5, 10 and 16 years after treatment. <i>Addiction</i> , 2005, 100, 797-805.  | 3.3  | 89        |
| 160 | Amygdala-prefrontal coupling depends on a genetic variation of the serotonin transporter. <i>Nature Neuroscience</i> , 2005, 8, 20-21.  | 14.8 | 644       |
| 161 | Investigating the Structure of Craving Using Structural Equation Modeling in Analysis of the Obsessive-Compulsive Drinking Scale: A Multinational Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 509-516. | 2.4  | 52        |
| 162 | New Developments in Alcoholism Treatment Research in Europe. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1127-1132.   | 2.4  | 9         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | New achievements and pharmacotherapeutic approaches in the treatment of alcohol dependence. <i>European Journal of Pharmacology</i> , 2005, 526, 163-171.   | 3.5  | 56        |
| 164 | Correlation of Stable Elevations in Striatal $\mu$ -Opioid Receptor Availability in Detoxified Alcoholic Patients With Alcohol Craving. <i>Archives of General Psychiatry</i> , 2005, 62, 57.   | 12.3 | 231       |
| 165 | Correlation of Alcohol Craving With Striatal Dopamine Synthesis Capacity and D2/3 Receptor Availability: A Combined [18F]DOPA and [18F]DMFP PET Study in Detoxified Alcoholic Patients. <i>American Journal of Psychiatry</i> , 2005, 162, 1515-1520.                         | 7.2  | 253       |
| 166 | Catechol-O-Methyltransferase Val <sup>158</sup> met Genotype Affects Processing of Emotional Stimuli in the Amygdala and Prefrontal Cortex. <i>Journal of Neuroscience</i> , 2005, 25, 836-842.   | 3.6  | 390       |
| 167 | Monitoring the Effects of Chronic Alcohol Consumption and Abstinence on Brain Metabolism: A Longitudinal Proton Magnetic Resonance Spectroscopy Study. <i>Biological Psychiatry</i> , 2005, 58, 974-980.  | 1.3  | 79        |
| 168 | Correlation Between Dopamine D <sub>2</sub> Receptors in the Ventral Striatum and Central Processing of Alcohol Cues and Craving. <i>American Journal of Psychiatry</i> , 2004, 161, 1783-1789.   | 7.2  | 508       |
| 169 | The Efficacy of Acamprosate in the Maintenance of Abstinence in Alcohol-Dependent Individuals: Results of a Meta-Analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 51-63.   | 2.4  | 320       |
| 170 | Gender Differences in the Performance of a Computerized Version of the Alcohol Use Disorders Identification Test in Subcritically Injured Patients Who Are Admitted to the Emergency Department. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1693-1701. | 2.4  | 95        |
| 171 | Cue-induced activation of the striatum and medial prefrontal cortex is associated with subsequent relapse in abstinent alcoholics. <i>Psychopharmacology</i> , 2004, 175, 296-302.  | 3.1  | 526       |
| 172 | Pharmacotherapy of Alcohol Dependence. <i>CNS Drugs</i> , 2004, 18, 485-504.  | 5.9  | 187       |
| 173 | Correlation Between Dopamine D2 Receptors in the Ventral Striatum and Central Processing of Alcohol Cues and Craving. <i>American Journal of Psychiatry</i> , 2004, 161, 1783-1789.   | 7.2  | 341       |
| 174 | Gender differences in the processing of standardized emotional visual stimuli in humans: a functional magnetic resonance imaging study. <i>Neuroscience Letters</i> , 2003, 348, 41-45.   | 2.1  | 254       |
| 175 | REWARD CRAVING AND WITHDRAWAL RELIEF CRAVING: ASSESSMENT OF DIFFERENT MOTIVATIONAL PATHWAYS TO ALCOHOL INTAKE. <i>Alcohol and Alcoholism</i> , 2003, 38, 35-39.   | 1.6  | 188       |
| 176 | Lack of Efficacy of Naltrexone in the Prevention of Alcohol Relapse: Results From a German Multicenter Study. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 592-598.  | 1.4  | 119       |
| 177 | Neuroimaging in Alcoholism: Ethanol and Brain Damage. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 104S-109S.  | 2.4  | 98        |
| 178 | Neuroimaging in Alcoholism: Ethanol and Brain Damage. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 104S-109S.  | 2.4  | 53        |
| 179 | Sex Differences of Carbohydrate-Deficient Transferrin, gamma-Glutamyltransferase, and Mean Corpuscular Volume in Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1400-1405.   | 2.4  | 30        |
| 180 | Treatment Outcome in Alcoholism – A Comparison of Self-Report and the Biological Markers Carbohydrate-Deficient Transferrin and $\gamma$ -Glutamyl Transferase. <i>European Addiction Research</i> , 1999, 5, 91-96.  | 2.4  | 45        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Localized Proton Magnetic Resonance Spectroscopy of the Cerebellum in Detoxifying Alcoholics. Alcoholism: Clinical and Experimental Research, 1999, 23, 158-163.            | 2.4 | 84        |
| 182 | Biological markers as indicators for relapse in alcohol-dependent patients. Addiction Biology, 1999, 4, 209-214.  | 2.6 | 8         |
| 183 | Effects of Disease-Related Cues in Alcoholic Inpatients: Results of a Controlled "Alcohol Stroop" Study. Alcoholism: Clinical and Experimental Research, 1995, 19, 593-599. | 2.4 | 97        |
| 184 | Alcohol Policy and the Public Good : further debate: A major contribution to improve the science policy discussion. Addiction, 1995, 90, 1451-1452.                         | 3.3 | 0         |
| 185 | The reversibility of alcoholic brain damage is not due to rehydration: a CT study. Addiction, 1993, 88, 649-653.  | 3.3 | 36        |
| 186 | Alkohol und Gehirn. Monographien Aus Dem Gesamtgebiete Der Psychiatrie, 1992, , .   | 0.1 | 13        |
| 187 | Urinary Dolichol?A Doubtful Marker of Alcoholism. Alcoholism: Clinical and Experimental Research, 1991, 15, 938-941.  | 2.4 | 12        |