
## Lucile Musset

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11132689/publications.pdf Version: 2024-02-01



LUCHE MUSSET

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The International Consensus on ANA Patterns (ICAP) in 2021—The 6th Workshop and Current<br>Perspectives. journal of applied laboratory medicine, The, 2022, 7, 322-330.                       | 1.3 | 31        |
| 2  | Immunochemotherapy versus rituximab in antiâ€myelinâ€associated glycoprotein neuropathy: A report of<br>64 patients. British Journal of Haematology, 2022, , .                                | 2.5 | 6         |
| 3  | Repository of intra- and inter-run variations of quantitative autoantibody assays: a European multicenter study. Clinical Chemistry and Laboratory Medicine, 2022, 60, 1373-1383.             | 2.3 | 1         |
| 4  | How to report the antinuclear antibodies (anti-cell antibodies) test on HEp-2 cells: guidelines from the ICAP initiative. Immunologic Research, 2021, 69, 594-608.                            | 2.9 | 34        |
| 5  | Rituximab-associated Vasculitis Flare: Incidence, Predictors, and Outcome. Journal of Rheumatology, 2020, 47, 896-902.  | 2.0 | 21        |
| 6  | Anti-MDA5 juvenile idiopathic inflammatory myopathy: a specific subgroup defined by differentially enhanced interferon-l± signalling. Rheumatology, 2020, 59, 1927-1937.                      | 1.9 | 26        |
| 7  | Hydroxychloroquine levels in patients with systemic lupus erythematosus: whole blood is preferable but serum levels also detect non-adherence. Arthritis Research and Therapy, 2020, 22, 223. | 3.5 | 18        |
| 8  | Precision of autoantibody assays in clinical diagnostic laboratories: What is the reality?. Clinical<br>Biochemistry, 2020, 83, 57-64.  | 1.9 | 6         |
| 9  | Quality and best practice in medical laboratories: specific requests for autoimmunity testing.<br>Autoimmunity Highlights, 2020, 11, 12.  | 3.9 | 16        |
| 10 | Cryoglobulinemia after the era of chronic hepatitis C infection. Seminars in Arthritis and Rheumatism, 2020, 50, 695-700.   | 3.4 | 23        |
| 11 | Severe Acute Flaccid Myelitis Associated With Enterovirus in Children: Two Phenotypes for Two<br>Evolution Profiles?. Frontiers in Neurology, 2020, 11, 343.                                  | 2.4 | 6         |
| 12 | Risk factors for hydroxychloroquine retinopathy in systemic lupus erythematosus: a case–control study with hydroxychloroquine blood-level analysis. Rheumatology, 2020, 59, 3807-3816.        | 1.9 | 24        |
| 13 | Making the Diagnosis of Myositis: Laboratory Testing in Myositis. , 2020, , 161-166.  |     | 3         |
| 14 | Absence of HCV RNA in serum and cryoprecipitate of patients with persisting mixed cryoglobulinaemia vasculitis after directâ€acting antiviral agents. GastroHep, 2019, 1, 134-137.            | 0.6 | 1         |
| 15 | Anti-mitochondrial antibodies are not a hallmark of severity in idiopathic inflammatory myopathies.<br>Joint Bone Spine, 2018, 85, 375-376.   | 1.6 | 14        |
| 16 | Development of a New Classification System for Idiopathic Inflammatory Myopathies Based on Clinical<br>Manifestations and Myositis-Specific Autoantibodies. JAMA Neurology, 2018, 75, 1528.   | 9.0 | 301       |
| 17 | Detection in whole blood of autoantibodies for the diagnosis of connective tissue diseases in near patient testing condition. PLoS ONE, 2018, 13, e0202736.                                   | 2.5 | 12        |
| 18 | Direct-Acting Antiviral Therapy Restores Immune Tolerance to Patients With Hepatitis C Virus–Induced<br>Cryoglobulinemia Vasculitis. Gastroenterology, 2017, 152, 2052-2062.e2.               | 1.3 | 81        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Relevance of diagnostic investigations in patients with uveitis: Retrospective cohort study on 300 patients. Autoimmunity Reviews, 2017, 16, 504-511.  | 5.8  | 46        |
| 20 | Detection of interferon alpha protein reveals differential levels and cellular sources in disease.<br>Journal of Experimental Medicine, 2017, 214, 1547-1555.  | 8.5  | 288       |
| 21 | Efficacy and Safety of Sofosbuvir Plus Daclatasvir for Treatment of HCV-Associated Cryoglobulinemia<br>Vasculitis. Gastroenterology, 2017, 153, 49-52.e5.  | 1.3  | 125       |
| 22 | Testing anti-neutrophil cytoplasmic antibodies (ANCA): analysis of the European EASI survey on the daily practice of the French laboratories. Annales De Biologie Clinique, 2017, 75, 531-541.               | 0.1  | 6         |
| 23 | Vasculopathy-related clinical and pathological features are associated with severe juvenile dermatomyositis. Rheumatology, 2016, 55, kev359.   | 1.9  | 21        |
| 24 | Guillain-Barré Syndrome outbreak associated with Zika virus infection in French Polynesia: a<br>case-control study. Lancet, The, 2016, 387, 1531-1539.   | 13.7 | 1,913     |
| 25 | High risk of cancer in autoimmune necrotizing myopathies: usefulness of myositis specific antibody.<br>Brain, 2016, 139, 2131-2135.  | 7.6  | 202       |
| 26 | Anti-HMGCR antibodies as a biomarker for immune-mediated necrotizing myopathies: A history of statins and experience from a large international multi-center study. Autoimmunity Reviews, 2016, 15, 983-993. | 5.8  | 105       |
| 27 | Longâ€ŧerm efficacy of rituximab in IgM antiâ€myelinâ€associated glycoprotein neuropathy: RIMAG followâ€up<br>study. Journal of the Peripheral Nervous System, 2016, 21, 10-14.                              | 3.1  | 25        |
| 28 | Sofosbuvir plus ribavirin for hepatitis C virus-associated cryoglobulinaemia vasculitis: VASCUVALDIC study. Annals of the Rheumatic Diseases, 2016, 75, 1777-1782.   | 0.9  | 136       |
| 29 | Dermatomyositis With or Without Anti-Melanoma Differentiation-Associated Gene 5 Antibodies.<br>American Journal of Pathology, 2016, 186, 691-700.  | 3.8  | 78        |
| 30 | Efficacy of Rituximab in Refractory Inflammatory Myopathies Associated with Anti- Synthetase<br>Auto-Antibodies: An Open-Label, Phase II Trial. PLoS ONE, 2015, 10, e0133702.                                | 2.5  | 84        |
| 31 | Thrombophilia Associated with Anti-DFS70 Autoantibodies. PLoS ONE, 2015, 10, e0138671.   | 2.5  | 17        |
| 32 | Regulatory T Cell Responses to High-Dose Methylprednisolone in Active Systemic Lupus<br>Erythematosus. PLoS ONE, 2015, 10, e0143689.   | 2.5  | 37        |
| 33 | PegIFNα/ribavirin/protease inhibitor combination in severe hepatitis C virus-associated mixed cryoglobulinemia vasculitis. Journal of Hepatology, 2015, 62, 24-30.   | 3.7  | 86        |
| 34 | Th1 Response and Systemic Treg Deficiency in Inclusion Body Myositis. PLoS ONE, 2014, 9, e88788.   | 2.5  | 65        |
| 35 | Lower vitamin D levels are associated with higher systemic lupus erythematosus activity, but not predictive of disease flare-up. Lupus Science and Medicine, 2014, 1, e000027.                               | 2.7  | 54        |
| 36 | Analysis of Autoantibodies to 3-Hydroxy-3-methylglutaryl-coenzyme A Reductase Using Different<br>Technologies. Journal of Immunology Research, 2014, 2014, 1-8.  | 2.2  | 41        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Serum biomarker signature identifies patients with B-cell non-Hodgkin lymphoma associated with cryoglobulinemia vasculitis in chronic HCV infection. Autoimmunity Reviews, 2014, 13, 319-326.                  | 5.8 | 20        |
| 38 | Exploring necrotizing autoimmune myopathies with a novel immunoassay for<br>anti-3-hydroxy-3-methyl-glutaryl-CoA reductase autoantibodies. Arthritis Research and Therapy, 2014,<br>16, R39.                   | 3.5 | 57        |
| 39 | Anti-HMGCR Autoantibodies in European Patients With Autoimmune Necrotizing Myopathies. Medicine<br>(United States), 2014, 93, 150-157.   | 1.0 | 235       |
| 40 | From ANA-screening to antigen-specificity: an EASI-survey on the daily practice in European countries.<br>Clinical and Experimental Rheumatology, 2014, 32, 539-46.  | 0.8 | 21        |
| 41 | Hydroxychloroquine in systemic lupus erythematosus: results of a French multicentre controlled trial (PLUS Study). Annals of the Rheumatic Diseases, 2013, 72, 1786-1792.                                      | 0.9 | 160       |
| 42 | Placebo-controlled trial of rituximab in IgM anti-myelin–associated glycoprotein neuropathy.<br>Neurology, 2013, 80, 2217-2225.  | 1.1 | 167       |
| 43 | Clinical Phenotypes of Patients with Anti-DFS70/LEDGF Antibodies in a Routine ANA Referral Cohort.<br>Clinical and Developmental Immunology, 2013, 2013, 1-8.  | 3.3 | 65        |
| 44 | Immunotherapy-based regimen in anti-MAG neuropathy: results in 45 patients. Haematologica, 2013, 98, e155-e157.  | 3.5 | 30        |
| 45 | Hierarchical cluster and survival analyses of antisynthetase syndrome: Phenotype and outcome are correlated with anti-tRNA synthetase antibody specificity. Autoimmunity Reviews, 2012, 12, 210-217.           | 5.8 | 233       |
| 46 | Antisynthetase Syndrome with Anti-Jo1 Antibodies in 48 Patients: Pulmonary Involvement Predicts<br>Disease-modifying Antirheumatic Drug Use. Journal of Rheumatology, 2012, 39, 1835-1839.                     | 2.0 | 48        |
| 47 | Restoration of regulatory and effector T cell balance and B cell homeostasis in systemic lupus<br>erythematosus patients through vitamin D supplementation. Arthritis Research and Therapy, 2012, 14,<br>R221. | 3.5 | 156       |
| 48 | Interleukinâ€⊋1 modulates Th1 and Th17 responses in giant cell arteritis. Arthritis and Rheumatism, 2012, 64, 2001-2011.   | 6.7 | 147       |
| 49 | Heterogeneous spectrum of neuropathies in Waldenstr¶m's macroglobulinemia: a diagnostic strategy<br>to optimize their management. Journal of the Peripheral Nervous System, 2012, 17, 90-101.                  | 3.1 | 47        |
| 50 | Guillain–Barre syndrome: First description of a snake envenomation aetiology. Journal of<br>Neuroimmunology, 2012, 242, 72-77.   | 2.3 | 20        |
| 51 | Critical role of IL-21 in modulating TH17 and regulatory TÂcells in Behçet disease. Journal of Allergy and<br>Clinical Immunology, 2011, 128, 655-664.   | 2.9 | 196       |
| 52 | Human FoxP3+ regulatory T cells in systemic autoimmune diseases. Autoimmunity Reviews, 2011, 10, 744-755.  | 5.8 | 298       |
| 53 | Correlation of anti-signal recognition particle autoantibody levels with creatine kinase activity in patients with necrotizing myopathy. Arthritis and Rheumatism, 2011, 63, 1961-1971.                        | 6.7 | 168       |
| 54 | Systemic Vasculitis in Patients with Hepatitis C Virus Infection with and without Detectable Mixed<br>Cryoglobulinemia. Journal of Rheumatology, 2011, 38, 104-110.  | 2.0 | 23        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Hevylite, a Novel M-Component Based Biomarkers of Response to Therapy and Survival in Waldenstrom<br>Macroglobulinemia. Blood, 2011, 118, 2667-2667.   | 1.4  | 2         |
| 56 | Rituximab plus Peg-interferon-α/ribavirin compared with Peg-interferon-α/ribavirin in hepatitis C–related<br>mixed cryoglobulinemia. Blood, 2010, 116, 326-334.  | 1.4  | 248       |
| 57 | Systemic Diseases. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1912-1915.  | 4.5  | 1         |
| 58 | Surrogate markers of B cell non-Hodgkin's lymphoma in patients with hepatitis C virus-related cryoglobulinaemia vasculitis. Annals of the Rheumatic Diseases, 2010, 69, 2177-2180.   | 0.9  | 19        |
| 59 | Presentation and outcome of gastrointestinal involvement in hepatitis C virus-related systemic vasculitis: a case–control study from a single-centre cohort of 163 patients. Gut, 2010, 59, 1709-1715.   | 12.1 | 28        |
| 60 | Anti-MAG Neuropathy: a Single Center Retrospective Study In 61 Patients. Blood, 2010, 116, 3951-3951.  | 1.4  | 0         |
| 61 | Rituximab may form a complex with iGml̂º mixed cryoglobulin and induce severe systemic reactions in patients with hepatitis C virus–induced vasculitis. Arthritis and Rheumatism, 2009, 60, 3848-3855.   | 6.7  | 129       |
| 62 | Role of Regulatory T Cells in a New Mouse Model of Experimental Autoimmune Myositis. American<br>Journal of Pathology, 2009, 174, 989-998.   | 3.8  | 74        |
| 63 | Serum-free light chain elevation is associated with a shorter time to treatment in Waldenstrom's macroglobulinemia. Haematologica, 2008, 93, 793-794.  | 3.5  | 42        |
| 64 | Low blood concentration of hydroxychloroquine is a marker for and predictor of disease<br>exacerbations in patients with systemic lupus erythematosus. Arthritis and Rheumatism, 2006, 54,<br>3284-3290.   | 6.7  | 274       |
| 65 | Frequent Joining of Bcl-2 to a JH6 Gene in Hepatitis C Virus-Associated t(14;18). Journal of Immunology, 2004, 173, 3549-3556.   | 0.8  | 35        |
| 66 | Extrahepatic Manifestations Associated with Hepatitis C Virus Infection: A Prospective Multicenter<br>Study of 321 Patients. Medicine (United States), 2000, 79, 47-56.  | 1.0  | 483       |
| 67 | Presence of antinucleosome autoantibodies in a restricted set of connective tissue diseases:<br>Antinucleosome antibodies of the IgG3 subclass are markers of renal pathogenicity in systemic lupus<br>erythematosus. Arthritis and Rheumatism, 2000, 43, 76-84. | 6.7  | 237       |
| 68 | Anti-endothelial cell auto-antibodies in hepatitis C virus mixed cryoglobulinemia. Journal of<br>Hepatology, 1999, 31, 598-603.  | 3.7  | 60        |
| 69 | Hepatitis C virus infection and cryoglobulinemia. Journal of Hepatology, 1998, 29, 848-855.  | 3.7  | 37        |
| 70 | Pattern of HCV antibodies with special reference to NS5A reactivity in HCV-infected patients: relation<br>to viral genotype, cryoglobulinemia and response to interferon. Journal of Hepatology, 1998, 28,<br>538-543.   | 3.7  | 21        |
| 71 | Parvovirus B19 infection, hepatitis C virus infection, and mixed cryoglobulinaemia. Annals of the<br>Rheumatic Diseases, 1998, 57, 422-424.  | 0.9  | 17        |
| 72 | Variations of serum IgG subclass levels in hepatitis C virus infection during interferon-α therapy.<br>Immunology Letters, 1997, 55, 41-45.  | 2.5  | 5         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Hepatitis C virus genotypes and subtypes in patients with hepatitis C, with and without cryoglobulinemia. Journal of Hepatology, 1996, 25, 427-432. | 3.7 | 69        |
| 74 | Increased serum immunoglobulin G1 levels in hepatitis C virus infection. Hepatology, 1995, 21, 1755-1757.   | 7.3 | 12        |
| 75 | Mixed cryoglobulinemia and hepatitis C virus. American Journal of Medicine, 1994, 96, 124-132.  | 1.5 | 226       |
| 76 | Cryoglobulinemia in chronic liver diseases: Role of hepatitis C virus and liver damage.<br>Gastroenterology, 1994, 106, 1291-1300.                  | 1.3 | 433       |