

Mehmet Ozaydin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11142064/publications.pdf>

Version: 2024-02-01

60
papers

3,553
citations

279798

23
h-index

144013

57
g-index

60
all docs

60
docs citations

60
times ranked

2838
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The association of plasma oxidative status and inflammation with the development of atrial fibrillation in patients presenting with ST elevation myocardial infarction. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 77-82. | 1.2 | 32 |
| 2 | Nebivolol versus Carvedilol or Metoprolol in Patients Presenting with Acute Myocardial Infarction Complicated by Left Ventricular Dysfunction. <i>Medical Principles and Practice</i> , 2016, 25, 316-322. | 2.4 | 17 |
| 3 | Gamma glutamyltransferase, inflammation and cardiovascular risk factors in isolated coronary artery ectasia. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016, 35, 33-39. | 0.2 | 6 |
| 4 | Association between the use of renin-angiotensin system blockers and development of in-hospital atrial fibrillation in patients with ST-segment elevation myocardial infarction. <i>Medicina (Lithuania)</i> , 2016, 52, 104-109. | 2.0 | 9 |
| 5 | Gamma glutamyltransferase, inflammation and cardiovascular risk factors in isolated coronary artery ectasia. <i>Revista Portuguesa De Cardiologia</i> , 2016, 35, 33-39. | 0.5 | 10 |
| 6 | Mean platelet volume and red cell distribution width in autoimmune gastritis: Confounding factors should be considered. <i>Platelets</i> , 2015, 26, 274-274. | 2.3 | 1 |
| 7 | Aortic Stiffness in Patients with Deep and Lobar Intracerebral Hemorrhage: Role of Antihypertensive Drugs and Statins. <i>Journal of Stroke</i> , 2015, 17, 89. | 3.2 | 1 |
| 8 | Mechanical prosthetic valve disease is related with an increase in depression and anxiety disorder. <i>Medicinski Glasnik</i> , 2015, 12, 86-92. | 0.4 | 0 |
| 9 | Strict heart rate control attenuates prothrombotic state and platelet activity in patients with non-valvular permanent atrial fibrillation. <i>Clinical Hemorheology and Microcirculation</i> , 2014, 56, 219-229. | 1.7 | 9 |
| 10 | Relationship Between Neutrophilâ€“Lymphocyte Ratio and Isolated Low High-Density Lipoprotein Cholesterol. <i>Angiology</i> , 2014, 65, 630-633. | 1.8 | 8 |
| 11 | Oxidative Status, Inflammation, and Postoperative Atrial Fibrillation With Metoprolol vs Carvedilol or Carvedilol Plus Nâ€“Acetyl Cysteine Treatment. <i>Clinical Cardiology</i> , 2014, 37, 300-306. | 1.8 | 14 |
| 12 | Low High-Density Lipoprotein Cholesterol Is Characterized by Elevated Oxidative Stress. <i>Angiology</i> , 2014, 65, 927-931. | 1.8 | 9 |
| 13 | Mean platelet volume measurement in chronic renal failure: confounding factors must have been taken into account. <i>Renal Failure</i> , 2014, 36, 488-488. | 2.1 | 2 |
| 14 | The Effect of Radiotherapy on Aortic Stiffness in Patients With Breast Cancer. <i>Angiology</i> , 2014, 65, 649-649. | 1.8 | 1 |
| 15 | Both Carvedilol and Nebivolol May Improve Platelet Function and Prothrombotic State in Patients With Nonischemic Heart Failure. <i>Angiology</i> , 2014, 65, 533-537. | 1.8 | 9 |
| 16 | Mean Platelet Volume is Elevated in Patients With Low High-Density Lipoprotein Cholesterol. <i>Angiology</i> , 2014, 65, 733-736. | 1.8 | 13 |
| 17 | Mean platelet volume in differentiating congestive heart failure from chronic obstructive pulmonary disease. <i>International Journal of Cardiology</i> , 2014, 172, e299. | 1.7 | 2 |
| 18 | N-acetyl cysteine for the conversion of atrial fibrillation into sinus rhythm after cardiac surgery: A prospective, randomized, double-blind, placebo-controlled pilot study. <i>International Journal of Cardiology</i> , 2013, 165, 580-583. | 1.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Metoprolol vs. carvedilol or carvedilol plus N-acetyl cysteine on post-operative atrial fibrillation: a randomized, double-blind, placebo-controlled study. <i>European Heart Journal</i> , 2013, 34, 597-604. | 2.2 | 55 |
| 20 | Mean platelet volume in patients with primary aldosteronism, role of antihypertensive drugs. <i>International Journal of Cardiology</i> , 2013, 168, 4505. | 1.7 | 0 |
| 21 | Platelet indices in retinal vein occlusion in hypertensive patients. <i>Indian Journal of Ophthalmology</i> , 2013, 61, 692. | 1.1 | 0 |
| 22 | Effect of Smoking Cessation on Mean Platelet Volume. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013, 19, 315-319. | 1.7 | 42 |
| 23 | Evaluation of plasma oxidative status in patients with slow coronary flow. <i>Kardiologia Polska</i> , 2013, 71, 588-594. | 0.6 | 12 |
| 24 | Association of inflammation with atrial fibrillation in hyperthyroidism. <i>Journal of Geriatric Cardiology</i> , 2013, 9, 344-348. | 0.2 | 8 |
| 25 | Platelet indices in patients with acute pulmonary embolism. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 163-167. | 1.2 | 31 |
| 26 | Effect of previous statin use on the incidence of sustained ventricular tachycardia and ventricular fibrillation in patients presenting with acute coronary syndrome. <i>Anatolian Journal of Cardiology</i> , 2011, 11, 22-8. | 0.4 | 5 |
| 27 | N-3 polyunsaturated fatty acids administration does not reduce the recurrence rates of atrial fibrillation and inflammation after electrical cardioversion: a prospective randomized study. <i>Anatolian Journal of Cardiology</i> , 2011, 11, 305-9. | 0.4 | 31 |
| 28 | Heart rate variability and heart rate recovery in patients with coronary artery ectasia. <i>Coronary Artery Disease</i> , 2010, 21, 8-12. | 0.7 | 9 |
| 29 | Factors associated with the development of atrial fibrillation in patients with rheumatic mitral stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 547-552. | 1.5 | 18 |
| 30 | Mean platelet volume in patients with prehypertension and hypertension. <i>Clinical Hemorheology and Microcirculation</i> , 2010, 45, 67-72. | 1.7 | 56 |
| 31 | Association between renin-angiotensin-aldosterone system blockers and postoperative atrial fibrillation in patients with mild and moderate left ventricular dysfunction. <i>Anatolian Journal of Cardiology</i> , 2010, 10, 137-142. | 0.4 | 9 |
| 32 | The association between previous statin use and development of atrial fibrillation in patients presenting with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2010, 141, 147-150. | 1.7 | 25 |
| 33 | Association between the use of non-antiarrhythmic drugs and postoperative atrial fibrillation. <i>International Journal of Cardiology</i> , 2010, 144, 304-306. | 1.7 | 4 |
| 34 | Atrial fibrillation and inflammation. <i>World Journal of Cardiology</i> , 2010, 2, 243. | 1.5 | 27 |
| 35 | Mean platelet volume is elevated in patients with myocardial infarction with normal coronary arteries, as in patients with myocardial infarction with obstructive coronary artery disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 570-574. | 1.2 | 21 |
| 36 | Effect of renin-angiotensin aldosterone system blockers on postoperative atrial fibrillation. <i>International Journal of Cardiology</i> , 2008, 127, 362-367. | 1.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | N-acetylcysteine for the prevention of postoperative atrial fibrillation: a prospective, randomized, placebo-controlled pilot study. <i>European Heart Journal</i> , 2008, 29, 625-631. | 2.2 | 142 |
| 38 | Matrix metalloproteinases and inflammatory markers in coronary artery ectasia: their relationship to severity of coronary artery ectasia. <i>Coronary Artery Disease</i> , 2008, 19, 559-563. | 0.7 | 73 |
| 39 | Atorvastatin for reduction of myocardial dysrhythmia after cardiac surgery study. <i>Future Cardiology</i> , 2007, 3, 127-129. | 1.2 | 1 |
| 40 | Inflammatory markers according to types of atrial fibrillation. <i>International Journal of Cardiology</i> , 2007, 120, 193-197. | 1.7 | 70 |
| 41 | Elevated carbohydrate antigen 125 levels in hypertrophic cardiomyopathy patients with heart failure. <i>Heart and Vessels</i> , 2007, 22, 30-33. | 1.2 | 19 |
| 42 | A patient with Turner's syndrome associated with unexplained left ventricular hypertrophy, severe left ventricular systolic dysfunction, atrial septal defect and pericardial effusion. <i>Anatolian Journal of Cardiology</i> , 2007, 7, 237-8. | 0.4 | 2 |
| 43 | Effect of Atorvastatin on the Recurrence Rates of Atrial Fibrillation After Electrical Cardioversion. <i>American Journal of Cardiology</i> , 2006, 97, 1490-1493. | 1.6 | 126 |
| 44 | Risk of Thromboembolic Events After Percutaneous Left Atrial Radiofrequency Ablation of Atrial Fibrillation. <i>Circulation</i> , 2006, 114, 759-765. | 1.6 | 395 |
| 45 | Tumour marker levels in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2005, 7, 840-843. | 7.1 | 48 |
| 46 | Left Atrial Myxoma Presenting with Acute Myocardial Infarction. <i>Angiology</i> , 2005, 56, 767-769. | 1.8 | 14 |
| 47 | Mechanism of Immediate Recurrences of Atrial Fibrillation After Restoration of Sinus Rhythm. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004, 27, 77-82. | 1.2 | 22 |
| 48 | Clinical significance of inducible atrial flutter during pulmonary vein isolation in patients with atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2004, 43, 2057-2062. | 2.8 | 59 |
| 49 | False-positive Exercise Test Secondary to Wolff-Parkinson-White Syndrome in the Absence of Manifest Preexcitation and Disappearance of ST Depressions After Accessory Pathway Ablation. <i>International Heart Journal</i> , 2004, 45, 1043-1047. | 0.6 | 1 |
| 50 | Right coronary artery aneurysm mimicking aortic root dissection. <i>Texas Heart Institute Journal</i> , 2004, 31, 196-7. | 0.3 | 2 |
| 51 | Effect of Atrial Fibrillation Duration on Probability of Immediate Recurrence after Transthoracic Cardioversion. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 182-185. | 1.7 | 26 |
| 52 | Role of the Coronary Sinus in Maintenance of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 1329-1336. | 1.7 | 84 |
| 53 | Characteristics of Rapid Rhythms Recorded Within Pulmonary Veins During Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 1342-1347. | 1.2 | 24 |
| 54 | Atrial Electrogram Amplitude and Efficacy of Cavotricuspid Isthmus Ablation for Atrial Flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 1859-1863. | 1.2 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Segmental Ostial Ablation to Isolate the Pulmonary Veins During Atrial Fibrillation. Circulation, 2002, 106, 1256-1262. | 1.6 | 249 |
| 56 | Pulmonary Vein Isolation for Paroxysmal and Persistent Atrial Fibrillation. Circulation, 2002, 105, 1077-1081. | 1.6 | 1,047 |
| 57 | Clinical significance of early recurrences of atrial fibrillation after pulmonary vein isolation. Journal of the American College of Cardiology, 2002, 40, 100-104. | 2.8 | 348 |
| 58 | Comparison of amiodarone versus ibutilide for the prevention of immediate recurrences of atrial fibrillation during pulmonary vein isolation. American Journal of Cardiology, 2002, 90, 492-495. | 1.6 | 7 |
| 59 | Mechanistic Significance of Intermittent Pulmonary Vein Tachycardia in Patients with Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2002, 13, 645-650. | 1.7 | 196 |
| 60 | Randomized Comparison of Bipolar versus Unipolar Plus Bipolar Recordings During Segmental Ostial Ablation of Pulmonary Veins. Journal of Cardiovascular Electrophysiology, 2002, 13, 851-856. | 1.7 | 24 |