

# Zahra Madjd

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1114847/publications.pdf>

Version: 2024-02-01

130  
papers

3,212  
citations

126907

33  
h-index

206112

48  
g-index

147  
all docs

147  
docs citations

147  
times ranked

4821  
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunosurveillance is active in colorectal cancer as downregulation but not complete loss of MHC class I expression correlates with a poor prognosis. <i>International Journal of Cancer</i> , 2006, 118, 6-10.	5.1	199
2	Total loss of MHC class I is an independent indicator of good prognosis in breast cancer. <i>International Journal of Cancer</i> , 2005, 117, 248-255.	5.1	134
3	Expression of the stress-related MHC class I chain-related protein MICA is an indicator of good prognosis in colorectal cancer patients. <i>International Journal of Cancer</i> , 2006, 118, 1445-1452.	5.1	131
4	The ubiquitin-binding protein p62 is expressed in breast cancers showing features of aggressive disease. <i>Endocrine-Related Cancer</i> , 2007, 14, 73-80.	3.1	97
5	High expression of Lewisy/bantigens is associated with decreased survival in lymph node negative breast carcinomas. <i>Breast Cancer Research</i> , 2005, 7, R780-7.	5.0	81
6	Tumor-derived exosomes: the next generation of promising cell-free vaccines in cancer immunotherapy. <i>Oncoimmunology</i> , 2020, 9, 1779991.	4.6	80
7	Co-expression of Cancer Stem Cell Markers OCT4 and NANOG Predicts Poor Prognosis in Renal Cell Carcinomas. <i>Scientific Reports</i> , 2018, 8, 11739.	3.3	75
8	Apelin-13 Protects the Brain Against Ischemic Reperfusion Injury and Cerebral Edema in a Transient Model of Focal Cerebral Ischemia. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 201-208.	2.3	72
9	Differential Expression of Cancer Stem Cell Markers ALDH1 and CD133 in Various Lung Cancer Subtypes. <i>Cancer Investigation</i> , 2015, 33, 294-302.	1.3	69
10	3D Protein-Based Bilayer Artificial Skin for the Guided Scarless Healing of Third-Degree Burn Wounds in Vivo. <i>Biomacromolecules</i> , 2018, 19, 2409-2422.	5.4	68
11	CD44+ cancer cells express higher levels of the anti-apoptotic protein Bcl-2 in breast tumours. <i>Cancer Immunity</i> , 2009, 9, 4.	3.2	62
12	Occult hepatitis C virus infection in Iranian patients with cryptogenic liver disease. <i>Journal of Medical Virology</i> , 2011, 83, 989-995.	5.0	60
13	Expression of the membrane complement regulatory protein CD59 (protectin) is associated with reduced survival in colorectal cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2006, 55, 973-980.	4.2	58
14	Exosomes derived from miR-34a-overexpressing mesenchymal stem cells inhibit in vitro tumor growth: A new approach for drug delivery. <i>Life Sciences</i> , 2021, 266, 118871.	4.3	53
15	ALDH1 in Combination with CD44 as Putative Cancer Stem Cell Markers are Correlated with Poor Prognosis in Urothelial Carcinoma of the Urinary Bladder. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 2013-2020.	1.2	49
16	Reduced expression of NGEP is associated with high-grade prostate cancers: a tissue microarray analysis. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1609-1618.	4.2	43
17	Clinical significance of putative cancer stem cell marker CD44 in different histological subtypes of lung cancer. <i>Cancer Biomarkers</i> , 2014, 14, 457-467.	1.7	43
18	Loss of CD55 Is Associated with Aggressive Breast Tumors. <i>Clinical Cancer Research</i> , 2004, 10, 2797-2803.	7.0	41

#	ARTICLE	IF	CITATIONS
19	Upregulation of circulating cancer stem cell marker, DCLK1 but not Lgr5, in chemoradiotherapy-treated colorectal cancer patients. <i>Tumor Biology</i> , 2015, 36, 4801-4810.	1.8	41
20	MicroRNA-31 inhibits RhoA-mediated tumor invasion and chemotherapy resistance in MKN-45 gastric adenocarcinoma cells. <i>Experimental Biology and Medicine</i> , 2017, 242, 1842-1847.	2.4	41
21	Morphological and molecular characteristics of spheroid formation in HT-29 and Caco-2 colorectal cancer cell lines. <i>Cancer Cell International</i> , 2021, 21, 204.	4.1	41
22	Possible involvement of CREB/BDNF signaling pathway in neuroprotective effects of topiramate against methylphenidate induced apoptosis, oxidative stress and inflammation in isolated hippocampus of rats: Molecular, biochemical and histological evidences. <i>Brain Research Bulletin</i> , 2017, 132, 82-98.	3.0	40
23	CD44 epithelial isoform inversely associates with invasive characteristics of colorectal cancer. <i>Biomarkers in Medicine</i> , 2019, 13, 419-426.	1.4	40
24	Upregulation of MICA on high-grade invasive operable breast carcinoma. <i>Cancer Immunity</i> , 2007, 7, 17.	3.2	40
25	Expression of Stem Cell Markers, CD133 and CD44, in Pediatric Solid Tumors: A Study Using Tissue Microarray. <i>Fetal and Pediatric Pathology</i> , 2013, 32, 192-204.	0.7	39
26	Comparative Expression Analysis of Putative Cancer Stem Cell Markers CD44 and ALDH1A1 in Various Skin Cancer Subtypes. <i>International Journal of Biological Markers</i> , 2016, 31, 53-61.	1.8	38
27	Topiramate Confers Neuroprotection Against Methylphenidate-Induced Neurodegeneration in Dentate Gyrus and CA1 Regions of Hippocampus via CREB/BDNF Pathway in Rats. <i>Neurotoxicity Research</i> , 2017, 31, 373-399.	2.7	37
28	Reduced expression of CXCR4, a novel renal cancer stem cell marker, is associated with high-grade renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 95-104.	2.5	37
29	Highly Efficient Generation of Transgenically Augmented CAR NK Cells Overexpressing CXCR4. <i>Frontiers in Immunology</i> , 2020, 11, 2028.	4.8	37
30	CD44 and CD24 cannot act as cancer stem cell markers in human lung adenocarcinoma cell line A549. <i>Cellular and Molecular Biology Letters</i> , 2014, 19, 23-36.	7.0	36
31	Co-Expression of Putative Cancer Stem Cell Markers CD44 and CD133 in Prostate Carcinomas. <i>Pathology and Oncology Research</i> , 2017, 23, 793-802.	1.9	36
32	Co-Expression of Putative Cancer Stem Cell Markers, CD133 and Nestin, in Skin Tumors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 8161-8169.	1.2	36
33	Increased Expression of ALDH1A1 in Prostate Cancer is Correlated With Tumor Aggressiveness: A Tissue Microarray Study of Iranian Patients. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 592-598.	1.2	35
34	Expression of Cancer Stem Cell Markers OCT4 and CD133 in Transitional Cell Carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 196-202.	1.2	34
35	The clinicopathologic association of c-MET overexpression in Iranian gastric carcinomas; an immunohistochemical study of tissue microarrays. <i>Diagnostic Pathology</i> , 2012, 7, 57.	2.0	33
36	High placenta-specific 1/low prostate-specific antigen expression pattern in high-grade prostate adenocarcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 1319-1327.	4.2	32

#	ARTICLE	IF	CITATIONS
37	Do poor-prognosis breast tumours express membrane cofactor proteins (CD46)?. <i>Cancer Immunology, Immunotherapy</i> , 2005, 54, 149-156.	4.2	30
38	Expression of CD133 Cancer Stem Cell Marker in Melanoma: A Systematic Review and Meta-Analysis. <i>International Journal of Biological Markers</i> , 2016, 31, 118-125.	1.8	29
39	High Expression of Stem Cell Marker ALDH1 is Associated with Reduced BRCA1 in Invasive Breast Carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 2973-2978.	1.2	29
40	High GD2 expression defines breast cancer cells with enhanced invasiveness. <i>Experimental and Molecular Pathology</i> , 2019, 109, 25-35.	2.1	26
41	A comparative study of mesenchymal stem cell transplantation with its paracrine effect on control of hyperglycemia in type 1 diabetic rats. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014, 13, 76.	1.9	25
42	Study of NGEF expression pattern in cancerous tissues provides novel insights into prognostic marker in prostate cancer. <i>Biomarkers in Medicine</i> , 2015, 9, 391-401.	1.4	25
43	Evaluation of circulating cellular DCLK1 protein, as the most promising colorectal cancer stem cell marker, using immunoassay based methods. <i>Cancer Biomarkers</i> , 2016, 17, 301-311.	1.7	25
44	Suppression of nicotinamide phosphoribosyltransferase expression by miR-154 reduces the viability of breast cancer cells and increases their susceptibility to doxorubicin. <i>BMC Cancer</i> , 2019, 19, 1027.	2.6	25
45	Expression of prostate stem cell antigen (PSCA) in prostate cancer: A tissue microarray study of Iranian patients. <i>Pathology Research and Practice</i> , 2014, 210, 18-23.	2.3	24
46	Increased expression of CD44 is associated with more aggressive behavior in clear cell renal cell carcinoma. <i>Biomarkers in Medicine</i> , 2018, 12, 45-61.	1.4	24
47	&lt;p&gt;Common molecular markers between circulating tumor cells and blood exosomes in colorectal cancer: a systematic and analytical review&lt;/p&gt;. <i>Cancer Management and Research</i> , 2019, Volume 11, 8669-8698.	1.9	24
48	Expression patterns and clinical significance of the potential cancer stem cell markers OCT4 and NANOG in colorectal cancer patients. <i>Molecular and Cellular Oncology</i> , 2020, 7, 1788366.	0.7	24
49	A new insight into cancer stem cell markers: Could local and circulating cancer stem cell markers correlate in colorectal cancer?. <i>Tumor Biology</i> , 2016, 37, 2405-2414.	1.8	23
50	Differential role of Wnt signaling and base excision repair pathways in gastric adenocarcinoma aggressiveness. <i>Clinical and Experimental Medicine</i> , 2017, 17, 505-517.	3.6	22
51	Expression of CD105 cancer stem cell marker in three subtypes of renal cell carcinoma. <i>Cancer Biomarkers</i> , 2018, 21, 821-837.	1.7	22
52	Potential theranostics of circulating tumor cells and tumor-derived exosomes application in colorectal cancer. <i>Cancer Cell International</i> , 2020, 20, 288.	4.1	22
53	Prediction of the treatment response in ovarian cancer: a ctDNA approach. <i>Journal of Ovarian Research</i> , 2020, 13, 124.	3.0	21
54	Peptide-conjugated liposomes for targeted miR-34a delivery to suppress breast cancer and cancer stem-like population. <i>Journal of Drug Delivery Science and Technology</i> , 2020, 57, 101687.	3.0	21

#	ARTICLE	IF	CITATIONS
55	Exposure of hepatocellular carcinoma cells to low-level As <sub>2</sub> O <sub>3</sub> causes an extra toxicity pathway via L1 retrotransposition induction. <i>Toxicology Letters</i> , 2014, 229, 111-117.	0.8	20
56	Lgr5 <sup>High</sup> /DCLK1 <sup>High</sup> phenotype is more common in early stage and intestinal subtypes of gastric carcinomas. <i>Cancer Biomarkers</i> , 2017, 20, 563-573.	1.7	20
57	Evidence for embryonic stem-like signature and epithelial-mesenchymal transition features in the spheroid cells derived from lung adenocarcinoma. <i>Tumor Biology</i> , 2016, 37, 11843-11859.	1.8	19
58	Co-expression of TLR $\alpha$ 9 and MMP $\alpha$ 13 is associated with the degree of tumour differentiation in prostate cancer. <i>International Journal of Experimental Pathology</i> , 2019, 100, 123-132.	1.3	19
59	A Simple, Rapid, and Efficient Method for Isolating Mesenchymal Stem Cells from the Entire Umbilical Cord. <i>Cell Transplantation</i> , 2016, 25, 1287-1297.	2.5	18
60	Cytoplasmic expression of Twist1, an EMT-related transcription factor, is associated with higher grades renal cell carcinomas and worse progression-free survival in clear cell renal cell carcinoma. <i>Clinical and Experimental Medicine</i> , 2018, 18, 177-190.	3.6	18
61	Increased expression of DCLK1, a novel putative CSC maker, is associated with tumor aggressiveness and worse disease-specific survival in patients with bladder carcinomas. <i>Experimental and Molecular Pathology</i> , 2019, 108, 164-172.	2.1	18
62	Low expression of Talin1 is associated with advanced pathological features in colorectal cancer patients. <i>Scientific Reports</i> , 2020, 10, 17786.	3.3	18
63	Clinical and prognostic significances of cancer stem cell markers in gastric cancer patients: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2021, 21, 139.	4.1	18
64	Dendritic cells loaded with exosomes derived from cancer stem cell-enriched spheroids as a potential immunotherapeutic option. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3312-3326.	3.6	17
65	Highly Photoluminescent Nitrogen- and Zinc-Doped Carbon Dots for Efficient Delivery of CRISPR/Cas9 and mRNA. <i>Bioconjugate Chemistry</i> , 2021, 32, 1875-1887.	3.6	17
66	PI3K/Akt inhibition and down-regulation of BCRP re-sensitize MCF7 breast cancer cell line to mitoxantrone chemotherapy. <i>Iranian Journal of Basic Medical Sciences</i> , 2015, 18, 472-7.	1.0	17
67	Cytoplasmic expression of B7-H3 and membranous EpCAM expression are associated with higher grade and survival outcomes in patients with clear cell renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151483.	1.3	16
68	Expression of EMSY, a Novel BRCA2-link Protein, is Associated with Lymph Node Metastasis and Increased Tumor Size in Breast Carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 1783-1789.	1.2	16
69	Bioengineering of fibroblast-conditioned polycaprolactone/gelatin electrospun scaffold for skin tissue engineering. <i>Artificial Organs</i> , 2022, 46, 1040-1054.	1.9	16
70	Circulating cancer stem cell markers in breast carcinomas: a systematic review protocol. <i>Systematic Reviews</i> , 2017, 6, 262.	5.3	15
71	High expression of DNA damage-inducible transcript 4 (DDIT4) is associated with advanced pathological features in the patients with colorectal cancer. <i>Scientific Reports</i> , 2021, 11, 13626.	3.3	15
72	Up-regulation of miR-381 inhibits NAD <sup>+</sup> salvage pathway and promotes apoptosis in breast cancer cells. <i>EXCLI Journal</i> , 2019, 18, 683-696.	0.7	15

#	ARTICLE	IF	CITATIONS
73	Application of Stem Cells in Targeted Therapy of Breast Cancer: A Systematic Review. Asian Pacific Journal of Cancer Prevention, 2013, 14, 2789-2800.	1.2	15
74	Methylation of O6-Methyl Guanine Methyltransferase Gene Promoter in Meningiomas - Comparison between Tumor Grades I, II, and III. Asian Pacific Journal of Cancer Prevention, 2014, 15, 33-38.	1.2	15
75	Effect of Copper Sulfate on Expression of Endogenous L1 Retrotransposons in HepG2 Cells (Hepatocellular Carcinoma). Biological Trace Element Research, 2015, 165, 131-134.	3.5	14
76	Enrichment of Up-regulated and Down-regulated Gene Clusters Using Gene Ontology, miRNAs and lncRNAs in Colorectal Cancer. Combinatorial Chemistry and High Throughput Screening, 2019, 22, 534-545.	1.1	14
77	Significant co-expression of putative cancer stem cell markers, EpCAM and CD166, correlates with tumor stage and invasive behavior in colorectal cancer. World Journal of Surgical Oncology, 2022, 20, 15.	1.9	14
78	DCLK1, a promising colorectal cancer stem cell marker, regulates tumor progression and invasion through miR-137 and miR-15a dependent manner. Clinical and Experimental Medicine, 2021, 21, 139-147.	3.6	13
79	Diagnostic and prognostic accuracy of miR-21 in renal cell carcinoma: a systematic review protocol. BMJ Open, 2016, 6, e009667.	1.9	12
80	Cytoplasmic expression of CD133 stemness marker is associated with tumor aggressiveness in clear cell renal cell carcinoma. Experimental and Molecular Pathology, 2017, 103, 218-228.	2.1	12
81	Comparative gene-expression profiling of CD133 <sup>+</sup> and CD133 <sup>-</sup> D10 melanoma cells. Future Oncology, 2015, 11, 2383-2393.	2.4	11
82	Human telomerase reverse transcriptase protein expression predicts tumour aggressiveness and survival in patients with clear cell renal cell carcinoma. Pathology, 2019, 51, 21-31.	0.6	11
83	Expression of Ki-67, p53 and VEGF in Pediatric Neuroblastoma. Asian Pacific Journal of Cancer Prevention, 2014, 15, 3065-3070.	1.2	11
84	Evaluating the Extent of LINE-1 Mobility Following Exposure to Heavy Metals in HepG2 Cells. Biological Trace Element Research, 2014, 160, 143-151.	3.5	10
85	Study of NGEF expression in androgen sensitive prostate cancer cells: A potential target for immunotherapy. Medical Journal of the Islamic Republic of Iran, 2015, 29, 159.	0.9	10
86	Exosomal microRNAs as potential circulating biomarkers in gastrointestinal tract cancers: a systematic review protocol. Systematic Reviews, 2017, 6, 228.	5.3	9
87	Spheroid-Derived Cells From Renal Adenocarcinoma Have Low Telomerase Activity and High Stem-Like and Invasive Characteristics. Frontiers in Oncology, 2019, 9, 1302.	2.8	9
88	Overexpression of DDIT4 and TPTEP1 are associated with metastasis and advanced stages in colorectal cancer patients: a study utilizing bioinformatics prediction and experimental validation. Cancer Cell International, 2021, 21, 303.	4.1	9
89	Cytoplasmic expression of p27 <sup>kip1</sup> is associated with a favourable prognosis in colorectal cancer patients. World Journal of Gastroenterology, 2006, 12, 6299.	3.3	9
90	Coenzyme Q10 Ameliorates Trimethyltin Chloride Neurotoxicity in Experimental Model of Injury in Dentate Gyrus of Hippocampus: A Histopathological and Behavioral Study. Iranian Red Crescent Medical Journal, 2016, 18, e30297.	0.5	9

#	ARTICLE	IF	CITATIONS
91	Dynamic Signature of tRNA-Derived Small RNAs in Cancer Pathogenesis as a Promising Valuable Approach. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2020, 30, 391-410.	0.9	9
92	Clinicopathological Significance of Tumor Stem Cell Markers ALDH1 and CD133 in Colorectal Carcinoma. <i>Iranian Journal of Pathology</i> , 2021, 16, 40-50.	0.5	8
93	Immunomodulatory-based therapy as a potential promising treatment strategy against severe COVID-19 patients: A systematic review. <i>International Immunopharmacology</i> , 2020, 88, 106942.	3.8	8
94	BRCA1 Protein Expression Level and CD44(+)Phenotype in Breast Cancer Patients. <i>Cell Journal</i> , 2011, 13, 155-62.	0.2	8
95	Primary colonospheres maintain stem cell-like key features after cryopreservation. <i>Journal of Cellular Physiology</i> , 2020, 235, 2452-2463.	4.1	7
96	Expressions of TWIST1 and CD105 markers in colorectal cancer patients and their association with metastatic potential and prognosis. <i>Diagnostic Pathology</i> , 2021, 16, 26.	2.0	7
97	Co-expression of cancer-testis antigens of MAGE-A6 and MAGE-A11 is associated with tumor aggressiveness in patients with bladder cancer. <i>Scientific Reports</i> , 2022, 12, 599.	3.3	7
98	Introduction of an efficient method for placenta decellularization with high potential to preserve ultrastructure and support cell attachment. <i>Artificial Organs</i> , 2022, 46, 375-386.	1.9	7
99	Cytoplasmic expression of DCLK1-S, a novel DCLK1 isoform, is associated with tumor aggressiveness and worse disease-specific survival in colorectal cancer. <i>Cancer Biomarkers</i> , 2022, 33, 277-289.	1.7	7
100	Nuclear overexpression levels of MAGE-A3 predict poor prognosis in patients with prostate cancer. <i>Apmis</i> , 2021, 129, 291-303.	2.0	6
101	In Vitro Cytotoxicity of Folate-Silica-Gold Nanorods on Mouse Acute Lymphoblastic Leukemia and Spermatogonial Cells. <i>Cell Journal</i> , 2019, 21, 14-26.	0.2	6
102	Neuroprotective effect of exogenous melatonin on dopaminergic neurons of the substantia nigra in ovariectomized rats. <i>Iranian Biomedical Journal</i> , 2011, 15, 44-50.	0.7	6
103	Co-expression of cancer stem cell markers, SALL4/ALDH1A1, is associated with tumor aggressiveness and poor survival in patients with serous ovarian carcinoma. <i>Journal of Ovarian Research</i> , 2022, 15, 17.	3.0	6
104	Evaluation of targetable biomarkers for chimeric antigen receptor T-cell (CAR-T) in the treatment of pancreatic cancer: a systematic review and meta-analysis of preclinical studies. <i>International Reviews of Immunology</i> , 2020, 39, 223-232.	3.3	5
105	SMAD4 Expression in Renal Cell Carcinomas Correlates With a Stem-Cell Phenotype and Poor Clinical Outcomes. <i>Frontiers in Oncology</i> , 2021, 11, 581172.	2.8	5
106	Impaired Memory and Evidence of Histopathology in CA1 Pyramidal Neurons through Injection of $\Delta^{21-42}$ Peptides into the Frontal Cortices of Rat. <i>Basic and Clinical Neuroscience</i> , 2016, 7, 31-41.	0.6	5
107	Oncogenic functions and clinical significances of DCLK1 isoforms in colorectal cancer: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2022, 22, .	4.1	5
108	Discovery of a potential biomarker for immunotherapy of melanoma: PLAC1 as an emerging target. <i>Immunopharmacology and Immunotoxicology</i> , 2020, 42, 604-613.	2.4	4



#	ARTICLE	IF	CITATIONS
109	A comparative study of long interspersed element-1 protein immunoreactivity in cutaneous malignancies. <i>BMC Cancer</i> , 2020, 20, 567.	2.6	4
110	High expression of tumor susceptibility gene 101 (TSG101) is associated with more aggressive behavior in colorectal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1631-1646.	2.5	4
111	Chronic Ritalin administration during adulthood increases serotonin pool in rat medial frontal cortex. <i>Iranian Biomedical Journal</i> , 2013, 17, 134-9.	0.7	4
112	Overexpression and translocation of dynamin 2 promotes tumor aggressiveness in breast carcinomas. <i>EXCLI Journal</i> , 2020, 19, 1423-1435.	0.7	4
113	Overexpression of cytoplasmic dynamin 2 is associated with worse outcomes in patients with clear cell renal cell carcinoma. <i>Cancer Biomarkers</i> , 2022, 35, 27-45.	1.7	4
114	Control of Hyperglycemia Using Differentiated and Undifferentiated Mesenchymal Stem Cells in Rats with Type 1 Diabetes. <i>Cells Tissues Organs</i> , 2020, 209, 13-25.	2.3	3
115	Local eosinophils are associated with increased IgA subclass levels in the sinonasal mucosa of chronic rhinosinusitis with polyp patients. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 30.	2.0	3
116	Potential biomarkers for testicular germ cell tumour: Risk assessment, diagnostic, prognostic and monitoring of recurrence. <i>Andrologia</i> , 2021, 53, e13998.	2.1	3
117	Evaluation of anaplastic lymphoma kinase expression in nonsmall cell lung cancer; a tissue microarray analysis. <i>Journal of Cancer Research and Therapeutics</i> , 2016, 12, 1065.	0.9	3
118	Upregulation of Ganglioside GD2 Synthase (GD2S), as a New Putative Cancer Stem Cell Marker in Breast Carcinomas. <i>Medical Journal of the Islamic Republic of Iran</i> , 2021, 35, 148.	0.9	3
119	An evaluation of the effect of bortezomib on radiation-induced urinary bladder dysfunction. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 934-939.	2.0	2
120	Low level expression of human telomerase reverse transcriptase predicts cancer-related death and progression in embryonal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2753-2775.	2.5	2
121	Reduced cytoplasmic expression of MAGE-A2 predicts tumor aggressiveness and survival: an immunohistochemical analysis. <i>World Journal of Urology</i> , 2020, 39, 1831-1843.	2.2	2
122	Expression profiling of RTL1 in human breast cancer tissues and cell lines. <i>Experimental and Molecular Pathology</i> , 2021, 121, 104654.	2.1	2
123	Cancer stem cell research in Iran: potentials and challenges. <i>Future Oncology</i> , 2017, 13, 1809-1826.	2.4	1
124	Cancer Stem Cell™s Potential Clinical Implications. <i>Iranian Journal of Cancer Prevention</i> , 2017, In Press, .	0.7	1
125	Relationship Between Low Expressions of tRNA-Derived Fragments with Metastatic Behavior of Colorectal Cancer. <i>Journal of Gastrointestinal Cancer</i> , 2022, 53, 862-869.	1.3	1
126	Overexpression of melanoma-associated antigen A2 has a clinical significance in embryonal carcinoma and is associated with tumor progression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 609-631.	2.5	1



#	ARTICLE	IF	CITATIONS
127	The relationship between KLK3 rs17632542 and PRNCR1 rs16901979 polymorphisms with susceptibility to prostate cancer. <i>Meta Gene</i> , 2019, 21, 100595.	0.6	0
128	Does GD2 synthase (GD2S) detect cancer stem cells in blood samples of breast carcinomas?. <i>Journal of Applied Biomedicine</i> , 2021, 19, 181-189.	1.7	0
129	An Integrative Analysis of The Micro-RNAs Contributing in Stemness, Metastasis and B-Raf Pathways in Malignant Melanoma and Melanoma Stem Cell. <i>Cell Journal</i> , 2021, 23, 261-272.	0.2	0
130	Increased cytoplasmic expression of DLL4 is associated with favorable prognosis in colorectal cancer. <i>Future Oncology</i> , 2021, 17, 3231-3242.	2.4	0