

Zahra Madjd

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1114847/publications.pdf>

Version: 2024-02-01

130
papers

3,212
citations

126907

33
h-index

206112

48
g-index

147
all docs

147
docs citations

147
times ranked

4821
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Low Expressions of tRNA-Derived Fragments with Metastatic Behavior of Colorectal Cancer. <i>Journal of Gastrointestinal Cancer</i> , 2022, 53, 862-869.	1.3	1
2	Overexpression of melanoma-associated antigen A2 has a clinical significance in embryonal carcinoma and is associated with tumor progression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 609-631.	2.5	1
3	Bioengineering of fibroblast- ϵ conditioned polycaprolactone/gelatin electrospun scaffold for skin tissue engineering. <i>Artificial Organs</i> , 2022, 46, 1040-1054.	1.9	16
4	Co-expression of cancer stem cell markers, SALL4/ALDH1A1, is associated with tumor aggressiveness and poor survival in patients with serous ovarian carcinoma. <i>Journal of Ovarian Research</i> , 2022, 15, 17.	3.0	6
5	Co-expression of cancer-testis antigens of MAGE-A6 and MAGE-A11 is associated with tumor aggressiveness in patients with bladder cancer. <i>Scientific Reports</i> , 2022, 12, 599.	3.3	7
6	Significant co-expression of putative cancer stem cell markers, EpCAM and CD166, correlates with tumor stage and invasive behavior in colorectal cancer. <i>World Journal of Surgical Oncology</i> , 2022, 20, 15.	1.9	14
7	Introduction of an efficient method for placenta decellularization with high potential to preserve ultrastructure and support cell attachment. <i>Artificial Organs</i> , 2022, 46, 375-386.	1.9	7
8	Cytoplasmic expression of DCLK1-S, a novel DCLK1 isoform, is associated with tumor aggressiveness and worse disease-specific survival in colorectal cancer. <i>Cancer Biomarkers</i> , 2022, 33, 277-289.	1.7	7
9	Overexpression of cytoplasmic dynamin 2 is associated with worse outcomes in patients with clear cell renal cell carcinoma. <i>Cancer Biomarkers</i> , 2022, 35, 27-45.	1.7	4
10	Oncogenic functions and clinical significances of DCLK1 isoforms in colorectal cancer: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2022, 22, .	4.1	5
11	Exosomes derived from miR-34a-overexpressing mesenchymal stem cells inhibit in vitro tumor growth: A new approach for drug delivery. <i>Life Sciences</i> , 2021, 266, 118871.	4.3	53
12	DCLK1, a promising colorectal cancer stem cell marker, regulates tumor progression and invasion through miR-137 and miR-15a dependent manner. <i>Clinical and Experimental Medicine</i> , 2021, 21, 139-147.	3.6	13
13	Clinicopathological Significance of Tumor Stem Cell Markers ALDH1 and CD133 in Colorectal Carcinoma. <i>Iranian Journal of Pathology</i> , 2021, 16, 40-50.	0.5	8
14	High expression of tumor susceptibility gene 101 (TSG101) is associated with more aggressive behavior in colorectal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1631-1646.	2.5	4
15	Clinical and prognostic significances of cancer stem cell markers in gastric cancer patients: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2021, 21, 139.	4.1	18
16	Dendritic cells loaded with exosomes derived from cancer stem cell- ϵ enriched spheroids as a potential immunotherapeutic option. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3312-3326.	3.6	17
17	Potential biomarkers for testicular germ cell tumour: Risk assessment, diagnostic, prognostic and monitoring of recurrence. <i>Andrologia</i> , 2021, 53, e13998.	2.1	3
18	Expressions of TWIST1 and CD105 markers in colorectal cancer patients and their association with metastatic potential and prognosis. <i>Diagnostic Pathology</i> , 2021, 16, 26.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Nuclear overexpression levels of MAGEA3 predict poor prognosis in patients with prostate cancer. <i>Apmis</i> , 2021, 129, 291-303.	2.0	6
20	Morphological and molecular characteristics of spheroid formation in HT-29 and Caco-2 colorectal cancer cell lines. <i>Cancer Cell International</i> , 2021, 21, 204.	4.1	41
21	SMAD4 Expression in Renal Cell Carcinomas Correlates With a Stem-Cell Phenotype and Poor Clinical Outcomes. <i>Frontiers in Oncology</i> , 2021, 11, 581172.	2.8	5
22	Overexpression of DDIT4 and TPTEP1 are associated with metastasis and advanced stages in colorectal cancer patients: a study utilizing bioinformatics prediction and experimental validation. <i>Cancer Cell International</i> , 2021, 21, 303.	4.1	9
23	Highly Photoluminescent Nitrogen- and Zinc-Doped Carbon Dots for Efficient Delivery of CRISPR/Cas9 and mRNA. <i>Bioconjugate Chemistry</i> , 2021, 32, 1875-1887.	3.6	17
24	High expression of DNA damage-inducible transcript 4 (DDIT4) is associated with advanced pathological features in the patients with colorectal cancer. <i>Scientific Reports</i> , 2021, 11, 13626.	3.3	15
25	Expression profiling of RTL1 in human breast cancer tissues and cell lines. <i>Experimental and Molecular Pathology</i> , 2021, 121, 104654.	2.1	2
26	Does GD2 synthase (GD2S) detect cancer stem cells in blood samples of breast carcinomas?. <i>Journal of Applied Biomedicine</i> , 2021, 19, 181-189.	1.7	0
27	An Integrative Analysis of The Micro-RNAs Contributing in Stemness, Metastasis and B-Raf Pathways in Malignant Melanoma and Melanoma Stem Cell. <i>Cell Journal</i> , 2021, 23, 261-272.	0.2	0
28	Upregulation of Ganglioside GD2 Synthase (GD2S), as a New Putative Cancer Stem Cell Marker in Breast Carcinomas. <i>Medical Journal of the Islamic Republic of Iran</i> , 2021, 35, 148.	0.9	3
29	Increased cytoplasmic expression of DLL4 is associated with favorable prognosis in colorectal cancer. <i>Future Oncology</i> , 2021, 17, 3231-3242.	2.4	0
30	Primary colonospheres maintain stem cell-like key features after cryopreservation. <i>Journal of Cellular Physiology</i> , 2020, 235, 2452-2463.	4.1	7
31	Highly Efficient Generation of Transgenically Augmented CAR NK Cells Overexpressing CXCR4. <i>Frontiers in Immunology</i> , 2020, 11, 2028.	4.8	37
32	Prediction of the treatment response in ovarian cancer: a ctDNA approach. <i>Journal of Ovarian Research</i> , 2020, 13, 124.	3.0	21
33	Potential theranostics of circulating tumor cells and tumor-derived exosomes application in colorectal cancer. <i>Cancer Cell International</i> , 2020, 20, 288.	4.1	22
34	Expression patterns and clinical significance of the potential cancer stem cell markers OCT4 and NANOG in colorectal cancer patients. <i>Molecular and Cellular Oncology</i> , 2020, 7, 1788366.	0.7	24
35	Low level expression of human telomerase reverse transcriptase predicts cancer-related death and progression in embryonal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2753-2775.	2.5	2
36	Low expression of Talin1 is associated with advanced pathological features in colorectal cancer patients. <i>Scientific Reports</i> , 2020, 10, 17786.	3.3	18

#	ARTICLE	IF	CITATIONS
37	Discovery of a potential biomarker for immunotherapy of melanoma: PLAC1 as an emerging target. <i>Immunopharmacology and Immunotoxicology</i> , 2020, 42, 604-613.	2.4	4
38	Reduced cytoplasmic expression of MAGE-A2 predicts tumor aggressiveness and survival: an immunohistochemical analysis. <i>World Journal of Urology</i> , 2020, 39, 1831-1843.	2.2	2
39	Evaluation of targetable biomarkers for chimeric antigen receptor T-cell (CAR-T) in the treatment of pancreatic cancer: a systematic review and meta-analysis of preclinical studies. <i>International Reviews of Immunology</i> , 2020, 39, 223-232.	3.3	5
40	Tumor-derived exosomes: the next generation of promising cell-free vaccines in cancer immunotherapy. <i>Oncolmmunology</i> , 2020, 9, 1779991.	4.6	80
41	A comparative study of long interspersed element-1 protein immunoreactivity in cutaneous malignancies. <i>BMC Cancer</i> , 2020, 20, 567.	2.6	4
42	Cytoplasmic expression of B7-H3 and membranous EpCAM expression are associated with higher grade and survival outcomes in patients with clear cell renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151483.	1.3	16
43	Peptide-conjugated liposomes for targeted miR-34a delivery to suppress breast cancer and cancer stem-like population. <i>Journal of Drug Delivery Science and Technology</i> , 2020, 57, 101687.	3.0	21
44	Control of Hyperglycemia Using Differentiated and Undifferentiated Mesenchymal Stem Cells in Rats with Type 1 Diabetes. <i>Cells Tissues Organs</i> , 2020, 209, 13-25.	2.3	3
45	Local eosinophils are associated with increased IgA subclass levels in the sinonasal mucosa of chronic rhinosinusitis with polyp patients. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 30.	2.0	3
46	Immunomodulatory-based therapy as a potential promising treatment strategy against severe COVID-19 patients: A systematic review. <i>International Immunopharmacology</i> , 2020, 88, 106942.	3.8	8
47	Dynamic Signature of tRNA-Derived Small RNAs in Cancer Pathogenesis as a Promising Valuable Approach. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2020, 30, 391-410.	0.9	9
48	Overexpression and translocation of dynamin 2 promotes tumor aggressiveness in breast carcinomas. <i>EXCLI Journal</i> , 2020, 19, 1423-1435.	0.7	4
49	An evaluation of the effect of bortezomib on radiation-induced urinary bladder dysfunction. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 934-939.	2.0	2
50	The relationship between KLK3 rs17632542 and PRNCR1 rs16901979 polymorphisms with susceptibility to prostate cancer. <i>Meta Gene</i> , 2019, 21, 100595.	0.6	0
51	Suppression of nicotinamide phosphoribosyltransferase expression by miR-154 reduces the viability of breast cancer cells and increases their susceptibility to doxorubicin. <i>BMC Cancer</i> , 2019, 19, 1027.	2.6	25
52	<p>Common molecular markers between circulating tumor cells and blood exosomes in colorectal cancer: a systematic and analytical review</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 8669-8698.	1.9	24
53	High GD2 expression defines breast cancer cells with enhanced invasiveness. <i>Experimental and Molecular Pathology</i> , 2019, 109, 25-35.	2.1	26
54	Coâ€œexpression of <sc>TLR</sc>â€œ9 and <sc>MMP</sc>â€œ13 is associated with the degree of tumour differentiation in prostate cancer. <i>International Journal of Experimental Pathology</i> , 2019, 100, 123-132.	1.3	19

#	ARTICLE	IF	CITATIONS
55	Increased expression of DCLK1, a novel putative CSC maker, is associated with tumor aggressiveness and worse disease-specific survival in patients with bladder carcinomas. <i>Experimental and Molecular Pathology</i> , 2019, 108, 164-172.	2.1	18
56	CD44 epithelial isoform inversely associates with invasive characteristics of colorectal cancer. <i>Biomarkers in Medicine</i> , 2019, 13, 419-426.	1.4	40
57	Spheroid-Derived Cells From Renal Adenocarcinoma Have Low Telomerase Activity and High Stem-Like and Invasive Characteristics. <i>Frontiers in Oncology</i> , 2019, 9, 1302.	2.8	9
58	Human telomerase reverse transcriptase protein expression predicts tumour aggressiveness and survival in patients with clear cell renal cell carcinoma. <i>Pathology</i> , 2019, 51, 21-31.	0.6	11
59	Up-regulation of miR-381 inhibits NAD ⁺ salvage pathway and promotes apoptosis in breast cancer cells. <i>EXCLI Journal</i> , 2019, 18, 683-696.	0.7	15
60	Enrichment of Up-regulated and Down-regulated Gene Clusters Using Gene Ontology, miRNAs and lncRNAs in Colorectal Cancer. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2019, 22, 534-545.	1.1	14
61	In Vitro Cytotoxicity of Folate-Silica-Gold Nanorods on Mouse Acute Lymphoblastic Leukemia and Spermatogonial Cells. <i>Cell Journal</i> , 2019, 21, 14-26.	0.2	6
62	Expression of CD105 cancer stem cell marker in three subtypes of renal cell carcinoma. <i>Cancer Biomarkers</i> , 2018, 21, 821-837.	1.7	22
63	Increased expression of CD44 is associated with more aggressive behavior in clear cell renal cell carcinoma. <i>Biomarkers in Medicine</i> , 2018, 12, 45-61.	1.4	24
64	3D Protein-Based Bilayer Artificial Skin for the Guided Scarless Healing of Third-Degree Burn Wounds in Vivo. <i>Biomacromolecules</i> , 2018, 19, 2409-2422.	5.4	68
65	Cytoplasmic expression of Twist1, an EMT-related transcription factor, is associated with higher grades renal cell carcinomas and worse progression-free survival in clear cell renal cell carcinoma. <i>Clinical and Experimental Medicine</i> , 2018, 18, 177-190.	3.6	18
66	Co-expression of Cancer Stem Cell Markers OCT4 and NANOG Predicts Poor Prognosis in Renal Cell Carcinomas. <i>Scientific Reports</i> , 2018, 8, 11739.	3.3	75
67	Expression of Cancer Stem Cell Markers OCT4 and CD133 in Transitional Cell Carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 196-202.	1.2	34
68	Increased Expression of ALDH1A1 in Prostate Cancer is Correlated With Tumor Aggressiveness: A Tissue Microarray Study of Iranian Patients. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 592-598.	1.2	35
69	Topiramate Confers Neuroprotection Against Methylphenidate-Induced Neurodegeneration in Dentate Gyrus and CA1 Regions of Hippocampus via CREB/BDNF Pathway in Rats. <i>Neurotoxicity Research</i> , 2017, 31, 373-399.	2.7	37
70	Co-Expression of Putative Cancer Stem Cell Markers CD44 and CD133 in Prostate Carcinomas. <i>Pathology and Oncology Research</i> , 2017, 23, 793-802.	1.9	36
71	Differential role of Wnt signaling and base excision repair pathways in gastric adenocarcinoma aggressiveness. <i>Clinical and Experimental Medicine</i> , 2017, 17, 505-517.	3.6	22
72	Possible involvement of CREB/BDNF signaling pathway in neuroprotective effects of topiramate against methylphenidate induced apoptosis, oxidative stress and inflammation in isolated hippocampus of rats: Molecular, biochemical and histological evidences. <i>Brain Research Bulletin</i> , 2017, 132, 82-98.	3.0	40

#	ARTICLE	IF	CITATIONS
73	Cytoplasmic expression of CD133 stemness marker is associated with tumor aggressiveness in clear cell renal cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2017, 103, 218-228.	2.1	12
74	Lgr5High/DCLK1High phenotype is more common in early stage and intestinal subtypes of gastric carcinomas. <i>Cancer Biomarkers</i> , 2017, 20, 563-573.	1.7	20
75	MicroRNA-31 inhibits RhoA-mediated tumor invasion and chemotherapy resistance in MKN-45 gastric adenocarcinoma cells. <i>Experimental Biology and Medicine</i> , 2017, 242, 1842-1847.	2.4	41
76	Cancer stem cell research in Iran: potentials and challenges. <i>Future Oncology</i> , 2017, 13, 1809-1826.	2.4	1
77	Reduced expression of CXCR4, a novel renal cancer stem cell marker, is associated with high-grade renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 95-104.	2.5	37
78	Exosomal microRNAs as potential circulating biomarkers in gastrointestinal tract cancers: a systematic review protocol. <i>Systematic Reviews</i> , 2017, 6, 228.	5.3	9
79	Circulating cancer stem cell markers in breast carcinomas: a systematic review protocol. <i>Systematic Reviews</i> , 2017, 6, 262.	5.3	15
80	Cancer Stem Cell's Potential Clinical Implications. <i>Iranian Journal of Cancer Prevention</i> , 2017, In Press, .	0.7	1
81	A Simple, Rapid, and Efficient Method for Isolating Mesenchymal Stem Cells from the Entire Umbilical Cord. <i>Cell Transplantation</i> , 2016, 25, 1287-1297.	2.5	18
82	Diagnostic and prognostic accuracy of miR-21 in renal cell carcinoma: a systematic review protocol. <i>BMJ Open</i> , 2016, 6, e009667.	1.9	12
83	Evaluation of circulating cellular DCLK1 protein, as the most promising colorectal cancer stem cell marker, using immunoassay based methods. <i>Cancer Biomarkers</i> , 2016, 17, 301-311.	1.7	25
84	Evidence for embryonic stem-like signature and epithelial-mesenchymal transition features in the spheroid cells derived from lung adenocarcinoma. <i>Tumor Biology</i> , 2016, 37, 11843-11859.	1.8	19
85	Comparative Expression Analysis of Putative Cancer Stem Cell Markers CD44 and ALDH1A1 in Various Skin Cancer Subtypes. <i>International Journal of Biological Markers</i> , 2016, 31, 53-61.	1.8	38
86	Expression of CD133 Cancer Stem Cell Marker in Melanoma: A Systematic Review and Meta-Analysis. <i>International Journal of Biological Markers</i> , 2016, 31, 118-125.	1.8	29
87	A new insight into cancer stem cell markers: Could local and circulating cancer stem cell markers correlate in colorectal cancer?. <i>Tumor Biology</i> , 2016, 37, 2405-2414.	1.8	23
88	Evaluation of anaplastic lymphoma kinase expression in nonsmall cell lung cancer; a tissue microarray analysis. <i>Journal of Cancer Research and Therapeutics</i> , 2016, 12, 1065.	0.9	3
89	Coenzyme Q10 Ameliorates Trimethyltin Chloride Neurotoxicity in Experimental Model of Injury in Dentate Gyrus of Hippocampus: A Histopathological and Behavioral Study. <i>Iranian Red Crescent Medical Journal</i> , 2016, 18, e30297.	0.5	9
90	Impaired Memory and Evidence of Histopathology in CA1 Pyramidal Neurons through Injection of A β ²¹⁻⁴² Peptides into the Frontal Cortices of Rat. <i>Basic and Clinical Neuroscience</i> , 2016, 7, 31-41.	0.6	5

#	ARTICLE	IF	CITATIONS
91	Upregulation of circulating cancer stem cell marker, DCLK1 but not Lgr5, in chemoradiotherapy-treated colorectal cancer patients. <i>Tumor Biology</i> , 2015, 36, 4801-4810.	1.8	41
92	Effect of Copper Sulfate on Expression of Endogenous L1 Retrotransposons in HepG2 Cells (Hepatocellular Carcinoma). <i>Biological Trace Element Research</i> , 2015, 165, 131-134.	3.5	14
93	Differential Expression of Cancer Stem Cell Markers ALDH1 and CD133 in Various Lung Cancer Subtypes. <i>Cancer Investigation</i> , 2015, 33, 294-302.	1.3	69
94	Study of NGEF expression pattern in cancerous tissues provides novel insights into prognostic marker in prostate cancer. <i>Biomarkers in Medicine</i> , 2015, 9, 391-401.	1.4	25
95	Comparative gene-expression profiling of CD133 ⁺ and CD133 ⁻ D10 melanoma cells. <i>Future Oncology</i> , 2015, 11, 2383-2393.	2.4	11
96	Study of NGEF expression in androgen sensitive prostate cancer cells: A potential target for immunotherapy. <i>Medical Journal of the Islamic Republic of Iran</i> , 2015, 29, 159.	0.9	10
97	PI3K/Akt inhibition and down-regulation of BCRP re-sensitize MCF7 breast cancer cell line to mitoxantrone chemotherapy. <i>Iranian Journal of Basic Medical Sciences</i> , 2015, 18, 472-7.	1.0	17
98	Clinical significance of putative cancer stem cell marker CD44 in different histological subtypes of lung cancer. <i>Cancer Biomarkers</i> , 2014, 14, 457-467.	1.7	43
99	A comparative study of mesenchymal stem cell transplantation with its paracrine effect on control of hyperglycemia in type 1 diabetic rats. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014, 13, 76.	1.9	25
100	CD44 and CD24 cannot act as cancer stem cell markers in human lung adenocarcinoma cell line A549. <i>Cellular and Molecular Biology Letters</i> , 2014, 19, 23-36.	7.0	36
101	High placenta-specific 1/low prostate-specific antigen expression pattern in high-grade prostate adenocarcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 1319-1327.	4.2	32
102	Exposure of hepatocellular carcinoma cells to low-level As ₂ O ₃ causes an extra toxicity pathway via L1 retrotransposition induction. <i>Toxicology Letters</i> , 2014, 229, 111-117.	0.8	20
103	Evaluating the Extent of LINE-1 Mobility Following Exposure to Heavy Metals in HepG2 Cells. <i>Biological Trace Element Research</i> , 2014, 160, 143-151.	3.5	10
104	Expression of prostate stem cell antigen (PSCA) in prostate cancer: A tissue microarray study of Iranian patients. <i>Pathology Research and Practice</i> , 2014, 210, 18-23.	2.3	24
105	Methylation of O6-Methyl Guanine Methyltransferase Gene Promoter in Meningiomas - Comparison between Tumor Grades I, II, and III. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 33-38.	1.2	15
106	Co-Expression of Putative Cancer Stem Cell Markers, CD133 and Nestin, in Skin Tumors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 8161-8169.	1.2	36
107	Expression of EMSY, a Novel BRCA2-link Protein, is Associated with Lymph Node Metastasis and Increased Tumor Size in Breast Carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 1783-1789.	1.2	16
108	ALDH1 in Combination with CD44 as Putative Cancer Stem Cell Markers are Correlated with Poor Prognosis in Urothelial Carcinoma of the Urinary Bladder. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 2013-2020.	1.2	49

#	ARTICLE	IF	CITATIONS
109	Expression of Ki-67, p53 and VEGF in Pediatric Neuroblastoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 3065-3070.	1.2	11
110	Reduced expression of NGEF is associated with high-grade prostate cancers: a tissue microarray analysis. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1609-1618.	4.2	43
111	Expression of Stem Cell Markers, CD133 and CD44, in Pediatric Solid Tumors: A Study Using Tissue Microarray. <i>Fetal and Pediatric Pathology</i> , 2013, 32, 192-204.	0.7	39
112	Application of Stem Cells in Targeted Therapy of Breast Cancer: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 2789-2800.	1.2	15
113	Chronic Ritalin administration during adulthood increases serotonin pool in rat medial frontal cortex. <i>Iranian Biomedical Journal</i> , 2013, 17, 134-9.	0.7	4
114	Apelin-13 Protects the Brain Against Ischemic Reperfusion Injury and Cerebral Edema in a Transient Model of Focal Cerebral Ischemia. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 201-208.	2.3	72
115	The clinicopathologic association of c-MET overexpression in Iranian gastric carcinomas; an immunohistochemical study of tissue microarrays. <i>Diagnostic Pathology</i> , 2012, 7, 57.	2.0	33
116	High Expression of Stem Cell Marker ALDH1 is Associated with Reduced BRCA1 in Invasive Breast Carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 2973-2978.	1.2	29
117	Occult hepatitis C virus infection in Iranian patients with cryptogenic liver disease. <i>Journal of Medical Virology</i> , 2011, 83, 989-995.	5.0	60
118	BRCA1 Protein Expression Level and CD44(+)Phenotype in Breast Cancer Patients. <i>Cell Journal</i> , 2011, 13, 155-62.	0.2	8
119	Neuroprotective effect of exogenous melatonin on dopaminergic neurons of the substantia nigra in ovariectomized rats. <i>Iranian Biomedical Journal</i> , 2011, 15, 44-50.	0.7	6
120	CD44+ cancer cells express higher levels of the anti-apoptotic protein Bcl-2 in breast tumours. <i>Cancer Immunity</i> , 2009, 9, 4.	3.2	62
121	The ubiquitin-binding protein p62 is expressed in breast cancers showing features of aggressive disease. <i>Endocrine-Related Cancer</i> , 2007, 14, 73-80.	3.1	97
122	Upregulation of MICA on high-grade invasive operable breast carcinoma. <i>Cancer Immunity</i> , 2007, 7, 17.	3.2	40
123	Expression of the membrane complement regulatory protein CD59 (protectin) is associated with reduced survival in colorectal cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2006, 55, 973-980.	4.2	58
124	Immunosurveillance is active in colorectal cancer as downregulation but not complete loss of MHC class I expression correlates with a poor prognosis. <i>International Journal of Cancer</i> , 2006, 118, 6-10.	5.1	199
125	Expression of the stress-related MHC class I chain-related protein MICA is an indicator of good prognosis in colorectal cancer patients. <i>International Journal of Cancer</i> , 2006, 118, 1445-1452.	5.1	131
126	Cytoplasmic expression of p27 ^{kip1} is associated with a favourable prognosis in colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2006, 12, 6299.	3.3	9

#	ARTICLE	IF	CITATIONS
127	Total loss of MHC class I is an independent indicator of good prognosis in breast cancer. International Journal of Cancer, 2005, 117, 248-255.	5.1	134
128	Do poor-prognosis breast tumours express membrane cofactor proteins (CD46)?. Cancer Immunology, Immunotherapy, 2005, 54, 149-156.	4.2	30
129	High expression of Lewisy/bantigens is associated with decreased survival in lymph node negative breast carcinomas. Breast Cancer Research, 2005, 7, R780-7.	5.0	81
130	Loss of CD55 Is Associated with Aggressive Breast Tumors. Clinical Cancer Research, 2004, 10, 2797-2803.	7.0	41