

Seppo Koskinen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11175146/publications.pdf>

Version: 2024-02-01

41
papers

18,015
citations

126907

33
h-index

254184

43
g-index

45
all docs

45
docs citations

45
times ranked

30558
citing authors

#	ARTICLE	IF	CITATIONS
1	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	21.4	215
2	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2099.	2.6	10
3	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425.	21.4	924
4	Whole-genome view of the consequences of a population bottleneck using 2926 genome sequences from Finland and United Kingdom. <i>European Journal of Human Genetics</i> , 2017, 25, 477-484.	2.8	60
5	CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. <i>Nature Communications</i> , 2017, 8, 744.	12.8	64
6	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. <i>Hypertension</i> , 2017, 70, .	2.7	123
7	Predictors of new-onset depressive disorders “ Results from the longitudinal Finnish Health 2011 Study. <i>Journal of Affective Disorders</i> , 2017, 208, 255-264.	4.1	22
8	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	27.8	1,204
9	A reference panel of 64,976 haplotypes for genotype imputation. <i>Nature Genetics</i> , 2016, 48, 1279-1283.	21.4	2,421
10	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	12.8	74
11	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	7.1	110
12	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495.	12.8	245
13	Vitamin D deficiency in Europe: pandemic?. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1033-1044.	4.7	963
14	Prognosis of depressive disorders in the general population“ results from the longitudinal Finnish Health 2011 Study. <i>Journal of Affective Disorders</i> , 2016, 190, 687-696.	4.1	29
15	Concordance between Composite International Diagnostic Interview and self-reports of depressive symptoms: a re-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 213-225.	2.1	15
16	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	3.5	331
17	Standardizing serum 25-hydroxyvitamin D data from four Nordic population samples using the Vitamin D Standardization Program protocols: Shedding new light on vitamin D status in Nordic individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 549-561.	1.2	99
18	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	21.4	1,818

#	ARTICLE	IF	CITATIONS
19	Depressive symptoms, major depressive episodes and cognitive test performance—What is the role of physical activity?. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 265-273.	1.3	5
20	µ-Opioid Receptor Gene (OPRM1) Polymorphism A118G: Lack of Association in Finnish Populations with Alcohol Dependence or Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2013, 48, 519-525.	1.6	28
21	Evidence of Inbreeding Depression on Human Height. <i>PLoS Genetics</i> , 2012, 8, e1002655.	3.5	79
22	Mortality in people with depressive, anxiety and alcohol use disorders in Finland. <i>British Journal of Psychiatry</i> , 2012, 200, 143-149.	2.8	53
23	Living alone and antidepressant medication use: a prospective study in a working-age population. <i>BMC Public Health</i> , 2012, 12, 236.	2.9	48
24	Quality of life of people with schizophrenia, bipolar disorder and other psychotic disorders. <i>British Journal of Psychiatry</i> , 2010, 197, 386-394.	2.8	187
25	Alcohol-induced psychotic disorder and delirium in the general population. <i>British Journal of Psychiatry</i> , 2010, 197, 200-206.	2.8	78
26	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	27.8	1,789
27	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	21.4	836
28	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	21.4	2,634
29	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	21.4	1,982
30	The association of social support at work and in private life with mental health and antidepressant use: The Health 2000 Study. <i>Journal of Affective Disorders</i> , 2009, 115, 36-45.	4.1	50
31	Mobility limitations in persons with psychotic disorder: findings from a population-based survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 325-332.	3.1	28
32	Prevalence and correlates of alcohol and other substance use disorders in young adulthood: A population-based study. <i>BMC Psychiatry</i> , 2009, 9, 73.	2.6	19
33	Occupational burnout and medically certified sickness absence: A population-based study of Finnish employees. <i>Journal of Psychosomatic Research</i> , 2008, 64, 185-193.	2.6	130
34	Alcohol consumption, abstaining, health utility, and quality of life — a general population survey in Finland. <i>Alcohol and Alcoholism</i> , 2008, 43, 376-386.	1.6	66
35	The Association Between Visual Acuity and Functional Limitations: Findings from a Nationally Representative Population Survey. <i>Ophthalmic Epidemiology</i> , 2007, 14, 333-342.	1.7	55
36	Impact of psychiatric disorders on health-related quality of life: general population survey. <i>British Journal of Psychiatry</i> , 2007, 190, 326-332.	2.8	304

#	ARTICLE	IF	CITATIONS
37	The health-related quality-of-life impact of chronic conditions varied with age in general population. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1288.e1-1288.e11.	5.0	66
38	Visual impairment in persons with psychotic disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 902-908.	3.1	52
39	The Impact of 29 Chronic Conditions on Health-related Quality of Life: A General Population Survey in Finland Using 15D and EQ-5D. <i>Quality of Life Research</i> , 2006, 15, 1403-1414.	3.1	339
40	Living arrangements and mental health in Finland. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 468-475.	3.7	104
41	DSM-IV mood-, anxiety- and alcohol use disorders and their comorbidity in the Finnish general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 1-10.	3.1	318