

Satyendra P Bhavsar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11179798/publications.pdf>

Version: 2024-02-01

76
papers

2,567
citations

159585

30
h-index

206112

48
g-index

77
all docs

77
docs citations

77
times ranked

2382
citing authors

#	ARTICLE	IF	CITATIONS
1	Spatiotemporal trends of polychlorinated biphenyls (PCBs) in surface and suspended sediments from the Lake Ontario Canadian nearshore 1994–2018: A fish consumption advisory perspective. <i>Journal of Great Lakes Research</i> , 2022, 48, 300-314.	1.9	6
2	Organophosphate esters in Great Lakes fish: An improved analysis to assess concentrations and human exposure via consumption. <i>Science of the Total Environment</i> , 2022, 807, 150981.	8.0	7
3	Is it safe to eat fish from the Great Lakes? An adaptive modelling-monitoring framework to assess compliance with consumption advisories. <i>Journal of Great Lakes Research</i> , 2021, 47, 1097-1116.	1.9	1
4	A probabilistic assessment of the impairment status of Areas of Concern in the Laurentian Great Lakes: How far are we from delisting the Hamilton Harbour, Lake Ontario, Canada?. <i>Ecological Informatics</i> , 2021, 62, 101271.	5.2	4
5	Assessment of fish consumption beneficial use impairment at the Great Lakes Thunder Bay and St. Marys River Areas of Concern, Canada. <i>Journal of Great Lakes Research</i> , 2020, 46, 560-568.	1.9	1
6	Interspecific differences in omega-3 PUFA and contaminants explain the most variance in suggested Great Lakes fish consumption when risks/benefits are considered together. <i>Journal of Great Lakes Research</i> , 2020, 46, 549-559.	1.9	12
7	Climate and landscape conditions indirectly affect fish mercury levels by altering lake water chemistry and fish size. <i>Environmental Research</i> , 2020, 188, 109750.	7.5	16
8	Drivers of declines in common loon (<i>Gavia immer</i>) productivity in Ontario, Canada. <i>Science of the Total Environment</i> , 2020, 738, 139724.	8.0	6
9	Use of a Food Web Bioaccumulation Model to Uncover Spatially Integrated Polychlorinated Biphenyl Exposures in Detroit River Sport Fish. <i>Environmental Toxicology and Chemistry</i> , 2019, 38, 2771-2784.	4.3	4
10	Dioxins in Great Lakes fish: Past, present and implications for future monitoring. <i>Chemosphere</i> , 2019, 222, 479-488.	8.2	14
11	A comparison of fish tissue mercury concentrations from homogenized fillet and nonlethal biopsy plugs. <i>Journal of Environmental Sciences</i> , 2019, 80, 137-145.	6.1	11
12	What's hot about mercury? Examining the influence of climate on mercury levels in Ontario top predator fishes. <i>Environmental Research</i> , 2018, 162, 63-73.	7.5	33
13	Levels, patterns, trends and significance of polychlorinated naphthalenes (PCNs) in Great Lakes fish. <i>Science of the Total Environment</i> , 2018, 624, 499-508.	8.0	19
14	Spatial and length-dependent variation of the risks and benefits of consuming Walleye (<i>Sander</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	10.0	8
15	Spatiotemporal Variations in Mercury Bioaccumulation at Fine and Broad Scales for Two Freshwater Sport Fishes. <i>Water (Switzerland)</i> , 2018, 10, 1625.	2.7	6
16	Assessing fish consumption Beneficial Use Impairment at Great Lakes Areas of Concern: Toronto case study. <i>Aquatic Ecosystem Health and Management</i> , 2018, 21, 318-330.	0.6	9
17	Assessing mercury contamination patterns of fish communities in the Laurentian Great Lakes: A Bayesian perspective. <i>Environmental Pollution</i> , 2018, 243, 777-789.	7.5	15
18	A Bayesian assessment of polychlorinated biphenyl contamination of fish communities in the Laurentian Great Lakes. <i>Chemosphere</i> , 2018, 210, 1193-1206.	8.2	17

#	ARTICLE	IF	CITATIONS
19	Polybrominated diphenyl ethers (PBDEs) in Great Lakes fish: Levels, patterns, trends and implications for human exposure. <i>Science of the Total Environment</i> , 2017, 576, 907-916.	8.0	40
20	Estimation of omega-3 fatty acid (EPA + DHA) intake from Lake Ontario fish based on provincial consumption advisories. <i>Journal of Great Lakes Research</i> , 2017, 43, 1132-1140.	1.9	13
21	Are Fish Consumption Advisories for the Great Lakes Adequately Protective against Chemical Mixtures?. <i>Environmental Health Perspectives</i> , 2017, 125, 586-593.	6.0	38
22	Persistent Organohalogens in Paired Fish Fillet and Eggs: Implications for Fish Consumption Advisories. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 2832-2840.	5.2	13
23	High levels, partitioning and fish consumption based water guidelines of perfluoroalkyl acids downstream of a former firefighting training facility in Canada. <i>Environment International</i> , 2016, 94, 415-423.	10.0	26
24	Application of a comprehensive extraction technique for the determination of poly- and perfluoroalkyl substances (PFASs) in Great Lakes Region sediments. <i>Chemosphere</i> , 2016, 164, 535-546.	8.2	45
25	Improvements in fish polychlorinated biphenyl and other contaminant levels in response to remedial actions in Hamilton Harbour, Ontario, Canada. <i>Aquatic Ecosystem Health and Management</i> , 2016, 19, 161-170.	0.6	11
26	Is it appropriate to composite fish samples for mercury trend monitoring and consumption advisories?. <i>Environment International</i> , 2016, 88, 80-85.	10.0	5
27	Guiding fish consumption advisories for Lake Ontario: A Bayesian hierarchical approach. <i>Journal of Great Lakes Research</i> , 2016, 42, 70-82.	1.9	11
28	Is mirex still a contaminant of concern for the North American Great Lakes?. <i>Journal of Great Lakes Research</i> , 2015, 41, 1114-1122.	1.9	12
29	Evaluation and Interconversion of Various Indicator PCB Schemes for PCB and Dioxin-Like PCB Toxic Equivalent Levels in Fish. <i>Environmental Science & Technology</i> , 2015, 49, 123-131.	10.0	26
30	A Bayesian assessment of the mercury and PCB temporal trends in lake trout (<i>Salvelinus namaycush</i>) and walleye (<i>Sander vitreus</i>) from lake Ontario, Ontario, Canada. <i>Ecotoxicology and Environmental Safety</i> , 2015, 117, 174-186.	6.0	21
31	Assessment of contaminant levels in fish from the Toronto waterfront area. <i>Journal of Great Lakes Research</i> , 2015, 41, 228-237.	1.9	7
32	Projecting Fish Mercury Levels in the Province of Ontario, Canada and the Implications for Fish and Human Health. <i>Environmental Science & Technology</i> , 2015, 49, 14494-14502.	10.0	20
33	Significance of toxaphene in Great Lakes fish consumption advisories. <i>Journal of Great Lakes Research</i> , 2014, 40, 71-79.	1.9	15
34	High levels of perfluoroalkyl acids in sport fish species downstream of a firefighting training facility at Hamilton International Airport, Ontario, Canada. <i>Environment International</i> , 2014, 67, 1-11.	10.0	64
35	Risk-benefit of consuming Lake Erie fish. <i>Environmental Research</i> , 2014, 134, 57-65.	7.5	51
36	Fish Mercury Levels Appear to Be Increasing Lately: A Report from 40 Years of Monitoring in the Province of Ontario, Canada. <i>Environmental Science & Technology</i> , 2014, 48, 5404-5414.	10.0	64

#	ARTICLE	IF	CITATIONS
37	Cooking fish is not effective in reducing exposure to perfluoroalkyl and polyfluoroalkyl substances. <i>Environment International</i> , 2014, 66, 107-114.	10.0	40
38	Effects of different cooking methods on fatty acid profiles in four freshwater fishes from the Laurentian Great Lakes region. <i>Food Chemistry</i> , 2014, 164, 544-550.	8.2	65
39	An overview of mercury concentrations in freshwater fish species: a national fish mercury dataset for Canada. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2013, 70, 436-451.	1.4	93
40	Fish contamination in Lake Erie: An examination of temporal trends of organochlorine contaminants and a Bayesian approach to consumption advisories. <i>Ecological Informatics</i> , 2013, 18, 131-148.	5.2	12
41	Effects of skin removal on contaminant levels in salmon and trout filets. <i>Science of the Total Environment</i> , 2013, 443, 218-225.	8.0	14
42	Fatty acids in Great Lakes lake trout and whitefish. <i>Journal of Great Lakes Research</i> , 2013, 39, 120-127.	1.9	12
43	Temporal changes in mercury concentrations of large-bodied fishes in the boreal shield ecoregion of northern Ontario, Canada. <i>Science of the Total Environment</i> , 2013, 444, 409-416.	8.0	12
44	Examination of temporal DDT trends in Lake Erie fish communities using dynamic linear modeling. <i>Journal of Great Lakes Research</i> , 2013, 39, 437-448.	1.9	11
45	Assessment of fish mercury levels in the upper St. Lawrence River, Canada. <i>Journal of Great Lakes Research</i> , 2013, 39, 336-343.	1.9	14
46	Risks and Benefits of Consumption of Great Lakes Fish. <i>Environmental Health Perspectives</i> , 2012, 120, 11-18.	6.0	106
47	Assessing the fish consumption beneficial use impairment in the Bay of Quinte. <i>Aquatic Ecosystem Health and Management</i> , 2012, 15, 453-463.	0.6	3
48	Long-term changes in fish mercury levels in the historically impacted English-Wabigoon River system (Canada). <i>Journal of Environmental Monitoring</i> , 2012, 14, 2327.	2.1	20
49	Organohalogen contaminants of emerging concern in Great Lakes fish: a review. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2639-2658.	3.7	35
50	Determination of polyfluoroalkyl phosphoric acid diesters, perfluoroalkyl phosphonic acids, perfluoroalkyl phosphinic acids, perfluoroalkyl carboxylic acids, and perfluoroalkane sulfonic acids in lake trout from the Great Lakes region. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2699-2709.	3.7	56
51	Toxicological significance of mercury in yellow perch in the Laurentian Great Lakes region. <i>Environmental Pollution</i> , 2012, 161, 350-357.	7.5	42
52	Long-Term Environmental Fate of Perfluorinated Compounds after Accidental Release at Toronto Airport. <i>Environmental Science & Technology</i> , 2011, 45, 8081-8089.	10.0	122
53	Detection of the Spatiotemporal Trends of Mercury in Lake Erie Fish Communities: A Bayesian Approach. <i>Environmental Science & Technology</i> , 2011, 45, 2217-2226.	10.0	32
54	Contaminant biomonitoring programs in the Great Lakes region: Review of approaches and critical factors. <i>Environmental Reviews</i> , 2011, 19, 162-184.	4.5	72

#	ARTICLE	IF	CITATIONS
55	Detection of temporal trends of $\hat{1}\pm$ - and $\hat{1}^3$ -chlordane in Lake Erie fish communities using dynamic linear modeling. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 1107-1121.	6.0	11
56	Temporal PCB and mercury trends in Lake Erie fish communities: A dynamic linear modeling analysis. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 2203-2214.	6.0	42
57	Influence of fish size and sex on mercury/PCB concentration: Importance for fish consumption advisories. <i>Environment International</i> , 2011, 37, 425-434.	10.0	136
58	Trends of legacy and emerging-issue contaminants in Lake Simcoe fishes. <i>Journal of Great Lakes Research</i> , 2011, 37, 148-159.	1.9	16
59	A Bayesian assessment of the PCB temporal trends in Lake Erie fish communities. <i>Journal of Great Lakes Research</i> , 2011, 37, 507-520.	1.9	24
60	Ecological risk of methylmercury to piscivorous fish of the Great Lakes region. <i>Ecotoxicology</i> , 2011, 20, 1577-1587.	2.4	62
61	Spatiotemporal trends of mercury in walleye and largemouth bass from the Laurentian Great Lakes Region. <i>Ecotoxicology</i> , 2011, 20, 1555-1567.	2.4	70
62	Great Lakes fish consumption advisories: is mercury a concern?. <i>Ecotoxicology</i> , 2011, 20, 1588-1598.	2.4	47
63	Thirty-Year Time Series of PCB Concentrations in a Small Invertivorous Fish (<i>Notropis Hudsonius</i>): An Examination of Post-1990 Trajectory Shifts in the Lower Great Lakes. <i>Ecosystems</i> , 2011, 14, 415-429.	3.4	21
64	Critical load analysis in hazard assessment of metals using a Unit World Model. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 2157-2166.	4.3	3
65	The clearwater consensus: the estimation of metal hazard in fresh water. <i>International Journal of Life Cycle Assessment</i> , 2010, 15, 143-147.	4.7	48
66	Estimating sediment quality thresholds to prevent restrictions on fish consumption: Application to polychlorinated biphenyls and dioxins/furans in the Canadian Great Lakes. <i>Integrated Environmental Assessment and Management</i> , 2010, 6, 641-652.	2.9	16
67	Changes in Mercury Levels in Great Lakes Fish Between 1970s and 2007. <i>Environmental Science & Technology</i> , 2010, 44, 3273-3279.	10.0	114
68	Temporal and spatial trends of organochlorines and mercury in fishes from the St. Clair River/Lake St. Clair corridor, Canada. <i>Journal of Great Lakes Research</i> , 2010, 36, 100-112.	1.9	44
69	Identification and Screening Analysis of Halogenated Norbornene Flame Retardants in the Laurentian Great Lakes: Dechloranes 602, 603, and 604. <i>Environmental Science & Technology</i> , 2010, 44, 760-766.	10.0	128
70	UNCERTAINTY ANALYSIS OF DIOXIN-LIKE POLYCHLORINATED BIPHENYLS-RELATED TOXIC EQUIVALENTS IN FISH. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 997.	4.3	9
71	Converting Toxic Equivalents (TEQ) of dioxins and dioxin-like compounds in fish from one Toxic Equivalency Factor (TEF) scheme to another. <i>Environment International</i> , 2008, 34, 915-921.	10.0	82
72	Temporal trends and spatial distribution of dioxins and furans in lake trout or lake whitefish from the Canadian Great Lakes. <i>Chemosphere</i> , 2008, 73, S158-S165.	8.2	51

#	ARTICLE	IF	CITATIONS
73	Fate of PBDEs in Juvenile Lake Trout Estimated Using a Dynamic Multichemical Fish Model. Environmental Science & Technology, 2008, 42, 3724-3731.	10.0	30
74	Composition of Dioxin-like PCBs in Fish: An Application for Risk Assessment. Environmental Science & Technology, 2007, 41, 3096-3102.	10.0	52
75	Are PCB Levels in Fish from the Canadian Great Lakes Still Declining?. Journal of Great Lakes Research, 2007, 33, 592.	1.9	87
76	Estimating dioxin-like polychlorinated biphenyl toxic equivalents from total polychlorinated biphenyl measurements in fish. Environmental Toxicology and Chemistry, 2007, 26, 1622-1628.	4.3	42