

# Alain Leplege

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11181387/publications.pdf>

Version: 2024-02-01

34  
papers

9,091  
citations

236612

25  
h-index

360668

35  
g-index

37  
all docs

37  
docs citations

37  
times ranked

11569  
citing authors

#	ARTICLE	IF	CITATIONS
1	Contrasted trends in health-related quality of life across gender, age categories and work status in France, 1995â€“2016: repeated population-based cross-sectional surveys using the SF-36. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 65-72.	2.0	19
2	Measurement invariance and general population reference values of the PROMIS Profile 29 in the UK, France, and Germany. <i>Quality of Life Research</i> , 2018, 27, 999-1014.	1.5	58
3	Semantic primes theory may be helpful in designing questionnaires such as to prevent response shift. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 646-654.	2.4	9
4	The case for an international patient-reported outcomes measurement information system (PROMISÂ®) initiative. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 210.	1.0	127
5	Spatio-temporal Rasch analysis of quality of life outcomes in the French general population. Measurement invariance and group comparisons. <i>BMC Medical Research Methodology</i> , 2012, 12, 182.	1.4	8
6	Herpes Zoster Pain, Postherpetic Neuralgia, and Quality of Life in the Elderly. <i>Pain Practice</i> , 2011, 11, 397-402.	0.9	51
7	Missing data methods for dealing with missing items in quality of life questionnaires. A comparison by simulation of personal mean score, full information maximum likelihood, multiple imputation, and hot deck techniques applied to the SF-36 in the French 2003 decennial health survey. <i>Quality of Life Research</i> , 2011, 20, 287-300.	1.5	196
8	Identifying type and determinants of missing items in quality of life questionnaires: Application to the SF-36 French version of the 2003 Decennial Health Survey. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 16.	1.0	14
9	The impact of herpes zoster and post-herpetic neuralgia on quality-of-life. <i>BMC Medicine</i> , 2010, 8, 37.	2.3	282
10	Outcome, recovery and return to work in severe mental illnesses. <i>Disability and Rehabilitation</i> , 2010, 32, 1043-1050.	0.9	24
11	Rehabilitation outcomes: values, methodologies and applications. <i>Disability and Rehabilitation</i> , 2010, 32, 961-964.	0.9	6
12	Why is rehabilitation not yet fully person-centred and should it be more person-centred?. <i>Disability and Rehabilitation</i> , 2007, 29, 1616-1624.	0.9	62
13	Person-centredness: Conceptual and historical perspectives. <i>Disability and Rehabilitation</i> , 2007, 29, 1555-1565.	0.9	328
14	A New Condition Specific Quality of Life Measure for the Blind and the Partially Sighted in Sub-Saharan Africa, the IOTAQOL : Methodological Aspects of the Development Procedure. <i>Quality of Life Research</i> , 2006, 15, 1373-1382.	1.5	7
15	Impact of neurofibromatosis 1 on Quality of Life: A cross-sectional study of 176 American cases. <i>American Journal of Medical Genetics, Part A</i> , 2006, 140A, 1893-1898.	0.7	121
16	Quality of life scale and impact of a topical treatment on symptoms of gastro-esophageal reflux without severe esophagitis. <i>Gastroenterologie Clinique Et Biologique</i> , 2005, 29, 676-681.	0.9	4
17	Methodological issues in determining the dimensionality of composite health measures using principal component analysis: Case illustration and suggestions for practice. <i>Quality of Life Research</i> , 2005, 14, 641-654.	1.5	71
18	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. <i>Quality of Life Research</i> , 2004, 13, 283-298.	1.5	623

#	ARTICLE	IF	CITATIONS
19	Visibility of Neurofibromatosis 1 and Psychiatric Morbidity. Archives of Dermatology, 2003, 139, 103.	1.7	24
20	From visual function deficiency to handicap: Measuring visual handicap in Mali. Ophthalmic Epidemiology, 2002, 9, 133-148.	0.8	17
21	Characteristics of Patients with Herpes Zoster on Presentation to Practitioners in France. Clinical Infectious Diseases, 2001, 33, 62-69.	2.9	209
22	Quality-of-Life Impairment in Neurofibromatosis Type 1. Archives of Dermatology, 2001, 137, 1421-5.	1.7	177
23	Cross-Cultural Adaptation of a Psychometric Instrument. Journal of Clinical Epidemiology, 1999, 52, 1037-1046.	2.4	140
24	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	2.4	761
25	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	2.4	250
26	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	2.4	90
27	The French SF-36 Health Survey. Journal of Clinical Epidemiology, 1998, 51, 1013-1023.	2.4	565
28	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	2.4	359
29	The Factor Structure of the SF-36 Health Survey in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1159-1165.	2.4	574
30	The Equivalence of SF-36 Summary Health Scores Estimated Using Standard and Country-Specific Algorithms in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1167-1170.	2.4	513
31	Cross-Validation of Item Selection and Scoring for the SF-12 Health Survey in Nine Countries. Journal of Clinical Epidemiology, 1998, 51, 1171-1178.	2.4	2,428
32	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	2.4	210
33	The Problem of Quality of Life in Medicine. JAMA - Journal of the American Medical Association, 1997, 278, 47.	3.8	468
34	Validation of a French-language version of the MOS 36-Item Short Form Health Survey (SF-36) in young healthy adults. Journal of Clinical Epidemiology, 1995, 48, 1051-1060.	2.4	262