Matthew J Carr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1118250/publications.pdf

Version: 2024-02-01

40 papers

1,508 citations

471509 17 h-index 36 g-index

44 all docs

44 docs citations

44 times ranked 2211 citing authors

#	Article	IF	CITATIONS
1	Evaluating the safety of mental health-related prescribing in UK primary care: a cross-sectional study using the Clinical Practice Research Datalink (CPRD). BMJ Quality and Safety, 2022, 31, 364-378.	3.7	3
2	Impact of COVID-19 restrictions on diabetes health checks and prescribing for people with type 2 diabetes: a UK-wide cohort study involving 618 161 people in primary care. BMJ Quality and Safety, 2022, 31, 503-514.	3.7	53
3	Primary Prevention of Cardiovascular and Heart Failure Events With SGLT2 Inhibitors, GLP-1 Receptor Agonists, and Their Combination in Type 2 Diabetes. Diabetes Care, 2022, 45, 909-918.	8.6	56
4	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	1.9	4
5	Assessing the Causal Role of Sleep Traits on Glycated Hemoglobin: A Mendelian Randomization Study. Diabetes Care, 2022, 45, 772-781.	8.6	25
6	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. British Journal of Psychiatry, 2022, 221, 468-475.	2.8	6
7	Incidence of nonvalvular atrial fibrillation and oral anticoagulant prescribing in England, 2009 to 2019: A cohort study. PLoS Medicine, 2022, 19, e1004003.	8.4	10
8	Management of anxiety disorders among children and adolescents in UK primary care: A cohort study. Journal of Affective Disorders, 2022, 313, 270-277.	4.1	0
9	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. Lancet Public Health, The, 2021, 6, e124-e135.	10.0	201
10	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003–2018. BMC Psychiatry, 2021, 21, 229.	2.6	54
11	Impact of COVID-19 on diagnoses, monitoring, and mortality in people with type 2 diabetes in the UK. Lancet Diabetes and Endocrinology,the, 2021, 9, 413-415.	11.4	64
12	Prevalence of Major Cardiovascular Disease Events Among People Diagnosed With Schizophrenia Who Have Sleep Disturbance, Sedentary Behavior, or Muscular Weakness. Schizophrenia Bulletin Open, 2021, 2, sgaa069.	1.7	2
13	Self-harm and violent criminality linked with parental death during childhood. Psychological Medicine, 2020, 50, 1224-1232.	4.5	12
14	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. Psychological Medicine, 2020, 50, 1156-1163.	4.5	6
15	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 415-421.	3.1	20
16	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. Lancet Public Health, The, 2020, 5, e543-e550.	10.0	159
17	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People—"Dual Harm― International Journal of Environmental Research and Public Health, 2020, 17, 9409.	2.6	11
18	Alcohol-Specific Mortality in People With Epilepsy: Cohort Studies in Two Independent Population-Based Datasets. Frontiers in Neurology, 2020, 11, 623139.	2.4	4

#	Article	IF	Citations
19	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-116.	1.4	14
20	Psychiatric morbidity and suicidal behaviour in psoriasis: a primary care cohort study. British Journal of Dermatology, 2019, 180, 108-115.	1.5	34
21	Reducing risk following self-harm: the need for careful prescribing. British Journal of General Practice, 2019, 69, 224-225.	1.4	2
22	Risk of Unnatural Mortality in People With Epilepsy. JAMA Neurology, 2018, 75, 929.	9.0	32
23	Investigating the Agreement Between Cardiovascular Disease Risk Calculators Among People Diagnosed With Schizophrenia. Frontiers in Psychiatry, 2018, 9, 685.	2.6	11
24	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. PLoS ONE, 2018, 13, e0204670.	2.5	15
25	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. Lancet Public Health, The, 2018, 3, e498-e507.	10.0	35
26	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. Lancet Psychiatry,the, 2018, 5, 905-912.	7.4	57
27	Risk factors for self-harm in people with epilepsy. Journal of Neurology, 2018, 265, 3009-3016.	3.6	12
28	Experience of Child–Parent Separation and Later Risk of Violent Criminality. American Journal of Preventive Medicine, 2018, 55, 178-186.	3.0	16
29	Changes in Periprocedural Bleeding Complications Following Percutaneous Coronary Intervention in The United Kingdom Between 2006 and 2013 (from the British Cardiovascular Interventional Society). American Journal of Cardiology, 2018, 122, 952-960.	1.6	5
30	Premature Death Among Primary Care Patients With a History of Self-Harm. Annals of Family Medicine, 2017, 15, 246-254.	1.9	27
31	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. Lancet Public Health, The, 2017, 2, e314-e322.	10.0	26
32	Examining trends in type 2 diabetes incidence, prevalence and mortality in the <scp>UK</scp> between 2004 and 2014. Diabetes, Obesity and Metabolism, 2017, 19, 1537-1545.	4.4	111
33	Alcohol-Related Mortality in Patients With Psoriasis. JAMA Dermatology, 2017, 153, 1256.	4.1	36
34	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. BMJ: British Medical Journal, 2017, 359, j4351.	2.3	240
35	Changes in selected metabolic parameters in patients over 65 receiving hydrochlorothiazide plus amiloride, atenolol or placebo in the MRC elderly trial. BMC Cardiovascular Disorders, 2016, 16, 188.	1.7	3
36	Clinical management following self-harm in a UK-wide primary care cohort. Journal of Affective Disorders, 2016, 197, 182-188.	4.1	29

#	Article	IF	CITATIONS
37	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001–2013. BMC Psychiatry, 2016, 16, 53.	2.6	69
38	Patient outcomes vs. service workload: an analysis of outcomes in the burn service of England and Wales. BMC Health Services Research, 2015, 15, 133.	2.2	3
39	The predictive ability of blood pressure in elderly trial patients. Journal of Hypertension, 2012, 30, 1725-1733.	0.5	14
40	A Two-Level Inspection Model With Technological Insertions. IEEE Transactions on Reliability, 2012, 61, 479-490.	4.6	14