

Christopher J Kane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11191299/publications.pdf>

Version: 2024-02-01

258
papers

12,340
citations

26567

56
h-index

32761

100
g-index

260
all docs

260
docs citations

260
times ranked

11569
citing authors

#	ARTICLE	IF	CITATIONS
1	Prostate Cancer, Version 1.2016. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 19-30.	2.3	544
2	Renal cell cancer stage migration. Cancer, 2008, 113, 78-83.	2.0	535
3	Immunosuppressive plasma cells impede T-cell-dependent immunogenic chemotherapy. Nature, 2015, 521, 94-98.	13.7	451
4	TIME TO STONE PASSAGE FOR OBSERVED URETERAL CALCULI: A GUIDE FOR PATIENT EDUCATION. Journal of Urology, 1999, 162, 688-691.	0.2	394
5	Impact of Obesity on Biochemical Control After Radical Prostatectomy for Clinically Localized Prostate Cancer: A Report by the Shared Equal Access Regional Cancer Hospital Database Study Group. Journal of Clinical Oncology, 2004, 22, 446-453.	0.8	366
6	Active surveillance for the management of prostate cancer in a contemporary cohort. Cancer, 2008, 112, 2664-2670.	2.0	361
7	Prostate Cancer, Version 2.2014. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 686-718.	2.3	294
8	Obesity-Related Plasma Hemodilution and PSA Concentration Among Men With Prostate Cancer. JAMA - Journal of the American Medical Association, 2007, 298, 2275.	3.8	291
9	Association of Black Race With Prostate Cancerâ€™Specific and Other-Cause Mortality. JAMA Oncology, 2019, 5, 975.	3.4	288
10	Limited value of bone scintigraphy and computed tomography in assessing biochemical failure after radical prostatectomy. Urology, 2003, 61, 607-611.	0.5	235
11	Prostate Size and Risk of High-Grade, Advanced Prostate Cancer and Biochemical Progression After Radical Prostatectomy: A Search Database Study. Journal of Clinical Oncology, 2005, 23, 7546-7554.	0.8	213
12	Prospective comparison of unenhanced spiral computed tomography and intravenous urogram in the evaluation of acute flank pain. Urology, 1998, 52, 982-987.	0.5	210
13	Diffusion-Weighted Imaging in Cancer: Physical Foundations and Applications of Restriction Spectrum Imaging. Cancer Research, 2014, 74, 4638-4652.	0.4	179
14	Development and Validation of a Novel Integrated Clinical-Genomic Risk Group Classification for Localized Prostate Cancer. Journal of Clinical Oncology, 2018, 36, 581-590.	0.8	162
15	Upgrading and Downgrading of Prostate Needle Biopsy Specimens: Risk Factors and Clinical Implications. Urology, 2007, 69, 495-499.	0.5	158
16	Obesity, Serum Prostate Specific Antigen and Prostate Size: Implications for Prostate Cancer Detection. Journal of Urology, 2006, 175, 500-504.	0.2	156
17	Tumor infiltrating B-cells are increased in prostate cancer tissue. Journal of Translational Medicine, 2014, 12, 30.	1.8	137
18	Impact of obesity on prostate cancer recurrence after radical prostatectomy: Data from CaPSURE. Urology, 2005, 66, 1060-1065.	0.5	135

#	ARTICLE	IF	CITATIONS
19	Time trends in biochemical recurrence after radical prostatectomy: results of the SEARCH database. <i>Urology</i> , 2003, 61, 736-741.	0.5	133
20	Multiinstitutional validation of the UCSF cancer of the prostate risk assessment for prediction of recurrence after radical prostatectomy. <i>Cancer</i> , 2006, 107, 2384-2391.	2.0	129
21	Prospective Comparison of Computerized Tomography and Excretory Urography in the Initial Evaluation of Asymptomatic Microhematuria. <i>Journal of Urology</i> , 2002, 168, 2457-2460.	0.2	126
22	Relationship between obesity and race in predicting adverse pathologic variables in patients undergoing radical prostatectomy. <i>Urology</i> , 2001, 58, 723-728.	0.5	122
23	CURRENT MANAGEMENT OF SEVERELY ENCRUSTED URETERAL STENTS WITH A LARGE ASSOCIATED STONE BURDEN. <i>Journal of Urology</i> , 2000, 164, 648-650.	0.2	119
24	Statin medication use and the risk of biochemical recurrence after radical prostatectomy. <i>Cancer</i> , 2010, 116, 3389-3398.	2.0	112
25	Serum Lipid Profile and Risk of Prostate Cancer Recurrence: Results from the SEARCH Database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2349-2356.	1.1	111
26	Multi-institutional Validation of the CAPRA-S Score to Predict Disease Recurrence and Mortality After Radical Prostatectomy. <i>European Urology</i> , 2014, 65, 1171-1177.	0.9	110
27	Multigene Methylation Analysis for Detection and Staging of Prostate Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 6582-6588.	3.2	106
28	Clinical and pathologic outcome after radical prostatectomy for prostate cancer patients with a preoperative Gleason sum of 8 to 10. <i>Cancer</i> , 2006, 107, 1265-1272.	2.0	102
29	Race as an outcome predictor after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Urology</i> , 2002, 60, 670-674.	0.5	100
30	Percent of Prostate Needle Biopsy Cores With Cancer is Significant Independent Predictor of Prostate Specific Antigen Recurrence Following Radical Prostatectomy: Results From SEARCH Database. <i>Journal of Urology</i> , 2003, 169, 2136-2141.	0.2	95
31	Treatment Trends for Stage I Renal Cell Carcinoma. <i>Journal of Urology</i> , 2011, 186, 394-399.	0.2	95
32	Impact of socioeconomic status and race on clinical parameters of patients undergoing radical prostatectomy in an equal access health care system. <i>Urology</i> , 2000, 56, 1016-1020.	0.5	89
33	OBESITY AND BIOCHEMICAL OUTCOME FOLLOWING RADICAL PROSTATECTOMY FOR ORGAN CONFINED DISEASE WITH NEGATIVE SURGICAL MARGINS. <i>Journal of Urology</i> , 2004, 172, 520-524.	0.2	89
34	Ethnic group-related differences in CpG hypermethylation of theGSP1 gene promoter among African-American, Caucasian and Asian patients with prostate cancer. <i>International Journal of Cancer</i> , 2005, 116, 174-181.	2.3	88
35	Feasibility and efficacy of neoadjuvant sunitinib before nephron-sparing surgery. <i>BJU International</i> , 2010, 106, 1270-1276.	1.3	86
36	CpG Hypermethylation of MDR1 Gene Contributes to the Pathogenesis and Progression of Human Prostate Cancer. <i>Cancer Research</i> , 2004, 64, 5956-5962.	0.4	85

#	ARTICLE	IF	CITATIONS
37	Obesity is associated with castration-resistant disease and metastasis in men treated with androgen deprivation therapy after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2012, 110, 492-498.	1.3	82
38	Predicting Renal Cancer Recurrence: Defining Limitations of Existing Prognostic Models With Prospective Trial-Based Validation. <i>Journal of Clinical Oncology</i> , 2019, 37, 2062-2071.	0.8	80
39	Ability of a Genomic Classifier to Predict Metastasis and Prostate Cancer-specific Mortality after Radiation or Surgery based on Needle Biopsy Specimens. <i>European Urology</i> , 2017, 72, 845-852.	0.9	79
40	Predicting Time From Metastasis to Overall Survival in Castration-Resistant Prostate Cancer: Results From SEARCH. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 60-66.e2.	0.9	79
41	Delay of Radical Prostatectomy and Risk of Biochemical Progression in Men With Low Risk Prostate Cancer. <i>Journal of Urology</i> , 2006, 175, 1298-1303.	0.2	75
42	Outcomes After Radical Prostatectomy Among Men Who Are Candidates for Active Surveillance: Results From the SEARCH Database. <i>Urology</i> , 2010, 76, 695-700.	0.5	75
43	Delayed radical prostatectomy for intermediate-risk prostate cancer is associated with biochemical recurrence: Possible implications for active surveillance from the SEARCH database. <i>Prostate</i> , 2013, 73, 409-417.	1.2	75
44	DIFFERENCES IN COMPLICATIONS AND OUTCOMES FOR OBESE PATIENTS UNDERGOING LAPAROSCOPIC RADICAL, PARTIAL OR SIMPLE NEPHRECTOMY. <i>Journal of Urology</i> , 2004, 172, 2287-2291.	0.2	74
45	ABILITY OF 2 PRETREATMENT RISK ASSESSMENT METHODS TO PREDICT PROSTATE CANCER RECURRENCE AFTER RADICAL PROSTATECTOMY: DATA FROM CaPSURE. <i>Journal of Urology</i> , 2005, 173, 1126-1131.	0.2	69
46	Outcomes and complications of pelvic lymph node dissection during robotic-assisted radical prostatectomy. <i>World Journal of Urology</i> , 2013, 31, 481-488.	1.2	69
47	Cigarette smoking is associated with an increased risk of biochemical disease recurrence, metastasis, castration-resistant prostate cancer, and mortality after radical prostatectomy. <i>Cancer</i> , 2014, 120, 197-204.	2.0	69
48	Changing Nature of High Risk Patients Undergoing Radical Prostatectomy. <i>Journal of Urology</i> , 2007, 177, 113-117.	0.2	67
49	Obesity as a predictor of adverse outcome across black and white race. <i>Cancer</i> , 2009, 115, 5263-5271.	2.0	66
50	THE IMPACT OF OBESITY ON HEALTH RELATED QUALITY OF LIFE BEFORE AND AFTER RADICAL PROSTATECTOMY (DATA FROM CaPSURE). <i>Journal of Urology</i> , 2005, 173, 1132-1138.	0.2	62
51	Race, biochemical disease recurrence, and prostate-specific antigen doubling time after radical prostatectomy. <i>Cancer</i> , 2007, 110, 2202-2209.	2.0	62
52	A Receptor-targeted Fluorescent Radiopharmaceutical for Multireporter Sentinel Lymph Node Imaging. <i>Radiology</i> , 2012, 265, 186-193.	3.6	62
53	Comparison of percentage of total prostate needle biopsy tissue with cancer to percentage of cores with cancer for predicting PSA recurrence after radical prostatectomy: results from the SEARCH database. <i>Urology</i> , 2003, 61, 742-747.	0.5	61
54	Smoking influences aberrant CpG hypermethylation of multiple genes in human prostate carcinoma. <i>Cancer</i> , 2006, 106, 79-86.	2.0	61

#	ARTICLE	IF	CITATIONS
55	Laparoscopic partial nephrectomy with temporary arterial occlusion: description of technique and renal functional outcomes. <i>Urology</i> , 2004, 63, 241-246.	0.5	60
56	Small Transrectal Ultrasound Volume Predicts Clinically Significant Gleason Score Upgrading After Radical Prostatectomy: Results From the SEARCH Database. <i>Journal of Urology</i> , 2008, 179, 523-528.	0.2	60
57	Should a Positive Surgical Margin Following Radical Prostatectomy be Pathological Stage T2 or T3? Results From the SEARCH Database. <i>Journal of Urology</i> , 2003, 169, 2142-2146.	0.2	58
58	Do younger men have better biochemical outcomes after radical prostatectomy?. <i>Urology</i> , 2004, 63, 518-522.	0.5	58
59	Comparison of Preoperative Prostate Specific Antigen Density and Prostate Specific Antigen for Predicting Recurrence After Radical Prostatectomy: Results from the Search Data Base. <i>Journal of Urology</i> , 2003, 169, 969-973.	0.2	55
60	Predicting Unilateral Prostate Cancer Based on Biopsy Features: Implications for Focal Ablative Therapy—Results From the SEARCH Database. <i>Journal of Urology</i> , 2007, 178, 1249-1252.	0.2	55
61	Yield of imaging and scintigraphy assessing biochemical failure in prostate cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1997, 3, 108-112.	0.8	53
62	OBESITY AND PROSTATE CANCER CLINICAL RISK FACTORS AT PRESENTATION: DATA FROM CaPSURE. <i>Journal of Urology</i> , 2005, 173, 732-736.	0.2	53
63	Education predicts quality of life among men with prostate cancer cared for in the department of Veterans affairs. <i>Cancer</i> , 2007, 109, 1769-1776.	2.0	53
64	Adequacy of lymphadenectomy among men undergoing robot-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2010, 105, 88-92.	1.3	53
65	Nerve-targeted probes for fluorescence-guided intraoperative imaging. <i>Theranostics</i> , 2018, 8, 4226-4237.	4.6	51
66	PGDB: a curated and integrated database of genes related to the prostate. <i>Nucleic Acids Research</i> , 2003, 31, 291-293.	6.5	50
67	Obesity and oncological outcome after radical prostatectomy: impact of prostate-specific antigen-based prostate cancer screening: results from the Shared Equal Access Regional Cancer Hospital and Duke Prostate Center Databases. <i>BJU International</i> , 2008, 102, 969-974.	1.3	49
68	Effect of race and socioeconomic status on surgical margins and biochemical outcomes in an equal-access health care setting. <i>Cancer</i> , 2012, 118, 4999-5007.	2.0	49
69	Development and Validation of a Clinical Prognostic Stage Group System for Nonmetastatic Prostate Cancer Using Disease-Specific Mortality Results From the International Staging Collaboration for Cancer of the Prostate. <i>JAMA Oncology</i> , 2020, 6, 1912.	3.4	49
70	PREOPERATIVE MODEL FOR PREDICTING PROSTATE SPECIFIC ANTIGEN RECURRENCE AFTER RADICAL PROSTATECTOMY USING PERCENT OF BIOPSY TISSUE WITH CANCER, BIOPSY GLEASON GRADE AND SERUM PROSTATE SPECIFIC ANTIGEN. <i>Journal of Urology</i> , 2004, 171, 2215-2220.	0.2	48
71	Natural History of Persistently Elevated Prostate Specific Antigen After Radical Prostatectomy: Results From the SEARCH Database. <i>Journal of Urology</i> , 2009, 182, 2250-2256.	0.2	47
72	Risk Stratification of Men with Gleason Score 7 to 10 Tumors by Primary and Secondary Gleason Score: Results from the SEARCH Database. <i>Urology</i> , 2007, 70, 277-282.	0.5	46

#	ARTICLE	IF	CITATIONS
73	Postoperative statin use and risk of biochemical recurrence following radical prostatectomy: results from the Shared Equal-Access Regional Cancer Hospital (SEARCH) database. BJU International, 2014, 114, 661-666.	1.3	46
74	Thresholds for PSA doubling time in men with non-metastatic castration-resistant prostate cancer. BJU International, 2017, 120, E80-E86.	1.3	46
75	Variability in Outcomes for Patients with Intermediate-risk Prostate Cancer (Gleason Score 7): Stratification: A Systematic Review. European Urology Focus, 2017, 3, 487-497.	1.6	46
76	The percentage of prostate needle biopsy cores with carcinoma from the more involved side of the biopsy as a predictor of prostate specific antigen recurrence after radical prostatectomy. Cancer, 2003, 98, 2344-2350.	2.0	45
77	Obesity and positive surgical margins by anatomic location after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. BJU International, 2008, 102, 964-968.	1.3	44
78	Retroperitoneal Lymphadenectomy for High Risk, Nonmetastatic Renal Cell Carcinoma: An Analysis of the ASSURE (ECOG-ACRIN 2805) Adjuvant Trial. Journal of Urology, 2018, 199, 53-59.	0.2	44
79	Association of Treatment With 5 α -Reductase Inhibitors With Time to Diagnosis and Mortality in Prostate Cancer. JAMA Internal Medicine, 2019, 179, 812.	2.6	44
80	Pathological and Biochemical Outcomes among African-American and Caucasian Men with Low Risk Prostate Cancer in the SEARCH Database: Implications for Active Surveillance Candidacy. Journal of Urology, 2016, 196, 1408-1414.	0.2	43
81	Association Between African American Race and Clinical Outcomes in Men Treated for Low-Risk Prostate Cancer With Active Surveillance. JAMA - Journal of the American Medical Association, 2020, 324, 1747.	3.8	43
82	SECOND PRIMARY MALIGNANCIES IN T1-3N0 PROSTATE CANCER PATIENTS TREATED WITH RADIATION THERAPY WITH 10-YEAR FOLLOWUP. Journal of Urology, 1998, 159, 946-949.	0.2	42
83	Glycemic control and prostate cancer progression: Results from the SEARCH database. Prostate, 2010, 70, 1540-1546.	1.2	42
84	Diabetes and Outcomes After Radical Prostatectomy: Are Results Affected by Obesity and Race? Results from the Shared Equal-Access Regional Cancer Hospital Database. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 9-17.	1.1	42
85	Impact of patient educational level on treatment for patients with prostate cancer: data from CaPSURE. Urology, 2003, 62, 1035-1039.	0.5	40
86	Predictors of prostate-specific antigen progression among men with seminal vesicle invasion at the time of radical prostatectomy. Cancer, 2004, 100, 1633-1638.	2.0	40
87	Impact of Family History on Prostate Cancer Mortality in White Men Undergoing Prostate Specific Antigen Based Screening. Journal of Urology, 2015, 193, 75-79.	0.2	40
88	Sociodemographic and Clinical Risk Characteristics of Patients With Prostate Cancer Within the Veterans Affairs Health Care System: Data From CaPSURE. Journal of Urology, 2003, 170, 905-908.	0.2	38
89	Validation of a nomogram to predict disease progression following salvage radiotherapy after radical prostatectomy: results from the SEARCH database. BJU International, 2009, 104, 1452-1456.	1.3	38
90	How to Minimize Lymphoceles and Treat Clinically Symptomatic Lymphoceles After Radical Prostatectomy. Current Urology Reports, 2014, 15, 445.	1.0	38

#	ARTICLE	IF	CITATIONS
91	A natural history of weight change in men with prostate cancer on androgen deprivation therapy (ADT): results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2011, 107, 924-928.	1.3	37
92	Does Timing of Cytoreductive Nephrectomy Impact Patient Survival With Metastatic Renal Cell Carcinoma in the Tyrosine Kinase Inhibitor Era? A Multi-institutional Study. <i>Urology</i> , 2013, 81, 805-812.	0.5	37
93	PSA in the New Millennium: A Powerful Predictor of Prostate Cancer Prognosis and Radical Prostatectomy Outcomes – Results from the SEARCH Database. <i>European Urology</i> , 2008, 53, 758-766.	0.9	34
94	A novel patient-derived intra-femoral xenograft model of bone metastatic prostate cancer that recapitulates mixed osteolytic and osteoblastic lesions. <i>Journal of Translational Medicine</i> , 2011, 9, 185.	1.8	34
95	Laparoscopic versus Open Cytoreductive Nephrectomy in Advanced Renal-Cell Carcinoma. <i>Journal of Endourology</i> , 2006, 20, 504-508.	1.1	33
96	Obesity, Prostate-Specific Antigen Nadir, and Biochemical Recurrence After Radical Prostatectomy: Biology or Technique? Results from the SEARCH Database. <i>European Urology</i> , 2012, 62, 910-916.	0.9	33
97	Predicting Disease Recurrence, Early Progression, and Overall Survival Following Surgical Resection for High-risk Localized and Locally Advanced Renal Cell Carcinoma. <i>European Urology</i> , 2021, 80, 20-31.	0.9	33
98	Risk Stratification for Biochemical Recurrence in Men With Positive Surgical Margins or Extracapsular Disease After Radical Prostatectomy: Results From the SEARCH Database. <i>Journal of Urology</i> , 2008, 179, 1791-1796.	0.2	32
99	Obesity, race, and long-term prostate cancer outcomes. <i>Cancer</i> , 2020, 126, 3733-3741.	2.0	32
100	THE ROLE OF IMAGING STUDIES AND MOLECULAR MARKERS FOR SELECTING CANDIDATES FOR RADICAL PROSTATECTOMY. <i>Urologic Clinics of North America</i> , 2001, 28, 459-472.	0.8	30
101	Body Mass Index, Prostate Weight and Transrectal Ultrasound Prostate Volume Accuracy. <i>Journal of Urology</i> , 2007, 178, 990-995.	0.2	30
102	Race and risk of metastases and survival after radical prostatectomy: Results from the SEARCH database. <i>Cancer</i> , 2017, 123, 4199-4206.	2.0	30
103	Neutrophil, lymphocyte and platelet counts, and risk of prostate cancer outcomes in white and black men: results from the SEARCH database. <i>Cancer Causes and Control</i> , 2018, 29, 581-588.	0.8	30
104	Effect of Race on Biochemical Disease-free Outcome in Patients with Prostate Cancer Treated with Definitive Radiation Therapy in an Equal-Access Health Care System: Radiation Oncology Report of the Department of Defense Center for Prostate Disease Research. <i>Radiology</i> , 2002, 225, 420-426.	3.6	29
105	The association between prostate size and Gleason score upgrading depends on the number of biopsy cores obtained: results from the Shared Equal Access Regional Cancer Hospital Database. <i>BJU International</i> , 2008, 102, 1074-1079.	1.3	29
106	Comparison of Rates and Risk Factors for Development of Osteoporosis and Fractures After Radical or Partial Nephrectomy. <i>Urology</i> , 2011, 78, 614-619.	0.5	29
107	Preoperative sentinel lymph node mapping of the prostate using PET/CT fusion imaging and Ga-68-labeled tilmanocept in an animal model. <i>Clinical and Experimental Metastasis</i> , 2012, 29, 673-680.	1.7	29
108	Prostate diffusion imaging with distortion correction. <i>Magnetic Resonance Imaging</i> , 2015, 33, 1178-1181.	1.0	29

#	ARTICLE	IF	CITATIONS
109	Is Biopsy Gleason Score Independently Associated With Biochemical Progression Following Radical Prostatectomy After Adjusting for Pathological Gleason Score?. <i>Journal of Urology</i> , 2006, 176, 2453-2458.	0.2	28
110	Association of Cigarette Smoking With Interval to Biochemical Recurrence After Radical Prostatectomy: Results from the SEARCH Database. <i>Urology</i> , 2010, 76, 1218-1223.	0.5	28
111	Effect of age on biochemical disease-free outcome in patients with T1-T3 prostate cancer treated with definitive radiotherapy in an equal-access health care system. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 55, 964-969.	0.4	27
112	Effect of BMI on Primary Treatment of Prostate Cancer. <i>Urology</i> , 2008, 72, 406-411.	0.5	27
113	Optimization via specific fluorescence brightness of a receptor-targeted probe for optical imaging and positron emission tomography of sentinel lymph nodes. <i>Journal of Biomedical Optics</i> , 2013, 18, 101315.	1.4	26
114	Unenhanced helical computed tomography in the evaluation of acute flank pain. <i>Current Opinion in Urology</i> , 2000, 10, 123-129.	0.9	25
115	Racial Discrepancies in Overall Survival among Men Treated with ²²³ Radium. <i>Journal of Urology</i> , 2020, 203, 331-337.	0.2	25
116	Biochemical outcome after radical prostatectomy among men with normal preoperative serum prostate-specific antigen levels. <i>Cancer</i> , 2004, 101, 748-753.	2.0	24
117	Optimal Timing, Cutoff, and Method of Calculation of Preoperative Prostate-Specific Antigen Velocity to Predict Relapse After Prostatectomy: A Report from SEARCH. <i>Urology</i> , 2007, 69, 732-737.	0.5	24
118	Race and Time from Diagnosis to Radical Prostatectomy: Does Equal Access Mean Equal Timely Access to the Operating Room? Results from the SEARCH Database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1208-1212.	1.1	24
119	The impact of pathologic staging on the long-term oncologic outcomes of patients with clinically high-risk prostate cancer. <i>Cancer</i> , 2014, 120, 1656-1662.	2.0	24
120	Fluorescence-Based Molecular Imaging of Porcine Urinary Bladder Sentinel Lymph Nodes. <i>Journal of Nuclear Medicine</i> , 2017, 58, 547-553.	2.8	24
121	Impact of age, comorbidity, and PSA doubling time on long-term competing risks for mortality among men with non-metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 252-260.	2.0	24
122	Neoadjuvant Sunitinib Decreases Inferior Vena Caval Thrombus Size and Is Associated With Improved Oncologic Outcomes: A Multicenter Comparative Analysis. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e505-e512.	0.9	24
123	Effects of Hospital Procedure Volume and Resident Training on Clinical Outcomes and Resource Use in Radical Retropubic Prostatectomy Surgery in the Department of Veterans Affairs. <i>Journal of Urology</i> , 2008, 179, 272-279.	0.2	23
124	Detectable Prostate-Specific Antigen Nadir During Androgen-Deprivation Therapy Predicts Adverse Prostate Cancer-Specific Outcomes: Results from the SEARCH Database. <i>European Urology</i> , 2014, 65, 620-627.	0.9	23
125	Neoadjuvant rituximab modulates the tumor immune environment in patients with high risk prostate cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 214.	1.8	23
126	Disparities and trends in the participation of minorities, women, and the elderly in breast, colorectal, lung, and prostate cancer clinical trials. <i>Cancer</i> , 2022, 128, 770-777.	2.0	23

#	ARTICLE	IF	CITATIONS
127	Improved Clinical Staging System Combining Biopsy Laterality and TNM Stage for Men With T1c and T2 Prostate Cancer: Results From the SEARCH Database. <i>Journal of Urology</i> , 2003, 169, 2129-2135.	0.2	22
128	Comparison of rates and risk factors for development of anaemia and erythropoiesis-stimulating agent utilization after radical or partial nephrectomy. <i>BJU International</i> , 2012, 109, 1019-1025.	1.3	22
129	Factors predicting skeletal-related events in patients with bone metastatic castration-resistant prostate cancer. <i>Cancer</i> , 2017, 123, 1528-1535.	2.0	22
130	Number of Unfavorable Intermediate-Risk Factors Predicts Pathologic Upstaging and Prostate Cancer-Specific Mortality Following Radical Prostatectomy: Results From the SEARCH Database. <i>Prostate</i> , 2017, 77, 154-163.	1.2	22
131	Management of pelvic lymphoceles following robot-assisted laparoscopic radical prostatectomy. <i>Urology Annals</i> , 2012, 4, 111.	0.3	22
132	Prostate Biopsy Tumor Extent but Not Location Predicts Recurrence After Radical Prostatectomy: Results From CaPSURE. <i>Journal of Urology</i> , 2006, 175, 125-129.	0.2	21
133	Do nomograms predict aggressive recurrence after radical prostatectomy more accurately than biochemical recurrence alone?. <i>BJU International</i> , 2009, 103, 603-608.	1.3	21
134	Predictors of secondary treatment following biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>BJU International</i> , 2010, 105, 28-33.	1.3	21
135	Definition and preoperative predictors of persistently elevated prostate-specific antigen after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2010, 105, 1541-1547.	1.3	20
136	Freedom From a Detectable Ultrasensitive Prostate-specific Antigen at Two Years After Radical Prostatectomy Predicts a Favorable Clinical Outcome: Analysis of the SEARCH Database. <i>Urology</i> , 2010, 75, 439-444.	0.5	20
137	MRI-Derived Restriction Spectrum Imaging Cellularity Index is Associated with High Grade Prostate Cancer on Radical Prostatectomy Specimens. <i>Frontiers in Oncology</i> , 2015, 5, 30.	1.3	20
138	Positive surgical margins in radical prostatectomy patients do not predict long-term oncological outcomes: results from the Shared Equal Access Regional Cancer Hospital (<scp>SEARCH</scp>) cohort. <i>BJU International</i> , 2016, 117, 244-248.	1.3	20
139	Restriction spectrum imaging improves MRI-based prostate cancer detection. <i>Abdominal Radiology</i> , 2016, 41, 946-953.	1.0	20
140	Poorly controlled diabetes increases the risk of metastases and castration-resistant prostate cancer in men undergoing radical prostatectomy: Results from the SEARCH database. <i>Cancer</i> , 2019, 125, 2861-2867.	2.0	20
141	A PSMA-targeted bispecific antibody for prostate cancer driven by a small-molecule targeting ligand. <i>Science Advances</i> , 2021, 7, .	4.7	20
142	Health-related quality of life for men with prostate cancer and diabetes: A longitudinal analysis from CaPSURE. <i>Urology</i> , 2006, 68, 1242-1247.	0.5	19
143	Do Racial Differences in Prostate Size Explain Higher Serum Prostate-Specific Antigen Concentrations Among Black Men?. <i>Urology</i> , 2007, 69, 1138-1142.	0.5	19
144	What are the Factors Associated With Short Prostate Specific Antigen Doubling Time After Radical Prostatectomy? A Report From the SEARCH Database Group. <i>Journal of Urology</i> , 2008, 180, 1980-1985.	0.2	19

#	ARTICLE	IF	CITATIONS
145	Voxel Level Radiologic Pathologic Validation of Restriction Spectrum Imaging Cellularity Index with Gleason Grade in Prostate Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 2668-2674.	3.2	19
146	Is a Positive Bladder Neck Margin Truly a T4 Lesion in the Prostate Specific Antigen Era? Results From the SEARCH Database. <i>Journal of Urology</i> , 2008, 179, 124-129.	0.2	18
147	Exposure to Agent Orange is a significant predictor of prostate-specific antigen (PSA)-based recurrence and a rapid PSA doubling time after radical prostatectomy. <i>BJU International</i> , 2009, 103, 1168-1172.	1.3	18
148	Body Mass Index and Prostate Specific Antigen as Predictors of Adverse Pathology and Biochemical Recurrence After Prostatectomy. <i>Journal of Urology</i> , 2009, 182, 491-498.	0.2	18
149	Do Nomograms Designed to Predict Biochemical Recurrence (BCR) Do a Better Job of Predicting More Clinically Relevant Prostate Cancer Outcomes than BCR? A Report from the SEARCH Database Group. <i>Urology</i> , 2013, 82, 53-59.	0.5	18
150	Minimally Invasive Cystectomy Is Associated With Improved Perioperative Patient Safety Outcomes Compared With Open Cystectomy in a National Cohort. <i>Urology</i> , 2014, 84, 314-320.	0.5	18
151	Robotic-assisted Fluorescence Sentinel Lymph Node Mapping Using Multimodal Image Guidance in an Animal Model. <i>Urology</i> , 2014, 84, 982.e9-982.e14.	0.5	18
152	Definitive Radiation Therapy and Survival in Clinically Node-Positive Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 101, 1188-1193.	0.4	18
153	Limitations of Prostate Specific Antigen Doubling Time Following Biochemical Recurrence After Radical Prostatectomy: Results From the SEARCH Database. <i>Journal of Urology</i> , 2008, 179, 1785-1790.	0.2	17
154	Does early prostate-specific antigen doubling time (ePSADT) after radical prostatectomy, calculated using PSA values from the first detectable until the first recurrence value, correlate with standard PSADT? A report from the Shared Equal Access Regional Cancer Hospital Database Group. <i>BJU International</i> , 2009, 104, 1604-1609.	1.3	17
155	Timing of Prostate-specific Antigen Nadir After Radical Prostatectomy and Risk of Biochemical Recurrence. <i>Urology</i> , 2017, 108, 129-134.	0.5	17
156	Does PSADT After Radical Prostatectomy Correlate With Overall Survival? A Report From the SEARCH Database Group. <i>Urology</i> , 2011, 77, 149-153.	0.5	16
157	Evaluation of a genomic classifier in radical prostatectomy patients with lymph node metastasis. <i>Research and Reports in Urology</i> , 2016, Volume 8, 77-84.	0.6	16
158	Predictors of operative time during radical retropubic prostatectomy and robot-assisted laparoscopic prostatectomy. <i>International Journal of Urology</i> , 2017, 24, 618-623.	0.5	16
159	Socioeconomic status, race, and long-term outcomes after radical prostatectomy in an equal access health system: Results from the SEARCH database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 289.e11-289.e17.	0.8	16
160	Initial Experience with Aspirin Use During Robotic Radical Prostatectomy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2012, 22, 225-229.	0.5	15
161	Feasibility of Transrectal Hybrid Natural Orifice Transluminal Endoscopic Surgery (NOTES) Nephrectomy in the Cadaveric Model. <i>Urology</i> , 2012, 80, 590-595.	0.5	15
162	Racial Differences in the Association Between Preoperative Serum Cholesterol and Prostate Cancer Recurrence: Results from the SEARCH Database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 547-554.	1.1	15

#	ARTICLE	IF	CITATIONS
163	Biopsy Detected Gleason Pattern 5 is Associated with Recurrence, Metastasis and Mortality in a Cohort of Men with High Risk Prostate Cancer. <i>Journal of Urology</i> , 2017, 198, 1309-1315.	0.2	15
164	Validation of the 2015 prostate cancer grade groups for predicting long-term oncologic outcomes in a shared equal-access health system. <i>Cancer</i> , 2017, 123, 4122-4129.	2.0	15
165	Three-month posttreatment prostate-specific antigen level as a biomarker of treatment response in patients with intermediate-risk or high-risk prostate cancer treated with androgen deprivation therapy and radiotherapy. <i>Cancer</i> , 2018, 124, 2939-2947.	2.0	15
166	Obese patients with castration-resistant prostate cancer may be at a lower risk of all-cause mortality: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2018, 122, 76-82.	1.3	15
167	Predictors of skeletal-related events and mortality in men with metastatic, castration-resistant prostate cancer: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2019, 125, 4003-4010.	2.0	15
168	Obesity, risk of biochemical recurrence, and prostate-specific antigen doubling time after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2019, 124, 69-75.	1.3	15
169	The Effect of Race/Ethnicity on the Accuracy of the 2001 Partin Tables for Predicting Pathologic Stage of Localized Prostate Cancer. <i>Urology</i> , 2008, 71, 151-155.	0.5	14
170	Comparison of Transrectal and Transvaginal Hybrid Natural Orifice Transluminal Endoscopic Surgery Partial Nephrectomy in the Porcine Model. <i>Urology</i> , 2013, 82, 84-89.	0.5	14
171	Weight Loss Following Radical Cystectomy for Bladder Cancer: Characterization and Effect on Survival. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 86-92.	0.9	14
172	The effect of kidney morcellation on operative time, incision complications, and postoperative analgesia after laparoscopic nephrectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006, 32, 273-280.	0.7	14
173	Preclinical Evaluation of Robotic-Assisted Sentinel Lymph Node Fluorescence Imaging. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1552-1556.	2.8	13
174	Impact of prior local therapy on overall survival in men with metastatic castration-resistant prostate cancer: Results from Shared Equal Access Regional Cancer Hospital. <i>International Journal of Urology</i> , 2018, 25, 998-1004.	0.5	13
175	Validity of the National Death Index to ascertain the date and cause of death in men having undergone prostatectomy for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 633-635.	2.0	13
176	Establishment and Analysis of Three-Dimensional (3D) Organoids Derived from Patient Prostate Cancer Bone Metastasis Specimens and their Xenografts. <i>Journal of Visualized Experiments</i> , 2020, , .	0.2	13
177	Diabetes and Prostate Cancer Outcomes in Obese and Nonobese Men After Radical Prostatectomy. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab023.	1.4	13
178	Estimated blood loss as a predictor of PSA recurrence after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2010, 105, 347-351.	1.3	12
179	Does radical nephrectomy increase the risk of erectile dysfunction compared with partial nephrectomy? A cohort analysis. <i>BJU International</i> , 2013, 111, E98-102.	1.3	12
180	Is clinical stage T2c prostate cancer an intermediate- or high-risk disease?. <i>Cancer</i> , 2015, 121, 1414-1421.	2.0	12

#	ARTICLE	IF	CITATIONS
181	Prostate-specific antigen level, stage or Gleason score: Which is best for predicting outcomes after radical prostatectomy, and does it vary by the outcome being measured? Results from Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2015, 22, 362-366.	0.5	12
182	Do all men with pathological Gleason score 8-10 prostate cancer have poor outcomes? Results from the SEARCH database. <i>BJU International</i> , 2016, 118, 250-257.	1.3	12
183	First postoperative PSA is associated with outcomes in patients with node positive prostate cancer: Results from the SEARCH database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 239.e17-239.e25.	0.8	12
184	Update of staging and risk assessment for prostate cancer patients. <i>Current Opinion in Urology</i> , 2004, 14, 163-170.	0.9	11
185	What Do I Tell Patients About Saw Palmetto for Benign Prostatic Hyperplasia?. <i>Urologic Clinics of North America</i> , 2011, 38, 261-277.	0.8	11
186	Diabetes predicts metastasis after radical prostatectomy in obese men: results from the SEARCH database. <i>BJU International</i> , 2013, 111, E310-8.	1.3	11
187	Practice Patterns and Predictors of Followup Imaging after a Negative Bone Scan in Men with Castration Resistant Prostate Cancer: Results from the SEARCH Database. <i>Journal of Urology</i> , 2015, 193, 1232-1238.	0.2	11
188	Active Surveillance of Prostate Cancer in a Community Practice: How to Measure, Manage, and Improve?. <i>Urology</i> , 2016, 93, 60-67.	0.5	11
189	In Men with Castration-Resistant Prostate Cancer, Visceral Metastases Predict Shorter Overall Survival: What Predicts Visceral Metastases? Results from the SEARCH Database. <i>European Urology Focus</i> , 2017, 3, 480-486.	1.6	11
190	Experience with 10 years of a robotic surgery program at an Academic Medical Center. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 1950-1960.	1.3	11
191	Adenocarcinoma of the prostate metastatic to the choroid of the eye. <i>Prostate</i> , 1995, 27, 336-339.	1.2	10
192	Drug-seeking behavior in urolithiasis in the noncontrast computed tomography era: 2 cases. <i>Urology</i> , 1999, 54, 744.	0.5	10
193	Watchful waiting versus active surveillance: Appropriate patient selection. <i>Current Urology Reports</i> , 2008, 9, 211-216.	1.0	10
194	Recalibration and external validation of an existing nomogram to predict aggressive recurrences after radical prostatectomy. <i>BJU International</i> , 2010, 105, 1654-1659.	1.3	10
195	Smoking is a predictor of adverse pathological features at radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2015, 22, 658-662.	0.5	10
196	Association between Radical Prostatectomy and Survival in Men with Clinically Node-positive Prostate Cancer. <i>European Urology Oncology</i> , 2019, 2, 584-588.	2.6	10
197	Impact of Obesity on the Utility of Preoperative Prostate-Specific Antigen Velocity to Predict for Relapse After Prostatectomy: A Report from the SEARCH Database. <i>Urology</i> , 2007, 69, 921-926.	0.5	9
198	Postoperative prostate-specific antigen nadir improves accuracy for predicting biochemical recurrence after radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) and Duke Prostate Center databases. <i>International Journal of Urology</i> , 2010, 17, 914-922.	0.5	9

#	ARTICLE	IF	CITATIONS
199	Laparo-Endoscopic Single-Site Surgery for Radical and Cytoreductive Nephrectomy, Renal Vein Thrombectomy, and Partial Nephrectomy: A Prospective Pilot Evaluation. <i>Diagnostic and Therapeutic Endoscopy</i> , 2010, 2010, 1-8.	1.5	9
200	A Family History of Lethal Prostate Cancer and Risk of Aggressive Prostate Cancer in Patients Undergoing Radical Prostatectomy. <i>Scientific Reports</i> , 2015, 5, 10544.	1.6	9
201	Radical prostatectomy and the effect of close surgical margins: results from the Shared Equal Access Regional Cancer Hospital (<sc>SEARCH</sc>) database. <i>BJU International</i> , 2018, 122, 592-598.	1.3	9
202	Competing Risks of Mortality among Men with Biochemical Recurrence after Radical Prostatectomy. <i>Journal of Urology</i> , 2020, 204, 511-517.	0.2	9
203	Virtual reality suturing task as an objective test for robotic experience assessment. <i>BMC Urology</i> , 2015, 15, 63.	0.6	8
204	Validation of a bone scan positivity risk table in nonâ€metastatic castrationâ€resistant prostate cancer. <i>BJU International</i> , 2016, 118, 570-577.	1.3	8
205	Race does not predict the development of metastases in men with nonmetastatic castrationâ€resistant prostate cancer. <i>Cancer</i> , 2016, 122, 3848-3855.	2.0	8
206	Modified risk stratification grouping using standard clinical and biopsy information for patients undergoing radical prostatectomy: Results from SEARCH. <i>Prostate</i> , 2017, 77, 1592-1600.	1.2	8
207	Prospective Comparison of Computerized Tomography and Excretory Urography in the Initial Evaluation of Asymptomatic Microhematuria. <i>Journal of Urology</i> , 2002, , 2457-2460.	0.2	8
208	Impact of renal surgery for cortical neoplasms on lipid metabolism. <i>BJU International</i> , 2014, 114, 837-843.	1.3	7
209	Adverse pathology and undetectable ultrasensitive prostateâ€specific antigen after radical prostatectomy: is adjuvant radiation warranted?. <i>BJU International</i> , 2016, 117, 897-903.	1.3	7
210	Change in platelet count as a prognostic indicator for response to primary tyrosine kinase inhibitor therapy in metastatic renal cell carcinoma. <i>BJU International</i> , 2016, 118, 927-934.	1.3	7
211	Does Early Prostate Specific Antigen Doubling Time after Radical Prostatectomy, Calculated Prior to Prostate Specific Antigen Recurrence, Correlate with Prostate Cancer Outcomes? A Report from the SEARCH Database Group. <i>Journal of Urology</i> , 2018, 199, 713-718.	0.2	7
212	Statins are Associated With Increased Biochemical Recurrence After Radical Prostatectomy in Diabetic Men but no Association was Seen in Men also Taking Metformin: Results From the SEARCH Database. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e140-e149.	0.9	7
213	Novel Dormancy Mechanism of Castration Resistance in Bone Metastatic Prostate Cancer Organoids. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3203.	1.8	7
214	Is computed tomography a necessary part of a metastatic evaluation for castrationâ€resistant prostate cancer? Results from <sc>the Shared Equal Access Regional Cancer Hospital Database</sc>. <i>Cancer</i> , 2016, 122, 222-229.	2.0	6
215	Specific bone region localization of osteolytic versus osteoblastic lesions in a patient-derived xenograft model of bone metastatic prostate cancer. <i>Asian Journal of Urology</i> , 2016, 3, 229-239.	0.5	6
216	Nerve-sparing Technique During Radical Prostatectomy and its Effect on Urinary Continence. <i>European Urology</i> , 2016, 69, 590-591.	0.9	6

#	ARTICLE	IF	CITATIONS
217	Substrate Testosterone Nadir and Clinical Outcomes in Intermediate- or High-Risk Localized Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 1068-1076.	0.4	6
218	Obese men undergoing radical prostatectomy: Is robotic or retropubic better to limit positive surgical margins? Results from SEARCH. <i>International Journal of Urology</i> , 2020, 27, 851-857.	0.5	6
219	Testosterone therapy does not increase the risks of prostate cancer recurrence or death after definitive treatment for localized disease. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 689-695.	2.0	6
220	Association between Delay to Radical Prostatectomy and Clinically Meaningful Outcomes among Patients with Intermediate and High-Risk Localized Prostate Cancer. <i>Journal of Urology</i> , 2022, 207, 592-600.	0.2	6
221	Agent Orange and long-term outcomes after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 329.e1-329.e6.	0.8	5
222	Safety of concomitant therapy with radium-223 and abiraterone or enzalutamide in a real-world population. <i>Prostate</i> , 2021, 81, 390-397.	1.2	5
223	African-American men with low-risk prostate cancer treated with radical prostatectomy in an equal-access health care system: implications for active surveillance. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 581-588.	2.0	4
224	LIMITED VALUE OF BONE SCINTIGRAPHY AND COMPUTED TOMOGRAPHY IN ASSESSING BIOCHEMICAL FAILURE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1999, , 176.	0.2	4
225	Robotic-Assisted Laparoscopic Prostatectomy for High-Risk Prostate Cancer: Technical Considerations and Review of the Literature. <i>ISRN Urology</i> , 2011, 2011, 1-7.	1.5	4
226	What is the Incidence of Kidney Stones after Chemotherapy in Patients with Lymphoproliferative or Myeloproliferative Disorders?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 772-780.	0.7	3
227	Characterization of a "low-risk" cohort of grade group 2 prostate cancer patients: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2017, 24, 611-617.	0.5	3
228	First-year weight loss with androgen-deprivation therapy increases risks of prostate cancer progression and prostate cancer-specific mortality: results from SEARCH. <i>Cancer Causes and Control</i> , 2019, 30, 259-269.	0.8	3
229	Influence of African American race on the association between preoperative biopsy grade group and adverse histopathologic features of radical prostatectomy. <i>Cancer</i> , 2019, 125, 3025-3032.	2.0	3
230	Practice patterns and outcomes of equivocal bone scans for patients with castration-resistant prostate cancer: Results from SEARCH. <i>Asian Journal of Urology</i> , 2019, 6, 242-248.	0.5	3
231	Does race predict the development of metastases in men who receive androgen deprivation therapy for a biochemical recurrence after radical prostatectomy?. <i>Cancer</i> , 2019, 125, 434-441.	2.0	3
232	Race does not predict skeletal-related events and all-cause mortality in men with castration-resistant prostate cancer. <i>Cancer</i> , 2020, 126, 3274-3280.	2.0	3
233	Do Hispanic Men Have Worse Outcomes After Radical Prostatectomy? Results From SEARCH. <i>Urology</i> , 2021, 149, 181-186.	0.5	3
234	Serum Lipids prior to Starting Androgen Deprivation Therapy and Risk of Castration Resistant Prostate Cancer and Metastasis: Results from the SEARCH Database. <i>Journal of Urology</i> , 2020, 203, 120-127.	0.2	3

#	ARTICLE	IF	CITATIONS
235	Prostate weight and prostate cancer outcomes after radical prostatectomy: Results from the SEARCH cohort study. <i>Prostate</i> , 2022, 82, 366-372.	1.2	3
236	KIDNEY GENE DATABASE: A CURATED AND INTEGRATED DATABASE OF GENES INVOLVED IN KIDNEY DISEASE. <i>Journal of Urology</i> , 2004, 172, 2344-2346.	0.2	2
237	Utilization and impact of surgical technique on the performance of pelvic lymph node dissection at radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2016, 23, 241-246.	0.5	2
238	Focus on Transitional Disease: A Critical Interval to Delay Progression of Prostate Cancer. <i>Oncology</i> , 2021, 35, 166-168.	0.4	2
239	Impact of age on treatment response in men with prostate cancer treated with radiotherapy. <i>BJUJ Compass</i> , 2022, 3, 243-250.	0.7	2
240	Racial Differences in Prognostic Value of Adult Height for Biochemical Progression Following Radical Prostatectomy. <i>Clinical Cancer Research</i> , 2005, 11, 7735-7742.	3.2	1
241	Laparoscopic Approaches to Renal Malignancies. <i>Current Problems in Cancer</i> , 2006, 30, 168-193.	1.0	1
242	Does Salvage Radiation Therapy Change the Biology of Recurrent Prostate Cancer Based on PSA Doubling Times? Results from the SEARCH Database. <i>Urology</i> , 2012, 79, 1105-1110.	0.5	1
243	Editorial Comment. <i>Urology</i> , 2014, 83, 1367-1368.	0.5	1
244	Salvage Radiotherapy for Recurrent Prostate Cancer: Can the Prognostic Grade Group System Inform Treatment Timing?. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e930-e938.	0.9	1
245	Monocyte counts and prostate cancer outcomes in white and black men: results from the SEARCH database. <i>Cancer Causes and Control</i> , 2021, 32, 189-197.	0.8	1
246	The Impact of Comorbidity and Age on Timing of Androgen Deprivation Therapy in Men with Biochemical Recurrence after Radical Prostatectomy. <i>Urology Practice</i> , 2021, 8, 238-245.	0.2	1
247	Conservative Management of Ureteral Calculi. , 2007, , 457-464.		1
248	RE: METASTATIC ADENOCARCINOMA OF THE PROSTATE TO THE CHOROID WITH LOSS OF VISUAL ACUITY AS A PRESENTING SYMPTOM. <i>Journal of Urology</i> , 1999, 162, 809-809.	0.2	0
249	Watchful waiting versus active surveillance: Appropriate patient selection. <i>Current Prostate Reports</i> , 2009, 7, 5-10.	0.1	0
250	Editorial Comment from <sc>D</sc>r <sc>L</sc>iss and <sc>D</sc>r <sc>K</sc>ane to Lymphocele after extraperitoneal robotâ€assisted radical prostatectomy: A propensity scoreâ€matching study. <i>International Journal of Urology</i> , 2013, 20, 1177-1177.	0.5	0
251	Risk versus benefit of lymph node dissection during prostatectomy. <i>Nature Reviews Urology</i> , 2013, 10, 262-263.	1.9	0
252	Reply. <i>Urology</i> , 2014, 84, 319-320.	0.5	0

#	ARTICLE	IF	CITATIONS
253	Does larger tumor volume explain the higher prostate specific antigen levels in black men with prostate cancer? Results from the SEARCH database. <i>Cancer Epidemiology</i> , 2015, 39, 1066-1070.	0.8	0
254	Does salvage radiation therapy (SRT) change the biology of recurrent prostate cancer (PCa) based on PSA doubling times (PSADT)? Results from the SEARCH database. <i>Journal of Clinical Oncology</i> , 2012, 30, 203-203.	0.8	0
255	Robotic Pelvic Lymphadenectomy: Standard and Extended Techniques. , 2017, , 323-330.		0
256	Reply by Authors. <i>Journal of Urology</i> , 2020, 203, 127-127.	0.2	0
257	Robotic prostatectomy improves outcomes—after the potentially risky adoption phase. <i>Oncology</i> , 2012, 26, 626, 628, 630.	0.4	0
258	Radium-223 Utilization Patterns and Outcomes in Clinical Practice. <i>Urology Practice</i> , 0, , .	0.2	0