

# Birgitta Bremer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11195121/publications.pdf>

Version: 2024-02-01

97

papers

6,124

citations

71102

41

h-index

71685

76

g-index

99

all docs

99

docs citations

99

times ranked

3529

citing authors

#	ARTICLE	IF	CITATIONS
1	Conflicting phylogenetic signals in genomic data of the coffee family (Rubiaceae). <i>Journal of Systematics and Evolution</i> , 2020, 58, 440-460.	3.1	36
2	Island hopping, long-distance dispersal and species radiation in the Western Indian Ocean: historical biogeography of the Coffeeae alliance (Rubiaceae). <i>Journal of Biogeography</i> , 2017, 44, 1966-1979.	3.0	34
3	Historical biogeography and phylogeny of the pantropical Psychotrieae alliance (Rubiaceae), with particular emphasis on the Western Indian Ocean Region. <i>American Journal of Botany</i> , 2017, 104, 1407-1423.	1.7	22
4	Conflicting results from mitochondrial genomic data challenge current views of Rubiaceae phylogeny. <i>American Journal of Botany</i> , 2017, 104, 1522-1532.	1.7	53
5	Ixora (Rubiaceae) on the Philippines - crossroad or cradle?. <i>BMC Evolutionary Biology</i> , 2017, 17, 131.	3.2	5
6	Paracarphalea, a new genus of the coffee family segregated from the Malagasy endemic genus Carphalea (Rubiaceae, Rubioideae, Knoxieae). <i>Phytotaxa</i> , 2016, 263, 98.	0.3	4
7	Phylogenetic affinities of <i>Myrioneuron</i> and <i>Cyanoneuron</i> , generic limits of the tribe Argostemmae and description of a new Asian tribe, Cyanoneuroneae (Rubiaceae). <i>Taxon</i> , 2015, 64, 286-298.	0.7	15
8	The Hedyotis-Oldenlandia complex (Rubiaceae: Spermacoceae) in Asia and the Pacific: Phylogeny revisited with new generic delimitations. <i>Taxon</i> , 2015, 64, 299-322.	0.7	35
9	Molecular phylogenetics and generic assessment in the tribe Pavetteae (Rubiaceae). <i>Taxon</i> , 2015, 64, 79-95.	0.7	20
10	A Revised Time Tree of the Asterids: Establishing a Temporal Framework For Evolutionary Studies of the Coffee Family (Rubiaceae). <i>PLoS ONE</i> , 2015, 10, e0126690.	2.5	71
11	Phylogenetic structure and clade circumscriptions in the Gardenieae complex (Rubiaceae). <i>Taxon</i> , 2014, 63, 801-818.	0.7	28
12	Phylogeny and generic limits in the sister tribes Psychotrieae and Palicoureeae (Rubiaceae): Evolution of schizocarps in <i>Psychotria</i> and origins of bacterial leaf nodules of the Malagasy species. <i>American Journal of Botany</i> , 2014, 101, 1102-1126.	1.7	80
13	Phylogeny of <i>Euclinia</i> and allied genera of Gardenieae (Rubiaceae), and description of <i>Melanoxerus</i> , an endemic genus of Madagascar. <i>Taxon</i> , 2014, 63, 819-830.	0.7	8
14	Phylogeny and Generic Delimitations in the Sister Tribes Hymenodictyeeae and Naucleeeae (Rubiaceae). <i>Systematic Botany</i> , 2014, 39, 304-315.	0.5	20
15	Inferring geographic range evolution of a pantropical tribe in the coffee family (Lasiantheae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 182-194.	2.7	14
16	Phylogenetic relationships and new tribal delimitations in subfamily Ixoroideae (Rubiaceae). <i>Botanical Journal of the Linnean Society</i> , 2013, 173, 387-406.	1.6	32
17	Phylogeny of <i>Hedyotis</i> L. (Rubiaceae: Spermacoceae): Redefining a complex Asian-Pacific assemblage. <i>Taxon</i> , 2013, 62, 357-374.	0.7	32
18	Historical Biogeography of the Predominantly Neotropical Subfamily Cinchonoideae (Rubiaceae): Into or Out of America?. <i>International Journal of Plant Sciences</i> , 2012, 173, 261-286.	1.3	33

#	ARTICLE	IF	CITATIONS
19	Molecular phylogeny of the tribe Danaideae (Rubiaceae: Rubioideae): Another example of out-of-Madagascar dispersal. <i>Taxon</i> , 2012, 61, 629-636.	0.7	16
20	Evolution of Growth Habit, Inflorescence Architecture, Flower Size, and Fruit Type in Rubiaceae: Its Ecological and Evolutionary Implications. <i>PLoS ONE</i> , 2012, 7, e40851.	2.5	16
21	Nomenclatural changes and taxonomic notes in the tribe Morindeae (Rubiaceae). <i>Adansonia</i> , 2011, 33, 283-309.	0.2	20
22	Molecular systematics and incongruent gene trees of Urophylleae (Rubiaceae). <i>Taxon</i> , 2011, 60, 1397-1406.	0.7	7
23	Molecular support for a basal grade of morphologically distinct, monotypic genera in the species-rich Vanguerieae alliance (Rubiaceae, Ixoroideae): Its systematic and conservation implications. <i>Taxon</i> , 2011, 60, 941-952.	0.7	20
24	Towards a better understanding of intertribal relationships and stable tribal delimitations within Cinchonoideae s.s. (Rubiaceae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 21-39.	2.7	68
25	Origin of the pantropical and nutriceutical <i>Morinda citrifolia</i> L. (Rubiaceae): comments on its distribution range and circumscription. <i>Journal of Biogeography</i> , 2010, 37, 520-529.	3.0	29
26	Divergence time uncertainty and historical biogeography reconstruction – an example from Urophylleae (Rubiaceae). <i>Journal of Biogeography</i> , 2010, 37, 2260-2274.	3.0	25
27	Molecular systematics and morphological character evolution of the Condamineae (Rubiaceae). <i>American Journal of Botany</i> , 2010, 97, 1961-1981.	1.7	28
28	Molecular phylogenetic analysis of the tribe Albertae (Rubiaceae), with description of a new genus, <i>Razafimandimbisonia</i> . <i>Taxon</i> , 2009, 58, 757-768.	0.7	18
29	Evolutionary relationships in the Spermacoceae alliance (Rubiaceae) using information from six molecular loci: insights into systematic affinities of <i>Neohymenopogon</i> and <i>Mouretia</i> . <i>Taxon</i> , 2009, 58, 793-810.	0.7	38
30	Phylogeny and classification of the species-rich pantropical showy genus <i>Ixora</i> (Rubiaceae-Ixoreae) with indications of geographical monophyletic units and hybrids. <i>American Journal of Botany</i> , 2009, 96, 686-706.	1.7	37
31	Deep divergences in the coffee family and the systematic position of Acranthera. <i>Plant Systematics and Evolution</i> , 2009, 278, 101-123.	0.9	48
32	Molecular phylogenetics and generic assessment in the tribe Morindeae (Rubiaceae-Rubioideae): How to circumscribe <i>Morinda</i> L. to be monophyletic?. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 879-886.	2.7	39
33	A Review of Molecular Phylogenetic Studies of Rubiaceae <sup>1</sup> . <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 4-26.	1.3	74
34	Paraphyly of <i>Ixora</i> and New Tribal Delimitation of Ixoreae (Rubiaceae): Inference from Combined Chloroplast ( <i>rps16</i> , <i>rbcL</i> , and <i>trnT-F</i> ) Sequence Data <sup>1</sup> . <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 146-160.	1.3	23
35	The Rondeletia Complex (Rubiaceae): An Attempt to Use ITS, <i>rps16</i> , and <i>trnL-F</i> Sequence Data to Delimit Guettardeae, Rondeletieae, and Sections within Rondeletia <sup>1</sup> . <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 182-193.	1.3	31
36	Phylogeny of the Herbaceous Tribe Spermacoceae (Rubiaceae) Based on Plastid DNA Data <sup>1</sup> . <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 109-132.	1.3	74

#	ARTICLE	IF	CITATIONS
37	Evolutionary Trends, Major Lineages, and New Generic Limits in the Dioecious Group of the Tribe Vanguerieae (Rubiaceae): Insights into the Evolution of Functional Dioecy <sup>1</sup> . <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 161-181.	1.3	31
38	Time Tree of Rubiaceae: Phylogeny and Dating the Family, Subfamilies, and Tribes. <i>International Journal of Plant Sciences</i> , 2009, 170, 766-793.	1.3	222
39	Phylogeny and biogeography of the African genus <i>Virectaria</i> Bremek. ( <i>Sabiceae</i> s.l., Ixoroideae,) Tj ETQq1 1 0.784314 rgBT / <sub>0.9</sub> <sup>1</sup> Overlock 10		
40	Evolution and trends in the Psychotrieae alliance (Rubiaceae)â€”A rarely reported evolutionary change of many-seeded carpels from one-seeded carpels. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 207-223.	2.7	59
41	Rare and enigmatic genera (Dunnia, Schizocolea, Colletocema), sisters to species-rich clades: Phylogeny and aspects of conservation biology in the coffee family. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 74-83.	2.7	47
42	The phylogenetic utility of chloroplast and nuclear DNA markers and the phylogeny of the Rubiaceae tribe Spermacoceae. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 843-866.	2.7	100
43	The systematics of Knoxieae (Rubiaceae)â€”molecular data and their taxonomic consequences. <i>Taxon</i> , 2007, 56, 1051-1076.	0.7	42
44	Phylogenetic Placement of <i>Rhopalobrachium</i> <i>fragrans</i> (Rubiaceae): Evidence from Molecular ( <i>rps16</i> ) and ( <i>trnT-F</i> ) and Morphological Data. <i>Systematic Botany</i> , 2007, 32, 872-882.	0.5	15
45	Paraphyly of Paederieae, recognition of Putoriae and expansion of <i>Plocama</i> (Rubiaceaeâ€“Rubioidae). <i>Taxon</i> , 2007, 56, 315-328.	0.7	41
46	Taxonomic revision of the tribe Hymenodictyeae (Rubiaceae, Cinchonoideae). <i>Botanical Journal of the Linnean Society</i> , 2006, 152, 331-386.	1.6	13
47	Re-assessment of monophyly, evolution of myrmecophytism, and rapid radiation in <i>Neonauclea</i> s.s. (Rubiaceae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 334-354.	2.7	29
48	Further disintegration of Scrophulariaceae. <i>Taxon</i> , 2005, 54, 411-425.	0.7	201
49	New circumscription of the tribe Limoselleae (Scrophulariaceae) that includes the taxa of the tribe Manuleeae. <i>Botanical Journal of the Linnean Society</i> , 2005, 147, 385-386.	1.6	0
50	Recent Origin and Phylogenetic Utility of Divergent ITS Putative Pseudogenes: A Case Study from Naucleeae (Rubiaceae). <i>Systematic Biology</i> , 2004, 53, 177-192.	5.6	106
51	Molecular Phylogenetic Dating of Asterid Flowering Plants Shows Early Cretaceous Diversification. <i>Systematic Biology</i> , 2004, 53, 496-505.	5.6	226
52	Phylogeny inferred from morphology and DNA data: characterizing well-supported groups in Vanguerieae (Rubiaceae). <i>Botanical Journal of the Linnean Society</i> , 2004, 146, 257-283.	1.6	59
53	New circumscription of the tribe Limoselleae (Scrophulariaceae) that includes the taxa of the tribe Manuleeae. <i>Botanical Journal of the Linnean Society</i> , 2004, 146, 453-467.	1.6	21
54	Classification of Apocynaceae s.l. According to a New Approach Combining Linnaean and Phylogenetic Taxonomy. <i>Systematic Biology</i> , 2002, 51, 389-409.	5.6	78

#	ARTICLE	IF	CITATIONS
55	Phylogeny and classification of Naucleeae s.l. (Rubiaceae) inferred from molecular (ITS,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7 American Journal of Botany, 2002, 89, 1027-1041.	1.7	96
56	Phylogenetics of asterids based on 3 coding and 3 non-coding chloroplast DNA markers and the utility of non-coding DNA at higher taxonomic levels. Molecular Phylogenetics and Evolution, 2002, 24, 274-301.	2.7	353
57	Low host specificity of herbivorous insects in a tropical forest. Nature, 2002, 416, 841-844.	27.8	588
58	Tribal Delimitation of Naucleeae (Cinchonoideae, Rubiaceae): Inference from Molecular and Morphological Data. Systematics and Geography of Plants, 2001, 71, 515.	0.1	43
59	Phylogeny of the tribe Antirrhineae (Scrophulariaceae) based on morphological and ndhF sequence data. Plant Systematics and Evolution, 2000, 220, 223-239.	0.9	47
60	Is There a Justification for Differential a Priori Weighting in Coding Sequences? A Case Study from rbcL and Apocynaceae s.l.. Systematic Biology, 2000, 49, 101-113.	5.6	46
61	Discovery of Paralogous Nuclear Gene Sequences Coding for the Second-Largest Subunit of RNA Polymerase II (RPB2) and Their Phylogenetic Utility in Gentianales of the Asterids. Molecular Biology and Evolution, 2000, 17, 1131-1145.	8.9	42
62	Phylogenetic relationships within the Gentianales based on NDHF and RBCL sequences, with particular reference to the Loganiaceae. American Journal of Botany, 2000, 87, 1029-1043.	1.7	119
63	Combined phylogenetic analysis in the Rubiaceae-Ixoroideae: morphology, nuclear and chloroplast DNA data. American Journal of Botany, 2000, 87, 1731-1748.	1.7	79
64	Evolution of the Australasian Families Alseuosmiaceae, Argophyllaceae, and Phellinaceae. Systematic Botany, 1999, 24, 660.	0.5	38
65	Relationships of the Buddlejaceae s. l. Investigated Using Parsimony Jackknife and Branch Support Analysis of Chloroplast ndhF and rbcL Sequence Data. Systematic Botany, 1999, 24, 164.	0.5	131
66	More Characters or More Taxa for a Robust Phylogenyâ€”Case Study from the Coffee Family (Rubiaceae). Systematic Biology, 1999, 48, 413-435.	5.6	183
67	Reorganization of the Genus Psychotria and Tribe Psychotrieae (Rubiaceae) Inferred from ITS and rbcL Sequence Data. Systematic Botany, 1999, 24, 5.	0.5	154
68	Phylogeny, diversity, and distribution inExostema (Rubiaceae): Implications of morphological and molecular analyses. Plant Systematics and Evolution, 1998, 212, 215-246.	0.9	31
69	Collapse ofIstertiae, re-establishment ofMussaendeae, and a new genus ofSabiceeae (Rubiaceae); phylogenetic relationships based onrbcl data. Plant Systematics and Evolution, 1998, 211, 71-92.	0.9	68
70	Simultaneous parsimony jackknife analysis of 2538rbcl DNA sequences reveals support for major clades of green plants, land plants, seed plants and flowering plants. Plant Systematics and Evolution, 1998, 213, 259-287.	0.9	202
71	Family relationships of the enigmatic rosid generaBarbeya andDirachma from the Horn of Africa region. Plant Systematics and Evolution, 1998, 213, 103-119.	0.9	33
72	Phylogeny and Generic Interrelationships of the Stylidiaceae (Asterales), with a Possible Extreme Case of Floral Paedomorphosis. Systematic Botany, 1998, 23, 289.	0.5	23

#	ARTICLE	IF	CITATIONS
73	Morphology and molecular data in phylogenetic fraternity: the tribe wrightieae (Apocynaceae) revisited. <i>American Journal of Botany</i> , 1998, 85, 1143-1158.	1.7	38
74	Phylogeny of the Asteridae s. str. based on rbcL sequences, with particular reference to the Dipsacales. <i>Plant Systematics and Evolution</i> , 1997, 207, 225-254.	0.9	70
75	COMBINED AND SEPARATE ANALYSES OF MORPHOLOGICAL AND MOLECULAR DATA IN THE PLANT FAMILY RUBIACEAE. <i>Cladistics</i> , 1996, 12, 21-40.	3.3	51
76	The familial and subfamilial relationships of Apocynaceae and Asclepiadaceae evaluated with rbcL data. <i>Plant Systematics and Evolution</i> , 1996, 202, 153-175.	0.9	92
77	Phylogeny of the Asterales sensu lato based on rbcL sequences with particular reference to the Goodeniaceae. <i>Plant Systematics and Evolution</i> , 1996, 199, 217-242.	0.9	72
78	Subfamilial and Tribal Relationships in the Rubiaceae Based on rbcL Sequence Data. <i>Annals of the Missouri Botanical Garden</i> , 1995, 82, 383.	1.3	132
79	Chloroplast DNA variation and the tribal position of Eremothamnus (Asteraceae). <i>Taxon</i> , 1995, 44, 341-350.	0.7	5
80	rbcL sequences support exclusion of Retzia, Desfontainia, and Nicodemia from the Gentianales. <i>Plant Systematics and Evolution</i> , 1994, 190, 213-230.	0.9	38
81	CLADISTICS AND FAMILY LEVEL CLASSIFICATION OF THE GENTIANALES. <i>Cladistics</i> , 1994, 10, 175-206.	3.3	128
82	Cladistics and Family Level Classification of the Gentianales. <i>Cladistics</i> , 1994, 10, 175-206.	3.3	2
83	A Parsimony Analysis of the Asteridae Sensu Lato Based on rbcL Sequences. <i>Annals of the Missouri Botanical Garden</i> , 1993, 80, 700.	1.3	315
84	POLLINATION SYSTEMS, DISPERSAL MODES, LIFE FORMS, AND DIVERSIFICATION RATES IN ANGIOSPERM FAMILIES. <i>Evolution; International Journal of Organic Evolution</i> , 1992, 46, 258-266.	2.3	105
85	Ecological species concepts – a reply to Andersson. <i>Taxon</i> , 1992, 41, 307-309.	0.7	1
86	Phylogeny of the Rubiaceae (Chiococceae) Based on Molecular and Morphological Data-Useful Approaches for Classification and Comparative Ecology. <i>Annals of the Missouri Botanical Garden</i> , 1992, 79, 380.	1.3	38
87	Phylogeny of the Rubiaceae and the Loganiaceae: Congruence or Conflict between Morphological and Molecular Data?. <i>American Journal of Botany</i> , 1992, 79, 1171.	1.7	28
88	PHYLOGENY OF THE RUBIACEAE AND THE LOGANIACEAE: CONGRUENCE OR CONFLICT BETWEEN MORPHOLOGICAL AND MOLECULAR DATA?. <i>American Journal of Botany</i> , 1992, 79, 1171-1184.	1.7	45
89	Chloroplast DNA restriction site variation and phylogenetic interrelationships of some genera of the Heliantheae sensu lato (Asteraceae). <i>Nordic Journal of Botany</i> , 1992, 12, 149-154.	0.5	8
90	COMPARATIVE RESTRICTION SITE MAPPING OF CHLOROPLAST DNA IMPLIES NEW PHYLOGENETIC RELATIONSHIPS WITHIN RUBIACEAE. <i>American Journal of Botany</i> , 1991, 78, 198-213.	1.7	67

#	ARTICLE	IF	CITATIONS
91	Restriction data from chloroplast DNA for phylogenetic reconstruction: Is there only one accurate way of scoring?. <i>Plant Systematics and Evolution</i> , 1991, 175, 39-54.	0.9	41
92	Comparative Restriction Site Mapping of Chloroplast DNA Implies New Phylogenetic Relationships within Rubiaceae. <i>American Journal of Botany</i> , 1991, 78, 198.	1.7	33
93	Time for change in taxonomy. <i>Nature</i> , 1990, 343, 202-202.	27.8	11
94	The Genus Argostemma (Rubiaceae-Argostemmateae) in Borneo. <i>Annals of the Missouri Botanical Garden</i> , 1989, 76, 7.	1.3	18
95	Cladistic analysis of blue-green prokaryote interrelationships and chloroplast origin based on 16S rRNA oligonucleotide catalogues. <i>Journal of Evolutionary Biology</i> , 1989, 2, 13-30.	1.7	16
96	THE SISTER GROUP OF THE PALEOTROPICAL TRIBE ARGOSTEMMATEAE: A REDEFINED NEOTROPICAL TRIBE HAMELIEAE (RUBIACEAE, RUBIOIDAE). <i>Cladistics</i> , 1987, 3, 35-51.	3.3	33
97	The genus Steenisia (Rubiaceae) and its taxonomic position. <i>Nordic Journal of Botany</i> , 1984, 4, 333-346.	0.5	10