

# Matti Viitanen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11216985/publications.pdf>

Version: 2024-02-01

142  
papers

9,746  
citations

47006

47  
h-index

39675

94  
g-index

148  
all docs

148  
docs citations

148  
times ranked

10973  
citing authors

#	ARTICLE	IF	CITATIONS
1	The long-term prognostic value of serum 25(OH)D, albumin, and LL-37 levels in acute respiratory diseases among older adults. <i>BMC Geriatrics</i> , 2022, 22, 146.	2.7	4
2	Amyloid, tau, and astrocyte pathology in autosomal-dominant Alzheimer's disease variants: A $\beta$ 2PParc and PSEN1DE9. <i>Molecular Psychiatry</i> , 2021, 26, 5609-5619.	7.9	16
3	Frailty, walking ability and self-rated health in predicting institutionalization: an 18-year follow-up study among Finnish community-dwelling older people. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 547-554.	2.9	19
4	Association of Early $\beta$ -Amyloid Accumulation and Neuroinflammation Measured With [ <sup>11</sup> C]PBR28 in Elderly Individuals Without Dementia. <i>Neurology</i> , 2021, 96, e1608-e1619.	1.1	30
5	The Association of the Brief Dementia Risk Index and Incident Dementia among Finnish 70-Year-Olds: A 5-Year Follow-Up Study. <i>Gerontology</i> , 2021, 67, 441-444.	2.8	0
6	A practical laboratory index to predict institutionalization and mortality – an 18-year population-based follow-up study. <i>BMC Geriatrics</i> , 2021, 21, 139.	2.7	5
7	Subjective and objective health predicting mortality and institutionalization: an 18-year population-based follow-up study among community-dwelling Finnish older adults. <i>BMC Geriatrics</i> , 2021, 21, 358.	2.7	9
8	Chronic conditions and multimorbidity associated with institutionalization among Finnish community-dwelling older people: an 18-year population-based follow-up study. <i>European Geriatric Medicine</i> , 2021, 12, 1275-1284.	2.8	7
9	Oral Glucose Tolerance Test Predicts Episodic Memory Decline: A 10-Year Population-Based Follow-up Study. <i>Diabetes Care</i> , 2021, 44, dc210042.	8.6	2
10	Prevalence and prognostic significance of depressive symptoms in a geriatric post-hip fracture assessment. <i>Aging and Mental Health</i> , 2021, , 1-8.	2.8	0
11	Lack of fibrillar amyloid plaques but hypometabolism and astrogliosis in autosomal dominant variant A $\beta$ 2PParc Alzheimer's disease. <i>Molecular Psychiatry</i> , 2021, 26, 5471-5471.	7.9	0
12	Secular changes in dementia risk indices among 70-year-olds: a comparison of two Finnish cohorts born 20 years apart. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 323-327.	2.9	3
13	Anthocyanin-rich extract from purple potatoes decreases postprandial glycemic response and affects inflammation markers in healthy men. <i>Food Chemistry</i> , 2020, 310, 125797.	8.2	43
14	NF $\kappa$ B-related factor 2 activation boosts antioxidant defenses and ameliorates inflammatory and amyloid properties in human Presenilin-1 mutated Alzheimer's disease astrocytes. <i>Glia</i> , 2020, 68, 589-599.	4.9	27
15	Self-rated health and objective health status as predictors of all-cause mortality among older people: a prospective study with a 5-, 10-, and 27-year follow-up. <i>BMC Geriatrics</i> , 2020, 20, 120.	2.7	107
16	Combining diagnostic memory clinic with rehabilitation follow-up after hip fracture. <i>European Geriatric Medicine</i> , 2020, 11, 603-611.	2.8	8
17	Factors associated with institutionalization among home-dwelling patients of Urgent Geriatric Outpatient Clinic: a 3-year follow-up study. <i>European Geriatric Medicine</i> , 2020, 11, 745-751.	2.8	16
18	Psychosocial resources related to survival among non-robust community-dwelling older people: an 18-year follow-up study. <i>European Geriatric Medicine</i> , 2020, 11, 475-481.	2.8	2

#	ARTICLE	IF	CITATIONS
19	Insulin-Independent and Dependent Glucose Transporters in Brain Mural Cells in CADASIL. <i>Frontiers in Genetics</i> , 2020, 11, 1022.	2.3	4
20	Longitudinal cognitive decline in autosomal-dominant Alzheimer's disease varies with mutations in APP and PSEN1 genes. <i>Neurobiology of Aging</i> , 2019, 82, 40-47.	3.1	7
21	Midlife Insulin Resistance as a Predictor for Late-Life Cognitive Function and Cerebrovascular Lesions. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 215-228.	2.6	20
22	Respiratory tract virus infections in the elderly with pneumonia. <i>BMC Geriatrics</i> , 2019, 19, 111.	2.7	14
23	Midlife insulin resistance, <i>APOE</i> genotype, and late-life brain amyloid accumulation. <i>Neurology</i> , 2018, 90, e1150-e1157.	1.1	53
24	Albuminuria and Microalbuminuria as Predictors of Cognitive Performance in a General Population: An 11-Year Follow-Up Study. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 635-648.	2.6	16
25	Differences in proliferation rate between CADASIL and control vascular smooth muscle cells are related to increased <i>TGF<math>\beta</math>2</i> expression. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3016-3024.	3.6	15
26	Prediction of the Future Need for Institutional Care in Finnish Older People: A Comparison of Two Birth Cohorts. <i>Gerontology</i> , 2018, 64, 19-27.	2.8	6
27	Autophagy-lysosomal defect in human CADASIL vascular smooth muscle cells. <i>European Journal of Cell Biology</i> , 2018, 97, 557-567.	3.6	20
28	The contribution of small vessel disease to subtypes of Alzheimer's disease: a study on cerebrospinal fluid and imaging biomarkers. <i>Neurobiology of Aging</i> , 2018, 70, 18-29.	3.1	48
29	Predicting Cognitive Decline across Four Decades in Mutation Carriers and Non-carriers in Autosomal-Dominant Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2017, 23, 195-203.	1.8	18
30	Predictors of institutionalization among home-dwelling older Finnish people: a 22-year follow-up study. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 499-505.	2.9	16
31	Multi-infarct dementia of Swedish type is caused by a 3'UTR mutation of COL4A1. <i>Brain</i> , 2017, 140, e29-e29.	7.6	19
32	Insulin Resistance Predicts Cognitive Decline: An 11-Year Follow-up of a Nationally Representative Adult Population Sample. <i>Diabetes Care</i> , 2017, 40, 751-758.	8.6	95
33	Response to Comment by Ayubi and Safiri. Insulin Resistance Predicts Cognitive Decline: An 11-Year Follow-up of a Nationally Representative Adult Population Sample. <i>Diabetes Care</i> 2017;40:751-758. <i>Diabetes Care</i> , 2017, 40, e136-e136.	8.6	3
34	PSEN1 Mutant iPSC-Derived Model Reveals Severe Astrocyte Pathology in Alzheimer's Disease. <i>Stem Cell Reports</i> , 2017, 9, 1885-1897.	4.8	239
35	Amyloid tracers binding sites in autosomal dominant and sporadic Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2017, 13, 419-430.	0.8	31
36	Virus Etiology of Airway Illness in Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1358-1360.	2.6	3

#	ARTICLE	IF	CITATIONS
37	Comparison of the postprandial effects of purple-fleshed and yellow-fleshed potatoes in healthy males with chemical characterization of the potato meals. <i>International Journal of Food Sciences and Nutrition</i> , 2016, 67, 581-591.	2.8	17
38	Clusterin/Apolipoprotein J immunoreactivity is associated with white matter damage in cerebral small vessel diseases. <i>Neuropathology and Applied Neurobiology</i> , 2016, 42, 194-209.	3.2	19
39	Cardiovascular risk profile and use of statins at the age of 70 years: a comparison of two Finnish birth cohorts born 20 years apart. <i>Age and Ageing</i> , 2016, 45, 84-90.	1.6	7
40	Factors connected with positive life orientation at age 70, 80, 85 and 90 – the Turku Elderly Study. <i>Scandinavian Journal of Caring Sciences</i> , 2015, 29, 537-547.	2.1	6
41	Nurses' knowledge of foot care in the context of home care: a cross-sectional correlational survey study. <i>Journal of Clinical Nursing</i> , 2015, 24, 2916-2925.	3.0	14
42	Loneliness of older people aged 70: A comparison of two Finnish cohorts born 20 years apart. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 254-260.	3.0	37
43	CADASIL and CARASIL. <i>Brain Pathology</i> , 2014, 24, 525-544.	4.1	155
44	Postprandial response on fatty meal is affected by sea buckthorn ( <i>Hippophaë rhamnoides</i> ) supplementation: NMR metabolomics study. <i>Food Research International</i> , 2014, 58, 23-34.	6.2	6
45	Cortical 11C-PIB Uptake is Associated with Age, APOE Genotype, and Gender in "Healthy Aging". <i>Journal of Alzheimer's Disease</i> , 2014, 41, 193-202.	2.6	33
46	1H NMR-based metabolic fingerprinting of urine metabolites after consumption of lingonberries ( <i>Vaccinium vitis-idaea</i> ) with a high-fat meal. <i>Food Chemistry</i> , 2013, 138, 982-990.	8.2	38
47	Quantitative Vascular Pathology and Phenotyping Familial and Sporadic Cerebral Small Vessel Diseases. <i>Brain Pathology</i> , 2013, 23, 547-557.	4.1	48
48	Experimental studies of mitochondrial function in CADASIL vascular smooth muscle cells. <i>Experimental Cell Research</i> , 2013, 319, 134-143.	2.6	24
49	CADASIL Mutations and shRNA Silencing of <i>NOTCH3</i> Affect Actin Organization in Cultured Vascular Smooth Muscle Cells. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 2171-2180.	4.3	26
50	The fibres and polyphenols in sea buckthorn ( <i>Hippophaë rhamnoides</i> ) extraction residues delay postprandial lipemia. <i>International Journal of Food Sciences and Nutrition</i> , 2012, 63, 483-490.	2.8	18
51	Positive life orientation in old age: A 15-year follow-up. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 586-591.	3.0	16
52	The fiber and/or polyphenols present in lingonberries null the glycemic effect of the sugars present in the berries when consumed together with added glucose in healthy human volunteers. <i>Nutrition Research</i> , 2012, 32, 471-478.	2.9	23
53	Foot health and self-care activities of older people in home care. <i>Journal of Clinical Nursing</i> , 2012, 21, 3082-3095.	3.0	19
54	Depressive symptoms among older people: a 15-year follow-up. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 501-8.	2.9	7

#	ARTICLE	IF	CITATIONS
55	Diagnosing Vascular Dementia by Skin Biopsy - Uniqueness of CADASIL. , 2011, , .		1
56	Time Course of Glucose Metabolism in Relation to Cognitive Performance and Postmortem Neuropathology in Met146Val PSEN1 Mutation Carriers. <i>Journal of Alzheimer's Disease</i> , 2011, 24, 495-506.	2.6	30
57	Longitudinal changes in serum lipids in older people The Turku Elderly Study 1991â€“2006. <i>Age and Ageing</i> , 2011, 40, 280-283.	1.6	21
58	Perceptions of the psychological well-being and care of older home care clients: clients and their carers. <i>Journal of Clinical Nursing</i> , 2010, 19, 847-855.	3.0	24
59	Flavonol Glycosides of Sea Buckthorn ( <i>Hippophae rhamnoides</i> ssp. <i>sinensis</i> ) and Lingonberry ( <i>Vaccinium vitis-idaea</i> ) Are Bioavailable in Humans and Monoglucuronidated for Excretion. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 620-627.	5.2	51
60	Quality of life three years after major lower extremity amputation due to peripheral arterial disease. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 395-405.	2.9	32
61	Congruence between NOTCH3 mutations and GOM in 131 CADASIL patients. <i>Brain</i> , 2009, 132, 933-939.	7.6	166
62	Different Clinical Phenotypes in Monozygotic CADASIL Twins With a Novel <i>NOTCH3</i> Mutation. <i>Stroke</i> , 2009, 40, 2215-2218.	2.0	33
63	Serum lipids and their association with mortality in the elderly: a prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2009, 21, 424-430.	2.9	32
64	Predictors for institutionalization and prosthetic ambulation after major lower extremity amputation during an eight-year follow-up. <i>Aging Clinical and Experimental Research</i> , 2009, 21, 129-135.	2.9	25
65	Urinary Excretion of the Main Anthocyanin in Lingonberry ( <i>Vaccinium vitis-idaea</i> ), Cyanidin 3-O-Galactoside, and Its Metabolites. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4447-4451.	5.2	29
66	Cognitive reserve hypothesis: Pittsburgh Compound B and fluorodeoxyglucose positron emission tomography in relation to education in mild Alzheimer's disease. <i>Annals of Neurology</i> , 2008, 63, 112-118.	5.3	223
67	CADASIL: the most common hereditary subcortical vascular dementia. <i>Future Neurology</i> , 2008, 3, 683-704.	0.5	13
68	Major lower extremity amputation in elderly patients with peripheral arterial disease: incidence and survival rates. <i>Aging Clinical and Experimental Research</i> , 2008, 20, 385-393.	2.9	52
69	Impaired Endothelial Function of Forearm Resistance Arteries in CADASIL Patients. <i>Stroke</i> , 2007, 38, 2692-2697.	2.0	47
70	Proteome Analysis of Cultivated Vascular Smooth Muscle Cells from a CADASIL Patient. <i>Molecular Medicine</i> , 2007, 13, 305-314.	4.4	36
71	Work-related physical activity and the risk of dementia and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 874-882.	2.7	71
72	Ophthalmologic Findings in Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy. <i>Ophthalmology</i> , 2006, 113, 1411-1417.e2.	5.2	40

#	ARTICLE	IF	CITATIONS
73	Periodontal disease in the oldest-old living in Kungsholmen, Sweden: findings from the KEOHS project. <i>Journal of Clinical Periodontology</i> , 2006, 33, 376-384.	4.9	22
74	Mitochondrial DNA sequence variation and mutation rate in patients with CADASIL. <i>Neurogenetics</i> , 2006, 7, 185-194.	1.4	18
75	Arterioles of the Lenticular Nucleus in CADASIL. <i>Stroke</i> , 2006, 37, 2242-2247.	2.0	56
76	The Strength of Two Indicators of Social Position on Oral Health Among Persons Over the Age of 80 Years. <i>Journal of Public Health Dentistry</i> , 2005, 65, 231-239.	1.2	15
77	Dental Caries, Periodontal Disease, and Cardiac Arrhythmias in Community-Dwelling Older Persons Aged 80 and Older: Is There a Link?. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 430-437.	2.6	47
78	Leisure-time physical activity at midlife and the risk of dementia and Alzheimer's disease. <i>Lancet Neurology</i> , The, 2005, 4, 705-711.	10.2	874
79	Mice carrying a R142C <i>&gt;</i> Notch 3 <i>&lt;/i&gt; knock-in mutation do not develop a CADASIL-like phenotype. <i>Genesis</i>, 2005, 41, 13-22.</i>	1.6	38
80	Obesity and Vascular Risk Factors at Midlife and the Risk of Dementia and Alzheimer Disease. <i>Archives of Neurology</i> , 2005, 62, 1556-60.	4.5	1,028
81	What Causes Increased Stroke Mortality in Patients with Prestroke Dementia?. <i>Cerebrovascular Diseases</i> , 2005, 19, 323-327.	1.7	18
82	Insidious Cognitive Decline in CADASIL. <i>Stroke</i> , 2004, 35, 1598-1602.	2.0	88
83	Scanning Laser Doppler Flowmetry Shows Reduced Retinal Capillary Blood Flow in CADASIL. <i>Stroke</i> , 2004, 35, 2449-2452.	2.0	30
84	Detection of the founder effect in Finnish CADASIL families. <i>European Journal of Human Genetics</i> , 2004, 12, 813-819.	2.8	47
85	Tooth loss and caries prevalence in very old Swedish people: the relationship to cognitive function and functional ability. <i>Gerodontology</i> , 2004, 21, 17-26.	2.0	104
86	Positron Emission Tomography Examination of Cerebral Blood Flow and Glucose Metabolism in Young CADASIL Patients. <i>Stroke</i> , 2004, 35, 1063-1067.	2.0	78
87	Fibrosis and Stenosis of the Long Penetrating Cerebral Arteries: the Cause of the White Matter Pathology in Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy. <i>Brain Pathology</i> , 2004, 14, 358-364.	4.1	123
88	Social relations as determinants of oral health among persons over the age of 80 years. <i>Community Dentistry and Oral Epidemiology</i> , 2003, 31, 454-462.	1.9	38
89	Pulse Pressure and Risk of Alzheimer Disease in Persons Aged 75 Years and Older. <i>Stroke</i> , 2003, 34, 594-599.	2.0	170
90	Impaired Motor Speed, Visuospatial Episodic Memory and Verbal Fluency Characterize Cognition in Long-Term Stroke Survivors: The TromsÅ, Study. <i>Neuroepidemiology</i> , 2003, 22, 326-331.	2.3	20

#	ARTICLE	IF	CITATIONS
91	Predictors of Death Among Long-Term Stroke Survivors. <i>Stroke</i> , 2003, 34, 2876-2880.	2.0	18
92	Poor Outcome After First-Ever Stroke. <i>Stroke</i> , 2003, 34, 122-126.	2.0	382
93	Influence of <i>Lactobacillus F19</i> on Intestinal Microflora in Children and Elderly Persons and Impact on <i>Helicobacter pylori</i> Infections. <i>Microbial Ecology in Health and Disease</i> , 2002, 14, 17-21.	3.5	21
94	Prosthetic crowns and other clinical risk indicators of caries among old-old Swedish adults: Findings from the KEOHS Project. <i>Gerodontology</i> , 2002, 19, 73-79.	2.0	24
95	CADASIL: a Common Form of Hereditary Arteriopathy Causing Brain Infarcts and Dementia. <i>Brain Pathology</i> , 2002, 12, 371-384.	4.1	219
96	Dental caries in persons over the age of 80 living in Kungsholmen, Sweden: findings from the KEOHS project. <i>Community Dental Health</i> , 2002, 19, 262-7.	0.2	16
97	Clinic-Based Cases with Frontotemporal Dementia Show Increased Cerebrospinal Fluid Tau and High Apolipoprotein E $\epsilon$ 4 Frequency, but No Tau Gene Mutations. <i>Experimental Neurology</i> , 2001, 168, 413-418.	4.1	70
98	Blood pressure and dementia in persons 75+ years old: 3-year follow-up results from the Kungsholmen Project. <i>Journal of Alzheimer's Disease</i> , 2001, 3, 585-591.	2.6	27
99	Increased risk for frontotemporal dementia through interaction between tau polymorphisms and apolipoprotein E $\epsilon$ 4. <i>NeuroReport</i> , 2001, 12, 905-909.	1.2	44
100	Phenotype of a Homozygous CADASIL Patient in Comparison to 9 Age-Matched Heterozygous Patients With the Same R133C Notch3 Mutation. <i>Stroke</i> , 2001, 32, 1767-1774.	2.0	79
101	Apolipoprotein E Genotypes and the Incidence of Alzheimer's Disease among Persons Aged 75 Years and Older: Variation by Use of Antihypertensive Medication?. <i>American Journal of Epidemiology</i> , 2001, 153, 225-231.	3.4	47
102	Morbidity and Comorbidity in Relation to Functional Status: A Community-Based Study of the Oldest Old (90+ Years). <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1462-1469.	2.6	63
103	Incidence of Dementia in Relation to Stroke and the Apolipoprotein E $\epsilon$ 4 Allele in the Very Old. <i>Stroke</i> , 2000, 31, 53-60.	2.0	73
104	Validity of Self-Reported Stroke. <i>Stroke</i> , 2000, 31, 1602-1607.	2.0	210
105	CADASIL: Hereditary Arteriopathy Leading to Multiple Brain Infarcts and Dementia. <i>Annals of the New York Academy of Sciences</i> , 2000, 903, 273-284.	3.8	31
106	Mild Cognitive Impairment in the Population and Physical Health: Data on 1,435 Individuals Aged 75 to 95. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000, 55, M322-M328.	3.6	79
107	Occurrence and Progression of Dementia in a Community Population Aged 75 Years and Older. <i>Archives of Neurology</i> , 1999, 56, 991.	4.5	197
108	Tau gene polymorphisms and apolipoprotein E $\epsilon$ 4 may interact to increase risk for Alzheimer's disease. <i>Neuroscience Letters</i> , 1999, 277, 29-32.	2.1	57



#	ARTICLE	IF	CITATIONS
109	Aging and the Occurrence of Dementia. Archives of Neurology, 1999, 56, 587.	4.5	224
110	Low Blood Pressure and Incidence of Dementia in a Very Old Sample: Dependent on Initial Cognition. Journal of the American Geriatrics Society, 1999, 47, 723-726.	2.6	55
111	Alzheimer changes are common in aged drivers killed in single car crashes and at intersections. Forensic Science International, 1998, 96, 115-127.	2.2	22
112	Low blood pressure and early death of elderly people with dementia. Lancet, The, 1998, 352, 1035-1036.	13.7	11
113	Attitudes and Participation of the Elderly in Population Surveys: Data from a Longitudinal Study on Aging and Dementia in Stockholm. Journal of Clinical Epidemiology, 1998, 51, 181-187.	5.0	29
114	Blood Pressure Reduction, Cardiovascular Diseases, and Cognitive Decline in the Mini-Mental State Examination in a Community Population of Normal Very Old People: A Three-Year Follow-up. Journal of Clinical Epidemiology, 1998, 51, 385-391.	5.0	76
115	Intracerebroventricular Infusion of Nerve Growth Factor in Three Patients with Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 1998, 9, 246-257.	1.5	419
116	Prognostic Factors in Very Old Demented Adults: A Seven-Year Follow-Up From a Population-Based Survey in Stockholm. Journal of the American Geriatrics Society, 1998, 46, 444-452.	2.6	128
117	Cognitive Impairment, Drug Use, and the Risk of Hip Fracture in Persons over 75 Years Old: A Community-based Prospective Study. American Journal of Epidemiology, 1998, 148, 887-892.	3.4	173
118	Clinical Correlates of Low Blood Pressure in Very Old People: The Importance of Cognitive Impairment. Journal of the American Geriatrics Society, 1997, 45, 701-705.	2.6	24
119	TRAFFIC DANGEROUS DRUGS ARE OFTEN FOUND IN FATALLY INJURED OLDER MALE DRIVERS. Journal of the American Geriatrics Society, 1997, 45, 1029-1031.	2.6	10
120	Cognitive changes in very old persons with dementia: The influence of demographic, psychometric, and biological variables. Journal of Clinical and Experimental Neuropsychology, 1997, 19, 245-260.	1.3	25
121	Self-Reported Symptoms in the Elderly. Clinical Drug Investigation, 1997, 13, 105-117.	2.2	1
122	Are Cognitive Function and Blood Pressure Related?. Drugs and Aging, 1997, 11, 165-169.	2.7	12
123	Blunted adrenocorticotropin and increased adrenal steroid response to human corticotropin-releasing hormone in Alzheimer's disease. Biological Psychiatry, 1996, 39, 311-318.	1.3	60
124	Attenuation of apolipoprotein E $\epsilon$ 4 allele gene dose in late age. Lancet, The, 1996, 347, 542.	13.7	18
125	Can a Physician Recognize an Older Driver with Increased Crash Risk Potential?. Journal of the American Geriatrics Society, 1996, 44, 1198-1204.	2.6	96
126	Low blood pressure and dementia in elderly people: the Kungsholmen project. BMJ: British Medical Journal, 1996, 312, 805-808.	2.3	247



#	ARTICLE	IF	CITATIONS
127	Apolipoprotein E- $\epsilon$ 4 gene dose. <i>Lancet</i> , The, 1995, 346, 967-968.	13.7	14
128	Effectiveness of self-generated cues in early Alzheimer's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 1994, 16, 809-819.	1.3	73
129	Chromosome 14-encoded Alzheimer's disease: Genetic and clinicopathological description. <i>Annals of Neurology</i> , 1994, 36, 362-367.	5.3	95
130	Lack of association between apolipoprotein E allele $\epsilon$ 4 and sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 1994, 169, 175-178.	2.1	56
131	Preconditions for Communication in the Care of Bilingual Demented Persons. <i>International Psychogeriatrics</i> , 1994, 6, 105-120.	1.0	28
132	Memory Complaints of Elderly People in a Population Survey: Variation According to Dementia Stage and Depression. <i>Journal of the American Geriatrics Society</i> , 1993, 41, 1295-1300.	2.6	128
133	Risk factors for late-onset Alzheimer's disease: A population-based, case-control study. <i>Annals of Neurology</i> , 1993, 33, 258-266.	5.3	240
134	Tacrine restores cholinergic nicotinic receptors and glucose metabolism in alzheimer patients as visualized by positron emission tomography. <i>Neurobiology of Aging</i> , 1992, 13, 747-758.	3.1	145
135	Semantic organization and verbal episodic memory in patients with mild and moderate Alzheimer's disease. <i>Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology</i> , 1991, 13, 559-574.	1.1	89
136	Serum dehydroepiandrosterone sulfate in Alzheimer's disease and in multi-infarct dementia. <i>Biological Psychiatry</i> , 1991, 30, 684-690.	1.3	142
137	Lp(a) Lipoprotein in Patients with Acute Stroke. <i>Cerebrovascular Diseases</i> , 1991, 1, 90-96.	1.7	12
138	Impairments of Perceptual and Motor Functions: Their Influence on Self-Care Ability 4 to 6 Years after a Stroke. <i>Occupation Participation and Health</i> , 1989, 9, 27-37.	0.9	29
139	Hormones in "Young" and "Old" Elderly: Pituitary-Thyroid and Pituitary-Adrenal Axes. <i>Gerontology</i> , 1989, 35, 144-152.	2.8	35
140	Perceptual Function in the Elderly and after Stroke. <i>Scandinavian Journal of Caring Sciences</i> , 1988, 2, 75-79.	2.1	9
141	Risk of Recurrent Stroke, Myocardial Infarction and Epilepsy during Long-Term Follow-Up after Stroke. <i>European Neurology</i> , 1988, 28, 227-231.	1.4	90
142	Autopsy-verified Causes of Death after Stroke. <i>Acta Medica Scandinavica</i> , 1987, 222, 401-408.	0.0	95