

# Ionel Haiduc

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11227894/publications.pdf>

Version: 2024-02-01

171  
papers

4,676  
citations

126907  
33  
h-index

155660  
55  
g-index

189  
all docs

189  
docs citations

189  
times ranked

2337  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stereochemical aspects of phosphor-1,1-dithiolato metal complexes (dithiophosphates,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 507 associations". Polyhedron, 1995, 14, 3389-3472.	2.2	232
2	Metal compounds in cancer chemotherapy. Coordination Chemistry Reviews, 1990, 99, 253-296.	18.8	212
3	Stereochemical Aspects of Metal Xanthate Complexes: Molecular Structures and Supramolecular Self-Assembly. Progress in Inorganic Chemistry, 2005, , 127-319.	3.0	165
4	Organometallic Oxides of Main Group and Transition Elements Downsizing Inorganic Solids to Small Molecular Fragments. Chemical Reviews, 2003, 103, 2579-2596.	47.7	114
5	Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account. Journal of Organometallic Chemistry, 2001, 623, 29-42.	1.8	109
6	Stereochemical aspects of phosphor-1,1-dithiolato metal complexes: Coordination patterns, molecular structures and supramolecular associations in dithiophosphinates and related compounds. Polyhedron, 1996, 15, 2469-2521.	2.2	104
7	Structural patterns in inorganic and organoantimony derivatives of oxo- and thioldiorganophosphorus ligands. Coordination Chemistry Reviews, 1996, 147, 117-146.	18.8	83
8	Tellurium-aryl interactions: a new bonding motif for supramolecular self-assembly and crystal engineering. CrystEngComm, 2002, 4, 178-193.	2.6	79
9	Inorganic (carbon-free) chelate rings. Coordination Chemistry Reviews, 1986, 74, 127-270.	18.8	78
10	Silicone Grease: A Serendipitous Reagent for the Synthesis of Exotic Molecular and Supramolecular Compounds. Organometallics, 2004, 23, 3-8.	2.3	75
11	Crystal and Molecular Structure of Tetramethyldithioimidodiphosphinic acid, (SPMe2)2NH, and Its Cobalt(II) Complex, Co[(SPMe2)2N]2, Containing a Tetrahedral CoS4 Core. Inorganic Chemistry, 1995, 34, 3352-3354.	4.0	71
12	Fluorine as a structure-directing element in organometallic fluorides: discrete molecules, supramolecular self-assembly and host-guest complexation. Journal of the Chemical Society Dalton Transactions, 1999, , 2249-2264.	1.1	71
13	Supramolecular associations, secondary bonds, quasi-cyclic structures and heterogeometrism in metal derivatives of phosphorus- and arsenic-based thioacids and oxo analogs. Coordination Chemistry Reviews, 1997, 158, 325-358.	18.8	68
14	A new inorganic metallocycle containing tin, sulphur, phosphorus and nitrogen. Crystal and	2.2	66
15	Delocalised antimony(lone pair)- and bismuth-(lone pair)-(arene) interactions: Supramolecular assembly and other considerations. Coordination Chemistry Reviews, 2013, 257, 2863-2879.	18.8	65
16	Fully inorganic (carbon-free) fullerenes? The boron-nitrogen case. Inorganic Chemistry, 1993, 32, 3755-3758.	4.0	60
17	Antimony(III) diorganophosphoro- and diorganophospinothioates: Crystal structure of Sb[S2P(OR)2]3 (R = Me and i-Pr). Inorganica Chimica Acta, 1983, 68, 87-96.	2.4	57
18	Tetrahedral versus square-planar NiS4 core in solid-state bis(dithioimidodiphosphinato)nickel(II) chelates. Crystal and molecular structures of Ni[(SPR2)(SPPh2)N]2 (R = Ph, Me). Inorganica Chimica Acta, 1996, 241, 47-54.	2.4	54

#	ARTICLE	IF	CITATIONS
19	Gallium and indium compounds of sulphur donor ligands: Pyridine-2-thiolates and diphenylthiophosphinates. <i>Polyhedron</i> , 1996, 15, 391-402.	2.2	54
20	Crystal and molecular structure of spirobicyclic bis(tetraphenyldithioimidodiphosphinato)lead(II), $[Pb(SPPh_2)_2N]_2$ , containing a new inorganic (carbon-free) $PbS_2P_2N$ chelate ring and $Pb(\text{I}\cdot C_6H_5)$ interactions. <i>Polyhedron</i> , 1994, 13, 2873-2879.	2.2	52
21	Phenylantimony(III) diorganophosphorodithioates: the crystal structure of diphenylantimony(III) di-isopropylphosphorodithioate, $Ph_2SbS_2P(OiPr)_2$ ; unusual polymerisation through semibonding. <i>Journal of Organometallic Chemistry</i> , 1992, 426, 49-58.	1.8	50
22	Supramolecular Self-Assembly Through Secondary Bonds in Organotellurium Chemistry. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2001, 171, 171-185.	1.6	47
23	Inverse coordination – An emerging new chemical concept. Oxygen and other chalcogens as coordination centers. <i>Coordination Chemistry Reviews</i> , 2017, 338, 1-26.	18.8	47
24	The metal–carbonyl–(aryl) interaction as a supramolecular synthon for the stabilisation of transition metal carbonyl crystal structures. <i>Chemical Communications</i> , 2011, 47, 12682.	4.1	46
25	The crystal and molecular structure of a versatile bidentate ligand: tetraphenyldithioimidodiphosphinate, $Ph_2(S)P-NH-P(S)Ph_2$ . <i>Inorganica Chimica Acta</i> , 1985, 96, 77-80.	2.4	42
26	Crystal and Molecular Structure of Bis(diphenyldithiophosphinato)lead(II), $.inf\infty.1[Pb(S_2PPh_2)_2]$ , a New Type of Polymer Associated through $Pb.cndot..cndot..cndot.S$ Secondary Interactions. <i>Inorganic Chemistry</i> , 1994, 33, 1695-1699.	4.0	42
27	Diorganotin(IV) derivatives of tetraphenyldithiophosphinic acid. Crystal and molecular structure of $n-Bu_2Sn[(OPPh_2)_2N]_2$ , a trans-octahedral spiro-bicyclic compound. <i>Polyhedron</i> , 1994, 13, 3159-3165.	2.2	38
28	X-ray crystal structure of (tetraphenyldithiophosphinato) (triphenylphosphine)copper(I), $(Ph_3P)Cu(SPPh_2)_2N$ , a monocyclic inorganic (carbon-free) chelate ring compound. <i>Polyhedron</i> , 1995, 14, 1067-1071.	2.2	38
29	More about boron-nitrogen $B_{12} + 3nN_{12} + 3n$ fullerene-like cages. An ab initio and AM1 investigation of some isomers. <i>Computational and Theoretical Chemistry</i> , 1996, 367, 47-54.	1.5	38
30	Displacement of triphenylphosphine from $Cu(PPh_3)_2NO_3$ and $Co(PPh_3)_2Cl_2$ by a diselenoimidodiphosphinato ligand. X-ray crystal structure of $(PPh_3)Cu[Ph_2P(Se)NP(Se)Ph_2]$ and $Co[Ph_2P(Se)NP(Se)Ph_2]_2$ containing the novel $CuSe_2P_2N$ and $CoSe_2P_2N$ inorganic metallocycles. <i>Inorganica Chimica Acta</i> , 1999, 290, 256-260.	2.4	38
31	Syntheses and structures of dimesitylbismuth(III) bromide, $Mes_2BiBr$ , and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ . <i>Journal of Organometallic Chemistry</i> , 1994, 470, 93-98.	1.8	37
32	Triphenyltelluronium derivatives of dithiophosphorus ligands: Crystal and molecular structure of $[Ph_3Te][S_2PPh_2]$ and $[Ph_3Te][(SPPh_2)_2N]$ , displaying weak cation-anion $Te\cdots S$ secondary interactions. <i>Polyhedron</i> , 1995, 14, 2047-2053.	2.2	36
33	Synthesis and characterization of di-and triorganotin(IV) diethyldithiophosphinates. The crystal and molecular structure of bis(diethyldithiophosphinato)dimethyltin(IV), $Me_2Sn(S_2PEt_2)_2$ . <i>Journal of Organometallic Chemistry</i> , 1987, 327, 181-191.	1.8	35
34	Bis(thiophosphinoyl)amines and their neutral cobalt(II) complexes, containing stable tetrahedral $CoS_4$ cores. Crystal structures of $NH(SPM_2)(SPPh_2)$ and $[Co\{(SPMe_2)(SPPh_2)N\}_2]$ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 73-78.	1.1	35
35	Diorganotellurium(IV) Dihalides and Secondary Bonding: Revisiting the Coordination Polyhedra. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2001, 171, 73-112.	1.6	33
36	The crystal structures of the diphenyldithiophosphinates of antimony(III) and bismuth(III): $M(S_2PPh_2)_3$ ( $M = Sb$ or $Bi$ ). <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 145.	1.1	32

#	ARTICLE	IF	CITATIONS
37	A unique supramolecular structure of catena-poly[bis(.mu.-diphenylphosphinodithioato)ditellurium(I)(Te-Te)], [Te2(S2PPh2)2]n, containing Te-Te.cntdot..cntdot..cntdot.Te-Te.cntdot..cntdot..cntdot..cntdot. chains. Inorganic Chemistry, 1993, 32, 3795-3796.	4.0	32
38	The first crystal structures of mixed chalcogen derivatives SnR2[(OPPh2)(SPPh2)N]2(R = Me or Ph). Journal of the Chemical Society Dalton Transactions, 1996, , 391-399.	1.1	32
39	Synthesis, structural characterization and in vitro antitumour properties of triorganoantimony(V) disalicylates: Crystal and molecular structures of [5-Y-2-(ho)-C6H3COO]2SbMe3 (Y?H, Me, MeO). Applied Organometallic Chemistry, 1995, 9, 597-607.	3.5	31
40	Supramolecular Self-assembly of Transition Metal Carbonyl Molecules Through Mâ€“CO(Lone) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	1.0	31
41	Reactions of transition metal compounds with macrocyclic alkadiynes. III. Intramolecular transannular cyclizations and related processes with iron carbonyls. Journal of the American Chemical Society, 1973, 95, 2508-2516.	13.7	30
42	Diphenylantimony(III) diphenylphosphinate and diphenylmonothiophosphinate: synthesis, spectra and crystal structure. Journal of Organometallic Chemistry, 1986, 316, 281-289.	1.8	30
43	The structural chemistry of organotin derivatives of 5-mercapto-3-phenyl-1,3,4-thiadiazoline-2-thione: supramolecular structures involving intermolecular Snâ€“S, Nâ€“Hâ€“S or Sâ€“S interactions. Dalton Transactions RSC, 2002, , 1036.	2.3	30
44	Main group metal lone-pairâ€“(arene) interactions: a new bonding mode for supramolecular associations. CrystEngComm, 2016, 18, 6960-6978.	2.6	30
45	Unexpected linear Pâ€“Nâ€“P fragment in the anion [SPh2PNPPh2S]âˆ“: Crystal structure of bis(triphenylphosphine)iminium dithiotetraphenylimidodiphosphinate, [Ph3PNPPh3]+[SPh2PNPPh2S]âˆ“. Polyhedron, 1995, 14, 2041-2046.	2.2	28
46	Crystal structures of antimony and indium phosphinodithioates, M(S2PR2)3 (M â†’ Sb, R â†’ Et; M â†’ In, R â†’ Me). Tj ETQq0 0 0 rgBT	2.2	28
47	A12B12 (A = B,Al; B = N,P) fullerene-like cages and their hydrogenated forms stabilized by exohedral bonds. An AM1 molecular orbital study. Computational and Theoretical Chemistry, 1996, 370, 17-23.	1.5	28
48	Novel Coordination Pattern of Dithiophosphorus Ligands. Crystal and Molecular Structure of (Diphenylphosphinodithioato)phenyltellurium(II), PhTeS2PPh2. Supramolecular Association through Monodentate Biconnective Dithiophosphorus Ligands. Inorganic Chemistry, 1994, 33, 1253-1254.	4.0	27
49	Di(p-tert-butylphenyl)-N,N-di-(iso-butyl)carbamoylmethylphosphine oxide and its organotin and uranyl adducts: structural and spectroscopic characterization. Applied Organometallic Chemistry, 2005, 19, 510-517.	3.5	27
50	Ring size effects in the intramolecular transannular cyclizations of macrocyclic alkadiynes with iron carbonyls. Journal of the American Chemical Society, 1972, 94, 4044-4046.	13.7	26
51	Preparation and single-crystal characterization of manganese(II) complexes of dichalcogenoimidodiphosphinato ligands. Monomeric versus dimeric Mn[(OPPh2)(XPPh2)N]2 (X=S, O). Inorganica Chimica Acta, 2000, 299, 247-252.	2.4	26
52	Mâ€“(arene) interactions for M=gallium, indium and thallium: Influence upon supramolecular self-assembly and prevalence in some proteins. Coordination Chemistry Reviews, 2014, 281, 50-63.	18.8	26
53	Solvent extraction of dioxouranium(VI) with dialkylphosphorodithioic acidsâ€”I. Journal of Inorganic and Nuclear Chemistry, 1977, 39, 1415-1418.	0.5	25
54	A unique macrocyclic structure of tetrameric trimethyltin(IV) diphenylphosphinate, [Me3SnO2PPh2]4, containing a sixteen-membered Sn4O8P4 inorganic ring. Journal of the Chemical Society Chemical Communications, 1993, , 1229.	2.0	25

#	ARTICLE	IF	CITATIONS
55	Solid state supramolecular structure of (tetraphenyldithiimidodiphosphinato)trimethyltin(IV)-benzene, $[Me_3Sn(SPPh_2)_2N \cdot C_6H_6] \cdot$ , a unique polymer containing a bridging "SPR <sub>2</sub> NPR <sub>2</sub> S" ligand. <i>Polyhedron</i> , 1995, 14, 1169-1174.	2.2	25
56	Oxidation of (AsPh <sub>2</sub> ) <sub>2</sub> E (E=O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of [AsPh <sub>2</sub> (O)OH · AsPh <sub>2</sub> (S)OH] <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1996, 517, 101-106.	1.8	25
57	Differing Coordination Modes of (O-Alkyl)-p-Ethoxyphenyldithiophosphonato Ligands in Copper(I), Silver(I) and Gold(I) Triphenylphosphine Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 295-300.	1.2	25
58	Pentagonal pyramidal co-ordination; X-ray crystal structure of antimony(III) tris(diphenyldithiophosphinate). <i>Journal of the Chemical Society Chemical Communications</i> , 1980, , 64.	2.0	24
59	Synthesis, spectroscopic characterization and molecular structure of dimeric (diethyldithiophosphinato)Di(para-tolyl) antimonyl(III), [(p-CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> SbS <sub>2</sub> P(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ] <sub>2</sub> , containing a novel monocyclic P <sub>2</sub> S <sub>4</sub> Sb <sub>2</sub> inorganic ring system, formed through Sb-S semibonding interactions. <i>Polyhedron</i> , 1993, 12, 2611-2617.	2.2	24
60	Antitumor Organometallics. IV. The Mutagenic Potential of Some Diphenylantimony(III) Dithiophosphorus Derivatives. <i>Metal-Based Drugs</i> , 1994, 1, 291-297.	3.8	24
61	Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of CpCr(CO) <sub>2</sub> (S <sub>2</sub> PPh <sub>2</sub> ) and CpCr(S <sub>2</sub> PPh <sub>2</sub> ) <sub>2</sub> . X-ray crystal structure of CpCr(S <sub>2</sub> PPh <sub>2</sub> ) <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 2000, 607, 64-71.	1.8	24
62	Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-(R <sub>3</sub> Sn)3C <sub>3</sub> N <sub>3</sub> S <sub>3</sub> (R=Me, Ph). <i>Journal of Organometallic Chemistry</i> , 2001, 627, 6-12.	1.8	24
63	Preparation and properties of some organotin dimethyl- and diphenyl-dithioarsinates. The crystal structure of (CH <sub>3</sub> ) <sub>2</sub> Sn[S <sub>2</sub> As(CH <sub>3</sub> ) <sub>2</sub> ] <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1984, 263, 159-165.	1.8	23
64	ON THE GEOMETRY OF 1,3-DIAZADIPHOSPHETIDINES. THE CIS-TRANS ISOMERISM. Phosphorus, Sulfur and Silicon and the Related Elements, 1994, 91, 21-36.	1.6	23
65	New aryltellurium(II) diorganophosphinodithioates. Crystal structure of red (294 K) and yellow (173) Tj ETQq1 1 0.784314 rgBT /Overloo phosphinodithioato ligand. <i>Journal of Organometallic Chemistry</i> , 1994, 482, 253-259.	1.8	23
66	Triphenyltellurium(IV) dichalcogenoimidodiphosphinates containing novel six-membered TeXYP <sub>2</sub> N Acta, 1998, 271, 75-82.	2.4	23
67	A new eight-membered Pb <sub>2</sub> S <sub>4</sub> P <sub>2</sub> inorganic ring. crystal and molecular structure of dimeric [Pb(S <sub>2</sub> PM <sub>2</sub> ) <sub>2</sub> ] <sub>2</sub> , associated into polymeric chains through intermolecular Pb · · · S interactions. <i>Inorganica Chimica Acta</i> , 1995, 233, 151-154.	2.4	22
68	Supramolecular self-organization in methyl(di phenylphosphinothioato)mercury(II), HgMeOPPh <sub>2</sub> , a polymer containing 1 Hg <sub>2</sub> O <sub>2</sub> P <sub>2</sub> S <sub>2</sub> eight-membered rings interconnected through secondary Hg · · · O bonds. <i>Polyhedron</i> , 1997, 16, 781-787.	2.2	22
69	New versatile phosphorus-containing ligands - asymmetric (XPR <sub>2</sub> )(YPR <sub>2</sub> ) <sub>2</sub> NH (X, Y=O, S; R, R'=Ph, OEt) and their potassium salts: the crystal and molecular structures of (SPPh <sub>2</sub> )[OP(OEt) <sub>2</sub> ] <sub>2</sub> NH, K[(SPPh <sub>2</sub> ){OP(OEt) <sub>2</sub> }N] <sub>2</sub> · H <sub>2</sub> O and (OPPh <sub>2</sub> )[OP(OEt) <sub>2</sub> ] <sub>2</sub> NH · 1/2HCl · 1/4H <sub>2</sub> O. <i>Inorganica Chimica Acta</i> , 1999, 287, 61-71.	2.4	22
70	First nickel(II) complexes containing tetrahedral NiO <sub>2</sub> S <sub>2</sub> cores. The molecular structures of Ni[(OPPh <sub>2</sub> )(SPR <sub>2</sub> )N] <sub>2</sub> (R=Ph, Me). <i>Inorganica Chimica Acta</i> , 2000, 305, 106-110.	2.4	22
71	Postsynthetic Modification of a Metal-Organic Framework (MOF) Structure for Enantioselective Catalytic Epoxidation. <i>ChemPlusChem</i> , 2013, 78, 443-450.	2.8	22
72	Inverse coordination - An emerging new chemical concept. II. Halogens as coordination centers. <i>Coordination Chemistry Reviews</i> , 2017, 348, 71-91.	18.8	22

#	ARTICLE	IF	CITATIONS
73	Crystal and molecular structure of (dimethyldithiophosphinato)dimethylantimony(III), $\text{1}\overset{\cdot}{\text{S}}[\text{Me}_2\text{SbS}_2\text{PMe}_2]$ , a chain polymer built through secondary, intermolecular $\text{Sb}\cdots\text{S}$ interactions. <i>Polyhedron</i> , 1994, 13, 2531-2535.	2.2	21
74	Bismuth(III) dimethyldithiophosphinate, $\text{Bi}(\text{S}_2\text{PMe}_2)_3$ : another dimer formed through secondary bonding. The stereochemically active lone pair revisited. <i>Polyhedron</i> , 1994, 13, 547-552.	2.2	21
75	Dichlorodiphenylantimony(V) derivatives of oxo-and thioimidodiphosphinic acids, containing novel inorganic $\text{SbO}_2\text{P}_2\text{N}$ and $\text{SbOSP}_2\text{N}$ rings: crystal and molecular structures of $\text{Ph}_2\text{SbCl}_2[(\text{OPPh}_2)(\text{XPPh}_2)\text{N}]$ ( $\text{X} = \text{O}, \text{S}$ ). <i>Journal of Organometallic Chemistry</i> , 1996, 515, 131-138.	1.8	21
76	Metal-oxygen versus metal-sulfur bonding of the ambident monothiophosphinato ligand in some triphenylmeta(IV) derivatives, $\text{Ph}_3\text{M}[\text{OSPR}_2]$ ( $\text{M} = \text{Ge}, \text{Sn}, \text{Pb}$ ). Crystal structures of $\text{Ph}_3\text{Ge}[\text{O}(\text{S})\text{PPh}_2]$ and $[\text{Ph}_2\text{Sn}\{\text{O}(\text{S})\text{PPh}_2\}(\text{I}^{1/4}-\text{OH})]_2$ . <i>Polyhedron</i> , 1997, 16, 949-961.	2.2	21
77	A unique self-assembled tricyclic stannasiloxane containing a planar $\text{Sn}_3\text{SiO}_5$ fused 6.4.4 tricyclic ring system. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 1-2.	1.1	21
78	Supramolecular self-assembly in the crystal structures of methylmercury xanthates, $\text{MeHgS}(\text{S})\text{COR}$ , $\text{R}=\text{Et}, \text{iPr}$ and $\text{CH}_2\text{Ph}$ . <i>Inorganica Chimica Acta</i> , 2002, 329, 71-78.	2.4	21
79	Unsymmetrically-substituted 2,4,6-trimercaptotriazine: supramolecular self-assembly through $\text{C}\cdots\text{S}\cdots\text{H}\cdots\text{N}$ hydrogen bonds in the crystal structures of $\text{C}_3\text{N}_3\text{S}_3\text{H}_2\text{Na}\cdots\text{H}_2\text{O}$ and $\text{C}_3\text{N}_3\text{S}_3\text{H}_2\text{Cu}(\text{PPh}_3)_2$ . <i>Inorganica Chimica Acta</i> , 2003, 348, 75-81.	2.4	21
80	Polyhalo-organometallic and -organometalloidal compounds. <i>Journal of Organometallic Chemistry</i> , 1968, 12, 394-396.	1.8	20
81	Organotin Compounds: New Organometallic Derivatives Exhibiting Anti- $\text{C}$ Tumour Activity. <i>Bulletin Des Sociétés Chimiques Belges</i> , 1983, 92, 187-189.	0.0	20
82	The crystal structure of bismuth diethyldithiophosphinate-“benzene (1/1), $\text{Bi}(\text{S}_2\text{PEt}_2)_3\cdots\text{C}_6\text{H}_6$ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 1257-1259.	1.1	19
83	Trimethylantimony(V) diorganomonothiophosphinates: the crystal structure of bis(diphenylmonothiophosphinato)trimethylantimony(V), $\text{Me}_3\text{Sb}(\text{OSPPh}_2)_2$ , containing a monodentate monothiophosphinato ligand. <i>Journal of Organometallic Chemistry</i> , 1994, 468, 113-119.	1.8	19
84	Crystal and molecular structure of diphenylthallium(III) tetraphenyldithioimidodiphosphinate, $[\text{TlPh}_2\{(\text{SPPh}_2)_2\text{N}\}]$ , containing a new inorganic (carbon-free) $\text{TiS}_2\text{P}_2\text{N}$ metallocycle. <i>Polyhedron</i> , 1995, 14, 805-809.	2.2	19
85	Secondary Bonding. . 2004, , 1215-1224.		19
86	Organotin and tin(IV) derivatives of dimethyldithioarsinic acid. <i>Journal of Organometallic Chemistry</i> , 1982, 225, 225-232.	1.8	18
87	A sulfotropic molecular rearrangement of diphenylphosphinyl diorganodithioarsinates. Formation of diorganoarsenic(III) diphenyldithiophosphinates. <i>Journal of Organometallic Chemistry</i> , 1983, 252, 295-299.	1.8	18
88	Di- and tri-organotin(IV) diphenyldithiophosphinates. <i>Journal of Organometallic Chemistry</i> , 1987, 330, 315-324.	1.8	18
89	An Organometallic Radical Route to Bis(phosphido)- and Hydrido- $\text{P}$ -Bridged Metal- $\text{P}$ -Bonded Complexes of Cyclopentadienylchromium via Desulfurization of Thiophosphinito Ligands. <i>Organometallics</i> , 2002, 21, 5287-5291.	2.3	18
90	Synthesis and characterization of phenoxarsin-10-yl diorganodithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through $\text{As}\cdots\text{S}$ secondary bonding. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2191-2195.	1.1	17

#	ARTICLE	IF	CITATIONS
91	Triorganoantimony(V) diorganophosphinates. Crystal and molecular structure of (diphenylphosphinato)(hydroxo)trimethylantimony(V), exhibiting a polymeric chain supramolecular self-assembly through hydrogen bonds. <i>Polyhedron</i> , 1997, 16, 2643-2649.	2.2	17
92	A new inorganic (carbon-free) chelate ring: SnO <sub>2</sub> N <sub>2</sub> . Eight-coordinated tin(IV) in Sn(O <sub>2</sub> N <sub>2</sub> Ph) <sub>4</sub> and a self-assembled 20-membered macrocycle in [Me <sub>3</sub> Sn(O <sub>2</sub> N <sub>2</sub> Ph)] <sub>4</sub> . <i>Inorganic Chemistry Communication</i> , 1999, 2, 265-268.	3.9	17
93	Preparation of Bis(Dialkylphosphorodithioato)Dioxo-(Triphenylphosphine Oxide)Uranium(VI) Complexes. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1976, 6, 125-132.	1.8	16
94	Organic-silicon,-germanium and -lead derivatives of dimethyl- and diphenyl-dithioarsinic acids. <i>Journal of Organometallic Chemistry</i> , 1983, 259, 65-69.	1.8	16
95	Crystal and molecular structures of spiro-bis(trithiastannocane), Sn(SCH <sub>2</sub> CH <sub>2</sub> SCH <sub>2</sub> CH <sub>2</sub> S) <sub>2</sub> , and spiro-bis(oxadithiastannocane), Sn(SCH <sub>2</sub> CH <sub>2</sub> OCH <sub>2</sub> CH <sub>2</sub> S) <sub>2</sub> . Distortion of the SnS <sub>4</sub> tetrahedral coordination produced by transannular Sn $\cdots$ X (X = S, O) interactions. <i>Polyhedron</i> , 1995, 14, 747-755.	2.2	16
96	The first oxygen-bridged diorganoarsenic(V) compound: the crystal structure of AsMe <sub>2</sub> (S)OAs(S)Me <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1997, 549, 187-192.	1.8	16
97	Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of CpCr(CO) <sub>2</sub> (S <sub>2</sub> P(OR) <sub>2</sub> ), CpCr(S <sub>2</sub> P(OR) <sub>2</sub> ) <sub>2</sub> and Cr(S <sub>2</sub> P(OR) <sub>2</sub> ) <sub>3</sub> (R=iPr). <i>Journal of Organometallic Chemistry</i> , 2001, 631, 67-75.	1.8	16
98	Reactions of transition metal compounds with macrocyclic alkadiynes. <i>Journal of Organometallic Chemistry</i> , 1973, 47, 145-151.	1.8	15
99	NEW VERSATILE ORGANOPHOSPHORUS LIGANDS. CRYSTAL AND MOLECULAR STRUCTURES OF ISOMERIC P, P-DIMETHYL-P $\cdots$ <sup>2</sup> ,P $\cdots$ <sup>2</sup> -DIPHENYL-P-THIOIMIDODIPHOSPHINIC AND P,P-DIMETHYL-P $\cdots$ <sup>2</sup> ,P $\cdots$ <sup>2</sup> -DIPHENYL-P $\cdots$ <sup>2</sup> -THIOIMIDODIPHOSPHINIC ACIDS. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1998, 132, 231-250.	1.6	15
100	Rupture of a P $\cdots$ S bond in a disulfurimidophosphinate ligand. The X-ray crystal structures of [( $\frac{1}{2}$ H-Ru <sub>3</sub> ( $\frac{1}{2}$ -S){ $\frac{1}{2}$ -S,S,P $\cdots$ <sup>2</sup> -(SPPH <sub>2</sub> )(PPh <sub>2</sub> )N}(CO) <sub>8</sub> ] and [( $\frac{1}{2}$ H-Ru <sub>3</sub> { $\frac{1}{2}$ -S,S,P $\cdots$ <sup>2</sup> -(SPPH <sub>2</sub> )(PPh <sub>2</sub> )N}(CO) <sub>9</sub> ]. <i>Inorganic Chemistry Communication</i> , 2000, 3, 173-177.		
101	Supramolecular self-assembly involving cooperative use of dative coordinate, secondary and hydrogen bonding in solid [(Me <sub>3</sub> Sn) <sub>3</sub> ( $\frac{1}{2}$ -OH) <sub>2</sub> ] $\cdots$ Br $\cdots$ . <i>Inorganic Chemistry Communication</i> , 2001, 4, 530-533.	3.9	15
102	A Robust Metal-Organic Framework Constructed from Alkoxo-Bridged Binuclear Nodes and Hexamethylenetetramine Spacers: Crystal Structure and Sorption Studies. <i>Inorganic Chemistry</i> , 2012, 51, 7954-7956.	4.0	15
103	Nitrogen centered inverse coordination complexes. A survey of molecular topologies. <i>Journal of Coordination Chemistry</i> , 2018, 71, 3139-3179.	2.2	15
104	Synthesis and characterization of di- and tri-organotin(IV) dimethyldithiophosphinates. <i>Journal of Organometallic Chemistry</i> , 1989, 365, 83-90.	1.8	14
105	The reaction of nickel(II) xanthates with tetraphenyldiphosphinoethane (dppe) revisited. Formation and crystal structures of Ni <sub>3</sub> S <sub>2</sub> (S <sub>2</sub> CO <sub>R</sub> ) <sub>2</sub> (dppe) (R=Me, Et; dppe=Ph <sub>2</sub> PCH <sub>2</sub> CH <sub>2</sub> PPh <sub>2</sub> ) at room temperature and of Ni(S <sub>2</sub> CO)(dppe) at 150 K. <i>Polyhedron</i> , 2003, 22, 2895-2900.	2.2	14
106	Hydrogen bond supramolecular self-assembly in nickel(II) dithiophosphates, Ni[S <sub>2</sub> P(OR) <sub>2</sub> ] <sub>2</sub> , R=sec-Bu, iso-Bu, and their bis(pyrazole) adducts. <i>Inorganica Chimica Acta</i> , 2010, 363, 4319-4323.	2.4	14
107	Formation of Inorganic Quasi-Cyclic Structures Through Secondary Interaction. A Few Cases of Heterogeometrism. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994, 93, 345-348.	1.6	13
108	Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes O, $\tilde{\text{A}}$ -Dimethyldithiophosphat im Organosamarium-Komplex [(C <sub>5</sub> Me <sub>5</sub> )Sm{S <sub>2</sub> P(OMe) <sub>2</sub> } <sub>2</sub> ] <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1994, 469, C19-C21.	1.8	13

#	ARTICLE	IF	CITATIONS
109	Supramolecular aspects of tin and lead chemistry. <i>Applied Organometallic Chemistry</i> , 2007, 21, 476-482.	3.5	13
110	Antimony(III) and phenylantimony(III) dimethyldithioarsinates: Synthesis and mass spectral study. Crystal structure of Ph <sub>2</sub> SbS <sub>2</sub> AsMe <sub>2</sub> , the first coordination polymer associated via bridging dimethyldithioarsinate ligands. <i>Journal of Organometallic Chemistry</i> , 1994, 469, 45-53.	1.8	12
111	Diphenyltellurium(IV) bis(diorganophosphinodithioates). X-ray crystal structure of Ph <sub>2</sub> Te(S <sub>2</sub> PPh <sub>2</sub> ) <sub>2</sub> ·0.5CHCl <sub>3</sub> and a multinuclear NMR study of the decomposition process of Ph <sub>2</sub> Te(S <sub>2</sub> PR <sub>2</sub> ) <sub>2</sub> to Ph <sub>2</sub> Tell and [R <sub>2</sub> P(S)S]₂. <i>Polyhedron</i> , 1995, 14, 1175-1183.	2.2	12
112	Supramolecular self-assembly in triphenyllead(IV) dimethylphosphinodithioate, x₁[Ph <sub>3</sub> PbS <sub>2</sub> PM <sub>2</sub> ], a chain polymer built through intermolecular Pb $\cdots$ S secondary bonds. <i>Polyhedron</i> , 1998, 17, 2043-2047.	2.2	12
113	Contrasting modes of bonding for copper(I), silver(I), and gold(I) in dithioimidodiphosphinato metallacycles. <i>Journal of Molecular Structure</i> , 2001, 598, 127-131.	3.6	12
114	Metal-Organic Derivatives of Organo-Thiophosphorus Acids. II. Arylmercury Dialkylphosphorodithioates. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1975, 5, 115-122.	1.8	11
115	Metal-Organic Derivatives of Organo-Thiophosphorus Acids. I. Tri- and Diphenyllead Phosphorodithioates. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1975, 5, 103-114.	1.8	11
116	Solvent extraction of dioxouranium(VI) with dialkylphosphorodithioic acids <sup>a</sup> VI Synergic effect of triphenylphosphine oxide. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981, 43, 1076-1078.	0.5	11
117	Bismuth(III) dimethyldithioarsinate, Bi(S <sub>2</sub> AsMe <sub>2</sub> ) <sub>3</sub> : A new dimer formed through Bi $\cdots$ S secondary bonding. <i>Heteroatom Chemistry</i> , 1997, 8, 317-321.	0.7	11
118	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1999, 29, 831-836.	1.1	11
119	Supramolecular self-assembly of Ph <sub>2</sub> Tl(S <sub>2</sub> COMe) based on a rare coordination mode of the xanthate ligand and thallium-phenyl interactions. <i>Journal of Molecular Structure</i> , 2003, 656, 225-230.	3.6	11
120	Phenyllead(IV) diorganophosphinodithioates, Ph <sub>n</sub> Pb(S <sub>2</sub> PR <sub>2</sub> ) <sub>4-n</sub> . Synthesis, spectroscopic characterization, and NMR study of the redistribution/decomposition of diphenyllead(IV) derivatives. <i>Heteroatom Chemistry</i> , 1994, 5, 327-336.	0.7	10
121	Studies on inorganic tin diphenyldithiophosphinates. Crystal and molecular structure of CIS-dichlorobis(diphenyldithiophosphinato)tin(IV). <i>Polyhedron</i> , 1996, 15, 3857-3867.	2.2	9
122	Reduction of antimony(V) by dithiophosphinates and the crystal structure of dimeric diphenylantimony(III) dimethyldithiophosphinate. <i>Polyhedron</i> , 1996, 15, 4573-4578.	2.2	9
123	Is the Trigonal Prismatic Distortion the Answer for the Geometry of In <sub>4</sub> four Members Dithiochelate Compounds? The Crystal and Molecular Structure of In(S <sub>2</sub> AsR <sub>2</sub> ) <sub>3</sub> (R = Me, Ph). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 1999, 625, 347-351.	1.2	9
124	Supramolecular self-assembly through tellurium- $\cdots$ halogen secondary bonds: A hexagonal grid of Te <sub>2</sub> Cl <sub>2</sub> and Te <sub>6</sub> Cl <sub>6</sub> rings in the solid state structure of 1,1,3-trichloro-2,4,5,6-tetrahydro-1H-1 $\rightarrow$ 4-benzo[b]tellurophene. <i>Canadian Journal of Chemistry</i> , 2002, 80, 1530-1537.	1.1	9
125	Crystal and Molecular Structures of Two 1:1 Adducts of bis(O-ethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 107 Td (dithiocarbonato-2,2'-bipyridyl). <i>Journal of Chemical Crystallography</i> , 2010, 40, 1029-1034.	1.1	9
126	Synthesis and characterization of triphenylgermanium(IV) diorganophosphinodithioates: Crystal and molecular structures of Ph <sub>3</sub> GeS(S)PR <sub>2</sub> (R = Me, Ph). <i>Polyhedron</i> , 1995, 14, 2231-2237.	2.2	8

#	ARTICLE	IF	CITATIONS
127	A spirobicyclic complex of Schmidpeter's ligand, bis(tetraphenylimidodiphosphinato)beryllium, Be(OPh <sub>2</sub> PPh <sub>2</sub> O) <sub>2</sub> , an inorganic analog of beryllium bis(?-diketonates). <i>Heteratom Chemistry</i> , 2000, 11, 244-248.	0.7	8
128	Polyhaloorganometallic- and organometalloidal compounds XXI. (Pentachlorophenyl)- and (pentafuorophenyl)dimethylchlorosilane. <i>Journal of Organometallic Chemistry</i> , 1968, 13, 257-258.	1.8	7
129	Why are cyclodisilazane rings more stable than cyclodisiloxanes? A qualitative molecular orbital approach to the bonding in cyclodisilazanes and cyclodisiloxanes. <i>Inorganica Chimica Acta</i> , 1986, 112, 159-165.	2.4	7
130	Trichlorodiphenylantimony(V). <i>Inorganic Syntheses</i> , 2007, , 194-195.	0.3	7
131	Dimeric thiophosphorus complexes of sodium and zinc: Structural characterization of [(THF) <sub>2</sub> NaO(S)PPh <sub>2</sub> ] <sub>2</sub> and [Zn{S2P(OMe)C <sub>6</sub> H <sub>4</sub> OEt-p}2] <sub>2</sub> . <i>Inorganica Chimica Acta</i> , 2008, 361, 407-410.	2.4	7
132	The crystal structure of N,N'-diphenylethylenediamine-bis-(O,O'-diethylphosphorodithioato)nickel(II). <i>Inorganic and Nuclear Chemistry Letters</i> , 1976, 12, 791-793.	0.7	6
133	A Graph-Based Classification and Enumeration of Inorganic Homo- And Heterocycles. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1992, 64, 169-178.	1.6	6
134	Cleavage of Bis(thiophosphinyl)disulfanes, R <sub>2</sub> P(S)SSP(S)R <sub>2</sub> (R = Et, Ph), by a Low-Valent Palladium Dimer. <i>Inorganic Chemistry</i> , 1995, 34, 6141-6144.	4.0	6
135	Synthesis and Spectroscopic Characterization of New Organolead(IV) Complexes Containing Organophosphorus Ligands. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2000, 30, 485-498.	1.8	6
136	Two structurally differing (heterogeometric) mesityltellurium(II) phosphor-1,1-dithiolates: the first monomeric dicoordinate MesTeS(S)PPh <sub>2</sub> and a self-assembled tricoordinate [MesTeS(S)P(OPri) <sub>2</sub> ] <sub>x</sub> . <i>Inorganic Chemistry Communication</i> , 2003, 6, 958-960.	3.9	6
137	Unprecedented self-assembled cyclic hexamer of ferrocenyldimethylsilanol, [FcSiMe <sub>2</sub> OH] <sub>6</sub> (Fc = Tj ETQq1 1 0.784314 rgBT 3.5 /Overlock 1		
138	Review: Inverse coordination. Inorganic open and cyclic nitrogen heteroatom molecules as coordination centers. A survey of molecular topologies. <i>Journal of Coordination Chemistry</i> , 2019, 72, 35-52.	2.2	6
139	Polyhalo-organometallic and -organometalloidal compounds XXIX. Lithiation of 1,2,3-trichloro- and 1,2,3,4-tetrachlorobenzenes. Organosilicon derivatives. <i>Journal of Organometallic Chemistry</i> , 1968, 13, P4-P6.	1.8	5
140	The crystal structure of a cyclo-silazoxane, [(Me <sub>2</sub> Si) <sub>2</sub> ONC <sub>6</sub> F <sub>5</sub> ] <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1982, 236, 293-299.	1.8	5
141	The crystal structure of bis(N-pentafluorophenyl)tetraphenyl-cyclodisilazane-tetrabenzene, (Ph <sub>2</sub> SiNC <sub>6</sub> F <sub>5</sub> ) <sub>2</sub> · 4C <sub>6</sub> H <sub>6</sub> . <i>Journal of Organometallic Chemistry</i> , 1986, 310, 161-167.	1.8	5
142	Coordinative Dimerization of Aminosilanes. Model MNDO and Ab Initio Molecular Orbital Calculations. <i>Main Group Chemistry</i> , 1996, 1, 387-398.	0.8	5
143	Coordination and self-assembly in the crystal structure of K[AsMe <sub>2</sub> S <sub>2</sub> ] · 2H <sub>2</sub> O. <i>Polyhedron</i> , 1998, 17, 4115-4119.	2.2	5
144	Stable Isomers of Sila - and Germadodecahedrane. a Semiempirical (Am1) Investigation of the Structure of 4/6 and 4/5/6 Ring Containing E<sub>20</sub>(E=Si, Ge) Systems. <i>Fullerenes, Nanotubes, and Carbon Nanostructures</i> , 1999, 7, 841-854.	0.6	5

#	ARTICLE	IF	CITATIONS
145	Steric control over C=O...C=O interactions in M(S <sub>2</sub> COR) <sub>2</sub> (dafone) compounds: M = Zn and Cd; R = Me, Et and iPr; dafone = 4,5-diazafluoren-9-one-N,N <sup>2</sup> . Zeitschrift Fur Kristallographie - Crystalline Materials, 2013, 228, 187-198.	0.8	5
146	Pheparation and Spectral Properties of Some Organotin Mono- and Dithiocarboxylates. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1980, 10, 417-424.	1.8	4
147	Convenient Preparation of Phenylarsenic (III) Chlorides from Tetraphenyltin and Arsenic (III) Chloride. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1983, 13, 475-480.	1.8	4
148	The Richness of Structures Available to P<sub>2</sub>N<sub>2</sub>Inorganic Heterocycles: A Topological and Molecular' Orbital (EHMO) Analysis. Phosphorus, Sulfur and Silicon and the Related Elements, 1992, 65, 53-56.	1.6	4
149	â€œEdgeâ€•or â€œVertexâ€•Inversion at Phosphorus in thecis-transIsomerization of Diazadiphosphetidines? Model MNDO and ab initioMolecular Orbital Calculations. Main Group Chemistry, 1998, 2, 309-314.	0.8	4
150	Transition Metal Complexes of Germanium, Tin and Lead., 0, , 1241-1332.		4
151	Serendipitous compositional and structural diversity in urotropine adducts of binary cadmium xanthates. Zeitschrift Fur Kristallographie - Crystalline Materials, 2016, 231, 155-165.	0.8	4
152	Transition Metal Complexes of Organothiophosphorus Ligands. IX. Adducts of Nickel Alkoxy- and Phenoxyethyl Phosphorodithioates with Primary and Tertiary Mono- and Diamines. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1993, 23, 1629-1643.	1.8	3
153	Genotoxicity of Some Metal-Based Antineoplastics, Evaluated by SOS Chromotest and Cytogenetic Analysis. Metal-Based Drugs, 1996, 3, 91-99.	3.8	3
154	BONDING IN ORGANOPHOSPHORUS DITHIO ACIDS. A CNDO/2 CALCULATION OF ELECTRONIC STRUCTURE. Phosphorous and Sulfur and the Related Elements, 1982, 12, 205-212.	0.2	2
155	Coverage of inorganic heterocycles in Chemical Abstracts. Journal of Chemical Information and Computer Sciences, 1983, 23, 74-78.	2.8	2
156	Vibrational Spectra of Dimethyldithiophosphinate Anion: (CH<sub>3</sub>)<sub>2</sub>PS<sub>2</sub>. Spectroscopy Letters, 1998, 31, 1469-1483.	1.0	2
157	Materials Chemistry and Structural Chemistry of Tin Compounds., 0, , 285-411.		2
158	Crystal and molecular structures of two triphenyllead xanthates, Ph <sub>3</sub> Pb(S <sub>2</sub> COR), R = Me and i-Pr, featuring weak intramolecular Pb â€  O interactions. Zeitschrift FÃ¼r Kristallographie, 2011, 226, 780-785.	1.1	2
159	Inorganic Chelate (Carbon-Free) Rings in Monomeric and Dimeric [RxM{ (XPR'2)(YPR''2)N}y]n. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 63-72.	1.6	2
160	Inorganic Chelate (Carbon-Free) Rings in Monomeric and Dimeric [xM{ (XPR'2)(YPRâ€2)N}y]n. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 63-72.	1.6	1
161	Comparative PM3-M0 Study of the E2O2 and E2N2 (E=P,As) Four Membered Ring Systems. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 441-444.	1.6	1
162	On the formation of cyclodisilazanes via the coordination of bis(dialkylaminosilanes) to halogenosilanes: an ab initio and AM1 molecular orbital study of the 4644 R2Si(NRâ€2)2: SiX4 ring systems. Computational and Theoretical Chemistry, 1997, 397, 213-222.	1.5	1

#	ARTICLE	IF	CITATIONS
163	Inorganic fragments in graft and block copolymers: A review of solved and unsolved problems. Journal of Polymer Science, Polymer Symposia, 1978, 64, 43-55.	0.1	1
164	Mono urotropine adducts of some binary zinc xanthates and dithiocarbamates: solid-state molecular structures and supramolecular self-assembly. Zeitschrift Fur Kristallographie - Crystalline Materials, 2016, 231, 737-747.	0.8	1
165	Investigations in Organoarsenic Chemistry. , 1998, , 149-150.		1
166	Supramolecular Organometallic Compounds. , 2004, , 1-8.		1
167	Inverse coordination complexes with oxoanions as centroligands. A review of topologies. Inorganica Chimica Acta, 2022, , 120999.	2.4	1
168	Cyclic Inorganic Oligomers and Polymers. , 2000, , 601-698.		0
169	Organometallic Oxides of Main Group and Transition Elements Downsizing Inorganic Solids to Small Molecular Fragments. ChemInform, 2003, 34, no.	0.0	0
170	Silicone Grease: A Serendipitous Reagent for the Synthesis of Exotic Molecular and Supramolecular Compounds. ChemInform, 2004, 35, no.	0.0	0
171	[1,4-Bis(diphenylphosphino)butane- $\text{P}(\text{Ph})_2\text{P}(\text{Ph})_2$ ](dithiocarbonato- $\text{S}_2\text{C}\text{O}_2^-$ )nickel(II). Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m2168-m2168.	0.2	0