

# Ionel Haiduc

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11227894/publications.pdf>

Version: 2024-02-01

171  
papers

4,676  
citations

126907  
33  
h-index

155660  
55  
g-index

189  
all docs

189  
docs citations

189  
times ranked

2337  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inverse coordination complexes with oxoanions as centroligands. A review of topologies. <i>Inorganica Chimica Acta</i> , 2022, , 120999.	2.4	1
2	Review: Inverse coordination. Inorganic open and cyclic nitrogen heteroatom molecules as coordination centers. A survey of molecular topologies. <i>Journal of Coordination Chemistry</i> , 2019, 72, 35-52.	2.2	6
3	Nitrogen centered inverse coordination complexes. A survey of molecular topologies. <i>Journal of Coordination Chemistry</i> , 2018, 71, 3139-3179.	2.2	15
4	Inverse coordination – An emerging new chemical concept. Oxygen and other chalcogens as coordination centers. <i>Coordination Chemistry Reviews</i> , 2017, 338, 1-26.	18.8	47
5	Inverse coordination – An emerging new chemical concept. II. Halogens as coordination centers. <i>Coordination Chemistry Reviews</i> , 2017, 348, 71-91.	18.8	22
6	Mono urotropine adducts of some binary zinc xanthates and dithiocarbamates: solid-state molecular structures and supramolecular self-assembly. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2016, 231, 737-747.	0.8	1
7	Main group metal lone-pair–(arene) interactions: a new bonding mode for supramolecular associations. <i>CrystEngComm</i> , 2016, 18, 6960-6978.	2.6	30
8	Serendipitous compositional and structural diversity in urotropine adducts of binary cadmium xanthates. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2016, 231, 155-165.	0.8	4
9	M–(arene) interactions for M=gallium, indium and thallium: Influence upon supramolecular self-assembly and prevalence in some proteins. <i>Coordination Chemistry Reviews</i> , 2014, 281, 50-63.	18.8	26
10	Postsynthetic Modification of a Metal-Organic Framework (MOF) Structure for Enantioselective Catalytic Epoxidation. <i>ChemPlusChem</i> , 2013, 78, 443-450.	2.8	22
11	Delocalised antimony(lone pair)- and bismuth-(lone pair)–(arene) interactions: Supramolecular assembly and other considerations. <i>Coordination Chemistry Reviews</i> , 2013, 257, 2863-2879.	18.8	65
12	Steric control over C=O...C=O interactions in M(S <sub>2</sub> COR) <sub>2</sub> (dafone) compounds: M = Zn and Cd; R = Me, Et and iPr; dafone = 4,5-diazafluoren-9-one-N,N <sup>2</sup> . <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2013, 228, 187-198.	0.8	5
13	Supramolecular Self-assembly of Transition Metal Carbonyl Molecules Through M-CO(Lone) Tj ETQql 1 0.784314 rgBT /Overlock 101		
14	A Robust Metal-Organic Framework Constructed from Alkoxo-Bridged Binuclear Nodes and Hexamethylenetetramine Spacers: Crystal Structure and Sorption Studies. <i>Inorganic Chemistry</i> , 2012, 51, 7954-7956.	4.0	15
15	The metal–carbonyl–(aryl) interaction as a supramolecular synthon for the stabilisation of transition metal carbonyl crystal structures. <i>Chemical Communications</i> , 2011, 47, 12682.	4.1	46
16	Crystal and molecular structures of two triphenyllead xanthates, Ph <sub>3</sub> Pb(S <sub>2</sub> COR), R = Me and i-Pr, featuring weak intramolecular Pb–O interactions. <i>Zeitschrift Fur Kristallographie</i> , 2011, 226, 780-785.	1.1	2
17	Crystal and Molecular Structures of Two 1:1 Adducts of bis(O-ethyl) Tj ETQql 1 0.784314 rgBT /Overlock 10 Tf 50 107 Td (dithiocarbonato(2,2'-bipyridyl)). <i>Journal of Chemical Crystallography</i> , 2010, 40, 1029-1034.	1.1	9
18	Hydrogen bond supramolecular self-assembly in nickel(II) dithiophosphates, Ni[S <sub>2</sub> P(OR) <sub>2</sub> ] <sub>2</sub> , R=sec-Bu, iso-Bu, and their bis(pyrazole) adducts. <i>Inorganica Chimica Acta</i> , 2010, 363, 4319-4323.	2.4	14

#	ARTICLE	IF	CITATIONS
19	Dimeric thiophosphorus complexes of sodium and zinc: Structural characterization of $[(\text{THF})_2\text{NaO}(\text{S})\text{PPh}_2]_2$ and $[\text{Zn}\{\text{S}_2\text{P}(\text{OMe})\text{C}_6\text{H}_4\text{OEt-p}\}]_2$ . <i>Inorganica Chimica Acta</i> , 2008, 361, 407-410.	2.4	7
20	Trichlorodiphenylantimony(V). <i>Inorganic Syntheses</i> , 2007, , 194-195.	0.3	7
21	Supramolecular aspects of tin and lead chemistry. <i>Applied Organometallic Chemistry</i> , 2007, 21, 476-482.	3.5	13
22	$[\text{1,4-Bis(diphenylphosphino)butane-}\overset{\text{P}}{\underset{\text{O}}{\text{P}}}(\text{P})_2](\text{dithiocarbonato-}\overset{\text{S}}{\underset{\text{O}}{\text{S}}}(\text{S}))$ nickel(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, m2168-m2168.	0.2	0
23	Differing Coordination Modes of (O-Alkyl)-p-Ethoxyphenyldithiophosphonato Ligands in Copper(I), Silver(I) and Gold(I) Triphenylphosphine Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 295-300.	1.2	25
24	Unprecedented self-assembled cyclic hexamer of ferrocenyldimethylsilanol, $[\text{FcSiMe}_2\text{OH}]_6$ ( $\text{Fc} = \text{Tj ETQqO O O rgBT}_{3.5}/\text{Overlock}_6$ )	10	50
25	Di(p-tert-butylphenyl)-N,N-di-(iso-butyl)carbamoylmethylphosphine oxide and its organotin and uranyl adducts: structural and spectroscopic characterization. <i>Applied Organometallic Chemistry</i> , 2005, 19, 510-517.	3.5	27
26	Stereochemical Aspects of Metal Xanthate Complexes: Molecular Structures and Supramolecular Self-Assembly. <i>Progress in Inorganic Chemistry</i> , 2005, , 127-319.	3.0	165
27	Secondary Bonding. , 2004, , 1215-1224.		19
28	Silicone Grease: A Serendipitous Reagent for the Synthesis of Exotic Molecular and Supramolecular Compounds. <i>ChemInform</i> , 2004, 35, no.	0.0	0
29	Silicone Grease: A Serendipitous Reagent for the Synthesis of Exotic Molecular and Supramolecular Compounds. <i>Organometallics</i> , 2004, 23, 3-8.	2.3	75
30	Supramolecular Organometallic Compounds. , 2004, , 1-8.		1
31	Organometallic Oxides of Main Group and Transition Elements Downsizing Inorganic Solids to Small Molecular Fragments. <i>ChemInform</i> , 2003, 34, no.	0.0	0
32	Unsymmetrically-substituted 2,4,6-trimercaptotriazine: supramolecular self-assembly through $\text{C}\cdots\text{S}\cdots\text{H}-\text{N}$ hydrogen bonds in the crystal structures of $\text{C}_3\text{N}_3\text{S}_3\text{H}_2\text{Na}\cdot 3\text{H}_2\text{O}$ and $\text{C}_3\text{N}_3\text{S}_3\text{H}_2\text{Cu}(\text{PPh}_3)_2$ . <i>Inorganica Chimica Acta</i> , 2003, 348, 75-81.	2.4	21
33	Supramolecular self-assembly of $\text{Ph}_2\text{Tl}(\text{S}_2\text{COMe})$ based on a rare coordination mode of the xanthate ligand and thallium-phenyl interactions. <i>Journal of Molecular Structure</i> , 2003, 656, 225-230.	3.6	11
34	The reaction of nickel(II) xanthates with tetraphenyldiphosphinoethane (dppe) revisited. Formation and crystal structures of $\text{Ni}_3\text{S}_2(\text{S}_2\text{COR})_2(\text{dppe})$ ( $\text{R}=\text{Me, Et}$ ; dppe= $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ ) at room temperature and of $\text{Ni}(\text{S}_2\text{CO})(\text{dppe})$ at 150 K. <i>Polyhedron</i> , 2003, 22, 2895-2900.	2.2	14
35	Two structurally differing (heterogeometric) mesityltellurium(II) phosphor-1,1-dithiolates: the first monomeric dicoordinate $\text{MesTeS}(\text{S})\text{PPh}_2$ and a self-assembled tricoordinate $[\text{MesTeS}(\text{S})\text{P}(\text{OPri})_2]_x$ . <i>Inorganic Chemistry Communication</i> , 2003, 6, 958-960.	3.9	6
36	Organometallic Oxides of Main Group and Transition Elements Downsizing Inorganic Solids to Small Molecular Fragments. <i>Chemical Reviews</i> , 2003, 103, 2579-2596.	47.7	114

#	ARTICLE	IF	CITATIONS
37	An Organometallic Radical Route to Bis(phosphido)- and Hydrido <sup>~</sup> Phosphido-Bridged Metal <sup>~</sup> Metal-Bonded Complexes of Cyclopentadienylchromium via Desulfurization of Thiophosphinito Ligands. <i>Organometallics</i> , 2002, 21, 5287-5291.	2.3	18
38	Tellurium- $\pi$ -aryl interactions: a new bonding motif for supramolecular self-assembly and crystal engineering. <i>CrystEngComm</i> , 2002, 4, 178-193.	2.6	79
39	Supramolecular self-assembly through tellurium- $\pi$ -halogen secondary bonds: A hexagonal grid of Te <sub>2</sub> Cl <sub>2</sub> and Te <sub>6</sub> Cl <sub>6</sub> rings in the solid state structure of 1,1,3-trichloro-2,4,5,6-tetrahydro-1H-1 $\gg$ 4-benzo[b]tellurophene. <i>Canadian Journal of Chemistry</i> , 2002, 80, 1530-1537.	1.1	9
40	The structural chemistry of organotin derivatives of 5-mercaptop-3-phenyl-1,3,4-thiadiazoline-2-thione: supramolecular structures involving intermolecular Sn-S, N-H-S or S-S interactions. <i>Dalton Transactions RSC</i> , 2002, , 1036.	2.3	30
41	Supramolecular self-assembly in the crystal structures of methylmercury xanthates, MeHgS(S)COR, R=Et, iPr and CH <sub>2</sub> Ph. <i>Inorganica Chimica Acta</i> , 2002, 329, 71-78.	2.4	21
42	Supramolecular Self-Assembly Through Secondary Bonds in Organotellurium Chemistry. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2001, 171, 171-185.	1.6	47
43	Diorganotellurium(IV) Dihalides and Secondary Bonding: Revisiting the Coordination Polyhedra. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2001, 171, 73-112.	1.6	33
44	Contrasting modes of bonding for copper(I), silver(I), and gold(I) in dithioimidodiphosphinato metallacycles. <i>Journal of Molecular Structure</i> , 2001, 598, 127-131.	3.6	12
45	Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account. <i>Journal of Organometallic Chemistry</i> , 2001, 623, 29-42.	1.8	109
46	Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of CpCr(CO) <sub>2</sub> (S <sub>2</sub> P(OR) <sub>2</sub> ), CpCr(S <sub>2</sub> P(OR) <sub>2</sub> ) <sub>2</sub> and Cr(S <sub>2</sub> P(OR) <sub>2</sub> ) <sub>3</sub> (R=iPr). <i>Journal of Organometallic Chemistry</i> , 2001, 631, 67-75.	1.8	16
47	Supramolecular self-assembly involving cooperative use of dative coordinate, secondary and hydrogen bonding in solid [(Me <sub>3</sub> Sn) <sub>3</sub> (1/4-OH) <sub>2</sub> ] <sup>+</sup> Br <sup>-</sup> . <i>Inorganic Chemistry Communication</i> , 2001, 4, 530-533.	3.9	15
48	Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-(R <sub>3</sub> Sn) <sub>3</sub> C <sub>3</sub> N <sub>3</sub> S <sub>3</sub> (R=Me, Ph). <i>Journal of Organometallic Chemistry</i> , 2001, 627, 6-12.	1.8	24
49	A spirobicyclic complex of Schmidpeter's ligand, bis(tetraphenylimidodiphosphinato)beryllium, Be(OPh <sub>2</sub> PNPPh <sub>2</sub> O) <sub>2</sub> , an inorganic analog of beryllium bis(?-diketonates). <i>Heteroatom Chemistry</i> , 2000, 11, 244-248.	0.7	8
50	First nickel(II) complexes containing tetrahedral NiO <sub>2</sub> S <sub>2</sub> cores. The molecular structures of Ni[(OPPh <sub>2</sub> )(SPR <sub>2</sub> )N] <sub>2</sub> (R=Ph, Me). <i>Inorganica Chimica Acta</i> , 2000, 305, 106-110.	2.4	22
51	Preparation and single-crystal characterization of manganese(II) complexes of dichalcogenoimidodiphosphinato ligands. Monomeric versus dimeric Mn[(OPPh <sub>2</sub> )(XPPPh <sub>2</sub> )N] <sub>2</sub> (X=S, O). <i>Inorganica Chimica Acta</i> , 2000, 299, 247-252.	2.4	26
52	Rupture of a P $\sim$ S bond in a disulfurimidodiphosphinate ligand. The X-ray crystal structures of [(1/4-H)Ru <sub>3</sub> (1/4-3-S, S, P $\sim$ 2-(SPPPh <sub>2</sub> )(PPh <sub>2</sub> )N](CO) <sub>8</sub> ] and [(1/4-H)Ru <sub>3</sub> {1/4-2-S, S, P $\sim$ 2-(SPPPh <sub>2</sub> )(PPh <sub>2</sub> )N}(CO) <sub>8</sub> ]. <i>Inorganic Chemistry Communication</i> , 2000, 3, 173-177.	1.8	15
53	Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of CpCr(CO) <sub>2</sub> (S <sub>2</sub> PPh <sub>2</sub> ) and CpCr(S <sub>2</sub> PPh <sub>2</sub> ) <sub>2</sub> . X-ray crystal structure of CpCr(S <sub>2</sub> PPh <sub>2</sub> ) <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 2000, 607, 64-71.	1.8	24
54	Synthesis and Spectroscopic Characterization of New Organolead(IV) Complexes Containing Organophosphorus Ligands. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2000, 30, 485-498.	1.8	6

#	ARTICLE	IF	CITATIONS
55	Cyclic Inorganic Oligomers and Polymers., 2000, , 601-698.	0	
56	A new inorganic (carbon-free) chelate ring: SnO <sub>2</sub> N <sub>2</sub> . Eight-coordinated tin(IV) in Sn(O <sub>2</sub> N <sub>2</sub> Ph) <sub>4</sub> and a self-assembled 20-membered macrocycle in [Me <sub>3</sub> Sn(O <sub>2</sub> N <sub>2</sub> Ph)] <sub>4</sub> . Inorganic Chemistry Communication, 1999, 2, 265-268.	3.9	17
57	New versatile phosphorus-containing ligands—“asymmetric (XPR <sub>2</sub> )(YPR <sub>2</sub> ) <sub>2</sub> NH (X, Y=O, S; R, R'=Ph, OEt) and their potassium salts: the crystal and molecular structures of (SPPh <sub>2</sub> ) <sub>2</sub> [OP(OEt) <sub>2</sub> ]NH, K[(SPPh <sub>2</sub> ) <sub>2</sub> [OP(OEt) <sub>2</sub> ]N] <sub>2</sub> ·H <sub>2</sub> O and (OPPh <sub>2</sub> ) <sub>2</sub> [OP(OEt) <sub>2</sub> ]NH <sub>2</sub> ·HCl·1/2H <sub>2</sub> O. Inorganica Chimica Acta, 1999, 287, 61-71.	2.4	23
58	Displacement of triphenylphosphine from Cu(PPh <sub>3</sub> ) <sub>2</sub> NO <sub>3</sub> and Co(PPh <sub>3</sub> ) <sub>2</sub> Cl <sub>2</sub> by a diselenoimidodiphosphinato ligand. X-ray crystal structure of (PPh <sub>3</sub> )Cu[Ph <sub>2</sub> P(Se)NP(Se)Ph <sub>2</sub> ] and Co[Ph <sub>2</sub> P(Se)NP(Se)Ph <sub>2</sub> ] <sub>2</sub> containing the novel CuSe <sub>2</sub> P <sub>2</sub> N and CoSe <sub>2</sub> P <sub>2</sub> N inorganic metallocycles. Inorganica Chimica Acta, 1999, 290, 256-260.	2.4	38
59	Title is missing!. Journal of Chemical Crystallography, 1999, 29, 831-836.	1.1	11
60	Is the Trigonal Prismatic Distortion the Answer for the Geometry of In <sub>4</sub> four Members Dithiochelate Compounds? The Crystal and Molecular Structure of In(S <sub>2</sub> AsR <sub>2</sub> ) <sub>3</sub> (R=S=Me, Ph). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1999, 625, 347-351.	1.2	9
61	Fluorine as a structure-directing element in organometallic fluorides: discrete molecules, supramolecular self-assembly and host–guest complexation. Journal of the Chemical Society Dalton Transactions, 1999, , 2249-2264.	1.1	71
62	Stable Isomers of Sila - and Germadodecahedrane. a Semiempirical (Am1) Investigation of the Structure of 4/6 and 4/5/6 Ring Containing E<sub>20</sub>(E=Si, Ge) Systems. Fullerenes, Nanotubes, and Carbon Nanostructures, 1999, 7, 841-854.	0.6	5
63	Triphenyltellurium(IV) dichalcogenoimidodiphosphinates containing novel six-membered TeXYP <sub>2</sub> N Acta, 1998, 271, 75-82.	2.4	23
64	Supramolecular self-assembly in triphenyllead(IV) dimethylphosphinodithioate, x1[Ph <sub>3</sub> PbS <sub>2</sub> PM <sub>2</sub> ], a chain polymer built through intermolecular Pb-S secondary bonds. Polyhedron, 1998, 17, 2043-2047.	2.2	12
65	Coordination and self-assembly in the crystal structure of K[AsMe <sub>2</sub> S <sub>2</sub> ] · 2H <sub>2</sub> O. Polyhedron, 1998, 17, 4115-4119.	2.2	5
66	A unique self-assembled tricyclic stannasiloxane containing a planar Sn <sub>3</sub> SiO <sub>5</sub> fused 6.4.4 tricyclic ring system. Journal of the Chemical Society Dalton Transactions, 1998, , 1-2.	1.1	21
67	Bis(thiophosphinoyl)amines and their neutral cobalt(II) complexes, containing stable tetrahedral CoS <sub>4</sub> cores. Crystal structures of NH(SPM <sub>2</sub> )(SPPh <sub>2</sub> ) and [Co{(SPMe <sub>2</sub> )(SPPh <sub>2</sub> )N} <sub>2</sub> ]. Journal of the Chemical Society Dalton Transactions, 1998, , 73-78.	1.1	35
68	Vibrational Spectra of Dimethyldithiophosphinate Anion: (CH<sub>3</sub>)<sub>2</sub>PS<sub>2</sub>. Spectroscopy Letters, 1998, 31, 1469-1483.	1.0	2
69	NEW VERSATILE ORGANOPHOSPHORUS LIGANDS. CRYSTAL AND MOLECULAR STRUCTURES OF ISOMERIC P, P-DIMETHYL-P <sup>2-</sup> ,P <sup>2-</sup> -DIPHENYL-P-THIOIMIDODIPHOSPHINIC AND P,P-DIMETHYL-P <sup>2-</sup> ,P <sup>2-</sup> -DIPHENYL-P <sup>2-</sup> -THIOIMIDODIPHOSPHINIC ACIDS. Phosphorus, Sulfur and Silicon and the Related Elements, 1998, 132, 231-250.	1.6	15
70	Edge or Vertex Inversion at Phosphorus in the cis-trans Isomerization of Diazadiphosphetidines? Model MNDO and ab initio Molecular Orbital Calculations. Main Group Chemistry, 1998, 2, 309-314.	0.8	4
71	Investigations in Organoarsenic Chemistry., 1998, , 149-150.	1	
72	Inorganic Chelate (Carbon-Free) Rings in Monomeric and Dimeric [xM{(XPR' <sub>2</sub> )(YPR' <sub>2</sub> )N} <sub>y</sub> ] <sub>n</sub> . Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 63-72.	1.6	1

#	ARTICLE	IF	CITATIONS
73	Comparative PM3-M0 Study of the E2O2 and E2N2 (E=P,As) Four Membered Ring Systems. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1997, 124, 441-444.	1.6	1
74	Supramolecular associations, secondary bonds, quasi-cyclic structures and heterogeometrism in metal derivatives of phosphorus- and arsenic-based thioacids and oxo analogs. <i>Coordination Chemistry Reviews</i> , 1997, 158, 325-358.	18.8	68
75	On the formation of cyclodisilazanes via the coordination of bis(dialkylaminosilanes) to halogenosilanes: an ab initio and AM1 molecular orbital study of the 4644 R2Si(NR <sub>2</sub> ) <sub>2</sub> : SiX <sub>4</sub> ring systems. <i>Computational and Theoretical Chemistry</i> , 1997, 397, 213-222.	1.5	1
76	Supramolecular self-organization in methyl(di henylphos hinothioato)mercury(II), HgMeOPPh <sub>2</sub> , a polymer containing 1 Hg <sub>2</sub> O <sub>2</sub> P <sub>2</sub> S <sub>2</sub> eight-membered rings interconnected through secondary Hg $\cdots$ O bonds. <i>Polyhedron</i> , 1997, 16, 781-787.	2.2	22
77	Metal-oxygen versus metal-sulfur bonding of the ambident monothiophosphinato ligand in some triphenylmeta(IV) derivatives, Ph <sub>3</sub> M[OSPR <sub>2</sub> ] (M = Ge, Sn, Pb). Crystal structures of Ph <sub>3</sub> Ge[O(S)PPh <sub>2</sub> ] and [Ph <sub>2</sub> Sn{O(S)PPh <sub>2</sub> } ( $\text{H}_4\text{OH}$ )] <sub>2</sub> . <i>Polyhedron</i> , 1997, 16, 949-961.	2.2	21
78	Triorganoantimony(V) diorganophosphinates. Crystal and molecular structure of (diphenylphosphinato)(hydroxo)trimethylantimony(V), exhibiting a polymeric chain supramolecular self-assembly through hydrogen bonds. <i>Polyhedron</i> , 1997, 16, 2643-2649.	2.2	17
79	The first oxygen-bridged diorganoarsenic(V) compound: the crystal structure of AsMe <sub>2</sub> (S)OAs(S)Me <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1997, 549, 187-192.	1.8	16
80	Bismuth(III) dimethyldithioarsinate, Bi(S <sub>2</sub> AsMe <sub>2</sub> ) <sub>3</sub> : A new dimer formed through Bi $\cdots$ S secondary bonding. <i>Heteroatom Chemistry</i> , 1997, 8, 317-321.	0.7	11
81	Inorganic Chelate (Carbon-Free) Rings in Monomeric and Dimeric [RxM{(XPR' <sub>2</sub> )(YPR'' <sub>2</sub> N)}y]n. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1997, 124, 63-72.	1.6	2
82	Coordinative Dimerization of Aminosilanes. Model MNDO and Ab Initio Molecular Orbital Calculations. <i>Main Group Chemistry</i> , 1996, 1, 387-398.	0.8	5
83	The first crystal structures of mixed chalcogen derivatives SnR <sub>2</sub> [(OPPh <sub>2</sub> )(SPPh <sub>2</sub> )N]2(R = Me or Ph). <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 391-399.	1.1	32
84	Genotoxicity of Some Metal-Based Antineoplastics, Evaluated by SOS Chromotest and Cytogenetic Analysis. <i>Metal-Based Drugs</i> , 1996, 3, 91-99.	3.8	3
85	Structural patterns in inorganic and organoantimony derivatives of oxo- and thiodiorganophosphorus ligands. <i>Coordination Chemistry Reviews</i> , 1996, 147, 117-146.	18.8	83
86	More about boron-nitrogen B <sub>12</sub> + 3nN <sub>12</sub> + 3n fullerene-like cages. An ab initio and AM1 investigation of some isomers. <i>Computational and Theoretical Chemistry</i> , 1996, 367, 47-54.	1.5	38
87	A <sub>12</sub> B <sub>12</sub> (A = B,Al; B = N,P) fullerene-like cages and their hydrogenated forms stabilized by exohedral bonds. An AM1 molecular orbital study. <i>Computational and Theoretical Chemistry</i> , 1996, 370, 17-23.	1.5	28
88	Tetrahedral versus square-planar NiS <sub>4</sub> core in solid-state bis(dithioimidodiphosphinato)nickel(II) chelates. Crystal and molecular structures of Ni[(SPR <sub>2</sub> ) (SPPh <sub>2</sub> ) N] <sub>2</sub> (R = Ph, Me). <i>Inorganica Chimica Acta</i> , 1996, 241, 47-54.	2.4	54
89	Gallium and indium compounds of sulphur donor ligands: Pyridine-2-thiolates and diphenylthiophosphinates. <i>Polyhedron</i> , 1996, 15, 391-402.	2.2	54
90	Stereochemical aspects of phosphor-1,1-dithiolato metal complexes: Coordination patterns, molecular structures and supramolecular associations in dithiophosphinates and related compounds. <i>Polyhedron</i> , 1996, 15, 2469-2521.	2.2	104

#	ARTICLE	IF	CITATIONS
91	Studies on inorganic tin diphenyldithiophosphinates. Crystal and molecular structure of CIS-dichlorobis(diphenyldithiophosphinato)tin(IV). <i>Polyhedron</i> , 1996, 15, 3857-3867.	2.2	9
92	Reduction of antimony(V) by dithiophosphinates and the crystal structure of dimeric diphenylantimony(III) dimethyldithiophosphinate. <i>Polyhedron</i> , 1996, 15, 4573-4578.	2.2	9
93	Dichlorodiphenylantimony(V) derivatives of oxo-and thioimidodiphosphinic acids, containing novel inorganic SbO <sub>2</sub> P <sub>2</sub> N and SbOSP <sub>2</sub> N rings: crystal and molecular structures of Ph <sub>2</sub> SbCl <sub>2</sub> [{OPPh <sub>2</sub> }(XPPh <sub>2</sub> )N] (X = O, S). <i>Journal of Organometallic Chemistry</i> , 1996, 515, 131-138.	1.8	21
94	Oxidation of (AsPh <sub>2</sub> ) <sub>2</sub> E(E=O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetrานuclear adduct and crystal structure of [AsPh <sub>2</sub> (O)OH · AsPh <sub>2</sub> (S)OH] <sub>2</sub> . <i>Journal of Organometallic Chemistry</i> , 1996, 517, 101-106.	1.8	25
95	Synthesis, structural characterization and in vitro antitumour properties of triorganoantimony(V) disalicylates: Crystal and molecular structures of [5-Y-2-(ho)-C <sub>6</sub> H <sub>3</sub> COO] <sub>2</sub> SbMe <sub>3</sub> (Y?H, Me, MeO). <i>Applied Organometallic Chemistry</i> , 1995, 9, 597-607.	3.5	31
96	A new eight-membered Pb <sub>2</sub> S <sub>4</sub> P <sub>2</sub> inorganic ring. crystal and molecular structure of dimeric [Pb(S <sub>2</sub> PM <sub>2</sub> ) <sub>2</sub> ] <sub>2</sub> , associated into polymeric chains through intermolecular Pb ··· S interactions. <i>Inorganica Chimica Acta</i> , 1995, 233, 151-154.	2.4	22
97	Crystal and molecular structure of diphenylthallium(III) tetraphenyldithioimidodiphosphinate, [TlPh <sub>2</sub> {(SPPh <sub>2</sub> ) <sub>2</sub> N}], containing a new inorganic (carbon-free) TiS <sub>2</sub> P <sub>2</sub> N metallocycle. <i>Polyhedron</i> , 1995, 14, 805-809.	2.2	19
98	Crystal and molecular structures of spiro-bis(trithiastannocane), Sn(SCH <sub>2</sub> CH <sub>2</sub> SCH <sub>2</sub> CH <sub>2</sub> S) <sub>2</sub> , and spiro-bis(oxadithiastannocane), Sn(SCH <sub>2</sub> CH <sub>2</sub> OCH <sub>2</sub> CH <sub>2</sub> S) <sub>2</sub> . Distortion of the SnS <sub>4</sub> tetrahedral coordination produced by transannular Sn···X (X = S, O) interactions. <i>Polyhedron</i> , 1995, 14, 747-755.	2.2	16
99	X-ray crystal structure of (tetraphenyldithiomimidodiphosphinato) (triphenylphosphine)copper(I), (Ph <sub>3</sub> P)Cu(SPPh <sub>2</sub> ) <sub>2</sub> N, a monocyclic inorganic (carbon-free) chelate ring compound. <i>Polyhedron</i> , 1995, 14, 1067-1071.	2.2	38
100	Diphenyltellurium(IV) bis(diorganophosphinodithioates). X-ray crystal structure of Ph <sub>2</sub> Te(S <sub>2</sub> PPh <sub>2</sub> ) <sub>2</sub> ·0.5CHCl <sub>3</sub> and a multinuclear NMR study of the decomposition process of Ph <sub>2</sub> Te(S <sub>2</sub> PR <sub>2</sub> ) <sub>2</sub> to Ph <sub>2</sub> Tell and [R <sub>2</sub> P(S)S] <sub>2</sub> . <i>Polyhedron</i> , 1995, 14, 1175-1183.	2.2	12
101	Solid state supramolecular structure of (tetraphenyldithioimidodiphosphinato)trimethyltin(IV)·benzene, [Me <sub>3</sub> Sn(SPPh <sub>2</sub> ) <sub>2</sub> N·C <sub>6</sub> H <sub>6</sub> ] <sup>·</sup> , a unique polymer containing a bridging "SPR <sub>2</sub> NPR <sub>2</sub> S" ligand. <i>Polyhedron</i> , 1995, 14, 1169-1174.	2.2	25
102	Synthesis and characterization of triphenylgermanium(IV) diorganophosphinodithioates: Crystal and molecular structures of Ph <sub>3</sub> GeS(S)PR <sub>2</sub> (R → Me, Ph). <i>Polyhedron</i> , 1995, 14, 2231-2237.	2.2	8
103	Triphenyltelluronium derivatives of dithiophosphorus ligands: Crystal and molecular structure of [Ph <sub>3</sub> Te][S <sub>2</sub> PPh <sub>2</sub> ] and [Ph <sub>3</sub> Te][(SPPh <sub>2</sub> ) <sub>2</sub> N], displaying weak cation-anion Te···S secondary interactions. <i>Polyhedron</i> , 1995, 14, 2047-2053.	2.2	36
104	Unexpected linear P—N—P fragment in the anion [SPh <sub>2</sub> PNPPh <sub>2</sub> S] <sup>·-</sup> : Crystal structure of bis(triphenylphosphine)iminium dithiotetraphenyldithiophosphinate, [Ph <sub>3</sub> PNPPh <sub>3</sub> ] <sup>+</sup> [SPh <sub>2</sub> PNPPh <sub>2</sub> S] <sup>·-</sup> . <i>Polyhedron</i> , 1995, 14, 2041-2046.	2.2	28
105	Crystal structures of antimony and indium phosphinodithioates, M(S <sub>2</sub> PR <sub>2</sub> ) <sub>3</sub> (M → Sb, R → Et; M → In, R → Me). Tj ETQq <sub>28</sub> 1 0.784		
106	Stereochemical aspects of phosphor-1,1-dithiolato metal complexes (dithiophosphates,) Tj ETQq <sub>0</sub> 0 0 rgBT /Overlock 10 Tf 50 147 Td (d associations). <i>Polyhedron</i> , 1995, 14, 3389-3472.	2.2	232
107	Crystal and Molecular Structure of Tetramethyldithioimidodiphosphinic acid, (SPMe <sub>2</sub> ) <sub>2</sub> NH, and Its Cobalt(II) Complex, Co[(SPMe <sub>2</sub> ) <sub>2</sub> N] <sub>2</sub> , Containing a Tetrahedral CoS <sub>4</sub> Core. <i>Inorganic Chemistry</i> , 1995, 34, 3352-3354.	4.0	71
108	Cleavage of Bis(thiophosphinyl)disulfanes, R <sub>2</sub> P(S)SSP(S)R <sub>2</sub> (R = Et, Ph), by a Low-Valent Palladium Dimer. <i>Inorganic Chemistry</i> , 1995, 34, 6141-6144.	4.0	6

#	ARTICLE	IF	CITATIONS
109	Antitumor Organometallics. IV. The Mutagenic Potential of Some Diphenylantimony(III) Dithiophosphorus Derivatives. <i>Metal-Based Drugs</i> , 1994, 1, 291-297.	3.8	24
110	ON THE GEOMETRY OF 1,3-DIAZADIPHOSPHETIDINES. THE CIS-TRANS ISOMERISM. Phosphorus, Sulfur and Silicon and the Related Elements, 1994, 91, 21-36.	1.6	23
111	Formation of Inorganic Quasi-Cyclic Structures Through Secondary Interaction. A Few Cases of Heterogeometrism. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994, 93, 345-348.	1.6	13
112	Crystal and molecular structure of (dimethyldithiophosphinato)dimethylantimony(III), $1\ddot{z}[Me_2SbS_2PMe_2]$ , a chain polymer built through secondary, intermolecular $Sb\ddot{S}$ interactions. <i>Polyhedron</i> , 1994, 13, 2531-2535.	2.2	21
113	Diorganotin(IV) derivatives of tetraphenylimidodiphosphinic acid. Crystal and molecular structure of $n\text{-}Bu_2Sn[(OPPh_2)_2N]_2$ , a trans-octahedral spiro-bicyclic compound. <i>Polyhedron</i> , 1994, 13, 3159-3165.	2.2	38
114	Bismuth(III) dimethyldithiophosphinate, $Bi(S_2PMe_2)_3$ : another dimer formed through secondary bonding. The stereochemically active lone pair revisited. <i>Polyhedron</i> , 1994, 13, 547-552.	2.2	21
115	Crystal and molecular structure of spirobicyclic bis(tetraphenyldithioimidodiphosphinato)lead(II), $[Pb(SPPh_2)_2N]_2$ , containing a new inorganic (carbon-free) $PbS_2P_2N$ chelate ring and $Pb(\dot{I}\text{-}C_6H_5)$ interactions. <i>Polyhedron</i> , 1994, 13, 2873-2879.	2.2	52
116	Phenyllead(IV) diorganophosphinodithioates, $PhnPb(S_2PR_2)_4$ . Synthesis, spectroscopic characterization, and NMR study of the redistribution/decomposition of diphenyllead(IV) derivatives. <i>Heteroatom Chemistry</i> , 1994, 5, 327-336.	0.7	10
117	Trimethylantimony(V) diorganomonothiophosphinates: the crystal structure of bis(diphenylmonothiophosphinato)trimethylantimony(V), $Me_3Sb(OSPPh_2)_2$ , containing a monodentate monothiophosphinato ligand. <i>Journal of Organometallic Chemistry</i> , 1994, 468, 113-119.	1.8	19
118	Antimony(III) and phenylantimony(III) dimethyldithioarsinates: Synthesis and mass spectral study. Crystal structure of $Ph_2SbS_2AsMe_2$ , the first coordination polymer associated via bridging dimethyldithioarsinate ligands. <i>Journal of Organometallic Chemistry</i> , 1994, 469, 45-53.	1.8	12
119	Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes O, $\ddot{S}$ -Dimethyldithiophosphat im Organosamarium-Komplex $[(C_5Me_5)Sm\{S_2P(OMe)_2\}_2]_2$ . <i>Journal of Organometallic Chemistry</i> , 1994, 469, C19-C21.	1.8	13
120	Syntheses and structures of dimesitylbismuth(III) bromide, $Mes_2BiBr$ , and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ . <i>Journal of Organometallic Chemistry</i> , 1994, 470, 93-98.	1.8	37
121	New aryltellurium(II) diorganophosphinodithioates. Crystal structure of red (294 K) and yellow (173) $Tj\ ETQq1\ 1\ 0.784314\ rgBT /Overloo$ phosphinodithioato ligand. <i>Journal of Organometallic Chemistry</i> , 1994, 482, 253-259.	1.8	23
122	Synthesis and characterization of phenoxarsin-10-yl diorganodithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through As $\ddot{S}$ secondary bonding. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2191-2195.	1.1	17
123	Novel Coordination Pattern of Dithiophosphorus Ligands. Crystal and Molecular Structure of (Diphenylphosphinodithioato)phenyltellurium(II), $PhTeS_2PPh_2$ . Supramolecular Association through Monodentate Biconnective Dithiophosphorus Ligands. <i>Inorganic Chemistry</i> , 1994, 33, 1253-1254.	4.0	27
124	Crystal and Molecular Structure of Bis(diphenyldithiophosphinato)lead(II), $.infin.1[Pb(S_2PPh_2)_2]$ , a New Type of Polymer Associated through $Pb.cndot..cndot..cndot.S$ Secondary Interactions. <i>Inorganic Chemistry</i> , 1994, 33, 1695-1699.	4.0	42
125	A new inorganic metallocycle containing tin, sulphur, phosphorus and nitrogen. Crystal and	2.2	66
126	Synthesis, spectroscopic characterization and molecular structure of dimeric (diethyldithiophosphinato)DI(para-tolyl) antimony(III), $[(p\text{-}CH}_3C_6H_4)_2SbS_2P(C_2H_5)_2]_2$ , containing a novel monocyclic $P_2S_4Sb_2$ inorganic ring system, formed through $Sb\ddot{S}$ semibonding interactions. <i>Polyhedron</i> , 1993, 12, 2611-2617.	2.2	24

#	ARTICLE	IF	CITATIONS
127	Fully inorganic (carbon-free) fullerenes? The boron-nitrogen case. Inorganic Chemistry, 1993, 32, 3755-3758.	4.0	60
128	A unique macrocyclic structure of tetrameric trimethyltin(IV) diphenylphosphinate, $[Me_3SnO_2PPh_2]_4$ , containing a sixteen-membered $Sn_4O_8P_4$ inorganic ring. Journal of the Chemical Society Chemical Communications, 1993, , 1229.	2.0	25
129	A unique supramolecular structure of catena-poly[bis(.mu.-diphenylphosphinodithioato)ditellurium(I)(Te-Te)], $[Te_2(S_2PPh_2)_2]_n$ , containing Te-Te.cntdot..cntdot..cntdot..Te-Te.cntdot..cntdot..cntdot..cntdot. chains. Inorganic Chemistry, 1993, 32, 3795-3796.	4.0	32
130	Transition Metal Complexes of Organothiophosphorus Ligands. IX. Adducts of Nickel Alkoxy- and Phenoxyethyl Phosphorodithioates with Primary and Tertiary Mono- and Diamines. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1993, 23, 1629-1643.	1.8	3
131	A Graph-Based Classification and Enumeration of Inorganic Homo- And Heterocycles. Phosphorus, Sulfur and Silicon and the Related Elements, 1992, 64, 169-178.	1.6	6
132	The Richness of Structures Available to $P_{2N}$ Inorganic Heterocycles: A Topological and Molecular Orbital (EHMO) Analysis. Phosphorus, Sulfur and Silicon and the Related Elements, 1992, 65, 53-56.	1.6	4
133	Phenylantimony(III) diorganophosphorodithioates: the crystal structure of diphenylantimony(III) di-isopropylphosphorodithioate, $Ph_2SbS_2P(OiPr)_2$ ; unusual polymerisation through semibonding. Journal of Organometallic Chemistry, 1992, 426, 49-58.	1.8	50
134	Metal compounds in cancer chemotherapy. Coordination Chemistry Reviews, 1990, 99, 253-296.	18.8	212
135	Synthesis and characterization of di- and tri-organotin(IV) dimethyldithiophosphinates. Journal of Organometallic Chemistry, 1989, 365, 83-90.	1.8	14
136	The crystal structures of the diphenyldithiophosphinates of antimony(III) and bismuth(III): $M(S_2PPh_2)_3$ ( $M = Sb$ or $Bi$ ). Journal of the Chemical Society Dalton Transactions, 1987, , 145.	1.1	32
137	The crystal structure of bismuth diethyldithiophosphate in benzene (1/1), $Bi(S_2PEt_2)_3 \cdot C_6H_6$ . Journal of the Chemical Society Dalton Transactions, 1987, , 1257-1259.	1.1	19
138	Di- and tri-organotin(IV) diphenyldithiophosphinates. Journal of Organometallic Chemistry, 1987, 330, 315-324.	1.8	18
139	Synthesis and characterization of di- and triorganotin(IV) diethyldithiophosphinates. The crystal and molecular structure of bis(diethyldithiophosphinato)dimethyltin(IV), $Me_2Sn(S_2PEt_2)_2$ . Journal of Organometallic Chemistry, 1987, 327, 181-191.	1.8	35
140	Diphenylantimony(III) diphenylphosphinate and diphenylmonothiophosphinate: synthesis, spectra and crystal structure. Journal of Organometallic Chemistry, 1986, 316, 281-289.	1.8	30
141	The crystal structure of bis(N-pentafluorophenyl)tetraphenyl-cyclodisilazane-tetrabenzeno, $(Ph_2SiNC_6F_5)_2 \cdot 4C_6H_6$ . Journal of Organometallic Chemistry, 1986, 310, 161-167.	1.8	5
142	Why are cyclodisilazane rings more stable than cyclodisiloxanes? A qualitative molecular orbital approach to the bonding in cyclodisilazanes and cyclodisiloxanes. Inorganica Chimica Acta, 1986, 112, 159-165.	2.4	7
143	Inorganic (carbon-free) chelate rings. Coordination Chemistry Reviews, 1986, 74, 127-270.	18.8	78
144	The crystal and molecular structure of a versatile bidentate ligand: tetraphenylidithiophimidodiphosphinate, $Ph_2(S_2P-NH-P(S)Ph_2)_2$ . Inorganica Chimica Acta, 1985, 96, 77-80	2.4	42

#	ARTICLE	IF	CITATIONS
145	Preparation and properties of some organotin dimethyl- and diphenyl-dithioarsinates. The crystal structure of $(CH_3)_2Sn[S_2As(CH_3)_2]_2$ . <i>Journal of Organometallic Chemistry</i> , 1984, 263, 159-165.	1.8	23
146	A sulfotropic molecular rearrangement of diphenylphosphinyl diorganodithioarsinates. Formation of diorganoarsenic(III) diphenyldithiophosphinates. <i>Journal of Organometallic Chemistry</i> , 1983, 252, 295-299.	1.8	18
147	Antimony(III) diorganophosphoro- and diorganophospinodithioates: Crystal structure of $Sb[S_2P(OR)_2]_3$ ( $R = Me$ and $i-Pr$ ). <i>Inorganica Chimica Acta</i> , 1983, 68, 87-96.	2.4	57
148	Organo-silicon,-germanium and -lead derivatives of dimethyl- and diphenyl-dithioarsinic acids. <i>Journal of Organometallic Chemistry</i> , 1983, 259, 65-69.	1.8	16
149	Coverage of inorganic heterocycles in Chemical Abstracts. <i>Journal of Chemical Information and Computer Sciences</i> , 1983, 23, 74-78.	2.8	2
150	Convenient Preparation of Phenylarsenic (III) Chlorides from Tetraphenyltin and Arsenic (III) Chloride. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1983, 13, 475-480.	1.8	4
151	Organotin Compounds: New Organometallic Derivatives Exhibiting Anti-tumour Activity. <i>Bulletin Des Sociétés Chimiques Belges</i> , 1983, 92, 187-189.	0.0	20
152	BONDING IN ORGANOPHOSPHORUS DITHIO ACIDS. A CNDO/2 CALCULATION OF ELECTRONIC STRUCTURE. <i>Phosphorous and Sulfur and the Related Elements</i> , 1982, 12, 205-212.	0.2	2
153	Organotin and tin(IV) derivatives of dimethyldithioarsinic acid. <i>Journal of Organometallic Chemistry</i> , 1982, 225, 225-232.	1.8	18
154	The crystal structure of a cyclo-silazoxane, $[(Me_2Si)_2ONC_6F_5]_2$ . <i>Journal of Organometallic Chemistry</i> , 1982, 236, 293-299.	1.8	5
155	Solvent extraction of dioxouranium(VI) with dialkylphosphorodithioic acids VI Synergic effect of triphenylphosphine oxide. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981, 43, 1076-1078.	0.5	11
156	Pheparation and Spectral Properties of Some Organgtin Mono- and Dithiocarsoylates. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1980, 10, 417-424.	1.8	4
157	Pentagonal pyramidal co-ordination; X-ray crystal structure of antimony(III) tris(diphenyldithiophosphinate). <i>Journal of the Chemical Society Chemical Communications</i> , 1980, , 64.	2.0	24
158	Inorganic fragments in graft and block copolymers: A review of solved and unsolved problems. <i>Journal of Polymer Science, Polymer Symposia</i> , 1978, 64, 43-55.	0.1	1
159	Solvent extraction of dioxouranium(VI) with dialkylphosphorodithioic acids I. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1977, 39, 1415-1418.	0.5	25
160	The crystal structure of $N,N^{\prime\prime}$ -diphenylethylenediamine-bis-(O,O $\prime$ -diethylphosphorodithioato)nickel(II). <i>Inorganic and Nuclear Chemistry Letters</i> , 1976, 12, 791-793.	0.7	6
161	Preparation of Bis(Dialkylphosphorodithioato)Dioxo-(Triphenylphosphine Oxide)Uranium(VI) Complexes. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1976, 6, 125-132.	1.8	16
162	Metal-Organic Derivatives of Organo-Thiophosphorus Acids. II. Arylmercury Dialkylphosphorodithioates. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1975, 5, 115-122.	1.8	11

#	ARTICLE	IF	CITATIONS
163	Metal-Organic Derivatives of Organo-Thiophosphorus Acids. I. Tri- and Diphenyllead Phosphorodithioates. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1975, 5, 103-114.	1.8	11
164	Reactions of transition metal compounds with macrocyclic alkadiynes. Journal of Organometallic Chemistry, 1973, 47, 145-151.	1.8	15
165	Reactions of transition metal compounds with macrocyclic alkadiynes. III. Intramolecular transannular cyclizations and related processes with iron carbonyls. Journal of the American Chemical Society, 1973, 95, 2508-2516.	13.7	30
166	Ring size effects in the intramolecular transannular cyclizations of macrocyclic alkadiynes with iron carbonyls. Journal of the American Chemical Society, 1972, 94, 4044-4046.	13.7	26
167	Polyhalo-organometallic and -organometalloidal compounds XXIX. Lithiation of 1,2,3-trichloro- and 1,2,3,4-tetrachlorobenzenes. Organosilicon derivatives. Journal of Organometallic Chemistry, 1968, 13, P4-P6.	1.8	5
168	Polyhaloorganometallic- and organometalloidal compounds XXI. (Pentachlorophenyl)- and (pentafuorophenyl)dimethylchlorosilane. Journal of Organometallic Chemistry, 1968, 13, 257-258.	1.8	7
169	Polyhalo-organometallic and -organometalloidal compounds. Journal of Organometallic Chemistry, 1968, 12, 394-396.	1.8	20
170	Transition Metal Complexes of Germanium, Tin and Lead. , 0, , 1241-1332.		4
171	Materials Chemistry and Structural Chemistry of Tin Compounds. , 0, , 285-411.		2