

# Carine Duhayon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1122933/publications.pdf>

Version: 2024-02-01

163  
papers

5,176  
citations

116194

36  
h-index

129628

63  
g-index

177  
all docs

177  
docs citations

177  
times ranked

5119  
citing authors

#	ARTICLE	IF	CITATIONS
1	First Heterotrimetallic {3d-4d-4f} Single Chain Magnet, Constructed from Anisotropic High-Spin Heterometallic Nodes and Paramagnetic Spacers. <i>Chemistry - A European Journal</i> , 2009, 15, 11808-11814.	1.7	205
2	Heteroleptic Copper(I) Complexes Prepared from Phenanthroline and Bis-Phosphine Ligands. <i>Inorganic Chemistry</i> , 2013, 52, 12140-12151.	1.9	202
3	Enhanced Ion Anisotropy by Nonconventional Coordination Geometry: Single-Chain Magnet Behavior for a $[\{Fe^{II}\}_2\{Nb^{IV}(CN)_8\}]$ Helical Chain Compound Designed with Heptacoordinate $Fe^{II}$ . <i>Journal of the American Chemical Society</i> , 2010, 132, 6047-6056.	6.6	169
4	Electrophosphorescent homo- and heteroleptic copper(i) complexes prepared from various bis-phosphine ligands. <i>Chemical Communications</i> , 2007, , 3077-3079.	2.2	161
5	Study of the Luminescent and Magnetic Properties of a Series of Heterodinuclear $[Zn^{II}Ln^{III}]$ Complexes. <i>Inorganic Chemistry</i> , 2011, 50, 5879-5889.	1.9	151
6	Designing dendrimers for ocular drug delivery. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 326-334.	2.6	149
7	Preparation, Crystal Structures, and Magnetic Features for a Series of Dinuclear $[Ni^{II}Ln^{III}]$ Schiff-Base Complexes: Evidence for Slow Relaxation of the Magnetization for the $Dy^{III}$ Derivative. <i>Inorganic Chemistry</i> , 2011, 50, 5890-5898.	1.9	143
8	Hetero-Metallic {3d-4f-5d} Complexes: Preparation and Magnetic Behavior of Trinuclear $[(L)_2Me_2Ni^{\sim}Ln]\{W(CN)_8\}$ Compounds (Ln = Gd, Tb, Dy, Ho, Er, Y); <i>Journal of the American Chemical Society</i> , 2009, 48, 5820-5828.	1.9	126
9	New Chiral Lanthanide Amide Ate Complexes for the Catalysed Synthesis of Scalemic Nitrogen-Containing Heterocycles. <i>Chemistry - A European Journal</i> , 2008, 14, 2189-2200.	1.7	107
10	Two-Coordinate Iron(II) Complex $[Fe\{N(SiMe_3)_2\}_2]^{+}$ : Synthesis, Properties, and Redox Activity. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 245-248.	7.2	95
11	Single-ion magnet behaviour of heptacoordinated $Fe^{II}$ complexes: on the importance of supramolecular organization. <i>Chemical Communications</i> , 2015, 51, 3616-3619.	2.2	94
12	Diaminocarbene and Phosponium Ylide Ligands: A Systematic Comparison of their Donor Character. <i>Journal of the American Chemical Society</i> , 2008, 130, 8406-8413.	6.6	91
13	Imidazoliophosphines are True $N$ -Heterocyclic Carbene (NHC)-Phosphenium Adducts. <i>Chemistry - A European Journal</i> , 2010, 16, 13095-13108.	1.7	90
14	Water-Soluble Group 8 and 9 Transition Metal Complexes Containing a Trihydrazinophosphaadamantane Ligand: Catalytic Applications in Isomerization of Allylic Alcohols and Cycloisomerization of (Z)-Enynols in Aqueous Medium. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 1671-1679.	2.1	84
15	Effect of Ligand Substitution around the $Dy^{III}$ on the SMM Properties of Dual-Luminescent $Zn^{II}Dy^{III}$ and $Zn^{II}Dy^{III}Zn^{II}$ Complexes with Large Anisotropy Energy Barriers: A Combined Theoretical and Experimental Magnetostructural Study. <i>Inorganic Chemistry</i> , 2016, 55, 4428-4440.	1.9	83
16	Analysis of the Role of Peripheral Ligands Coordinated to $Zn^{II}$ in Enhancing the Energy Barrier in Luminescent Linear Trinuclear $Zn^{II}Dy^{III}Zn^{II}$ Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2015, 21, 15785-15796.	1.7	80
17	Phosphine-NHC Manganese Hydrogenation Catalyst Exhibiting a Non-Classical Metal-Ligand Cooperative $H_2$ Activation Mode. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 6727-6731.	7.2	73
18	Cyano-Bridged $Fe(II)$ - $Cr(III)$ Single-Chain Magnet Based on Pentagonal Bipyramid Units: On the Added Value of Aligned Axial Anisotropy. <i>Journal of the American Chemical Society</i> , 2018, 140, 7698-7704.	6.6	70

#	ARTICLE	IF	CITATIONS
19	Homoleptic Copper(I), Silver(I), and Gold(I) Bisphosphine Complexes. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 1345-1355.	1.0	69
20	Heteroleptic Cu(I) complexes containing phenanthroline-type and 1,1'-bis(diphenylphosphino)ferrocene ligands: Structure and electronic properties. <i>Inorganica Chimica Acta</i> , 2007, 360, 1032-1042.	1.2	67
21	An Atropo-€Stereogenic Diphosphane Ligand with a Proximal Cationic Charge: Specific Catalytic Properties of a Palladium Complex Thereof. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2991-2999.	1.0	67
22	Pentagonal Bipyramid Fe <sup>II</sup> Complexes: Robust Ising-€Spin Units towards Heteropolynuclear Nanomagnets. <i>Chemistry - A European Journal</i> , 2017, 23, 4380-4396.	1.7	67
23	Synthesis and Properties of Dendrimers Possessing the Same Fluorophore(s) Located Either Peripherally or Off-Center. <i>Journal of Organic Chemistry</i> , 2007, 72, 8707-8715.	1.7	65
24	Thiazolyl-phosphine hydrochloride salts: effective auxiliary ligands for ruthenium-catalyzed nitrile hydration reactions and related amide bond forming processes in water. <i>Green Chemistry</i> , 2013, 15, 2447.	4.6	65
25	Heptacoordinated Nickel(II) as an Ising-Type Anisotropic Building Unit: Illustration with a Pentanuclear [(NiL) <sub>3</sub> {W(CN) <sub>8</sub> } <sub>2</sub> ] Complex. <i>Inorganic Chemistry</i> , 2013, 52, 2283-2285.	1.9	65
26	P(CH)P Pincer Rhodium(I) Complexes: The Key Role of Electron-Poor Imidazoliophosphine Extremities. <i>Inorganic Chemistry</i> , 2013, 52, 48-58.	1.9	61
27	1-D hydrogen-bonded organization of hexanuclear {3d-4f-5d} complexes: evidence for slow relaxation of the magnetization for [LMe <sub>2</sub> Ni(H <sub>2</sub> O)Ln(H <sub>2</sub> O) <sub>4.5</sub> ] <sub>2</sub> {W(CN) <sub>8</sub> } <sub>2</sub> with Ln = Tb and Dy. <i>CrystEngComm</i> , 2009, 11, 2078.	1.3	58
28	Supramolecular control over recognition and efficient detection of picric acid. <i>Chemical Communications</i> , 2014, 50, 12061-12064.	2.2	58
29	A Diaminocarbene-€Phosponium Ylide: Direct Access to C,C Chelating Ligands. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 6313-6315.	7.2	53
30	Heteroleptic Silver(I) Complexes Prepared from Phenanthroline and Bis-phosphine Ligands. <i>Inorganic Chemistry</i> , 2013, 52, 14343-14354.	1.9	53
31	Nickel(ii) complexes of the new pincer-type unsymmetrical ligands PIMCOP, PIMIOCOP, and NHCCOP: versatile binding motifs. <i>Chemical Communications</i> , 2012, 48, 10446.	2.2	52
32	Magneto-structural variety of new 3d-€4f-€4(5)d heterotrimetallic complexes. <i>Dalton Transactions</i> , 2015, 44, 16713-16727.	1.6	51
33	Flexible Diphosphine Ligands with Overall Charges of 0, +1, and +2: Critical Role of the Electrostatics in Favoring Trans over Cis Coordination. <i>Inorganic Chemistry</i> , 2011, 50, 10810-10819.	1.9	50
34	Hexacyanidometalate molecular chemistry, part III: di-, tri-, tetra-, hexa- and hepta-nuclear chromium-€nickel complexes: Control of spin, structural anisotropy, intra- and inter-molecular exchange couplings. <i>Inorganica Chimica Acta</i> , 2008, 361, 3505-3518.	1.2	46
35	B€zH, C€zH, and B€zC Bond Activation: The Role of Two Adjacent Agostic Interactions. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 7569-7573.	7.2	46
36	Towards the Limit of Atropochiral Stability: H-€MIOP, an N-€Heterocyclic Carbene Precursor and Cationic Analogue of the H-€MOP Ligand. <i>Chemistry - A European Journal</i> , 2011, 17, 5110-5115.	1.7	39

#	ARTICLE	IF	CITATIONS
37	Synthesis, Crystal Structures, Magnetic Properties, and Theoretical Investigation of a New Series of Ni <sup>II</sup> Ln <sup>III</sup> W <sup>V</sup> Heterotrimetallics: Understanding the SMM Behavior of Mixed Polynuclear Complexes. <i>Inorganic Chemistry</i> , 2016, 55, 12158-12171.	1.9	39
38	Magnetic anisotropy of transition metal and lanthanide ions in pentagonal bipyramidal geometry. <i>Chemical Society Reviews</i> , 2022, 51, 3280-3313.	18.7	38
39	A Robust Nanoporous Supramolecular Metal-Organic Framework Based on Ionic Hydrogen Bonds. <i>Chemistry - A European Journal</i> , 2014, 20, 11690-11694.	1.7	36
40	Developing the Kharasch Reaction in Aqueous Media: Dinuclear Group 8 and 9 Catalysts Containing the Bridging Cage Ligand Tris(1,2-dimethylhydrazino)diphosphane. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 786-794.	1.0	35
41	Self-assembly of fullerene-rich nanostructures with a stannoxane core. <i>Chemical Communications</i> , 2007, , 516-518.	2.2	34
42	Hexasilylated Total Carbomer of Benzene. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4337-4341.	7.2	34
43	Di- and Triheteronuclear Cu <sup>II</sup> Gd and Cu <sup>II</sup> Gd <sup>III</sup> Cu Complexes with Dissymmetric Double Bridge. <i>Inorganic Chemistry</i> , 2008, 47, 6444-6451.	1.9	34
44	Dissimilar supramolecular organization for the heterotrimetallic assemblage [LnNiLn]{W(CN) <sub>8</sub> } with Ln=Y and La (L=Schiff-base derivative). <i>Comptes Rendus Chimie</i> , 2008, 11, 1200-1206.	0.2	33
45	Synthesis and Photophysical Properties of Copper(I) Complexes Obtained from 1,10-Phenanthroline Ligands with Increasingly Bulky 2,9-Substituents. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 164-173.	1.0	33
46	Carbene-Stabilized Phosphenium Oxides and Sulfides. <i>Chemistry - A European Journal</i> , 2012, 18, 16153-16160.	1.7	33
47	On the Coordinating Limit of NHC-Phosphenium Cations toward Rh <sup>I</sup> Centers. <i>Chemistry - A European Journal</i> , 2012, 18, 7705-7714.	1.7	33
48	Efficient Phosphorus Catalysts for the Halogen-Exchange (Halex) Reaction. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 2677-2682.	2.1	32
49	Charge Effects in PCP Pincer Complexes of Ni <sup>II</sup> bearing Phosphinite and Imidazol(i)phosphine Coordinating Jaws: From Synthesis to Catalysis through Bonding Analysis. <i>Chemistry - A European Journal</i> , 2015, 21, 17403-17414.	1.7	32
50	Concomitant emergence of circularly polarized luminescence and single-molecule magnet behavior in chiral-at-metal Dy complex. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 4527-4534.	3.0	32
51	Thiazolyl Phosphine Ligands for Copper-Catalyzed Arylation and Vinylation of Nucleophiles in Organic and Aqueous Media. <i>Organometallics</i> , 2008, 27, 5733-5736.	1.1	30
52	Tuning of the Emission Efficiency and HOMO-LUMO Band Gap for Ester-Functionalized {Al(salophen)(H <sub>2</sub> O) <sub>2</sub> } <sup>+</sup> Blue Luminophors. <i>Inorganic Chemistry</i> , 2012, 51, 1309-1318.	1.9	30
53	Modular Assembling of [Zr(C <sub>2</sub> O <sub>4</sub> ) <sub>4</sub> ] <sup>4-</sup> and [DabcoH <sub>2</sub> ] <sup>2+</sup> Units in Supramolecular Hybrid Architectures Including an Open Framework with Reversible Sorption Properties (Dabco =) Tj ETQq1 1 0.784314 rgB7 /Overlo 2k 10 Tf 50	1.1	29
54	Atropochiral (C,C)-chelating NHC-ylide ligands: synthesis and resolution of palladium(ii) complexes thereof. <i>Dalton Transactions</i> , 2009, , 7196.	1.6	29

#	ARTICLE	IF	CITATIONS
55	Synthesis, Characterization and Combined Superoxide Dismutase and Catalase Activities of Manganese Complexes of 1,4-Bis(salicylideneamino)butane. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 965-974.	1.0	28
56	From Heptacoordinated Cr <sup>III</sup> Complexes with Cyanide or Isothiocyanate Apical Groups to 1D Heterometallic Assemblages with All-Pentagonal Bipyramid Coordination Geometries. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 340-348.	1.0	28
57	Synthesis, Structural Characterization, and Magnetic Properties of a Copper-Gadolinium Complex Derived from a Hydroxybenzohydrazide Ligand. <i>Inorganic Chemistry</i> , 2014, 53, 2181-2187.	1.9	27
58	Bidentate Iminophosphorane-NHC Ligand Derived from the Imidazo[1,5-a]pyridin-3-ylidene Scaffold. <i>Organometallics</i> , 2018, 37, 4726-4735.	1.1	26
59	Promoting Role of [PtI <sub>2</sub> (CO)] <sub>2</sub> in the Iridium-Catalyzed Methanol Carbonylation to Acetic Acid and Its Interaction with Involved Iridium Species. <i>Organometallics</i> , 2006, 25, 5894-5905.	1.1	25
60	The Intricate Assembling of gem-Diphenylpropargylic Units. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 5144-5156.	1.2	25
61	First magnets based on thiocyanato-bridges. <i>Chemical Communications</i> , 2012, 48, 10028.	2.2	25
62	First binuclear Cr(III)-Mn(III) oxalato-bridged complexes: Synthesis, crystal structures and magnetic properties. <i>Polyhedron</i> , 2009, 28, 1688-1693.	1.0	24
63	Exploring structural effects of levoglucosenone derived chiral auxiliaries in asymmetric Diels-Alder cycloadditions. <i>Tetrahedron</i> , 2007, 63, 241-251.	1.0	23
64	Palladium pincer complexes of a C-C-C-NHC, diphosphonium bis(ylide) ligand. <i>Dalton Transactions</i> , 2019, 48, 1709-1721.	1.6	23
65	A ferromagnetic Ni-Cr single-chain magnet based on pentagonal bipyramidal building units. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 1503-1511.	3.0	23
66	Cationic PCP and PCN NHC Core Pincer-Type Mn(I) Complexes: From Synthesis to Catalysis. <i>Organometallics</i> , 2021, 40, 231-241.	1.1	23
67	Driving the Assembling of Zirconium Tetraoxalate Metallotectons and Benzimidazolium Cations: From Three Dimensional Hydrogen-Bonded Compact Architectures to Open-Frameworks. <i>Crystal Growth and Design</i> , 2010, 10, 4906-4919.	1.4	22
68	Organotin chemistry for the preparation of fullerene-rich nanostructures. <i>Journal of Materials Chemistry</i> , 2008, 18, 1547.	6.7	21
69	Substantial exchange coupling for {Mo-NCS-M} combination: illustration for 1-D [Mo(NCS) <sub>6</sub> {NiL <sub>2</sub> (NCS)} <sub>n</sub> . <i>Chemical Communications</i> , 2010, 46, 7519.	2.2	21
70	Self-Assembly of Zr(C <sub>2</sub> O <sub>4</sub> ) <sub>4</sub> Metallotectons and Bisimidazolium Cations: Influence of the Dication on H-Bonded Framework Dimensionality and Material Potential Porosity. <i>Crystal Growth and Design</i> , 2011, 11, 5424-5433.	1.4	21
71	[K <sub>2</sub> Mn <sub>5</sub> {Mo(CN) <sub>7</sub> } <sub>3</sub> ]: an open framework magnet with four Tc conversions orchestrated by guests and thermal history. <i>New Journal of Chemistry</i> , 2011, 35, 1211.	1.4	21
72	Does the Sign of the Cu-Gd Magnetic Interaction Depend on the Number of Atoms in the Bridge?. <i>Chemistry - A European Journal</i> , 2016, 22, 2171-2180.	1.7	21

#	ARTICLE	IF	CITATIONS
73	An efficient synthesis combining phosphorus dendrimers and 15-membered triolefinic azamacrocycles: towards the stabilization of platinum nanoparticles. <i>New Journal of Chemistry</i> , 2010, 34, 547.	1.4	20
74	Diversified Strategies for the Synthesis of Bifunctional Dendrimeric Structures. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 5414-5422.	1.2	20
75	Imination reactions of free and coordinated 2-diphenylphosphino-1-phenyl-phospholane: Access to regioisomeric ruthenium(ii) complexes containing novel iminophosphorane phosphine ligands. <i>New Journal of Chemistry</i> , 2006, 30, 1295-1306.	1.4	19
76	Mononuclear Cu and dinuclear Cu–Ln complexes of benzimidazole based ligands including N and O donors: Syntheses, characterization, X-ray molecular structures and magnetic properties. <i>Polyhedron</i> , 2010, 29, 2111-2119.	1.0	19
77	NHC Core Phosphonium Ylide-based Palladium(II) Pincer Complexes: The Second Ylide Extremity Makes the Difference. <i>Inorganic Chemistry</i> , 2020, 59, 7082-7096.	1.9	19
78	Quasilinear 3d-metal complexes [KM(N(Dipp)SiR <sub>3</sub> ) <sub>2</sub> ] (M = Cr–Co) structural diversity, solution state behaviour and reactivity. <i>Dalton Transactions</i> , 2021, 50, 4890-4903.	1.6	19
79	Varying the metal/metal ratio in related Cu–Ca complexes. <i>Polyhedron</i> , 2007, 26, 4209-4215.	1.0	18
80	Oligomeric and polymeric organizations of potassium salts with compartmental Schiff-base complexes as ligands. <i>CrystEngComm</i> , 2011, 13, 5908.	1.3	18
81	1,4-Dialkynylbutatrienes: Synthesis, Stability, and Perspectives in the Chemistry of Carbo-Benzenes. <i>Chemistry - A European Journal</i> , 2011, 17, 5086-5100.	1.7	18
82	P-oxidation of gem-dicationic phosphines. <i>RSC Advances</i> , 2013, 3, 20391.	1.7	18
83	Binuclear CuLn complexes (LnIII= Gd, Tb, Dy) of alcohol-functionalized bicompartamental Schiff-base ligand. Hydrogen bonding and magnetic behaviors. <i>Inorganica Chimica Acta</i> , 2016, 439, 24-29.	1.2	18
84	Direct Access to Palladium(II) Complexes Based on Anionic C–C–C-Phosphonium Ylide Core Pincer Ligand. <i>Inorganic Chemistry</i> , 2021, 60, 12116-12128.	1.9	18
85	Stereoselective double addition of chiral alkynyl-zincs to cobalt-stabilized acetylenedicarbonyl aldehyde. <i>Tetrahedron Letters</i> , 2006, 47, 1047-1050.	0.7	17
86	Fullerene Derivatives Functionalized with Diethylamino-Substituted Conjugated Oligomers: Synthesis and Photoinduced Electron Transfer. <i>Chemistry - A European Journal</i> , 2009, 15, 8825-8833.	1.7	17
87	Co-crystallization of coordination compounds through second-coordination sphere interactions. <i>CrystEngComm</i> , 2011, 13, 3756.	1.3	17
88	3 vs. 4-Hydroxido Bridges Peripheral Function Controls the Nuclearity of Hydroxido-Bridged Copper(II) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 5729-5740.	1.0	16
89	Hydrogen-Bonded Open Framework with Pyridyl-Decorated Channels: Straightforward Preparation and Insight into Its Affinity for Acidic Molecules in Solution. <i>Chemistry - A European Journal</i> , 2017, 23, 11818-11826.	1.7	16
90	Copper(I) complexes of chelating imidazolo- and imidazolio-diphosphines. <i>Journal of Organometallic Chemistry</i> , 2015, 776, 149-152.	0.8	15

#	ARTICLE	IF	CITATIONS
91	Bis-Compartmental Schiff-Base with Peripheral Ester Functionalization: Synthesis and Magnetic Behavior of Bimetallic Zn-Ln Complexes (Ln = Dy, Tb, Gd). <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 4988-4995.	1.0	15
92	Phosphine-NHC Manganese Hydrogenation Catalyst Exhibiting a Non-Classical Metal-Ligand Cooperative H <sub>2</sub> Activation Mode. <i>Angewandte Chemie</i> , 2019, 131, 6799-6803.	1.6	15
93	Structure and Properties of Dinuclear Manganese(III) Complexes with Pentaanionic Pentadentate Ligands Including Alkoxo, Amido, and Phenoxo Donors. <i>Inorganic Chemistry</i> , 2007, 46, 6902-6910.	1.9	14
94	Versatile Pd-Catalyzed C-H Oxidative Cyclization of Homoallylhydrazones to Pyrazolines and Tetrahydropyridazines. <i>ChemCatChem</i> , 2013, 5, 3014-3021.	1.8	14
95	Role of the kinetic template effect in the syntheses of non symmetric Schiff base complexes. <i>Polyhedron</i> , 2013, 52, 1065-1072.	1.0	14
96	Extended H-bond networks based on guanidinium H-donors and [Zr(A) <sub>4</sub> ] <sup>4+</sup> H-acceptor units: modulation of the assemblage and guest accessible volume by chemical design (A = oxalate,). <i>Tetrahedron</i> , 2017, 73, 5053-5064.	1.0	14
97	Ethionamide biomimetic activation and an unprecedented mechanism for its conversion into active and non-active metabolites. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 8848-8858.	1.5	14
98	Steric/Electronic Insulation of the carbonyl Benzene Ring: Dramatic Effects of tert-Butyl versus Phenyl Crowns on Geometric, Chromophoric, Redox, and Magnetic Properties. <i>Chemistry - A European Journal</i> , 2018, 24, 10699-10710.	1.7	14
99	Molybdenum(III) Thiocyanate- and Selenocyanate-Based One-Dimensional Heteronuclear Polymers: Coordination Affinity-Controlled Assemblage of Mixed Spin and Mixed Valence Derivatives with Ni(II) and Co(II/III). <i>Inorganic Chemistry</i> , 2020, 59, 7603-7613.	1.9	14
100	Bis-Ylide Ligands from Acyclic Proximal Diphosphonium Precursors. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4057-4064.	1.0	13
101	Structural determinations of carbamate-bridging ligands derived from atmospheric CO <sub>2</sub> in d <sup>4</sup> complexes. <i>Polyhedron</i> , 2015, 89, 213-218.	1.0	13
102	Lipidic Carbo-benzenes: Molecular Probes of Magnetic Anisotropy and Stacking Properties of 1,2-Graphyne. <i>Journal of Organic Chemistry</i> , 2017, 82, 925-935.	1.7	13
103	Synthesis and Stereochemical Assignments of cis- and trans-1-Amino-4-ethylcyclohexa-2,5-diene as Models for Amiclenomycin. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 736-744.	1.2	12
104	An unprecedented co-crystal including a cis-high-spin and a trans-low-spin FeII complex molecule. <i>Chemical Communications</i> , 2007, , 5223.	2.2	12
105	Vicinal diphosphoniums: electrostatic repulsion under covalent constraint. <i>Dalton Transactions</i> , 2009, , 8493.	1.6	12
106	Synthesis and Crystal Structures of Various Phases of the Microporous Three-Dimensional Coordination Polymer [Zr(OH) <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>2</sub> ] <sub>n</sub> . <i>Crystal Growth and Design</i> , 2013, 13, 5100-5106.	1.4	12
107	From N-sulfonyl,C-homoallyl-hydrazones to pyrazole and pyridazine (N <sub>2</sub> )-heterocycles: the ultimate aromatization process. <i>Tetrahedron</i> , 2014, 70, 4957-4968.	1.0	12
108	Use of azido ligands in the syntheses of different homo- and hetero-complexes. <i>Polyhedron</i> , 2016, 111, 101-108.	1.0	12

#	ARTICLE	IF	CITATIONS
109	Reactions of a series of ZnL, CuL and NiL Schiff base and non-Schiff base complexes with $MCl_2$ salts (M = Cu, Ni, Mn): syntheses, structures, magnetic properties and DFT calculations. <i>New Journal of Chemistry</i> , 2018, 42, 3683-3691.	1.4	12
110	Syntheses, Structures, and Magnetic Properties of Symmetric and Dissymmetric Ester-Functionalized Schiff Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 66-73.	1.0	12
111	Structure and bonding in a cyclobutyl tris(pyrazolyl)boratoniobium complex and the variation in agostic behaviour with ring size in the series $TpMe_2NbCl(c-C_nH_{2n-1})(MeCMe)_2$ , n = 3-6. <i>Dalton Transactions</i> , 2006, , 2362-2367.	1.6	11
112	Structure and Properties of Copper(II), Manganese(III), and Iron(III) Complexes with Potentially Pentaanionic Heptadentate Ligands Including Alkoxido, Amido, and Phenoxido Donors. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 5483-5493.	1.0	11
113	N-Cyclopropenyl-imidazol-2-ylidene: An N-heterocyclic carbene bearing an N-cationic substituent. <i>Chemical Communications</i> , 2020, 56, 3305-3308.	2.2	11
114	Self assembly of a Fe(III) complex with octacyano metallates $[M(CN)_8]^{4-}$ (L=pentadentate). <i>Inorganic Chemistry</i> , 2011, 50, 372, 403-406.	1.2	10
115	3D and 2D supramolecular assemblies and thermotropic behaviour of a carbo-benzenic mesogen. <i>Chemical Communications</i> , 2017, 53, 5902-5905.	2.2	10
116	Synthesis of functionalized dipyrrolyldiketones, precursors of quinoxaline-containing macrocycles. <i>Tetrahedron Letters</i> , 2004, 45, 7363-7365.	0.7	9
117	( $\eta^6$ -Arene)tricarbonylchromium and Ferrocene Complexes Linked to Binaphthyl Derivatives. <i>Organometallics</i> , 2007, 26, 6139-6149.	1.1	9
118	Ground State Electronic Interactions in Macrocyclic Fullerene Bis-Adducts Functionalized with Bridging Conjugated Oligomers. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 5779-5787.	1.2	9
119	$K_2Re(NCS)_6$ : A weak ferromagnet. <i>Comptes Rendus Chimie</i> , 2012, 15, 924-928.	0.2	9
120	Electrostatic Control of $Pd^{2+}$ Ag+ Transmetalation of a Bis-Imidazoliophosphine Ligand. <i>Organometallics</i> , 2013, 32, 4054-4057.	1.1	9
121	An Ionic Dysprosium Complex Made of a Hexanuclear $Dy_6$ Cationic Cluster and a Mononuclear Dy Anionic Unit. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 4745-4749.	1.0	9
122	Phosphenium Versus Pro-Phosphide Character of P-tert-butyl-dicyclopropenylphosphine: Zwitterionic Palladate Complexes of a Dicationic Phosphido Ligand. <i>Inorganic Chemistry</i> , 2016, 55, 11018-11027.	1.9	9
123	Methinylogation Approach in Chiral Pharmacophore Design: from Alkynyl to Allenyl-carbinol Warheads against Tumor Cells. <i>ChemMedChem</i> , 2018, 13, 1711-1722.	1.6	9
124	Effects of the Exchange Coupling on Dynamic Properties in a Series of CoGdCo Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 756-768.	1.9	9
125	Trinuclear Cyanido-Bridged $[Cr_2Fe]$ Complexes: To Be or not to Be a Single-Molecule Magnet, a Matter of Straightness. <i>Chemistry - A European Journal</i> , 2021, 27, 15484-15495.	1.7	9
126	Diverse C-Coordination Modes of NHC-Tricyclohexylphosphonium Ylide Ligands in Palladium(II) Complexes. <i>Organometallics</i> , 2022, 41, 456-466.	1.1	9



#	ARTICLE	IF	CITATIONS
127	Design of neutral, mono- or di-cationic water-soluble trihydrazidophosphoradamantanes. <i>Tetrahedron Letters</i> , 2006, 47, 2687-2690.	0.7	8
128	Antiferromagnetic Cu <sup>II</sup> -Gd interactions through an oxime bridge. <i>Dalton Transactions</i> , 2014, 43, 11388-11396.	1.6	8
129	On the Theme of Amidiniophosphines: Synthesis and Reactivity of Benzo-, Diimidazolo-Tris-Annulated P-Aminodiazaphosphines. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 789-802.	0.8	8
130	Hydrogen-bonded supramolecular architectures based on [Zr(C <sub>2</sub> O <sub>4</sub> ) <sub>4</sub> ] <sup>4+</sup> anion and protonated polyamine cations. <i>CrystEngComm</i> , 2017, 19, 1633-1642.	1.3	8
131	Can novel dinuclear Ni <sup>II</sup> -Gd complexes give supplementary information on the Ni <sup>II</sup> -Gd magnetic interaction?. <i>Polyhedron</i> , 2015, 96, 51-56.	1.0	7
132	Supramolecular open-framework architectures based on dicarboxylate H-bond acceptors and polytopic cations with three/four N <sup>H</sup> <sup>+</sup> donor units. <i>CrystEngComm</i> , 2015, 17, 8906-8914.	1.3	7
133	<i>Carbo</i> -biphenyls and <i>Carbo</i> -terphenyls: Oligo(phenylene ethynylene) Ring <i>Carbo</i> -mers. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 5640-5644.	7.2	7
134	Versatile reactivity of 3-chloro-2-phenyl-isoindole-1-carbaldehyde: hydrolysis and alkylating rearrangement to 1-amino-4-isochromanones. <i>Tetrahedron</i> , 2012, 68, 6908-6913.	1.0	6
135	Synthesis, characterization, and reactivity studies of a water-soluble bis(alkoxo)(carboxylato)-bridged diMn <sup>III</sup> complex modeling the active site in catalase. <i>Dalton Transactions</i> , 2014, 43, 17145-17155.	1.6	6
136	A Push-Pull Pd <sup>II</sup> Complex with a Ternary Pd <sup>II</sup> -C <sup>+</sup> Accepting End and a Key N-Heterocyclic Carbene-Imidazolophosphine Ligand. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 313-321.	1.0	6
137	Core carbo-mer of an Extended Tetrathiafulvalene: Redox-Controlled Reversible Conversion to a carbo-benzenic Dication. <i>Chemistry - A European Journal</i> , 2020, 26, 10707-10711.	1.7	6
138	An Efficient and Easy Synthesis of Tetrasubstituted 2,2',6',6'-Terpyridines. <i>Synthetic Communications</i> , 2012, 42, 2763-2771.	1.1	5
139	Thiazoyl phosphines. Design, reactivity, and complexation. <i>Dalton Transactions</i> , 2016, 45, 9695-9703.	1.6	5
140	The Forgotten Nitroaromatic Phosphines as Weakly Donating Ligands: An <i>N</i> -arylbenzimidazolyl Series in RhCl(CO) Complexes. <i>Chemistry - an Asian Journal</i> , 2017, 12, 2845-2856.	1.7	5
141	Efficient synthesis and solid state analysis of 3-(1H-pyrrol-2-yl)quinoxalin-2(1H)-one and 2-(1H-pyrrol-2-yl)-1H-benzo[d]imidazole from pyrrolo-2-ylglyoxyl acid. <i>Tetrahedron Letters</i> , 2008, 49, 3749-3751.	0.7	4
142	A new cyanido-bridged [C <sub>2</sub> ( $\frac{1}{4}$ -NC) <sub>2</sub> MoIV(CN) <sub>6</sub> ] pentanuclear complex (L <sub>2</sub> '=bicompartamental) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf Chemistry</i> , 2011, 64, 93-104.	0.8	4
143	Further Insights into the Oxidative Pathway of Thiocarbonyl-Type Antitubercular Prodrugs: Ethionamide, Thioacetazone, and Isoxyl. <i>Chemical Research in Toxicology</i> , 2021, 34, 1879-1889.	1.7	4
144	On the peculiar reactivity of a C,N-annulated isoindole core. <i>Turkish Journal of Chemistry</i> , 2014, 38, 121-126.	0.5	3

#	ARTICLE	IF	CITATIONS
145	First Evidence of 1,3-Bis-indolylallenes: Generation by a Sequential Double Nucleophilic Process from Yrones. <i>Synthetic Communications</i> , 2015, 45, 253-261.	1.1	3
146	<i>Carbo</i> -biphenyls and <i>Carbo</i> -terphenyls: Oligo(phenylene ethynylene) Ring <i>Carbo</i> -mers. <i>Angewandte Chemie</i> , 2018, 130, 5742-5746.	1.6	3
147	[KCl <sub>3</sub> {H <sub>2</sub> dabco}]: A Unique 3-D Charge-Assisted Hydrogen-Bonded Hybrid Network of Anionic KCl <sub>3</sub> Chains and Organic Cations. <i>Journal of Chemical Crystallography</i> , 2009, 39, 225-227.	0.5	2
148	Synthesis, X-ray crystal structures, optical properties and modelling data of neutral bis(1,2-dithiolene) nickel complexes of the $\alpha$ -enon-cyclic SR-family. <i>New Journal of Chemistry</i> , 2012, 36, 2033.	1.4	2
149	Selective access to <i>p</i> -dialkyl- <i>carbo</i> -benzenes from a [6]pericyclinedione: the <i>n</i> -butyl nucleophile model for a metal switch study. <i>Canadian Journal of Chemistry</i> , 2017, 95, 454-459.	0.6	2
150	Role of the kinetic template effect in the preparation of an original copper complex. <i>Polyhedron</i> , 2018, 153, 158-162.	1.0	2
151	Expanding the <i>carbo</i> -Benzene Chemical Space for Electron-Accepting Ability: Trifluorotolyl/Tertibutyl Substitution Balance. <i>Helvetica Chimica Acta</i> , 2019, 102, e1900049.	1.0	2
152	Cyclopropenylidene phosphoranes: Rearrangement to Azetidinyldene-Methylphosphoniums. <i>Journal of Organic Chemistry</i> , 2020, 85, 7452-7458.	1.7	2
153	Linear and nonlinear optical properties of a quadrupolar <i>carbo</i> -benzene and its benzenic parent: The <i>carbo</i> -merization effect. <i>Dyes and Pigments</i> , 2021, 188, 109133.	2.0	2
154	<i>Carbo</i> -mer of Barrelene: A Rigid 3D-Carbon-Expanded Molecular Barrel. <i>Chemistry - A European Journal</i> , 2021, 27, 9286-9291.	1.7	2
155	Structural determinations and magnetic properties of a chiral at metal-complex and its resulting [Cu <sup>II</sup> Ln] <sub>2</sub> compounds. <i>Dalton Transactions</i> , 2022, 51, 2805-2814.	1.6	2
156	Synthesis and characterization of dendritic structures incorporating phosphorus, sulfur, and silicon. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2016, 191, 411-416.	0.8	1
157	Reactivity vs. Stability of Cyclopropenium Substituted Phosphonium Salts. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 3982-3989.	1.0	1
158	Discrete versus 1D compounds based on pentagonal bipyramid coordination geometries: a matter of solubility?. <i>European Journal of Inorganic Chemistry</i> , 0, , .	1.0	1
159	Cu-Ln complexes involving non-symmetrical ligands able to introduce asymmetric centres in the vicinity of Ln ions. <i>Polyhedron</i> , 2022, 224, 116015.	1.0	1
160	Inside Cover: On the P-Coordinating Limit of NHC-Phosphenium Cations toward RhCenters (Chem. Eur.) Tj ETQq0 Q.0 rgBT /Qoverlock 10	1.0	0
161	Tri- and pentanuclear NCS-bridged [M <sub>3</sub> Ln <sub>2</sub> Cu <sub>2</sub> ] cluster compounds: Crystal structures and magnetic properties. <i>Polyhedron</i> , 2013, 65, 136-140.	1.0	0
162	The search for formal electrostatic effects on molecular conformation and crystal packing: crystal structure of 2,2'-disubstituted (HversusPPh <sub>2</sub> ) 1,1'-(1,2-phenylene)bis(3-methyl-1H-imidazol-3-ium) bis(trifluoromethanesulfonate). <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 198-202.	0.2	0

#	ARTICLE	IF	CITATIONS
163	A Push-Pull PdIIComplex with a Ternary Pd-P-C+Accepting End and a Key N-Heterocyclic Carbene-Imidazolophosphine Ligand. European Journal of Inorganic Chemistry, 2016, 2016, 295-295.	1.0	0