Hakan Urey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11241146/publications.pdf

Version: 2024-02-01

| | 471509 | 345221 |
|----------------|--------------|-----------------------------------|
| 1,351 | 17 | 36 |
| citations | h-index | g-index |
| | | |
| | | |
| 57 | 57 | 1087 |
| 37 | 37 | 1007 |
| docs citations | times ranked | citing authors |
| | | |
| | citations 57 | 1,351 17 citations h-index 57 57 |

| # | Article | IF | CITATIONS |
|----------------------|--|-------------------|---|
| 1 | Broadband Enhancement of Faraday Effect Using Magnetoplasmonic Metasurfaces. Plasmonics, 2021, 16, 521-531. | 3.4 | 4 |
| 2 | Applications of augmented reality in ophthalmology [Invited]. Biomedical Optics Express, 2021, 12, 511. | 2.9 | 28 |
| 3 | Pupil steering holographic display for pre-operative vision screening of cataracts. Biomedical Optics Express, 2021, 12, 7752. | 2.9 | 7 |
| 4 | Advanced Materials and Device Architectures for Magnetooptical Spatial Light Modulators. Advanced Optical Materials, 2020, 8, 1901381. | 7. 3 | 12 |
| 5 | Intrinsic Auricular Muscle Zone Stimulation Improves Walking Parameters of Parkinson's Patients Faster Than Levodopa in the Motion Capture Analysis: A Pilot Study. Frontiers in Neurology, 2020, 11, 546123. | 2.4 | 6 |
| 6 | Foveated near-eye display using computational holography. Scientific Reports, 2020, 10, 14905. | 3.3 | 20 |
| 7 | Visual acuity response when using the 3D head-up display in the presence of an accommodation-convergence conflict. Journal of Information Display, 2020, 21, 93-101. | 4.0 | 3 |
| 8 | RGB Magnetophotonic Crystals for High-contrast Magnetooptical Spatial Light Modulators. Scientific Reports, 2019, 9, 644. | 3.3 | 21 |
| 9 | Label-free detection of nanoparticles using depth scanning correlation interferometric microscopy. Scientific Reports, 2019, 9, 9012. | 3.3 | 7 |
| | Ocionalia Reporte, 2013, 3, 3012. | | |
| 10 | Next Generation Augmented Reality Displays. , 2018, , . | | 4 |
| 10 | | 3.4 | 6 |
| | Next Generation Augmented Reality Displays. , 2018, , . Scanning fiber microdisplay: design, implementation, and comparison to MEMS mirror-based scanning | 3.4 | |
| 11 | Next Generation Augmented Reality Displays., 2018,,. Scanning fiber microdisplay: design, implementation, and comparison to MEMS mirror-based scanning displays. Optics Express, 2018, 26, 5576. Integrated 3D display and imaging using dual purpose passive screen and head-mounted projectors and | | 6 |
| 11 12 | Next Generation Augmented Reality Displays., 2018,,. Scanning fiber microdisplay: design, implementation, and comparison to MEMS mirror-based scanning displays. Optics Express, 2018, 26, 5576. Integrated 3D display and imaging using dual purpose passive screen and head-mounted projectors and camera. Optics Express, 2018, 26, 1161. Label-Free and High-Throughput Detection of Biomolecular Interactions Using a Flatbed Scanner | 3.4 | 5 |
| 11 12 13 | Next Generation Augmented Reality Displays. , 2018, , . Scanning fiber microdisplay: design, implementation, and comparison to MEMS mirror-based scanning displays. Optics Express, 2018, 26, 5576. Integrated 3D display and imaging using dual purpose passive screen and head-mounted projectors and camera. Optics Express, 2018, 26, 1161. Label-Free and High-Throughput Detection of Biomolecular Interactions Using a Flatbed Scanner Biosensor. ACS Sensors, 2017, 2, 1424-1429. Coagulation measurement from whole blood using vibrating optical fiber in a disposable cartridge. | 3.4 7.8 | 657 |
| 11 12 13 | Next Generation Augmented Reality Displays., 2018,,. Scanning fiber microdisplay: design, implementation, and comparison to MEMS mirror-based scanning displays. Optics Express, 2018, 26, 5576. Integrated 3D display and imaging using dual purpose passive screen and head-mounted projectors and camera. Optics Express, 2018, 26, 1161. Label-Free and High-Throughput Detection of Biomolecular Interactions Using a Flatbed Scanner Biosensor. ACS Sensors, 2017, 2, 1424-1429. Coagulation measurement from whole blood using vibrating optical fiber in a disposable cartridge. Journal of Biomedical Optics, 2017, 22, 1. A Prism-Based Optical Readout Method for MEMS Bimaterial Infrared Sensors. IEEE Photonics | 3.4 7.8 2.6 | 6 5 7 2 |
| 11 12 13 14 | Next Generation Augmented Reality Displays. , 2018, , . Scanning fiber microdisplay: design, implementation, and comparison to MEMS mirror-based scanning displays. Optics Express, 2018, 26, 5576. Integrated 3D display and imaging using dual purpose passive screen and head-mounted projectors and camera. Optics Express, 2018, 26, 1161. Label-Free and High-Throughput Detection of Biomolecular Interactions Using a Flatbed Scanner Biosensor. ACS Sensors, 2017, 2, 1424-1429. Coagulation measurement from whole blood using vibrating optical fiber in a disposable cartridge. Journal of Biomedical Optics, 2017, 22, 1. A Prism-Based Optical Readout Method for MEMS Bimaterial Infrared Sensors. IEEE Photonics Technology Letters, 2016, 28, 1866-1869. | 3.4 7.8 2.6 | 6 5 7 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Head-mounted mixed reality projection display for games production and entertainment. Personal and Ubiquitous Computing, 2015, 19, 509-521. | 2.8 | 21 |
| 20 | A 35- <inline-formula><tex-math>\${mu} hbox{m}\$</tex-math></inline-formula> Pitch IR Thermo-Mechanical MEMS Sensor With AC-Coupled Optical Readout. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 87-92. | 2.9 | 9 |
| 21 | Wave optics analysis of corner-cube retro-reflectors in near-to-eye displays based on scanning laser projectors. Proceedings of SPIE, 2015, , . | 0.8 | 0 |
| 22 | See-Through Head-Worn Display (HWD) Architectures., 2015,, 1-32. | | 1 |
| 23 | Super stereoscopy 3D glasses for more realistic 3D vision. , 2014, , . | | 0 |
| 24 | Pâ€187L: <i>Lateâ€News Poster</i> : Improved 3D with Super Stereoscopy Technique. Digest of Technical Papers SID International Symposium, 2014, 45, 1067-1069. | 0.3 | 1 |
| 25 | Resonant PZT MEMS scanners with integrated angle sensors. , 2014, , . | | 2 |
| 26 | MEMS Laser Scanners: A Review. Journal of Microelectromechanical Systems, 2014, 23, 259-275. | 2.5 | 365 |
| 27 | Fabrication of 1D ZnO nanostructures on MEMS cantilever for VOC sensor application. Sensors and Actuators B: Chemical, 2014, 202, 357-364. | 7.8 | 83 |
| 28 | Transmission characteristics of a bidirectional transparent screen based on reflective microlenses. Optics Express, 2013, 21, 24636. | 3.4 | 27 |
| 29 | Paper No 15.2: Head-Tracked Retroreflecting 3D Display. Digest of Technical Papers SID International Symposium, 2013, 44, 247-250. | 0.3 | 0 |
| 30 | Resonant PZT MEMS Scanner for High-Resolution Displays. Journal of Microelectromechanical Systems, 2012, 21, 1303-1310. | 2.5 | 105 |
| 31 | Portable 3D Laser Projector Using Mixed Polarization Technique. Journal of Display Technology, 2012, 8, 582-589. | 1.2 | 12 |
| 32 | Linear-Stiffness Rotary MEMS Stage. Journal of Microelectromechanical Systems, 2012, 21, 514-516. | 2.5 | 5 |
| 33 | Lamellar-Grating-Based MEMS Fourier Transform Spectrometer. Journal of Microelectromechanical Systems, 2012, 21, 331-339. | 2.5 | 17 |
| 34 | A high-frequency comb-actuated resonant MEMS scanner for microdisplays., 2011,,. | | 7 |
| 35 | MEMS Fourier Transform Spectrometer. , 2011, , . | | 0 |
| 36 | Two-Dimensional MEMS Stage Integrated With Microlens Arrays for Laser Beam Steering. Journal of Microelectromechanical Systems, 2011, 20, 15-17. | 2.5 | 10 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | 48.4: Beam Forming for a Laser Based Autoâ€stereoscopic Multiâ€Viewer Display. Digest of Technical Papers SID International Symposium, 2011, 42, 702-705. | 0.3 | 2 |
| 38 | Light engine and optics for HELIUM3D auto-stereoscopic laser scanning display. , 2011, , . | | 3 |
| 39 | Comb-Actuated Resonant Torsional Microscanner With Mechanical Amplification. Journal of Microelectromechanical Systems, 2010, 19, 936-943. | 2.5 | 82 |
| 40 | Miniaturized FR4 spectrometers. , 2009, , . | | 0 |
| 41 | Optical characterization of micro and nanomechanical systems in two dimensions. Sensors and Actuators A: Physical, 2009, 156, 217-221. | 4.1 | 1 |
| 42 | Advanced imaging with dynamic focus and extended depth using integrated FR4 platform. Optics Express, 2009, 17, 17179. | 3.4 | 2 |
| 43 | FR4 Laser Scanner With Dynamic Focus. IEEE Photonics Technology Letters, 2009, 21, 233-235. | 2.5 | 14 |
| 44 | Self-oscillating FR4 laser scanner with integrated dynamic focus and extended imaging range. , 2009, , . | | 0 |
| 45 | Laser scanning based autostereoscopic 3D display with pupil tracking. , 2009, , . | | 4 |
| 46 | Electromagnetically Actuated FR4 Scanners. IEEE Photonics Technology Letters, 2008, 20, 30-32. | 2.5 | 39 |
| 47 | MOEMS thermal imaging camera. , 2008, , . | | 1 |
| 48 | Mechanically coupled comb drive MEMS stages. , 2008, , . | | 6 |
| 49 | NiFe Plated Biaxial Magnetostatic MEMS Scanner. , 2007, , . | | О |
| 50 | NiFe Plated Biaxial MEMS Scanner for 2-D Imaging. IEEE Photonics Technology Letters, 2007, 19, 330-332. | 2.5 | 32 |
| 51 | Two-Wavelength Grating Interferometry for MEMS Sensors. IEEE Photonics Technology Letters, 2007, 19, 1895-1897. | 2.5 | 20 |
| 52 | Polymer magnetic scanners for bar code applications. Sensors and Actuators A: Physical, 2007, 135, 236-243. | 4.1 | 61 |
| 53 | Modeling and characterization of comb-actuated resonant microscanners. Journal of Micromechanics and Microengineering, 2006, 16 , $9-16$. | 2.6 | 89 |
| 54 | Vibration mode frequency formulae for micromechanical scanners. Journal of Micromechanics and Microengineering, 2005, 15, 1713-1721. | 2.6 | 53 |

HAKAN UREY

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Microlens-array-based exit-pupil expander for full-color displays. Applied Optics, 2005, 44, 4930. | 2.1 | 58 |
| 56 | Spot size, depth-of-focus, and diffraction ring intensity formulas for truncated Gaussian beams. Applied Optics, 2004, 43, 620. | 2.1 | 82 |