

# Wei Lang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11241519/publications.pdf>

Version: 2024-02-01

88  
papers

7,459  
citations

87888

38  
h-index

53230

85  
g-index

88  
all docs

88  
docs citations

88  
times ranked

8635  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial. <i>Diabetes Care</i> , 2022, 45, 742-749.	8.6	10
2	Effects of vitamin D, omega-3 fatty acids, and a simple home strength exercise program on fall prevention: the DO-HEALTH randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1311-1321.	4.7	16
3	Prevalence of Physical Activity and Sedentary Behavior Patterns in Generally Healthy European Adults Aged 70 Years and Older—Baseline Results From the DO-HEALTH Clinical Trial. <i>Frontiers in Public Health</i> , 2022, 10, 810725.	2.7	7
4	Impact of weight loss with diet or diet plus physical activity on cardiac magnetic resonance imaging and cardiovascular disease risk factors: Heart Health Study randomized trial. <i>Obesity</i> , 2022, 30, 1039-1056.	3.0	7
5	Prevalence of polypharmacy in community-dwelling older adults from seven centres in five European countries: a cross-sectional study of DO-HEALTH. <i>BMJ Open</i> , 2022, 12, e051881.	1.9	11
6	Feasibility of Integration of Yoga in a Behavioral Weight Loss Intervention: A Randomized Trial. <i>Obesity</i> , 2021, 29, 512-520.	3.0	9
7	The BSCM score: a guideline for surgical decision-making for brainstem cavernous malformations. <i>Neurosurgical Review</i> , 2021, , 1.	2.4	5
8	Bariatric Surgery vs Lifestyle Intervention for Diabetes Treatment: 5-Year Outcomes From a Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 866-876.	3.6	89
9	Association of fitness and body fatness with left ventricular mass: The Heart Health Study. <i>Obesity Science and Practice</i> , 2020, 6, 19-27.	1.9	10
10	Association of Dance-Based Mind-Motor Activities With Falls and Physical Function Among Healthy Older Adults. <i>JAMA Network Open</i> , 2020, 3, e2017688.	5.9	41
11	Examining barriers, physical activity, and weight change among parents and nonparents in a weight loss intervention. <i>Obesity Science and Practice</i> , 2020, 6, 264-271.	1.9	6
12	Eating pathology and psychological outcomes in young adults in self-regulation interventions using daily self-weighing.. <i>Health Psychology</i> , 2019, 38, 143-150.	1.6	14
13	Pattern of Daily Steps is Associated with Weight Loss: Secondary Analysis from the StepUp Randomized Trial. <i>Obesity</i> , 2018, 26, 977-984.	3.0	14
14	Predictors of Dyslipidemia Over Time in Youth With Type 1 Diabetes: For the SEARCH for Diabetes in Youth Study. <i>Diabetes Care</i> , 2017, 40, 607-613.	8.6	35
15	Effects of a lifestyle intervention on REM sleep-related OSA severity in obese individuals with type 2 diabetes. <i>Journal of Sleep Research</i> , 2017, 26, 747-755.	3.2	24
16	High health satisfaction among emerging adults with diabetes: Factors predicting resilience.. <i>Health Psychology</i> , 2017, 36, 206-214.	1.6	14
17	Objective Estimates of Physical Activity and Sedentary Time among Young Adults. <i>Journal of Obesity</i> , 2017, 2017, 1-11.	2.7	28
18	Objectively-assessed physical activity and weight change in young adults: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 165.	4.6	12

#	ARTICLE	IF	CITATIONS
19	The effect of self-efficacy on behavior and weight in a behavioral weight-loss intervention.. Health Psychology, 2016, 35, 714-722.	1.6	54
20	Innovative Self-Regulation Strategies to Reduce Weight Gain in Young Adults. JAMA Internal Medicine, 2016, 176, 755.	5.1	83
21	Association of the magnitude of weight loss and changes in physical fitness with long-term cardiovascular disease outcomes in overweight or obese people with type 2 diabetes: a post-hoc analysis of the Look AHEAD randomised clinical trial. Lancet Diabetes and Endocrinology, the, 2016, 4, 913-921.	11.4	473
22	Physical Activity States of Preschool-Aged Latino Children in Farmworker Families: Predictive Factors and Relationship With BMI Percentile. Journal of Physical Activity and Health, 2016, 13, 726-732.	2.0	9
23	Racial Differences in Weight Loss Among Adults in a Behavioral Weight Loss Intervention: Role of Diet and Physical Activity. Journal of Physical Activity and Health, 2015, 12, 1558-1566.	2.0	31
24	Improving Adiponectin Levels in Individuals With Diabetes and Obesity: Insights From Look AHEAD. Diabetes Care, 2015, 38, 1544-1550.	8.6	25
25	Older Adults's Use of Care Strategies in Response to General and Upper Respiratory Symptoms. Journal of Applied Gerontology, 2015, 34, NP41-NP61.	2.0	0
26	Use of Complementary Therapies for Health Promotion Among Older Adults. Journal of Applied Gerontology, 2015, 34, 552-572.	2.0	20
27	Time-Based Physical Activity Interventions for Weight Loss. Medicine and Science in Sports and Exercise, 2015, 47, 1061-1069.	0.4	10
28	Three-Year Outcomes of Bariatric Surgery vs Lifestyle Intervention for Type 2 Diabetes Mellitus Treatment. JAMA Surgery, 2015, 150, 931.	4.3	306
29	Work safety climate, personal protection use, and injuries among Latino residential roofers. American Journal of Industrial Medicine, 2015, 58, 69-76.	2.1	23
30	Surgical vs Medical Treatments for Type 2 Diabetes Mellitus. JAMA Surgery, 2014, 149, 707.	4.3	194
31	Physical Activity of Preschool-aged Latino Children in Farmworker Families. American Journal of Health Behavior, 2014, 38, 717-725.	1.4	17
32	Relationship Between Nonprescribed Therapy Use for Illness Prevention and Health Promotion and Health-Related Quality of Life. Journal of Applied Gerontology, 2014, 33, 456-473.	2.0	6
33	Self-Reported Sleep Difficulties and Self-Care Strategies Among Rural Older Adults. Journal of Evidence-Based Complementary & Alternative Medicine, 2014, 19, 36-42.	1.5	5
34	Impact of Intensive Lifestyle Intervention on Depression and Health-Related Quality of Life in Type 2 Diabetes: The Look AHEAD Trial. Diabetes Care, 2014, 37, 1544-1553.	8.6	178
35	Fiber Intake and Plasminogen Activator Inhibitor-1 in Type 2 Diabetes: Look AHEAD (Action for Health in Tj ETQq1 1 0.784314 rgBT /Qv 114, 1800-1810.e2.	0.8	9
36	Objective physical activity and weight loss in adults: The step-up randomized clinical trial. Obesity, 2014, 22, 2284-2292.	3.0	43

#	ARTICLE	IF	CITATIONS
37	Effect of varying accelerometry criteria on physical activity: The look ahead study. <i>Obesity</i> , 2013, 21, 32-44.	3.0	52
38	Four-Year Change in Cardiorespiratory Fitness and Influence on Glycemic Control in Adults With Type 2 Diabetes in a Randomized Trial. <i>Diabetes Care</i> , 2013, 36, 1297-1303.	8.6	59
39	Feasibility of Interactive Voice Response Methods in Health Behavior Research With Immigrant Latinos. <i>American Journal of Health Behavior</i> , 2013, 37, 238-247.	1.4	4
40	Patterns of Complementary Therapy Use for Symptom Management for Older Rural Adults With Diabetes. <i>Journal of Evidence-Based Complementary &amp; Alternative Medicine</i> , 2013, 18, 93-99.	1.5	3
41	Medical Skepticism and Complementary Therapy Use among Older Rural African-Americans and Whites. <i>Journal of Health Care for the Poor and Underserved</i> , 2013, 24, 777-787.	0.8	5
42	Effect of Varying Accelerometry Criteria on Physical Activity: The Look AHEAD Study. <i>Obesity</i> , 2013, 21, 32-44.	3.0	38
43	Older Adults's Self-Management of Daily Symptoms. <i>Journal of Aging and Health</i> , 2012, 24, 569-597.	1.7	21
44	Adiponectin and the mediation of HDL-cholesterol change with improved lifestyle: the Look AHEAD Study. <i>Journal of Lipid Research</i> , 2012, 53, 2726-2733.	4.2	33
45	The relationship between cognitive function and non-prescribed therapy use in older adults. <i>Aging and Mental Health</i> , 2012, 16, 648-658.	2.8	3
46	Daily Symptom Management Practices for Arthritis Used by Older Adults. <i>Journal of Aging and Health</i> , 2012, 24, 598-615.	1.7	8
47	Effect of a Stepped-Care Intervention Approach on Weight Loss in Adults. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 2617-26.	7.4	126
48	Employer Provision of Personal Protective Equipment to Latino Workers in North Carolina Residential Construction. <i>New Solutions</i> , 2012, 22, 175-190.	1.2	4
49	Occupational injury and work organization among immigrant Latino residential construction workers. <i>American Journal of Industrial Medicine</i> , 2012, 55, 698-706.	2.1	16
50	Measuring differential beliefs in complementary therapy research: An exploration of the Complementary and Alternative Medicine Beliefs Inventory (CAMBI). <i>Complementary Therapies in Medicine</i> , 2012, 20, 54-60.	2.7	9
51	Lifestyle Intervention Improves Heart Rate Recovery from Exercise in Adults with Type 2 Diabetes: Results from the Look AHEAD Study. <i>Journal of Obesity</i> , 2012, 2012, 1-12.	2.7	20
52	Work safety climate and safety practices among immigrant Latino residential construction workers. <i>American Journal of Industrial Medicine</i> , 2012, 55, 736-745.	2.1	51
53	The Effect of Physical Activity on 18-Month Weight Change in Overweight Adults. <i>Obesity</i> , 2011, 19, 100-109.	3.0	61
54	Occurrence and Co-Occurrence of Types of Complementary and Alternative Medicine Use by Age, Gender, Ethnicity, and Education Among Adults in the United States: The 2002 National Health Interview Survey (NHIS). <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 363-370.	2.1	30

#	ARTICLE	IF	CITATIONS
55	Benefits of Modest Weight Loss in Improving Cardiovascular Risk Factors in Overweight and Obese Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 1481-1486.	8.6	1,342
56	Daily Use of Complementary and Other Therapies for Symptoms Among Older Adults: Study Design and Illustrative Results. <i>Journal of Aging and Health</i> , 2011, 23, 52-69.	1.7	16
57	Metabolic Factors, Adipose Tissue, and Plasminogen Activator Inhibitor-1 Levels in Type 2 Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1689-1695.	2.4	46
58	"Exercise dependence"--a problem or natural result of high activity?. <i>American Journal of Health Behavior</i> , 2011, 35, 726-33.	1.4	2
59	Activity Patterns of Obese Adults with Type 2 Diabetes in the Look AHEAD Study. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1995-2005.	0.4	59
60	Effects of Diet and Physical Activity Interventions on Weight Loss and Cardiometabolic Risk Factors in Severely Obese Adults. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 1795.	7.4	447
61	Effects of Complementary Therapy on Health in a National U.S. Sample of Older Adults. <i>Journal of Alternative and Complementary Medicine</i> , 2010, 16, 701-706.	2.1	21
62	Impact of a Weight Management Program on Health-Related Quality of Life in Overweight Adults With Type 2 Diabetes. <i>Archives of Internal Medicine</i> , 2009, 169, 163.	3.8	204
63	Describing Patterns of Weight Changes Using Principal Components Analysis: Results from the Action for Health in Diabetes (Look AHEAD) Research Group. <i>Annals of Epidemiology</i> , 2009, 19, 701-710.	1.9	40
64	Effect of Exercise on 24-Month Weight Loss Maintenance in Overweight Women. <i>Archives of Internal Medicine</i> , 2008, 168, 1550.	3.8	284
65	Age-related differences in the conventional health care-complementary and alternative medicine link. <i>American Journal of Health Behavior</i> , 2008, 32, 650-63.	1.4	7
66	Exercise Capacity and Cardiovascular/Metabolic Characteristics of Overweight and Obese Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 2679-2684.	8.6	86
67	Age, Ethnicity, and Use of Complementary and Alternative Medicine in Health Self-Management. <i>Journal of Health and Social Behavior</i> , 2007, 48, 84-98.	4.8	40
68	Herbal Remedy Use as Health Self-Management Among Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2007, 62, S142-S149.	3.9	54
69	Empirical Evaluation of Physical Activity Recommendations for Weight Control in Women. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1832-1836.	0.4	33
70	Fitness, Fatness, and Cardiovascular Risk Factors in Type 2 Diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 2107-2116.	0.4	54
71	CAM Use Among Older Adults Age 65 or Older with Hypertension in the United States: General Use and Disease Treatment. <i>Journal of Alternative and Complementary Medicine</i> , 2006, 12, 903-909.	2.1	61
72	Induction of withdrawal-like symptoms in a small randomized, controlled trial of opioid blockade in frequent tanners. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, 709-711.	1.2	171

#	ARTICLE	IF	CITATIONS
73	Ethnic Differences in Elders' Home Remedy Use: Sociostructural Explanations. American Journal of Health Behavior, 2006, 30, 39-50.	1.4	30
74	Older Adults' Use of Complementary and Alternative Medicine for Mental Health: Findings from the 2002 National Health Interview Survey. Journal of Alternative and Complementary Medicine, 2006, 12, 467-473.	2.1	71
75	Ethnic differences in elders' home remedy use: sociostructural explanations. American Journal of Health Behavior, 2006, 30, 39-50.	1.4	27
76	Complementary and alternative medicine use among older adults: ethnic variation. Ethnicity and Disease, 2006, 16, 723-31.	2.3	65
77	Complementary and alternative medicine use among adults with diabetes in the United States. Alternative Therapies in Health and Medicine, 2006, 12, 16-22.	0.0	94
78	Use of complementary and alternative medicine by persons with arthritis: Results of the National Health Interview Survey. Arthritis and Rheumatism, 2005, 53, 748-755.	6.7	119
79	Prayer for Health Among U.S. Adults: The 2002 National Health Interview Survey. Complementary Health Practice Review, 2005, 10, 175-188.	1.1	26
80	Age, Race, and Ethnicity in the Use of Complementary and Alternative Medicine for Health Self-Management. Journal of Aging and Health, 2005, 17, 547-572.	1.7	89
81	Ultraviolet exposure is a reinforcing stimulus in frequent indoor tanners. Journal of the American Academy of Dermatology, 2004, 51, 45-51.	1.2	171
82	Effect of Exercise Duration and Intensity on Weight Loss in Overweight, Sedentary Women. JAMA - Journal of the American Medical Association, 2003, 290, 1323.	7.4	407
83	Recovery from relapse among successful weight maintainers. American Journal of Clinical Nutrition, 2003, 78, 1079-1084.	4.7	94
84	Title is missing!. Health Services and Outcomes Research Methodology, 2001, 2, 291-315.	1.8	29
85	Does Weight Loss Maintenance Become Easier Over Time?. Obesity, 2000, 8, 438-444.	4.0	81
86	Effects of Intermittent Exercise and Use of Home Exercise Equipment on Adherence, Weight Loss, and Fitness in Overweight Women. JAMA - Journal of the American Medical Association, 1999, 282, 1554.	7.4	438
87	Weight Loss and Leptin Changes in Individuals with Type 2 Diabetes. Obesity, 1999, 7, 155-163.	4.0	10
88	What predicts weight regain in a group of successful weight losers?. Journal of Consulting and Clinical Psychology, 1999, 67, 177-185.	2.0	360