

Hao Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11243707/publications.pdf>

Version: 2024-02-01

85
papers

10,399
citations

196777

29
h-index

223390

49
g-index

86
all docs

86
docs citations

86
times ranked

5664
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Dispersive Germanium-Doped Coupled Ring-Core Fiber for Vortex Modes. Journal of Lightwave Technology, 2022, 40, 2144-2150.	2.7	6
2	Causes and mitigation of modal crosstalk in OAM multiplexed optical communication links. , 2021, , 259-289.		1
3	Hollow Ring-Core Photonic Crystal Fiber With >500 OAM Modes Over 360-nm Communications Bandwidth. IEEE Access, 2021, 9, 66999-67005.	2.6	9
4	Perspectives on advances in high-capacity, free-space communications using multiplexing of orbital-angular-momentum beams. APL Photonics, 2021, 6, .	3.0	53
5	Beyond Two-Octave Coherent OAM Supercontinuum Generation in Air-Core As ₂ S ₃ Ring Fiber. IEEE Access, 2020, 8, 96543-96549.	2.6	16
6	Two-Octave Supercontinuum Generation of High-Order OAM Modes in Air-Core As ₂ S ₃ Ring Fiber. IEEE Access, 2020, 8, 114135-114142.	2.6	15
7	1.6-Octave Coherent OAM Supercontinuum Generation in As ₂ S ₃ Photonic Crystal Fiber. IEEE Access, 2020, 8, 168177-168185.	2.6	18
8	Air-Core Ring Fiber With >1000 Radially Fundamental OAM Modes Across O, E, S, C, and L Bands. IEEE Access, 2020, 8, 68280-68287.	2.6	23
9	Three-Octave Supercontinuum Generation Using SiO ₂ Cladded Si ₃ N ₄ Slot Waveguide With All-Normal Dispersion. Journal of Lightwave Technology, 2020, 38, 3431-3438.	2.7	14
10	Highly dispersive coupled ring-core fiber for orbital angular momentum modes. Applied Physics Letters, 2020, 117, .	1.5	13
11	Polarization Beam Splitter Based on Si ₃ N ₄ /SiO ₂ Horizontal Slot Waveguides for On-Chip High-Power Applications. Sensors, 2020, 20, 2862.	2.1	6
12	19-Ring-Core Chalcogenide Fiber Supporting >2000 Radially Fundamental OAM Modes Across C and L Bands. , 2020, , .		0
13	Hollow Ring-Core Hybrid Photonic Crystal Fiber Supporting >500 OAM Modes Across O, E, S, C, L Bands. , 2020, , .		1
14	Two-Octave OAM _{17,1} Supercontinuum Generation in Air-Core Chalcogenide Ring Fiber. , 2020, , .		0
15	Octave-spanning Coherent OAM Supercontinuum Generation Using As ₂ S ₃ PCF with All-normal Dispersion. , 2020, , .		0
16	Two-octave Supercontinuum Generation of OAM Mode in Air-core AS ₂ S ₃ Ring Fiber. , 2020, , .		0
17	Extremely Dispersive Schott Glass Fiber with Coupled High-Index Ring for OAM Modes. , 2020, , .		0
18	Ge-doped Coupled Ring Fiber with Large Negative Dispersion for Vortex Modes. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
19	Air-core Ring Fiber Supporting >1000 OAM Modes across O, E, S, C, and L Bands. , 2020, , .		0
20	Highly dispersive Ge-doped coupled ring fiber for high-order OAM modes. , 2020, , .		1
21	Ge-doped air-core ring fiber supporting >400 radially fundamental OAM modes across O, E, S, C, L bands. , 2020, , .		0
22	Special Issue on Novel Insights into Orbital Angular Momentum Beams: From Fundamentals, Devices to Applications. Applied Sciences (Switzerland), 2019, 9, 2600.	1.3	3
23	Object Wedge Angle and Direction Identification Using Machine Learning Algorithms. , 2019, , .		0
24	Line-of-Sight Millimeter-Wave Communications Using Orbital Angular Momentum Multiplexing Combined With Conventional Spatial Multiplexing. IEEE Transactions on Wireless Communications, 2017, 16, 3151-3161.	6.1	130
25	Dipolar bright solitons and solitary vortices in a radial lattice. Physical Review A, 2017, 96, .	1.0	14
26	Mode-Division-Multiplexing of Multiple Bessel-Gaussian Beams Carrying Orbital-Angular-Momentum for Obstruction-Tolerant Free-Space Optical and Millimetre-Wave Communication Links. Scientific Reports, 2016, 6, 22082.	1.6	63
27	Multipath Effects in Millimetre-Wave Wireless Communication using Orbital Angular Momentum Multiplexing. Scientific Reports, 2016, 6, 33482.	1.6	37
28	Orbital-angular-momentum-based reconfigurable optical switching and routing. Photonics Research, 2016, 4, B5.	3.4	31
29	Experimental demonstration of a 200-Gbit/s free-space optical link by multiplexing Laguerre-Gaussian beams with different radial indices. Optics Letters, 2016, 41, 3447.	1.7	85
30	Experimental characterization of a 400-Gbit/s orbital angular momentum multiplexed free-space optical link over 120 m. Optics Letters, 2016, 41, 622.	1.7	136
31	Demonstration of a 280-Gbit/s free-space space-division-multiplexing communications link utilizing plane-wave spatial multiplexing. Optics Letters, 2016, 41, 851.	1.7	17
32	Orbital-angular-momentum-multiplexed free-space optical communication link using transmitter lenses. Applied Optics, 2016, 55, 2098.	2.1	27
33	Mode division multiplexing using an orbital angular momentum mode sorter and MIMO-DSP over a graded-index few-mode optical fibre. Scientific Reports, 2015, 5, 14931.	1.6	216
34	Experimental measurements of multipath-induced intra- and inter-channel crosstalk effects in a millimeter-wave communications link using orbital-angular-momentum multiplexing. , 2015, , .		18
35	Demonstration of Distance Emulation for an Orbital-Angular-Momentum Beam. , 2015, , .		1
36	4 Å– 20-Gbit/s mode division multiplexing over free space using vector modes and a q-plate mode (de)multiplexer. Optics Letters, 2015, 40, 1980.	1.7	372

#	ARTICLE	IF	CITATIONS
37	Phase correction for a distorted orbital angular momentum beam using a Zernike polynomials-based stochastic-parallel-gradient-descent algorithm. Optics Letters, 2015, 40, 1197.	1.7	101
38	Performance metrics and design considerations for a free-space optical orbital-angular-momentum multiplexed communication link. Optica, 2015, 2, 357.	4.8	164
39	Turbulence compensation of an orbital angular momentum and polarization-multiplexed link using a data-carrying beacon on a separate wavelength. Optics Letters, 2015, 40, 2249.	1.7	46
40	Experimental demonstration of 16-Gbit/s millimeter-wave communications link using thin metamaterial plates to generate data-carrying orbital-angular-momentum beams. , 2015, , .		17
41	400-Gbit/s Free-Space Optical Communications Link Over 120-meter Using Multiplexing of 4 Collocated Orbital-Angular-Momentum Beams. , 2015, , .		12
42	Performance Enhancement of an Orbital-Angular-Momentum-Based Free-Space Optical Communication Link through Beam Divergence Controlling. , 2015, , .		2
43	Experiment Turbulence Compensation of 50-Gbaud/s Orbital-Angular-Momentum QPSK Signals Using Intensity-only based SPGD Algorithm. , 2014, , .		0
44	Experimental demonstration of 16 Gbit/s millimeter-wave communications using MIMO processing of 2 OAM modes on each of two transmitter/receiver antenna apertures. , 2014, , .		17
45	100-Tbit/s free-space data link enabled by three-dimensional multiplexing of orbital angular momentum, polarization, and wavelength. Optics Letters, 2014, 39, 197.	1.7	443
46	Space division multiplexing in a basis of vector modes. , 2014, , .		6
47	Performance metrics and design parameters for an FSO communications link based on multiplexing of multiple orbital-angular-momentum beams. , 2014, , .		6
48	A Quasi-Optical Tool for the Demultiplexing of Orbital Angular Momentum Carried at Millimeter-Wave Frequencies. , 2014, , .		0
49	Data Switching in Communication Networks using Orbital-Angular-Momentum Multiplexing. , 2014, , .		1
50	Adaptive-optics-based simultaneous pre- and post-turbulence compensation of multiple orbital-angular-momentum beams in a bidirectional free-space optical link. Optica, 2014, 1, 376.	4.8	177
51	Tunable orbital angular momentum mode filter based on optical geometric transformation. Optics Letters, 2014, 39, 1689.	1.7	23
52	Crosstalk mitigation in a free-space orbital angular momentum multiplexed communication link using 4A–4 MIMO equalization. Optics Letters, 2014, 39, 4360.	1.7	116
53	Demonstration of 8-mode 32-Gbit/s millimeter-wave free-space communication link using 4 orbital-angular-momentum modes on 2 polarizations. , 2014, , .		11
54	High-capacity millimetre-wave communications with orbital angular momentum multiplexing. Nature Communications, 2014, 5, 4876.	5.8	972

#	ARTICLE	IF	CITATIONS
55	Adaptive optics compensation of multiple orbital angular momentum beams propagating through emulated atmospheric turbulence. Optics Letters, 2014, 39, 2845.	1.7	138
56	Reconfigurable 2 Å– 2 orbital angular momentum based optical switching of 50-Gbaud QPSK channels. Optics Express, 2014, 22, 756.	1.7	22
57	Experimental Analysis of Multiplexing/demultiplexing Laguerre Gaussian Beams with Different Radial Index. , 2014, , .		2
58	1-Tbit/s Orbital-Angular-Momentum Multiplexed Link Through Emulated Turbulence With a Data-Carrying Beacon on a Separate Wavelength for Compensation. , 2014, , .		0
59	Demonstration of a 280 G-bit/s communications link utilizing plane-wave multiplexing. , 2014, , .		0
60	Multimode Communications Using Orbital Angular Momentum. , 2013, , 569-615.		15
61	Terabit-Scale Orbital Angular Momentum Mode Division Multiplexing in Fibers. Science, 2013, 340, 1545-1548.	6.0	2,330
62	Analysis of aperture size for partially receiving and de-multiplexing 100-Gbit/s optical orbital angular momentum channels over free-space link. , 2013, , .		1
63	Performance analysis of spectrally efficient free-space data link using spatially multiplexed orbital angular momentum beams. Proceedings of SPIE, 2013, , .	0.8	2
64	100 Tbit/s Free-Space Data Link using Orbital Angular Momentum Mode Division Multiplexing Combined with Wavelength Division Multiplexing. , 2013, , .		22
65	Liquid-crystal-on-silicon-based optical add/drop multiplexer for orbital-angular-momentum-multiplexed optical links. Optics Letters, 2013, 38, 5142.	1.7	21
66	Multicasting in a spatial division multiplexing system based on optical orbital angular momentum. Optics Letters, 2013, 38, 3930.	1.7	60
67	Phase-shift interference-based wavefront characterization for orbital angular momentum modes. Optics Letters, 2013, 38, 2348.	1.7	48
68	Reconfigurable switching of orbital-angular-momentum-based free-space data channels. Optics Letters, 2013, 38, 5118.	1.7	29
69	Reconfigurable orbital angular momentum and polarization manipulation of 100 Gbit/s QPSK data channels. Optics Letters, 2013, 38, 5240.	1.7	13
70	Reconfigurable orbital-angular-momentum manipulation and switching of polarization-multiplexed 100-Gbit/s QPSK data channels. , 2013, , .		0
71	Atmospheric turbulence effects on the performance of a free space optical link employing orbital angular momentum multiplexing. Optics Letters, 2013, 38, 4062.	1.7	233
72	Tunable Filter for Orbital-Angular-Momentum Multiplexed Optical Channels. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
73	Orbital-Angular-Momentum-Based Reconfigurable and "Lossless" Optical Add/Drop Multiplexing of Multiple 100-Gbit/s Channels. , 2013, , .		0
74	Simultaneous subchannel data updating for multiple channels of 16-quadrature amplitude modulation signals using a single periodically poled lithium niobate waveguide. Optics Letters, 2012, 37, 4365.	1.7	1
75	Efficient generation and multiplexing of optical orbital angular momentum modes in a ring fiber by using multiple coherent inputs. Optics Letters, 2012, 37, 3645.	1.7	58
76	Octave-spanning supercontinuum generation of vortices in an As ₂ S ₃ ring photonic crystal fiber. Optics Letters, 2012, 37, 1889.	1.7	111
77	2 Tbit/s free-space data transmission on two orthogonal orbital-angular-momentum beams each carrying 25 WDM channels. Optics Letters, 2012, 37, 4753.	1.7	34
78	A Different Angle on Light Communications. Science, 2012, 337, 655-656.	6.0	126
79	Terabit free-space data transmission employing orbital angular momentum multiplexing. Nature Photonics, 2012, 6, 488-496.	15.6	3,471
80	Silicon-on-Nitride Waveguide With Ultralow Dispersion Over an Octave-Spanning Mid-Infrared Wavelength Range. IEEE Photonics Journal, 2012, 4, 126-132.	1.0	34
81	Mode Properties and Propagation Effects of Optical Orbital Angular Momentum (OAM) Modes in a Ring Fiber. IEEE Photonics Journal, 2012, 4, 535-543.	1.0	180
82	Tapped delay-line matched filtering using a high-contrast grating hollow-core waveguide. , 2011, , .		0
83	Nondegenerate four-wave-mixing-based radio frequency up/downconversion using a parametric loop mirror. Optics Letters, 2011, 36, 4593.	1.7	5
84	Reconfigurable 40-Gbit/s tributary selection from a 640-Gbit/s signal using NOLM-based cascaded demultiplexing. , 2010, , .		0
85	Demonstration of 100-Gbit/s DQPSK data exchange between two different wavelength channels using parametric depletion in a highly nonlinear fiber. , 2010, , .		2