

Kent A Kiehl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11244030/publications.pdf>

Version: 2024-02-01

214
papers

19,805
citations

11651

70
h-index

12272

133
g-index

214
all docs

214
docs citations

214
times ranked

14807
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Emotional intelligence in incarcerated sexual offenders with sexual sadism. <i>Journal of Sexual Aggression</i> , 2023, 29, 68-85. | 1.0 | 2 |
| 2 | Hormonal response to perceived emotional distress in incarcerated men with sexual sadism. <i>Personality and Individual Differences</i> , 2022, 184, 111180. | 2.9 | 1 |
| 3 | Do psychopathic traits vary with age among women? A cross-sectional investigation. <i>Journal of Forensic Psychiatry and Psychology</i> , 2022, 33, 112-129. | 1.0 | 4 |
| 4 | Psychopathic traits modulate functional connectivity during pain perception and perspective-taking in female inmates. <i>NeuroImage: Clinical</i> , 2022, 34, 102984. | 2.7 | 1 |
| 5 | Psychopathy and Risky Sexual Behavior in Incarcerated Women. <i>Criminal Justice and Behavior</i> , 2022, 49, 1456-1473. | 1.8 | 1 |
| 6 | Clarifying Fearlessness in Psychopathy: an Examination of Thrill-Seeking and Physical Risk-Taking. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2021, 43, 21-32. | 1.2 | 10 |
| 7 | Brain gray matter differences among forensic psychiatric patients with psychosis and incarcerated individuals without psychosis: A source-based morphometry study. <i>NeuroImage: Clinical</i> , 2021, 30, 102673. | 2.7 | 7 |
| 8 | Quantifying the psychopathic stare: Automated assessment of head motion is related to antisocial traits in forensic interviews. <i>Journal of Research in Personality</i> , 2021, 92, 104093. | 1.7 | 4 |
| 9 | Dimensions of impulsivity related to psychopathic traits and homicidal behavior among incarcerated male youth offenders. <i>Psychiatry Research</i> , 2021, 303, 114094. | 3.3 | 5 |
| 10 | Widespread and interrelated gray matter reductions in child sexual offenders with and without pedophilia: Evidence from a multivariate structural <sc>MRI</sc> study. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 331-340. | 1.8 | 2 |
| 11 | Reduced endorsement of specific moral foundations in incarcerated adult women with elevated psychopathic traits. <i>Personality and Individual Differences</i> , 2021, 181, 110998. | 2.9 | 0 |
| 12 | Phonological processing in psychopathic offenders. <i>International Journal of Psychophysiology</i> , 2021, 168, 43-51. | 1.0 | 1 |
| 13 | Neural responses to morally laden interactions in female inmates with psychopathy. <i>NeuroImage: Clinical</i> , 2021, 30, 102645. | 2.7 | 10 |
| 14 | Psychopathy and substance use in relation to prostitution and pimping among women offenders.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2021, 12, 411-420. | 1.3 | 4 |
| 15 | Classifying handedness with MRI. <i>NeuroImage Reports</i> , 2021, 1, 100057. | 1.0 | 0 |
| 16 | Source-based morphometry reveals gray matter differences related to suicidal behavior in criminal offenders. <i>Brain Imaging and Behavior</i> , 2020, 14, 1-9. | 2.1 | 14 |
| 17 | Meta-analysis of the moral brain: patterns of neural engagement assessed using multilevel kernel density analysis. <i>Brain Imaging and Behavior</i> , 2020, 14, 534-547. | 2.1 | 9 |
| 18 | Aberrant brain gray matter in murderers. <i>Brain Imaging and Behavior</i> , 2020, 14, 2050-2061. | 2.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The relationship between psychopathic traits and risky sexual behavior in incarcerated adult male offenders. <i>Personality and Individual Differences</i> , 2020, 156, 109798. | 2.9 | 8 |
| 20 | Psychopathy is associated with fear-specific reductions in neural activity during affective perspective-taking. <i>NeuroImage</i> , 2020, 223, 117342. | 4.2 | 10 |
| 21 | Youth with elevated psychopathic traits exhibit structural integrity deficits in the uncinate fasciculus. <i>NeuroImage: Clinical</i> , 2020, 26, 102236. | 2.7 | 8 |
| 22 | Cognitive Training for Very High Risk Incarcerated Adolescent Males. <i>Frontiers in Psychiatry</i> , 2020, 11, 225. | 2.6 | 4 |
| 23 | Re-wiring Guilt: How Advancing Neuroscience Encourages Strategic Interventions Over Retributive Justice. <i>Frontiers in Psychology</i> , 2020, 11, 390. | 2.1 | 2 |
| 24 | Anomalous moral intuitions in juvenile offenders with psychopathic traits. <i>Journal of Research in Personality</i> , 2020, 86, 103962. | 1.7 | 3 |
| 25 | The relationship between cavum septum pellucidum and psychopathic traits in female offenders. <i>Behavioural Brain Research</i> , 2019, 359, 967-972. | 2.2 | 8 |
| 26 | Physiological reactivity in response to a fear-induced virtual reality experience: Associations with psychopathic traits. <i>Psychophysiology</i> , 2019, 56, e13276. | 2.4 | 30 |
| 27 | Resting-state fMRI dynamic functional network connectivity and associations with psychopathy traits. <i>NeuroImage: Clinical</i> , 2019, 24, 101970. | 2.7 | 33 |
| 28 | A review of psychopathy and Cluster B personality traits and their neural correlates in female offenders. <i>Biological Psychology</i> , 2019, 148, 107740. | 2.2 | 6 |
| 29 | Mind the gap: toward an integrative science of the brain and crime. <i>BioSocieties</i> , 2019, 14, 463-468. | 1.3 | 4 |
| 30 | Psychopathy is associated with shifts in the organization of neural networks in a large incarcerated male sample. <i>NeuroImage: Clinical</i> , 2019, 24, 102083. | 2.7 | 12 |
| 31 | The structural brain correlates of callous-unemotional traits in incarcerated male adolescents. <i>NeuroImage: Clinical</i> , 2019, 22, 101703. | 2.7 | 14 |
| 32 | Adolescent Psychopathic Traits Negatively Relate to Hemodynamic Activity within the Basal Ganglia during Error-Related Processing. <i>Journal of Abnormal Child Psychology</i> , 2019, 47, 1917-1929. | 3.5 | 3 |
| 33 | Autoconnectivity: A new perspective on human brain function. <i>Journal of Neuroscience Methods</i> , 2019, 323, 68-76. | 2.5 | 12 |
| 34 | Which features of psychopathy and impulsivity matter most for prison violence? New evidence among female prisoners. <i>International Journal of Law and Psychiatry</i> , 2019, 64, 26-33. | 0.9 | 41 |
| 35 | Machine learning of brain gray matter differentiates sex in a large forensic sample. <i>Human Brain Mapping</i> , 2019, 40, 1496-1506. | 3.6 | 95 |
| 36 | Affective and interpersonal psychopathic traits associated with reduced corpus callosum volume among male inmates – RETRACTED. <i>Psychological Medicine</i> , 2019, 49, 1401-1408. | 4.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Violence and aggression in young women: The importance of psychopathy and neurobiological function. <i>Physiology and Behavior</i> , 2019, 201, 130-138. | 2.1 | 27 |
| 38 | Should I Stay or Should I Go? fMRI Study of Response Inhibition in Early Illness Schizophrenia and Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 158-168. | 4.3 | 27 |
| 39 | Emotional Intelligence in Incarcerated Female Offenders With Psychopathic Traits. <i>Journal of Personality Disorders</i> , 2019, 33, 370-393. | 1.4 | 10 |
| 40 | Aberrant functional network connectivity in psychopathy from a large (<i>N</i>=985) forensic sample. <i>Human Brain Mapping</i> , 2018, 39, 2624-2634. | 3.6 | 51 |
| 41 | Psychopathic traits associated with abnormal hemodynamic activity in salience and default mode networks during auditory oddball task. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2018, 18, 564-580. | 2.0 | 15 |
| 42 | Structural analysis of the PCL-R and relationship to BIG FIVE personality traits and parenting characteristics in an Hispanic female offender sample. <i>Personality and Individual Differences</i> , 2018, 129, 59-65. | 2.9 | 20 |
| 43 | Investigating error-related processing in incarcerated adolescents with self-report psychopathy measures. <i>Biological Psychology</i> , 2018, 132, 96-105. | 2.2 | 8 |
| 44 | Dynamic functional network connectivity discriminates mild traumatic brain injury through machine learning. <i>NeuroImage: Clinical</i> , 2018, 19, 30-37. | 2.7 | 82 |
| 45 | The relationship between cavum septum pellucidum and psychopathic traits in a large forensic sample. <i>Neuropsychologia</i> , 2018, 112, 95-104. | 1.6 | 12 |
| 46 | Psychopathic traits linked to alterations in neural activity during personality judgments of self and others. <i>NeuroImage: Clinical</i> , 2018, 18, 575-581. | 2.7 | 13 |
| 47 | Callous-Unemotional Traits Modulate Brain Drug Craving Response in High-Risk Young Offenders. <i>Journal of Abnormal Child Psychology</i> , 2018, 46, 993-1009. | 3.5 | 17 |
| 48 | Functional connectivity during affective mentalizing in criminal offenders with psychotic disorders: Associations with clinical symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 91-99. | 1.8 | 8 |
| 49 | Machine Learning of Functional Magnetic Resonance Imaging Network Connectivity Predicts Substance Abuse Treatment Completion. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 141-149. | 1.5 | 26 |
| 50 | Reduced engagement of the anterior cingulate cortex in the dishonest decision-making of incarcerated psychopaths. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 797-807. | 3.0 | 22 |
| 51 | Abnormal cortical gyrification in criminal psychopathy. <i>NeuroImage: Clinical</i> , 2018, 19, 876-882. | 2.7 | 14 |
| 52 | Age of gray matters: Neuroprediction of recidivism. <i>NeuroImage: Clinical</i> , 2018, 19, 813-823. | 2.7 | 32 |
| 53 | Machine learning of structural magnetic resonance imaging predicts psychopathic traits in adolescent offenders. <i>NeuroImage</i> , 2017, 145, 265-273. | 4.2 | 30 |
| 54 | Neural correlates of response inhibition in current and former smokers. <i>Behavioural Brain Research</i> , 2017, 319, 207-218. | 2.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Differentiating emotional processing and attention in psychopathy with functional neuroimaging. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017, 17, 491-515. | 2.0 | 41 |
| 56 | Impulsive-antisocial psychopathic traits linked to increased volume and functional connectivity within prefrontal cortex. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1169-1178. | 3.0 | 48 |
| 57 | Functional connectivity in incarcerated male adolescents with psychopathic traits. <i>Psychiatry Research - Neuroimaging</i> , 2017, 265, 35-44. | 1.8 | 27 |
| 58 | The Development of Severe and Chronic Violence Among Youth: The Role of Psychopathic Traits and Reward Processing. <i>Child Psychiatry and Human Development</i> , 2017, 48, 967-982. | 1.9 | 14 |
| 59 | Brain Volume Correlates With Duration of Abstinence From Substance Abuse in a Region-Specific and Substance-Specific Manner. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 626-635. | 1.5 | 9 |
| 60 | Regular cannabis and alcohol use is associated with resting-state time course power spectra in incarcerated adolescents. <i>Drug and Alcohol Dependence</i> , 2017, 178, 492-500. | 3.2 | 16 |
| 61 | Disrupted Prefrontal Regulation of Striatal Subjective Value Signals in Psychopathy. <i>Neuron</i> , 2017, 95, 221-231.e4. | 8.1 | 66 |
| 62 | Detection of Mild Traumatic Brain Injury by Machine Learning Classification Using Resting State Functional Network Connectivity and Fractional Anisotropy. <i>Journal of Neurotrauma</i> , 2017, 34, 1045-1053. | 3.4 | 108 |
| 63 | Impulsive-Antisocial Dimension of Psychopathy Linked to Enlargement and Abnormal Functional Connectivity of the Striatum. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 149-157. | 1.5 | 34 |
| 64 | Socio-neuro risk factors for suicidal behavior in criminal offenders with psychotic disorders. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 70-80. | 3.0 | 13 |
| 65 | Abnormal fronto-limbic engagement in incarcerated stimulant users during moral processing. <i>Psychopharmacology</i> , 2016, 233, 3077-3087. | 3.1 | 6 |
| 66 | Selective Mapping of Psychopathy and Externalizing to Dissociable Circuits for Inhibitory Self-Control. <i>Clinical Psychological Science</i> , 2016, 4, 559-571. | 4.0 | 21 |
| 67 | Brain potentials predict substance abuse treatment completion in a prison sample. <i>Brain and Behavior</i> , 2016, 6, e00501. | 2.2 | 26 |
| 68 | Endogenous attention modulates early selective attention in psychopathy: An ERP investigation. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016, 16, 779-788. | 2.0 | 15 |
| 69 | Distinct neuronal patterns of positive and negative moral processing in psychopathy. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016, 16, 1074-1085. | 2.0 | 17 |
| 70 | Dysfunctional error-related processing in female psychopathy. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1059-1068. | 3.0 | 30 |
| 71 | Dysfunctional error-related processing in incarcerated youth with elevated psychopathic traits. <i>Developmental Cognitive Neuroscience</i> , 2016, 19, 70-77. | 4.0 | 16 |
| 72 | Emotional Intelligence and Callousâ€“Unemotional Traits in Incarcerated Adolescents. <i>Child Psychiatry and Human Development</i> , 2016, 47, 903-917. | 1.9 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Neuroimaging measures of error-processing: Extracting reliable signals from event-related potentials and functional magnetic resonance imaging. <i>NeuroImage</i> , 2016, 132, 247-260. | 4.2 | 61 |
| 74 | Latent-variable modeling of brain gray-matter volume and psychopathy in incarcerated offenders.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 811-817. | 1.9 | 25 |
| 75 | Error-related processing in adult males with elevated psychopathic traits.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2016, 7, 80-90. | 1.3 | 25 |
| 76 | The posteromedial region of the default mode network shows attenuated task-induced deactivation in psychopathic prisoners.. <i>Neuropsychology</i> , 2015, 29, 493-500. | 1.3 | 32 |
| 77 | Paralimbic biomarkers in taxometric analyses of psychopathy: Does changing the indicators change the conclusion?. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2015, 6, 41-52. | 1.3 | 50 |
| 78 | Interpersonal traits of psychopathy linked to reduced integrity of the uncinate fasciculus. <i>Human Brain Mapping</i> , 2015, 36, 4202-4209. | 3.6 | 75 |
| 79 | Multimodal imaging measures predict rearrest. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 425. | 2.0 | 32 |
| 80 | Abnormal frontostriatal activity in recently abstinent cocaine users during implicit moral processing. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 565. | 2.0 | 16 |
| 81 | Socioemotional processing of morally laden behavior and their consequences on others in forensic psychopaths. <i>Human Brain Mapping</i> , 2015, 36, 2015-2026. | 3.6 | 50 |
| 82 | Psychopathy, attention, and oddball target detection: New insights from PCL-R facet scores. <i>Psychophysiology</i> , 2015, 52, 1194-1204. | 2.4 | 22 |
| 83 | Altered Resting-State Functional Connectivity in Cortical Networks in Psychopathy. <i>Journal of Neuroscience</i> , 2015, 35, 6068-6078. | 3.6 | 88 |
| 84 | Why psychopathy matters: Implications for public health and violence prevention. <i>Aggression and Violent Behavior</i> , 2015, 24, 214-225. | 2.1 | 76 |
| 85 | Limbic correlates of fearlessness and disinhibition in incarcerated youth: Exploring the brain-behavior relationship with the Hare Psychopathy Checklist: Youth Version. <i>Psychiatry Research</i> , 2015, 230, 205-210. | 3.3 | 49 |
| 86 | The relationship between somatic and cognitive-affective depression symptoms and error-related ERPs. <i>Journal of Affective Disorders</i> , 2015, 172, 89-95. | 4.1 | 20 |
| 87 | The Neurobiology of Psychopathy. <i>Psychiatric Annals</i> , 2015, 45, 186-194. | 0.1 | 10 |
| 88 | Psychopathic traits modulate brain responses to drug cues in incarcerated offenders. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 87. | 2.0 | 27 |
| 89 | Predictive accuracy in the neuroprediction of rearrest. <i>Social Neuroscience</i> , 2014, 9, 332-336. | 1.3 | 25 |
| 90 | Psychopathy: Developmental perspectives and their implications for treatment. <i>Restorative Neurology and Neuroscience</i> , 2014, 32, 103-117. | 0.7 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | The Impact of Neuroimages in the Sentencing Phase of Capital Trials. <i>Journal of Empirical Legal Studies</i> , 2014, 11, 105-131. | 0.8 | 44 |
| 92 | Neural correlates of reward and loss sensitivity in psychopathy. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 794-801. | 3.0 | 66 |
| 93 | Neural processing of moral violations among incarcerated adolescents with psychopathic traits. <i>Developmental Cognitive Neuroscience</i> , 2014, 10, 181-189. | 4.0 | 36 |
| 94 | Reduced fMRI activity predicts relapse in patients recovering from stimulant dependence. <i>Human Brain Mapping</i> , 2014, 35, 414-428. | 3.6 | 52 |
| 95 | Paralimbic Gray Matter Reductions in Incarcerated Adolescent Females with Psychopathic Traits. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 659-668. | 3.5 | 57 |
| 96 | A multiple kernel learning approach to perform classification of groups from complex-valued fMRI data analysis: Application to schizophrenia. <i>NeuroImage</i> , 2014, 87, 1-17. | 4.2 | 59 |
| 97 | Functional Magnetic Resonance Imaging in Court. <i>AJOB Neuroscience</i> , 2014, 5, 43-45. | 1.1 | 2 |
| 98 | What's wrong? Moral understanding in psychopathic offenders. <i>Journal of Research in Personality</i> , 2014, 53, 175-181. | 1.7 | 29 |
| 99 | Patients with schizophrenia demonstrate reduced cortical sensitivity to auditory oddball regularities. <i>Schizophrenia Research</i> , 2014, 158, 189-194. | 2.0 | 12 |
| 100 | Neural processing of dynamic emotional facial expressions in psychopaths. <i>Social Neuroscience</i> , 2014, 9, 36-49. | 1.3 | 106 |
| 101 | Neural correlates of substance abuse: Reduced functional connectivity between areas underlying reward and cognitive control. <i>Human Brain Mapping</i> , 2014, 35, 4282-4292. | 3.6 | 83 |
| 102 | Brain Potentials Measured During a Go/NoGo Task Predict Completion of Substance Abuse Treatment. <i>Biological Psychiatry</i> , 2014, 76, 75-83. | 1.3 | 55 |
| 103 | A large scale (N=102) functional neuroimaging study of error processing in a Go/NoGo task. <i>Behavioural Brain Research</i> , 2014, 268, 127-138. | 2.2 | 25 |
| 104 | Neural correlates of moral and non-moral emotion in female psychopathy. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 741. | 2.0 | 49 |
| 105 | Intrinsic limbic and paralimbic networks are associated with criminal psychopathy. <i>Human Brain Mapping</i> , 2013, 34, 1921-1930. | 3.6 | 53 |
| 106 | Functional network connectivity during rest and task conditions: A comparative study. <i>Human Brain Mapping</i> , 2013, 34, 2959-2971. | 3.6 | 99 |
| 107 | The interplay of attention and emotion: top-down attention modulates amygdala activation in psychopathy. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2013, 13, 757-770. | 2.0 | 100 |
| 108 | Brain Response to Empathy-Eliciting Scenarios Involving Pain in Incarcerated Individuals With Psychopathy. <i>JAMA Psychiatry</i> , 2013, 70, 638. | 11.0 | 199 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | State-related functional integration and functional segregation brain networks in schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 450-458. | 2.0 | 37 |
| 110 | Disrupted correlation between low frequency power and connectivity strength of resting state brain networks in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 165-171. | 2.0 | 70 |
| 111 | Aberrant Paralimbic Gray Matter in Incarcerated Male Adolescents With Psychopathic Traits. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 94-103.e3. | 0.5 | 98 |
| 112 | A large scale (N=102) functional neuroimaging study of response inhibition in a Go/NoGo task. <i>Behavioural Brain Research</i> , 2013, 256, 529-536. | 2.2 | 92 |
| 113 | A quality control method for detecting and suppressing uncorrected residual motion in fMRI studies. <i>Magnetic Resonance Imaging</i> , 2013, 31, 707-717. | 1.8 | 28 |
| 114 | Three-way (N-way) fusion of brain imaging data based on mCCA+jICA and its application to discriminating schizophrenia. <i>NeuroImage</i> , 2013, 66, 119-132. | 4.2 | 154 |
| 115 | Subcomponents of psychopathy have opposing correlations with punishment judgments.. <i>Journal of Personality and Social Psychology</i> , 2013, 105, 667-687. | 2.8 | 14 |
| 116 | Neuroprediction of future rearrest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6223-6228. | 7.1 | 219 |
| 117 | Psychopathy and Aggression: When Paralimbic Dysfunction Leads to Violence. <i>Current Topics in Behavioral Neurosciences</i> , 2013, 17, 369-393. | 1.7 | 43 |
| 118 | Evading Justice. <i>Criminal Justice and Behavior</i> , 2013, 40, 629-645. | 1.8 | 10 |
| 119 | Classification of schizophrenia patients based on resting-state functional network connectivity. <i>Frontiers in Neuroscience</i> , 2013, 7, 133. | 2.8 | 153 |
| 120 | An fMRI study of affective perspective taking in individuals with psychopathy: imagining another in pain does not evoke empathy. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 489. | 2.0 | 264 |
| 121 | Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2013, 4, 92. | 2.6 | 62 |
| 122 | Aberrant paralimbic gray matter in criminal psychopathy.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 649-658. | 1.9 | 180 |
| 123 | Emotional intelligence in incarcerated men with psychopathic traits.. <i>Journal of Personality and Social Psychology</i> , 2012, 103, 194-204. | 2.8 | 55 |
| 124 | Cortical Thinning in Psychopathy. <i>American Journal of Psychiatry</i> , 2012, 169, 743-749. | 7.2 | 129 |
| 125 | Can psychopathic offenders discern moral wrongs? A new look at the moral/conventional distinction.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 484-497. | 1.9 | 132 |
| 126 | Examining the effect of psychopathic traits on gray matter volume in a community substance abuse sample. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 91-100. | 1.8 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | The psychopath magnetized: insights from brain imaging. Trends in Cognitive Sciences, 2012, 16, 52-60. | 7.8 | 222 |
| 128 | Neural development of mentalizing in moral judgment from adolescence to adulthood. Developmental Cognitive Neuroscience, 2012, 2, 162-173. | 4.0 | 29 |
| 129 | Joint ICA of ERP and fMRI during error-monitoring. NeuroImage, 2012, 59, 1896-1903. | 4.2 | 68 |
| 130 | High Classification Accuracy for Schizophrenia with Rest and Task fMRI Data. Frontiers in Human Neuroscience, 2012, 6, 145. | 2.0 | 100 |
| 131 | Increased Frontotemporal Activation During Pain Observation in Sexual Sadism. Archives of General Psychiatry, 2012, 69, 283. | 12.3 | 47 |
| 132 | Assessment of Psychopathic Traits in an Incarcerated Adolescent Sample: A Methodological Comparison. Journal of Abnormal Child Psychology, 2012, 40, 971-986. | 3.5 | 48 |
| 133 | Neuroprediction, Violence, and the Law: Setting the Stage. Neuroethics, 2012, 5, 67-99. | 2.8 | 53 |
| 134 | Neural basis of moral verdict and moral deliberation. Social Neuroscience, 2011, 6, 398-413. | 1.3 | 37 |
| 135 | Discriminating schizophrenia and bipolar disorder by fusing fMRI and DTI in a multimodal CCA+ joint ICA model. NeuroImage, 2011, 57, 839-855. | 4.2 | 218 |
| 136 | A Baseline for the Multivariate Comparison of Resting-State Networks. Frontiers in Systems Neuroscience, 2011, 5, 2. | 2.5 | 1,159 |
| 137 | Components of Cross-Frequency Modulation in Health and Disease. Frontiers in Systems Neuroscience, 2011, 5, 59. | 2.5 | 85 |
| 138 | ICA-fNORM: Spatial Normalization of fMRI Data Using Intrinsic Group-ICA Networks. Frontiers in Systems Neuroscience, 2011, 5, 93. | 2.5 | 28 |
| 139 | Disparities in the moral intuitions of criminal offenders: The role of psychopathy. Journal of Research in Personality, 2011, 45, 322-327. | 1.7 | 69 |
| 140 | Emotion and Morality in Psychopathy and Paraphilias. Emotion Review, 2011, 3, 299-301. | 3.4 | 17 |
| 141 | Reduced Prefrontal Connectivity in Psychopathy. Journal of Neuroscience, 2011, 31, 17348-17357. | 3.6 | 284 |
| 142 | Premotor functional connectivity predicts impulsivity in juvenile offenders. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 11241-11245. | 7.1 | 114 |
| 143 | Modular Organization of Functional Network Connectivity in Healthy Controls and Patients with Schizophrenia during the Resting State. Frontiers in Systems Neuroscience, 2011, 5, 103. | 2.5 | 82 |
| 144 | Altered Topological Properties of Functional Network Connectivity in Schizophrenia during Resting State: A Small-World Brain Network Study. PLoS ONE, 2011, 6, e25423. | 2.5 | 139 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | THE CRIMINAL PSYCHOPATH: HISTORY, NEUROSCIENCE, TREATMENT, AND ECONOMICS. <i>Jurimetrics</i> , 2011, 51, 355-397. | 0.4 | 106 |
| 146 | Aberrant neural processing of moral violations in criminal psychopaths.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 863-874. | 1.9 | 196 |
| 147 | Reactive aggression in psychopathy and the role of frustration: Susceptibility, experience, and control. <i>British Journal of Psychology</i> , 2010, 101, 401-406. | 2.3 | 21 |
| 148 | A method for evaluating dynamic functional network connectivity and task-modulation: application to schizophrenia. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2010, 23, 351-366. | 2.0 | 544 |
| 149 | Aberrant processing of deviant stimuli in schizophrenia revealed by fusion of fMRI and EEG data. <i>Acta Neuropsychiatrica</i> , 2010, 22, 127-138. | 2.1 | 77 |
| 150 | Hemispheric Asymmetries during Processing of Immoral Stimuli. <i>Frontiers in Evolutionary Neuroscience</i> , 2010, 2, 110. | 3.7 | 13 |
| 151 | Anatomical parts-based regression using non-negative matrix factorization. , 2010, , 2863-2870. | | 7 |
| 152 | Psychopaths Are Impaired in Social Exchange and Precautionary Reasoning. <i>Psychological Science</i> , 2010, 21, 1399-1405. | 3.3 | 30 |
| 153 | A functional imaging investigation of moral deliberation and moral intuition. <i>NeuroImage</i> , 2010, 49, 2707-2716. | 4.2 | 50 |
| 154 | Changes in fMRI magnitude data and phase data observed in block-design and event-related tasks. <i>NeuroImage</i> , 2010, 49, 3149-3160. | 4.2 | 40 |
| 155 | Brain network dynamics during error commission. <i>Human Brain Mapping</i> , 2009, 30, 24-37. | 3.6 | 101 |
| 156 | Low-frequency EEG oscillations associated with information processing in schizophrenia. <i>Schizophrenia Research</i> , 2009, 115, 222-230. | 2.0 | 66 |
| 157 | Double dissociation between perspective-taking and empathic-concern as predictors of hemodynamic response to another's mistakes. <i>Social Cognitive and Affective Neuroscience</i> , 2009, 4, 111-118. | 3.0 | 19 |
| 158 | Genetic determinants of target and novelty-related event-related potentials in the auditory oddball response. <i>NeuroImage</i> , 2009, 46, 809-816. | 4.2 | 56 |
| 159 | A Review of Challenges in the Use of fMRI for Disease Classification / Characterization and A Projection Pursuit Application from A Multi-site fMRI Schizophrenia Study. <i>Brain Imaging and Behavior</i> , 2008, 2, 207-226. | 2.1 | 89 |
| 160 | Temporal lobe and "default" hemodynamic brain modes discriminate between schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2008, 29, 1265-1275. | 3.6 | 314 |
| 161 | Modulation of temporally coherent brain networks estimated using ICA at rest and during cognitive tasks. <i>Human Brain Mapping</i> , 2008, 29, 828-838. | 3.6 | 532 |
| 162 | fMRI characterization of the language formulation area. <i>Brain Research</i> , 2008, 1229, 179-192. | 2.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | An fMRI study of working memory in first-degree unaffected relatives of schizophrenia patients. <i>Schizophrenia Research</i> , 2008, 104, 85-95. | 2.0 | 53 |
| 164 | Neural correlates of the processing of another's mistakes: A possible underpinning for social and observational learning. <i>NeuroImage</i> , 2008, 42, 450-459. | 4.2 | 66 |
| 165 | Infection, Incest, and Iniquity: Investigating the Neural Correlates of Disgust and Morality. <i>Journal of Cognitive Neuroscience</i> , 2008, 20, 1529-1546. | 2.3 | 197 |
| 166 | Gender differences in neural mechanisms underlying moral sensitivity. <i>Social Cognitive and Affective Neuroscience</i> , 2008, 3, 313-321. | 3.0 | 100 |
| 167 | Aberrant "Default Mode" Functional Connectivity in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 450-457. | 7.2 | 1,004 |
| 168 | An fMRI Auditory Oddball Study of Combined-Subtype Attention Deficit Hyperactivity Disorder. <i>American Journal of Psychiatry</i> , 2007, 164, 1737-1749. | 7.2 | 69 |
| 169 | Functional neural networks underlying response inhibition in adolescents and adults. <i>Behavioural Brain Research</i> , 2007, 181, 12-22. | 2.2 | 210 |
| 170 | Emotional Intelligence predicts individual differences in social exchange reasoning. <i>NeuroImage</i> , 2007, 35, 1385-1391. | 4.2 | 95 |
| 171 | Functional neural circuits for mental timekeeping. <i>Human Brain Mapping</i> , 2007, 28, 394-408. | 3.6 | 133 |
| 172 | Interparticipant correlations: A model free fMRI analysis technique. <i>Human Brain Mapping</i> , 2007, 28, 860-867. | 3.6 | 35 |
| 173 | Attentional modulation of the amygdala varies with personality. <i>NeuroImage</i> , 2006, 31, 934-944. | 4.2 | 118 |
| 174 | A Functional Magnetic Resonance Imaging Study of Working Memory Abnormalities in Schizophrenia. <i>Biological Psychiatry</i> , 2006, 60, 11-21. | 1.3 | 119 |
| 175 | A cognitive neuroscience perspective on psychopathy: Evidence for paralimbic system dysfunction. <i>Psychiatry Research</i> , 2006, 142, 107-128. | 3.3 | 445 |
| 176 | The hemodynamics of oddball processing during single-tone and two-tone target detection tasks. <i>International Journal of Psychophysiology</i> , 2006, 60, 292-303. | 1.0 | 10 |
| 177 | Brain potentials implicate temporal lobe abnormalities in criminal psychopaths.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 443-453. | 1.9 | 90 |
| 178 | Abnormal function of the brain system supporting motivated attention in medicated patients with schizophrenia: an fMRI study. <i>Psychological Medicine</i> , 2006, 36, 1097-1108. | 4.5 | 48 |
| 179 | Psychopathy and semantic processing: An examination of the N400. <i>Personality and Individual Differences</i> , 2006, 40, 293-304. | 2.9 | 10 |
| 180 | A method for multitask fMRI data fusion applied to schizophrenia. <i>Human Brain Mapping</i> , 2006, 27, 598-610. | 3.6 | 149 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | fMRI in an oddball task: Effects of target-to-target interval. <i>Psychophysiology</i> , 2005, 42, 636-642. | 2.4 | 38 |
| 182 | A supramodal limbic-paralimbic-neocortical network supports goal-directed stimulus processing. <i>Human Brain Mapping</i> , 2005, 24, 35-49. | 3.6 | 45 |
| 183 | Dysfunctional action monitoring hyperactivates frontalâ€“striatal circuits in obsessiveâ€“compulsive disorder: an event-related fMRI study. <i>NeuroImage</i> , 2005, 24, 495-503. | 4.2 | 293 |
| 184 | An adaptive reflexive processing model of neurocognitive function: supporting evidence from a large scale (n = 100) fMRI study of an auditory oddball task. <i>NeuroImage</i> , 2005, 25, 899-915. | 4.2 | 229 |
| 185 | Hemispheric differences in hemodynamics elicited by auditory oddball stimuli. <i>NeuroImage</i> , 2005, 26, 782-792. | 4.2 | 95 |
| 186 | Abnormal hemodynamics in schizophrenia during an auditory oddball task. <i>Biological Psychiatry</i> , 2005, 57, 1029-1040. | 1.3 | 94 |
| 187 | Attention orienting dysfunction during salient novel stimulus processing in schizophrenia. <i>Schizophrenia Research</i> , 2005, 75, 159-171. | 2.0 | 94 |
| 188 | State dependent changes in error monitoring in schizophrenia. <i>Journal of Psychiatric Research</i> , 2004, 38, 347-356. | 3.1 | 97 |
| 189 | Temporal lobe abnormalities in semantic processing by criminal psychopaths as revealed by functional magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 297-312. | 1.8 | 57 |
| 190 | Temporal lobe abnormalities in semantic processing by criminal psychopaths as revealed by functional magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 27-42. | 1.8 | 121 |
| 191 | Aberrant localization of synchronous hemodynamic activity in auditory cortex reliably characterizes schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 842-849. | 1.3 | 89 |
| 192 | Reproducibility of the hemodynamic response to auditory oddball stimuli: A six-week test-retest study. <i>Human Brain Mapping</i> , 2003, 18, 42-52. | 3.6 | 85 |
| 193 | Rostral anterior cingulate cortex dysfunction during error processing in schizophrenia. <i>Brain</i> , 2003, 126, 610-622. | 7.6 | 154 |
| 194 | Error-related negativity and correct response negativity in schizophrenia. <i>Clinical Neurophysiology</i> , 2002, 113, 1454-1463. | 1.5 | 144 |
| 195 | Reading Anomalous Sentences: An Event-Related fMRI Study of Semantic Processing. <i>NeuroImage</i> , 2002, 17, 842-850. | 4.2 | 83 |
| 196 | Reading anomalous sentences: an event-related fMRI study of semantic processing. <i>NeuroImage</i> , 2002, 17, 842-50. | 4.2 | 22 |
| 197 | An event-related functional magnetic resonance imaging study of an auditory oddball task in schizophrenia. <i>Schizophrenia Research</i> , 2001, 48, 159-171. | 2.0 | 204 |
| 198 | Removal of Confounding Effects of Global Signal in Functional MRI Analyses. <i>NeuroImage</i> , 2001, 13, 751-758. | 4.2 | 183 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Limbic abnormalities in affective processing by criminal psychopaths as revealed by functional magnetic resonance imaging. <i>Biological Psychiatry</i> , 2001, 50, 677-684. | 1.3 | 676 |
| 200 | Event-related fMRI study of response inhibition. <i>Human Brain Mapping</i> , 2001, 12, 100-109. | 3.6 | 543 |
| 201 | Neural sources involved in auditory target detection and novelty processing: An event-related fMRI study. <i>Psychophysiology</i> , 2001, 38, 133-142. | 2.4 | 333 |
| 202 | Detection of Sounds in the Auditory Stream: Event-Related fMRI Evidence for Differential Activation to Speech and Nonspeech. <i>Journal of Cognitive Neuroscience</i> , 2001, 13, 994-1005. | 2.3 | 188 |
| 203 | Neural sources involved in auditory target detection and novelty processing: An event-related fMRI study. <i>Psychophysiology</i> , 2001, 38, 133-142. | 2.4 | 5 |
| 204 | An Event-Related fMRI Study of Visual and Auditory Oddball Tasks. <i>Journal of Psychophysiology</i> , 2001, 15, 221-240. | 0.7 | 96 |
| 205 | Error processing and the rostral anterior cingulate: An event-related fMRI study. <i>Psychophysiology</i> , 2000, 37, 216-223. | 2.4 | 561 |
| 206 | An event-related potential investigation of response inhibition in schizophrenia and psychopathy. <i>Biological Psychiatry</i> , 2000, 48, 210-221. | 1.3 | 261 |
| 207 | Error processing and the rostral anterior cingulate: An event-related fMRI study. <i>Psychophysiology</i> , 2000, 37, 216-223. | 2.4 | 74 |
| 208 | Semantic and affective processing in psychopaths: An event-related potential (ERP) study. <i>Psychophysiology</i> , 1999, 36, 765-774. | 2.4 | 156 |
| 209 | An event-related brain potential study of inhibition of return. <i>Perception & Psychophysics</i> , 1999, 61, 1411-1423. | 2.3 | 120 |
| 210 | Neural pathways involved in the processing of concrete and abstract words. <i>Human Brain Mapping</i> , 1999, 7, 225-233. | 3.6 | 191 |
| 211 | Reduced P300 responses in criminal psychopaths during a visual oddball task. <i>Biological Psychiatry</i> , 1999, 45, 1498-1507. | 1.3 | 148 |
| 212 | Semantic and affective processing in psychopaths: An event-related potential (ERP) study. <i>Psychophysiology</i> , 1999, 36, 765-774. | 2.4 | 13 |
| 213 | Assessing psychopathic attributes in a noninstitutionalized population.. <i>Journal of Personality and Social Psychology</i> , 1995, 68, 151-158. | 2.8 | 1,260 |
| 214 | Psychopathy, Borderline Personality Disorder, and Substance Use in Incarcerated Females. <i>Criminal Justice and Behavior</i> , 0, , 009385482110333. | 1.8 | 7 |