

Roger Hagen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11258746/publications.pdf>

Version: 2024-02-01

39
papers

674
citations

567281

15
h-index

610901

24
g-index

39
all docs

39
docs citations

39
times ranked

662
citing authors

#	ARTICLE	IF	CITATIONS
1	Metacognitions and brooding predict depressive symptoms in a community adolescent sample. <i>BMC Psychiatry</i> , 2022, 22, 157.	2.6	7
2	Depression, Anxiety, Insomnia, and Quality of Life in a Representative Community Sample of Older Adults Living at Home. <i>Frontiers in Psychology</i> , 2022, 13, 811082.	2.1	9
3	Change in personality traits and facets (Revised NEO Personality Inventory) following metacognitive therapy or cognitive behaviour therapy for generalized anxiety disorder: Results from a randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 872-881.	2.7	10
4	Subgroups of Long-Term Sick-Listed Based on Prognostic Return to Work Factors Across Diagnoses: A Cross-Sectional Latent Class Analysis. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 383-392.	2.2	1
5	Health, Work, and Family Strain – Psychosocial Experiences at the Early Stages of Long-Term Sickness Absence. <i>Frontiers in Psychology</i> , 2021, 12, 596073.	2.1	3
6	Barriers and Facilitators for Implementing Motivational Interviewing as a Return to Work Intervention in a Norwegian Social Insurance Setting: A Mixed Methods Process Evaluation. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 785-795.	2.2	3
7	Workplace flexibility important for part-time sick leave selection – an exploratory cross-sectional study of long-term sick listed in Norway. <i>BMC Public Health</i> , 2021, 21, 732.	2.9	1
8	Fidelity of a Motivational Interviewing Intervention for Improving Return to Work for People with Musculoskeletal Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10324.	2.6	5
9	Metacognitive therapy versus cognitive-behavioral therapy in adults with generalized anxiety disorder: A 9-year follow-up study. <i>Brain and Behavior</i> , 2021, 11, e2358.	2.2	17
10	Positive and negative metacognitions about alcohol: Validity of the Norwegian PAMS and NAMS. <i>Addictive Behaviors</i> , 2020, 108, 106466.	3.0	4
11	Validity of a Norwegian version of the Desire Thinking Questionnaire (DTQ): Associations with problem drinking, nicotine dependence and problematic social media use. <i>Clinical Psychology and Psychotherapy</i> , 2020, 28, 615-622.	2.7	11
12	PTSD relapse in Veterans of Iraq and Afghanistan: A systematic review. <i>Military Psychology</i> , 2020, 32, 300-312.	1.1	5
13	Sick-listed workers' experiences with motivational interviewing in the return to work process: a qualitative interview study. <i>BMC Public Health</i> , 2020, 20, 276.	2.9	12
14	Protective and Vulnerability Factors in Self-Esteem: The Role of Metacognitions, Brooding, and Resilience. <i>Frontiers in Psychology</i> , 2020, 11, 1447.	2.1	8
15	A Randomized Controlled Trial of Metacognitive Therapy for Depression: Analysis of 1-Year Follow-Up. <i>Frontiers in Psychology</i> , 2019, 10, 1842.	2.1	22
16	What Lies Beneath Trait-Anxiety? Testing the Self-Regulatory Executive Function Model of Vulnerability. <i>Frontiers in Psychology</i> , 2019, 10, 122.	2.1	40
17	Metacognitive Therapy for Depression: A 3-Year Follow-Up Study Assessing Recovery, Relapse, Work Force Participation, and Quality of Life. <i>Frontiers in Psychology</i> , 2019, 10, 2908.	2.1	19
18	Metacognitive therapy versus cognitive-behavioural therapy in adults with generalised anxiety disorder. <i>BJPsych Open</i> , 2018, 4, 393-400.	0.7	54

#	ARTICLE	IF	CITATIONS
19	Motivational interviewing in long-term sickness absence: study protocol of a randomized controlled trial followed by qualitative and economic studies. <i>BMC Public Health</i> , 2018, 18, 756.	2.9	12
20	Metacognitive Therapy for Depression Reduces Interpersonal Problems: Results From a Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2018, 9, 1415.	2.1	8
21	Metacognitions and Mindful Attention Awareness in Depression: A Comparison Of Currently Depressed, Previously Depressed and Never Depressed Individuals. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 94-102.	2.7	52
22	The role of metacognition and obsessive-compulsive symptoms in psychosis: an analogue study. <i>BMC Psychiatry</i> , 2017, 17, 233.	2.6	20
23	Metacognitive Therapy in Major Depression: An Open Trial of Comorbid Cases. <i>Cognitive and Behavioral Practice</i> , 2017, 24, 312-318.	1.5	27
24	An exploration of metacognitive beliefs and thought control strategies in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2017, 73, 84-92.	3.1	14
25	Metacognitive Therapy for Depression in Adults: A Waiting List Randomized Controlled Trial with Six Months Follow-Up. <i>Frontiers in Psychology</i> , 2017, 8, 31.	2.1	54
26	Metacognitive Therapy Applications in Social Anxiety Disorder: An Exploratory Study of the Individual and Combined Effects of the Attention Training Technique and Situational Attentional Refocusing. <i>Journal of Experimental Psychopathology</i> , 2016, 7, 608-618.	0.8	14
27	The metacognitive model of depression: An empirical test in a large Norwegian sample. <i>Psychiatry Research</i> , 2016, 242, 171-173.	3.3	18
28	Mental health and substance use problems among patients in substance use disorder treatment as reported by patients versus treatment personnel. <i>Journal of Substance Use</i> , 2015, 20, 282-287.	0.7	0
29	Unhelpful metacognitive beliefs in early psychosis are associated with affective symptoms and childhood social adjustment. <i>Schizophrenia Research</i> , 2015, 169, 280-285.	2.0	6
30	Schizophrenia and Metacognition: An Investigation of Course of Illness and Metacognitive Beliefs Within a First Episode Psychosis. <i>Cognitive Therapy and Research</i> , 2015, 39, 61-69.	1.9	23
31	A Metacognitive Perspective on Mindfulness: An Empirical Investigation. <i>BMC Psychology</i> , 2015, 3, 24.	2.1	35
32	Metacognition in eating disorders: Comparison of women with eating disorders, self-reported history of eating disorders or psychiatric problems, and healthy controls. <i>Eating Behaviors</i> , 2015, 16, 17-22.	2.0	43
33	Metacognitions and Thought Control Strategies in Unipolar Major Depression: A Comparison of Currently Depressed, Previously Depressed, and Never-Depressed Individuals. <i>Cognitive Therapy and Research</i> , 2015, 39, 31-40.	1.9	42
34	The dimensional structure of SCL-90-R in a sample of patients with substance use disorder. <i>Journal of Substance Use</i> , 2014, 19, 257-261.	0.7	16
35	Psychological and interpersonal distress among patients with substance use disorders: Are these factors associated with continued drug use and do they change during treatment?. <i>Journal of Substance Use</i> , 2013, 18, 363-376.	0.7	12
36	Perceived Group Climate as a Predictor of Long-Term Outcome in a Randomized Controlled Trial of Cognitive-Behavioural Group Therapy for Patients with Comorbid Psychiatric Disorders. <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 497-510.	1.2	28

#	ARTICLE	IF	CITATIONS
37	Memories of early attachment: the use of PBI as a predictor of outcome in Pessoa's Boyden System Psychomotor (PBSP) group therapy, Cognitive-Behavioural Group Therapy (CBGT), Individual Cognitive-Behavioural Therapy (CBT) and Individual Treatment As Usual (TAU) with adult outpatients. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 276-285.	2.7	5
38	The Better Life Program: Effects of group skills training for persons with severe mental illness and substance use disorders. <i>Journal of Mental Health</i> , 2007, 16, 625-634.	1.9	6
39	A Randomized Trial of Cognitive Group Therapy vs. Waiting List for Patients with Co-Morbid Psychiatric Disorders: Effect of Cognitive Group Therapy after Treatment and Six and Twelve Months Follow-Up. <i>Behavioural and Cognitive Psychotherapy</i> , 2005, 33, 33-44.	1.2	8