Joshua J Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11259731/publications.pdf

Version: 2024-02-01

201674 254184 2,796 45 27 43 h-index citations g-index papers 45 45 45 3692 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Emerging roles of circular RNAs in retinal diseases. Neural Regeneration Research, 2022, 17, 1875.	3.0	7
2	Cellular stress signaling and the unfolded protein response in retinal degeneration: mechanisms and therapeutic implications. Molecular Neurodegeneration, 2022, 17, 25.	10.8	26
3	Endothelium-specific deletion of Nox4 delays retinal vascular development and mitigates pathological angiogenesis. Angiogenesis, 2020, 24, 363-377.	7.2	17
4	Loss of XBP1 Leads to Early-Onset Retinal Neurodegeneration in a Mouse Model of Type I Diabetes. Journal of Clinical Medicine, 2019, 8, 906.	2.4	16
5	Loss of X-box binding protein 1 in $M\tilde{A}^{1}/4$ ller cells augments retinal inflammation in a mouse model of diabetes. Diabetologia, 2019, 62, 531-543.	6.3	28
6	Loss of XBP1 accelerates age-related decline in retinal function and neurodegeneration. Molecular Neurodegeneration, 2018, 13, 16.	10.8	34
7	Molecular Chaperone ERp29: A Potential Target for Cellular Protection in Retinal and Neurodegenerative Diseases. Advances in Experimental Medicine and Biology, 2018, 1074, 421-427.	1.6	21
8	Reduction of Endoplasmic Reticulum Stress Improves Angiogenic Progenitor Cell function in a Mouse Model of Type 1 Diabetes. Cell Death and Disease, 2018, 9, 467.	6.3	9
9	Regulation of Nrf2 by X Box-Binding Protein 1 in Retinal Pigment Epithelium. Frontiers in Genetics, 2018, 9, 658.	2.3	17
10	The unfolded protein response signaling and retinal MÃ $\frac{1}{4}$ ller cell metabolism. Neural Regeneration Research, 2018, 13, 1861.	3.0	15
11	Comparative Proteomic Analysis of the Mitochondria-associated ER Membrane (MAM) in a Long-term Type 2 Diabetic Rodent Model. Scientific Reports, 2017, 7, 2062.	3.3	63
12	The Role of IRE-XBP1 Pathway in Regulation of Retinal Pigment Epithelium Tight Junctions. , 2016, 57, 5244.		30
13	p58IPK suppresses NLRP3 inflammasome activation and IL- \hat{l}^2 production via inhibition of PKR in macrophages. Scientific Reports, 2016, 6, 25013.	3.3	34
14	Erp29 Attenuates Cigarette Smoke Extract–Induced Endoplasmic Reticulum Stress and Mitigates Tight Junction Damage in Retinal Pigment Epithelial Cells. , 2015, 56, 6196.		29
15	NADPH Oxidase 4-Derived H _{2} O _{2} Promotes Aberrant Retinal Neovascularization via Activation of VEGF Receptor 2 Pathway in Oxygen-Induced Retinopathy. Journal of Diabetes Research, 2015, 2015, 1-13.	2.3	42
16	Activation of the UPR Protects against Cigarette Smoke-induced RPE Apoptosis through Up-Regulation of Nrf2. Journal of Biological Chemistry, 2015, 290, 5367-5380.	3.4	63
17	ATF4 is a novel regulator of MCP-1 in microvascular endothelial cells. Journal of Inflammation, 2015, 12, 31.	3.4	44
18	Identification of p58IPK as a Novel Neuroprotective Factor for Retinal Neurons. Investigative Ophthalmology and Visual Science, 2015, 56, 1374-1386.	3.3	20

#	Article	IF	Citations
19	The unfolded protein response in retinal vascular diseases: Implications and therapeutic potential beyond protein folding. Progress in Retinal and Eye Research, 2015, 45, 111-131.	15.5	61
20	Enhanced endoplasmic reticulum stress in bone marrow angiogenic progenitor cells in a mouse model of long-term experimental type 2 diabetes. Diabetologia, 2015, 58, 2181-2190.	6.3	30
21	Elevated plasma pigment epithelium-derived factor in children with type 2 diabetes mellitus is attributable to obesity. Pediatric Diabetes, 2015, 16, 600-605.	2.9	14
22	Endoplasmic reticulum stress and the unfolded protein responses in retinal degeneration. Experimental Eye Research, 2014, 125, 30-40.	2.6	116
23	Role of Unfolded Protein Response Dysregulation in Oxidative Injury of Retinal Pigment Epithelial Cells. Antioxidants and Redox Signaling, 2014, 20, 2091-2106.	5.4	56
24	Quinotrierixin inhibits proliferation of human retinal pigment epithelial cells. Molecular Vision, 2013, 19, 39-46.	1.1	8
25	Activation of Endoplasmic Reticulum Stress by Hyperglycemia Is Essential for Mýller Cell–Derived Inflammatory Cytokine Production in Diabetes. Diabetes, 2012, 61, 492-504.	0.6	161
26	ER Stress and Apoptosis: A New Mechanism for Retinal Cell Death. Experimental Diabetes Research, 2012, 2012, 1-11.	3.8	150
27	Pigment epithelium-Derived Factor (PEDF) Varies with Body Composition and Insulin Resistance in Healthy Young People. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E2114-E2118.	3.6	18
28	X-Box Binding Protein 1 Is Essential for the Anti-Oxidant Defense and Cell Survival in the Retinal Pigment Epithelium. PLoS ONE, 2012, 7, e38616.	2.5	54
29	Intermittent But Not Constant High Glucose Induces ER Stress and Inflammation in Human Retinal Pericytes. Advances in Experimental Medicine and Biology, 2012, 723, 285-292.	1.6	44
30	Macrophage Metalloelastase (MMP-12) Deficiency Mitigates Retinal Inflammation and Pathological Angiogenesis in Ischemic Retinopathy. PLoS ONE, 2012, 7, e52699.	2.5	30
31	Endoplasmic reticulum stress and inflammation: mechanisms and implications in diabetic retinopathy. Journal of Ocular Biology, Diseases, and Informatics, 2011, 4, 51-61.	0.2	21
32	Preconditioning with Endoplasmic Reticulum Stress Mitigates Retinal Endothelial Inflammation via Activation of X-box Binding Protein 1. Journal of Biological Chemistry, 2011, 286, 4912-4921.	3.4	107
33	Inhibition of Reactive Oxygen Species by Lovastatin Downregulates Vascular Endothelial Growth Factor Expression and Ameliorates Blood-Retinal Barrier Breakdown in <i>db</i> dbdbMice. Diabetes, 2010, 59, 1528-1538.	0.6	183
34	Pigment epithelium-derived factor suppresses adipogenesis via inhibition of the MAPK/ERK pathway in 3T3-L1 preadipocytes. American Journal of Physiology - Endocrinology and Metabolism, 2009, 297, E1378-E1387.	3.5	66
35	Endoplasmic reticulum stress is implicated in retinal inflammation and diabetic retinopathy. FEBS Letters, 2009, 583, 1521-1527.	2.8	189
36	Systemic administration of HMG-CoA reductase inhibitor protects the blood–retinal barrier and ameliorates retinal inflammation in type 2 diabetes. Experimental Eye Research, 2009, 89, 71-78.	2.6	66

#	Article	IF	CITATIONS
37	Pigment epithelium-derived factor mitigates inflammation and oxidative stress in retinal pericytes exposed to oxidized low-density lipoprotein. Journal of Molecular Endocrinology, 2008, 41, 135-143.	2.5	65
38	Anti-inflammatory effects of pigment epithelium-derived factor in diabetic nephropathy. American Journal of Physiology - Renal Physiology, 2008, 294, F1166-F1173.	2.7	69
39	Salutary Effect of Pigment Epithelium–Derived Factor in Diabetic Nephropathy. Diabetes, 2006, 55, 1678-1685.	0.6	84
40	Pigment epithelium-derived factor downregulates vascular endothelial growth factor (VEGF) expression and inhibits VEGF–VEGF receptor 2 binding in diabetic retinopathy. Journal of Molecular Endocrinology, 2006, 37, 1-12.	2.5	238
41	Pigment epitheliumâ€derived factor (PEDF) is an endogenous antiinflammatory factor. FASEB Journal, 2006, 20, 323-325.	0.5	276
42	Therapeutic Potential of Angiostatin in Diabetic Nephropathy. Journal of the American Society of Nephrology: JASN, 2006, 17, 475-486.	6.1	60
43	Down-Regulation of Angiogenic Inhibitors: A Potential Pathogenic Mechanism for Diabetic Complications. Current Diabetes Reviews, 2005, 1, 183-196.	1.3	17
44	Decreased Expression of Pigment Epithelium-Derived Factor Is Involved in the Pathogenesis of Diabetic Nephropathy. Diabetes, 2005, 54, 243-250.	0.6	79
45	Systemic and Periocular Deliveries of Plasminogen Kringle 5 Reduce Vascular Leakage in Rat Models of Oxygen-Induced Retinopathy and Diabetes. Current Eye Research, 2005, 30, 681-689.	1.5	19