

# Kinoshita Emiko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1127424/publications.pdf>

Version: 2024-02-01

77  
papers

3,061  
citations

304368

22  
h-index

161609

54  
g-index

80  
all docs

80  
docs citations

80  
times ranked

3911  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phosphate-binding Tag, a New Tool to Visualize Phosphorylated Proteins. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 749-757.	2.5	997
2	Separation and detection of large phosphoproteins using Phos-tag SDS-PAGE. <i>Nature Protocols</i> , 2009, 4, 1513-1521.	5.5	347
3	FANCI phosphorylation functions as a molecular switch to turn on the Fanconi anemia pathway. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 1138-1146.	3.6	207
4	Improved Phos-tag SDS-PAGE under neutral pH conditions for advanced protein phosphorylation profiling. <i>Proteomics</i> , 2011, 11, 319-323.	1.3	163
5	Label-free Kinase Profiling Using Phosphate Affinity Polyacrylamide Gel Electrophoresis. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 356-366.	2.5	126
6	Novel immobilized zinc(II) affinity chromatography for phosphopeptides and phosphorylated proteins. <i>Journal of Separation Science</i> , 2005, 28, 155-162.	1.3	93
7	Separation of phosphoprotein isotypes having the same number of phosphate groups using phosphate-affinity SDS-PAGE. <i>Proteomics</i> , 2008, 8, 2994-3003.	1.3	81
8	Phos-tag SDS-PAGE systems for phosphorylation profiling of proteins with a wide range of molecular masses under neutral pH conditions. <i>Proteomics</i> , 2012, 12, 192-202.	1.3	72
9	Enrichment of phosphorylated proteins from cell lysate using a novel phosphate-affinity chromatography at physiological pH. <i>Proteomics</i> , 2006, 6, 5088-5095.	1.3	65
10	The DNA-binding activity of mouse DNA methyltransferase 1 is regulated by phosphorylation with casein kinase 1 $\beta$ . <i>Biochemical Journal</i> , 2010, 427, 489-497.	1.7	56
11	Separation of a phosphorylated histidine protein using phosphate affinity polyacrylamide gel electrophoresis. <i>Analytical Biochemistry</i> , 2007, 360, 160-162.	1.1	50
12	Advances in Phos-tag-based methodologies for separation and detection of the phosphoproteome. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 601-608.	1.1	50
13	Two-dimensional phosphate-affinity gel electrophoresis for the analysis of phosphoprotein isotypes. <i>Electrophoresis</i> , 2009, 30, 550-559.	1.3	48
14	Mobility shift detection of phosphorylation on large proteins using a Phos-tag SDS-PAGE gel strengthened with agarose. <i>Proteomics</i> , 2009, 9, 4098-4101.	1.3	46
15	Highly sensitive detection of protein phosphorylation by using improved Phos-tag Biotin. <i>Proteomics</i> , 2012, 12, 932-937.	1.3	41
16	Phos-tag beads as an immunoblotting enhancer for selective detection of phosphoproteins in cell lysates. <i>Analytical Biochemistry</i> , 2009, 389, 83-85.	1.1	35
17	Tips on improving the efficiency of electrotransfer of target proteins from Phos-tag SDS-PAGE gel. <i>Proteomics</i> , 2014, 14, 2437-2442.	1.3	32
18	Functional Characterization of the Receiver Domain for Phosphorelay Control in Hybrid Sensor Kinases. <i>PLoS ONE</i> , 2015, 10, e0132598.	1.1	32

#	ARTICLE	IF	CITATIONS
19	Separation and identification of four distinct serine phosphorylation states of ovalbumin by Phos-tag affinity electrophoresis. <i>Electrophoresis</i> , 2012, 33, 849-855.	1.3	30
20	A Phos-tag-based magnetic-bead method for rapid and selective separation of phosphorylated biomolecules. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 925, 86-94.	1.2	26
21	Profiling of protein thiophosphorylation by Phos-tag affinity electrophoresis: Evaluation of adenosine 5'-thiotriphosphate as a phosphoryl donor in protein kinase reactions. <i>Proteomics</i> , 2014, 14, 668-679.	1.3	26
22	Validation of Cis and Trans Modes in Multistep Phosphotransfer Signaling of Bacterial Tripartite Sensor Kinases by Using Phos-Tag SDS-PAGE. <i>PLoS ONE</i> , 2016, 11, e0148294.	1.1	25
23	A Phos-tag-based micropipette tip method for rapid and selective enrichment of phosphopeptides. <i>Electrophoresis</i> , 2017, 38, 2447-2455.	1.3	22
24	Sandwich assay for phosphorylation of protein multiplexes by using antibodies and Phos-tag. <i>Analytical Biochemistry</i> , 2013, 438, 104-106.	1.1	21
25	A novel procedure for simple and efficient genotyping of single nucleotide polymorphisms by using the Zn <sup>2+</sup> -cyclen complex. <i>Nucleic Acids Research</i> , 2002, 30, 126e-126.	6.5	19
26	A Phos-tag SDS-PAGE method that effectively uses phosphoproteomic data for profiling the phosphorylation dynamics of MEK1. <i>Proteomics</i> , 2016, 16, 1825-1836.	1.3	19
27	A Phos-tag-based fluorescence resonance energy transfer system for the analysis of the dephosphorylation of phosphopeptides. <i>Analytical Biochemistry</i> , 2009, 388, 235-241.	1.1	18
28	Phosphate-Affinity Gel Electrophoresis Using a Phos-Tag Molecule for Phosphoproteome Study. <i>Current Proteomics</i> , 2009, 6, 104-121.	0.1	17
29	Expression and phosphorylation state analysis of intracellular protein kinases using Multi-PK antibody and Phos-tag SDS-PAGE. <i>MethodsX</i> , 2015, 2, 469-474.	0.7	17
30	TAMRA/TAMRA Fluorescence Quenching Systems for the Activity Assay of Alkaline Phosphatase. <i>Sensors</i> , 2017, 17, 1877.	2.1	17
31	A single nucleotide polymorphism genotyping method using phosphate-affinity polyacrylamide gel electrophoresis. <i>Analytical Biochemistry</i> , 2007, 361, 294-298.	1.1	15
32	A Phos-tag-based fluorescence resonance energy transfer system for the analysis of the kinase reaction of a substrate peptide. <i>Analytical Methods</i> , 2011, 3, 1303.	1.3	15
33	Quantitative monitoring of His and Asp phosphorylation in a bacterial signaling system by using Phos-tag Magenta/Cyan fluorescent dyes. <i>Electrophoresis</i> , 2019, 40, 3005-3013.	1.3	15
34	A heteroduplex-preferential Tm depressor for the specificity-enhanced DNA polymerase chain reactions. <i>Analytical Biochemistry</i> , 2005, 337, 154-160.	1.1	14
35	The Cutting Edge of Affinity Electrophoresis Technology. <i>Proteomes</i> , 2015, 3, 42-55.	1.7	14
36	Evaluation of four phosphopeptide enrichment strategies for mass spectrometry-based proteomic analysis. <i>Proteomics</i> , 2022, 22, e2100216.	1.3	12

#	ARTICLE	IF	CITATIONS
37	Reliable and Cost-Effective Screening of Inherited Heterozygosity by Zn <sup>2+</sup> -Cyclen Polyacrylamide Gel Electrophoresis. <i>Clinical Chemistry</i> , 2005, 51, 2195-2198.	1.5	11
38	Protein-N-myristoylation-dependent phosphorylation of serine 13 of tyrosine kinase Lyn by casein kinase 1 $\beta$ at the Golgi during intracellular protein traffic. <i>Scientific Reports</i> , 2020, 10, 16273.	1.6	11
39	Increase in constitutively active MEK1 species by introduction of MEK1 mutations identified in cancers. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 62-70.	1.1	10
40	Neutral Phosphate-Affinity SDS-PAGE System for Profiling of Protein Phosphorylation. <i>Methods in Molecular Biology</i> , 2015, 1295, 323-354.	0.4	10
41	History of Phos-tag technology for phosphoproteomics. <i>Journal of Proteomics</i> , 2022, 252, 104432.	1.2	10
42	An Alkoxide-Bridged Dinuclear Zinc(II) Hexaazacyprate: A Novel Phosphate Capture Molecule in Aqueous Solution. <i>Bulletin of the Chemical Society of Japan</i> , 2005, 78, 125-131.	2.0	9
43	Simple enrichment of thiol-containing biomolecules by using zinc(II)-cyclen-functionalized magnetic beads. <i>Journal of Separation Science</i> , 2014, 37, 1601-1609.	1.3	9
44	Non-SCN5A Related Brugada Syndromes: Verification of Normal Splicing and Trafficking of SCN5A Without Exonic Mutations. <i>Annals of Human Genetics</i> , 2007, 71, 8-17.	0.3	7
45	A mobility shift detection method for DNA methylation analysis using phosphate affinity polyacrylamide gel electrophoresis. <i>Analytical Biochemistry</i> , 2008, 378, 102-104.	1.1	7
46	Detection of the Gua/Cyt-to-Cyt/Gua mutation in a Gua/Cyt-lined sequence using Zn <sup>2+</sup> -cyclen polyacrylamide gel electrophoresis. <i>Analytical Biochemistry</i> , 2008, 380, 122-127.	1.1	7
47	Zn(II)-Phos-Tag SDS-PAGE for Separation and Detection of a DNA Damage-Related Signaling Large Phosphoprotein. <i>Methods in Molecular Biology</i> , 2017, 1599, 113-126.	0.4	6
48	Specific glutamic acid residues in targeted proteins induce exaggerated retardations in Phos-tag SDS-PAGE migration. <i>Electrophoresis</i> , 2017, 38, 1139-1146.	1.3	6
49	Phosphopeptide Detection with Biotin-Labeled Phos-tag. <i>Methods in Molecular Biology</i> , 2016, 1355, 17-29.	0.4	6
50	Genotyping and mapping assay of single-nucleotide polymorphisms in CYP3A5 using DNA-binding zinc(II) complexes. <i>Clinical Biochemistry</i> , 2010, 43, 302-306.	0.8	5
51	Identification of two phosphorylated species of $\beta$ -catenin involved in the ubiquitin-proteasome pathway by using two-dimensional Phos-tag affinity electrophoresis. <i>Journal of Electrophoresis</i> , 2014, 58, 1-4.	0.2	5
52	Gel-based analysis of protein phosphorylation status by rapid fluorometric staining using TAMRA-labeled Phos-tag. <i>Journal of Electrophoresis</i> , 2019, 63, 25-32.	0.2	5
53	A strategy to identify protein-N-myristoylation-dependent phosphorylation reactions of cellular proteins by using Phos-tag SDS-PAGE. <i>PLoS ONE</i> , 2019, 14, e0225510.	1.1	5
54	An immuno-dot blot assay for screening histidine kinase inhibitors. <i>Analytical Biochemistry</i> , 2020, 600, 113765.	1.1	5

#	ARTICLE	IF	CITATIONS
55	Recent advances in the Phos-tag technique focused on the analysis of phosphoproteins in a bacterial two-component system. <i>Journal of Proteomics</i> , 2022, 252, 104429.	1.2	4
56	A novel thiol-affinity micropipette tip method using zinc(II)-cyclen-attached agarose beads for enrichment of cysteine-containing molecules. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1031, 195-201.	1.2	3
57	A simple method for determining the ligand affinity toward a zinc-enzyme model by using a TAMRA/TAMRA interaction. <i>Dalton Transactions</i> , 2018, 47, 1841-1848.	1.6	3
58	A method for profiling the phosphorylation state of tyrosine protein kinases. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 71-75.	1.1	3
59	An assay of human tyrosine protein kinase ABL activity using an Escherichia coli protein expression system. <i>BioTechniques</i> , 2021, 70, 209-217.	0.8	3
60	Zn(II)-cyclen Polyacrylamide Gel Electrophoresis for SNP Detection. <i>Methods in Molecular Biology</i> , 2009, 578, 169-182.	0.4	3
61	Phosphate-Affinity Polyacrylamide Gel Electrophoresis for SNP Genotyping. <i>Methods in Molecular Biology</i> , 2009, 578, 183-192.	0.4	3
62	Phos-tag Affinity Electrophoresis for Protein Kinase Profiling. <i>Neuromethods</i> , 2012, , 13-34.	0.2	3
63	Phos-tag Technology for Phosphoproteomics. <i>Bunseki Kagaku</i> , 2012, 61, 469-487.	0.1	2
64	Characterization of Phosphorylation Status and Kinase Activity of Src Family Kinases Expressed in Cell-Based and Cell-Free Protein Expression Systems. <i>Biomolecules</i> , 2021, 11, 1448.	1.8	2
65	Zinc(II)-cyclen polyacrylamide gel electrophoresis for detection of mutations in short Ade/Thy-rich DNA fragments. <i>Analytical Biochemistry</i> , 2011, 408, 348-350.	1.1	1
66	Improving the Electrotransfer Efficiency of Target Phosphoprotein from Phos-tag SDS-PAGE Gel. <i>Bunseki Kagaku</i> , 2015, 64, 501-509.	0.1	1
67	Phos-tag-based micropipette-tip method for analysis of phosphomonoester-type impurities in synthetic oligonucleotides. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1151, 122198.	1.2	1
68	Characterization of the Binding of Adenosine-5'-monophosphate to a $\mu$ -Type Alkoxide-Linked Dinuclear Zinc(II) Complex in Crystal and Solution State. <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 2670-2677.	2.0	1
69	Phos-Tag Fluorescent Gel Staining for the Quantitative Detection of His- and Asp-Phosphorylated Proteins. <i>Methods in Molecular Biology</i> , 2021, 2261, 73-78.	0.4	1
70	A novel phosphate-affinity bead with immobilized Phos-tag for separation and enrichment of phosphopeptides and phosphoproteins. <i>Journal of Integrated OMICS</i> , 2011, 1, .	0.5	1
71	A dot-blot-staining method for detecting phosphoproteins with a Phos-tag Aqua fluorescent dye. <i>Journal of Electrophoresis</i> , 2020, 64, 7-11.	0.2	1
72	Determining Protein Phosphorylation Status Using Antibody Arrays and Phos-Tag Biotin. <i>Methods in Molecular Biology</i> , 2021, 2237, 217-224.	0.4	1

#	ARTICLE	IF	CITATIONS
73	Phos-tag-Based Affinity Chromatography Techniques for Enrichment of the Phosphoproteome. , 2015, , 17-30.		0
74	Phos-tag SDS-PAGE methodology that effectively uses phosphoproteomic data for profiling the phosphorylation dynamics of MEK1. Denki Eido, 2017, 61, 9-15.	0.0	0
75	Enrichment of Low-Molecular-Weight Phosphorylated Biomolecules Using Phos-Tag Tip. Neuromethods, 2019, , 75-84.	0.2	0
76	Quantitative analysis of phosphoproteins in a bacterial two-component system using Phos-tag techniques. Denki Eido, 2020, 64, 35-39.	0.0	0
77	Crystal Structure of Bis{1,3-bis[bis(pyridin-2-ylmethyl)amino]propan-2-olato-dizinc(II)}orthophosphate Tris(perchlorate) Octahydrate, [(Phos-tag) <sub>2</sub> -PO <sub>4</sub> ] <sub>3</sub> [ClO <sub>4</sub> ] <sub>0.1</sub> X-ray Structure Analysis Online, 2021, 37, 87-88.		0