

Duncan Stewart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1127551/publications.pdf>

Version: 2024-02-01

102
papers

5,247
citations

94433

37
h-index

88630

70
g-index

104
all docs

104
docs citations

104
times ranked

3893
citing authors

#	ARTICLE	IF	CITATIONS
1	Early implementation of the structured medication review in England: a qualitative study. <i>British Journal of General Practice</i> , 2022, 72, e641-e648.	1.4	9
2	Exploratory Validation Study of the Individual AUDIT-C Items among Older People. <i>Alcohol and Alcoholism</i> , 2021, 56, 258-265.	1.6	5
3	Non-pharmacological interventions to reduce restrictive practices in adult mental health inpatient settings: the COMPARE systematic mapping review. <i>Health Services and Delivery Research</i> , 2021, 9, 1-184.	1.4	15
4	Introducing alcohol as a drug in medicine reviews with pharmacists: Findings from a coâ€design workshop with patients. <i>Drug and Alcohol Review</i> , 2021, 40, 1028-1036.	2.1	4
5	Structured medication reviews: origins, implementation, evidence, and prospects. <i>British Journal of General Practice</i> , 2021, 71, 340-341.	1.4	14
6	Using qualitative process evaluation in the development of a complex intervention to advance person-centred practice by pharmacists: The Medicines and Alcohol Consultation (MAC). <i>SSM Qualitative Research in Health</i> , 2021, 1, 100012.	1.5	4
7	Process study within a pilot cluster randomised trial in community pharmacy: An exploration of pharmacist readiness for research. <i>Research in Social and Administrative Pharmacy</i> , 2021, 17, 1750-1757.	3.0	8
8	A scoping review of qualitative research on perceptions of oneâ€™s own alcohol use. <i>European Journal of Public Health</i> , 2021, 31, 432-436.	0.3	1
9	Addressing complex pharmacy consultations: methods used to develop a person-centred intervention to highlight alcohol within pharmacist reviews of medications. <i>Addiction Science & Clinical Practice</i> , 2021, 16, 63.	2.6	6
10	Community pharmacist led medication reviews in the UK: A scoping review of the medicines use review and the new medicine service literatures. <i>Research in Social and Administrative Pharmacy</i> , 2020, 16, 111-122.	3.0	43
11	Smokingâ€related violence in a mental health setting following the implementation of a comprehensive smokeâ€free policy: A content analysis of incident reports. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 202-211.	3.8	7
12	A pilot cluster randomised trial of the Medicines and Alcohol Consultation (MAC): an intervention to discuss alcohol use in community pharmacy medicine review services. <i>BMC Health Services Research</i> , 2020, 20, 943.	2.2	9
13	Managing alcohol use in primary care. <i>BMJ, The</i> , 2020, 371, m4129.	6.0	5
14	Response to Commentary on Smokingâ€related violence in a mental health setting following the implementation of a comprehensive smokeâ€free policy: A content analysis of incident reports (Spaducci) <i>Tj ETQq0.30 rgBT0 Overlock</i>	3.0	0
15	Producing coâ€production: Reflections on the development of a complex intervention. <i>Health Expectations</i> , 2020, 23, 659-669.	2.6	31
16	Optimising retention success: a research teamâ€™s experience of following-up participants recruited to a pilot trial through community pharmacies in England. <i>F1000Research</i> , 2020, 9, 1042.	1.6	0
17	Optimising retention success: a research teamâ€™s experience of following-up participants recruited to a pilot trial through community pharmacies in England. <i>F1000Research</i> , 2020, 9, 1042.	1.6	2
18	Alcohol complicates multimorbidity in older adults. <i>BMJ: British Medical Journal</i> , 2019, 365, l4304.	2.3	19

#	ARTICLE	IF	CITATIONS
19	Conceptualising alcohol consumption in relation to long-term health conditions: Exploring risk in interviewee accounts of drinking and taking medications. PLoS ONE, 2019, 14, e0224706.	2.5	15
20	Authorsâ€™™ reply to Rao. BMJ: British Medical Journal, 2019, 366, l5151.	2.3	0
21	The physical and mental health of acute psychiatric ward staff, and its relationship to experience of physical violence. International Journal of Mental Health Nursing, 2019, 28, 268-277.	3.8	23
22	Title is missing!. , 2019, 14, e0224706.		0
23	Title is missing!. , 2019, 14, e0224706.		0
24	Title is missing!. , 2019, 14, e0224706.		0
25	Title is missing!. , 2019, 14, e0224706.		0
26	Violence in mental health settings: A systematic review. International Journal of Mental Health Nursing, 2018, 27, 33-45.	3.8	12
27	Blurred Boundaries â€” A Qualitative Study of How Acts of Self-Harm and Attempted Suicide Are Defined by Mental Health Practitioners. Crisis, 2018, 39, 247-254.	1.2	6
28	Harm reduction as a strategy for supporting people who self-harm on mental health wards: the views and experiences of practitioners. Journal of Affective Disorders, 2017, 214, 67-73.	4.1	27
29	Effect of implementation of a smoke-free policy on physical violence in a psychiatric inpatient setting: an interrupted time series analysis. Lancet Psychiatry,the, 2017, 4, 540-546.	7.4	51
30	Alcohol consumption and all-cause mortality: an analysis of general practice database records for patients with long-term conditions. Journal of Epidemiology and Community Health, 2017, 71, 729-735.	3.7	13
31	Acceptability and use of coercive methods across differing service configurations with and without seclusion and/or psychiatric intensive care units. Journal of Advanced Nursing, 2017, 73, 966-976.	3.3	22
32	Quality of intervention delivery in a cluster randomised controlled trial: a qualitative observational study with lessons for fidelity. Trials, 2017, 18, 548.	1.6	24
33	Seclusion and Psychiatric Intensive Care Evaluation Study (SPICES): combined qualitative and quantitative approaches to the uses and outcomes of coercive practices in mental health services. Health Services and Delivery Research, 2017, 5, 1-116.	1.4	24
34	Predictors of effective deâ€”escalation in acute inpatient psychiatric settings. Journal of Clinical Nursing, 2016, 25, 2180-2188.	3.0	22
35	Aggression on inpatient units: Clinical characteristics and consequences. International Journal of Mental Health Nursing, 2016, 25, 308-318.	3.8	42
36	Physical injury and workplace assault in UK mental health trusts: An analysis of formal reports. International Journal of Mental Health Nursing, 2016, 25, 355-366.	3.8	41

#	ARTICLE	IF	CITATIONS
37	Nursing interventions for substance use during psychiatric hospital admissions: Clinical context and predictors. <i>International Journal of Mental Health Nursing</i> , 2015, 24, 527-537.	3.8	5
38	Thematic analysis of psychiatric patients' perceptions of nursing staff. <i>International Journal of Mental Health Nursing</i> , 2015, 24, 82-90.	3.8	41
39	Reducing conflict and containment rates on acute psychiatric wards: The Safewards cluster randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2015, 52, 1412-1422.	5.6	283
40	Describing the precursors to and management of medication nonadherence on acute psychiatric wards. <i>General Hospital Psychiatry</i> , 2015, 37, 606-612.	2.4	11
41	Patients Subject to High Levels of Coercion: Staff's Understanding. <i>Issues in Mental Health Nursing</i> , 2014, 35, 364-371.	1.2	7
42	Correlation Between Levels of Conflict and Containment on Acute Psychiatric Wards: The City-128 Study. <i>Psychiatric Services</i> , 2013, 64, 423-430.	2.0	17
43	Identification of the "Minimal Triangle" and Other Common Event-to-Event Transitions in Conflict and Containment Incidents. <i>Issues in Mental Health Nursing</i> , 2013, 34, 514-523.	1.2	25
44	Characteristics of acute wards associated with the presence of a psychiatric intensive care unit, and transfers of patients to it. <i>Journal of Psychiatric Intensive Care</i> , 2012, 8, 66-77.	0.6	11
45	Behavioural antecedents to pro re nata psychotropic medication administration on acute psychiatric wards. <i>International Journal of Mental Health Nursing</i> , 2012, 21, 540-549.	3.8	30
46	Self harm in adult inpatient psychiatric care: A national study of incident reports in the UK. <i>International Journal of Nursing Studies</i> , 2012, 49, 1212-1219.	5.6	27
47	Manual restraint and shows of force: The City-128 study. <i>International Journal of Mental Health Nursing</i> , 2012, 21, 30-40.	3.8	46
48	The scope for replacing seclusion with time out in acute inpatient psychiatry in England. <i>Journal of Advanced Nursing</i> , 2012, 68, 826-835.	3.3	32
49	Managing risk and conflict behaviours in acute psychiatry: the dual role of constant special observation. <i>Journal of Advanced Nursing</i> , 2012, 68, 1340-1348.	3.3	25
50	Under the Gaze of Staff: Special Observation as Surveillance. <i>Perspectives in Psychiatric Care</i> , 2012, 48, 2-9.	1.9	20
51	Patient characteristics and behaviours associated with self-harm and attempted suicide in acute psychiatric wards. <i>Journal of Clinical Nursing</i> , 2012, 21, 1004-1013.	3.0	23
52	Conflict and containment events in inpatient psychiatric units. <i>Journal of Clinical Nursing</i> , 2012, 21, 2306-2315.	3.0	19
53	Self-harm and attempted suicide within inpatient psychiatric services: A review of the Literature. <i>International Journal of Mental Health Nursing</i> , 2012, 21, 301-309.	3.8	86
54	The Practice of Seclusion and Time-out on English Acute Psychiatric Wards: The City-128 Study. <i>Archives of Psychiatric Nursing</i> , 2010, 24, 275-286.	1.4	65

#	ARTICLE	IF	CITATIONS
55	A Review of Interventions to Reduce Mechanical Restraint and Seclusion among Adult Psychiatric Inpatients. <i>Issues in Mental Health Nursing</i> , 2010, 31, 413-424.	1.2	79
56	Constant special observation and self-harm on acute psychiatric wards: a longitudinal analysis. <i>General Hospital Psychiatry</i> , 2009, 31, 523-530.	2.4	31
57	Drug use and perceived treatment need among newly sentenced prisoners in England and Wales. <i>Addiction</i> , 2009, 104, 243-247.	3.3	30
58	Auricular acupuncture as an adjunct to opiate detoxification treatment: Effects on withdrawal symptoms. <i>Journal of Substance Abuse Treatment</i> , 2009, 36, 345-349.	2.8	31
59	Attendance at Narcotics Anonymous and Alcoholics Anonymous meetings, frequency of attendance and substance use outcomes after residential treatment for drug dependence: a 5-year follow-up study. <i>Addiction</i> , 2008, 103, 119-125.	3.3	174
60	Drug dependent parents: Childcare responsibilities, involvement with treatment services, and treatment outcomes. <i>Addictive Behaviors</i> , 2007, 32, 1657-1668.	3.0	30
61	Readiness for change and drug use outcomes after treatment. <i>Addiction</i> , 2007, 102, 301-308.	3.3	31
62	Remission of Psychiatric Symptoms Among Drug Misusers After Drug Dependence Treatment. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 826-832.	1.0	45
63	Effectiveness of drug and alcohol counselling during methadone treatment: content, frequency, and duration of counselling and association with substance use outcomes. <i>Addiction</i> , 2006, 101, 404-412.	3.3	26
64	Reductions in criminal convictions after addiction treatment: 5-year follow-up. <i>Drug and Alcohol Dependence</i> , 2005, 79, 295-302.	3.2	126
65	Economic analysis of costs and consequences of the treatment of drug misuse: 2-year outcome data from the National Treatment Outcome Research Study (NTORS). <i>Addiction</i> , 2004, 99, 697-707.	3.3	134
66	Increased caseloads in methadone treatment programs: Implications for the delivery of services and retention in treatment. <i>Journal of Substance Abuse Treatment</i> , 2004, 27, 301-306.	2.8	4
67	Changes in route of drug administration among continuing heroin users: Outcomes 1 year after intake to treatment. <i>Addictive Behaviors</i> , 2004, 29, 1085-1094.	3.0	24
68	Similarities in outcomes for men and women after drug misuse treatment: results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Review</i> , 2003, 22, 35-41.	2.1	37
69	The National Treatment Outcome Research Study (NTORS): 4-5 year follow-up results. <i>Addiction</i> , 2003, 98, 291-303.	3.3	316
70	Treatment process components and heroin use outcome among methadone patients. <i>Drug and Alcohol Dependence</i> , 2003, 71, 93-102.	3.2	29
71	Reduction or cessation of injecting risk behaviours? Treatment outcomes at 1-year follow-up. <i>Addictive Behaviors</i> , 2003, 28, 785-793.	3.0	24
72	Methadone treatment for opiate dependent patients in general practice and specialist clinic settings: Outcomes at 2-year follow-up. <i>Journal of Substance Abuse Treatment</i> , 2003, 24, 313-321.	2.8	40

#	ARTICLE	IF	CITATIONS
73	Alcohol use outcomes and heavy drinking at 4â€“5 years among a treatment sample of drug misusers. <i>Journal of Substance Abuse Treatment</i> , 2003, 25, 135-143.	2.8	31
74	Criminal outcomes and costs of treatment services for injecting and non-injecting heroin users: evidence from a national prospective cohort survey. <i>Journal of Health Services Research and Policy</i> , 2003, 8, 134-141.	1.7	21
75	Reductions in non-fatal overdose after drug misuse treatment: results from the National Treatment Outcome Research Study (NTORS). <i>Journal of Substance Abuse Treatment</i> , 2002, 22, 1-9.	2.8	92
76	Change and stability of change after treatment of drug misuse. <i>Addictive Behaviors</i> , 2002, 27, 155-166.	3.0	95
77	Changes in use of crack cocaine after drug misuse treatment: 4â€“5 year follow-up results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Dependence</i> , 2002, 66, 21-28.	3.2	59
78	Sulphatoxymelatonin excretion during opiate withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002, 26, 677-681.	4.8	1
79	Dual dependence: assessment of dependence upon alcohol and illicit drugs, and the relationship of alcohol dependence among drug misusers to patterns of drinking, illicit drug use and health problems. <i>Addiction</i> , 2002, 97, 169-178.	3.3	74
80	A prospective study of mortality among drug misusers during a 4â€“year period after seeking treatment. <i>Addiction</i> , 2002, 97, 39-47.	3.3	261
81	Factors associated with abstinence, lapse or relapse to heroin use after residential treatment: protective effect of coping responses. <i>Addiction</i> , 2002, 97, 1259-1267.	3.3	225
82	A Short Alcohol Withdrawal Scale (SAWS): development and psychometric properties. <i>Addiction Biology</i> , 2002, 7, 37-43.	2.6	48
83	Outcomes after methadone maintenance and methadone reduction treatments: two-year follow-up results from the National Treatment Outcome Research Study. <i>Drug and Alcohol Dependence</i> , 2001, 62, 255-264.	3.2	154
84	Psychiatric symptoms among clients seeking treatment for drug dependence. <i>British Journal of Psychiatry</i> , 2000, 176, 285-289.	2.8	151
85	Drug misuse and acquisitive crime among clients recruited to the National Treatment Outcome Research Study (NTORS). <i>Criminal Behaviour and Mental Health</i> , 2000, 10, 10-20.	0.8	87
86	Randomized trial of supervised injectable versus oral methadone maintenance: report of feasibility and 6-month outcome. <i>Addiction</i> , 2000, 95, 1631-1645.	3.3	56
87	Routes of drug administration and multiple drug misuse: regional variations among clients seeking treatment at programmes throughout England. <i>Addiction</i> , 2000, 95, 1197-1206.	3.3	53
88	The UK National Treatment Outcome Research Study and its implications. <i>Drug and Alcohol Review</i> , 2000, 19, 5-7.	2.1	3
89	Drug selling among drug misusers before intake to treatment and at 1-year follow-up: results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Review</i> , 2000, 19, 143-151.	2.1	9
90	Variation between and within Drug Treatment Modalities: Data from the National Treatment Outcome Research Study (UK). <i>European Addiction Research</i> , 2000, 6, 106-114.	2.4	29

#	ARTICLE	IF	CITATIONS
91	New European Instruments for Treatment Outcome Research: Reliability of the Maudsley Addiction Profile and Treatment Perceptions Questionnaire in Italy, Spain and Portugal. <i>European Addiction Research</i> , 2000, 6, 115-122.	2.4	42
92	Patterns of improvement after methadone treatment: 1 year follow-up results from the National Treatment Outcome Research Study (NTORS). <i>Drug and Alcohol Dependence</i> , 2000, 60, 275-286.	3.2	104
93	Reductions in acquisitive crime and drug use after treatment of addiction problems: 1-year follow-up outcomes. <i>Drug and Alcohol Dependence</i> , 2000, 58, 165-172.	3.2	103
94	Treatment outcomes of stimulant misusers. <i>Addictive Behaviors</i> , 2000, 25, 509-522.	3.0	34
95	Patterns of drinking and drinking outcomes among drug misusers. <i>Journal of Substance Abuse Treatment</i> , 2000, 19, 45-50.	2.8	63
96	Assessing Client Satisfaction with Treatment for Substance Use Problems and the Development of the Treatment Perceptions Questionnaire (TPQ). <i>Addiction Research</i> , 2000, 8, 455-470.	0.6	71
97	Continued heroin use during methadone treatment: relationships between frequency of use and reasons reported for heroin use. <i>Drug and Alcohol Dependence</i> , 1999, 53, 191-195.	3.2	22
98	Treatment retention and 1 year outcomes for residential programmes in England. <i>Drug and Alcohol Dependence</i> , 1999, 57, 89-98.	3.2	158
99	The Maudsley Addiction Profile (MAP): a brief instrument for assessing treatment outcome. <i>Addiction</i> , 1998, 93, 1857-1867.	3.3	399
100	Substance use, health and social problems of service users at 54 drug treatment agencies. <i>British Journal of Psychiatry</i> , 1998, 173, 166-171.	2.8	158
101	Economic burden of drug dependency. <i>British Journal of Psychiatry</i> , 1998, 173, 160-165.	2.8	56
102	The National Treatment Outcome Research Study in the United Kingdom: Six-month follow-up outcomes.. <i>Psychology of Addictive Behaviors</i> , 1997, 11, 324-337.	2.1	88