

Jukka T Salonen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11275622/publications.pdf>

Version: 2024-02-01

235
papers

32,252
citations

3334

91
h-index

4117

175
g-index

236
all docs

236
docs citations

236
times ranked

28838
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A healthy Nordic diet score and risk of incident CHD among men: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>British Journal of Nutrition</i> , 2022, 127, 599-606. | 2.3 | 6 |
| 2 | Associations of dairy, meat, and fish intakes with risk of incident dementia and with cognitive performance: the Kuopio Ischaemic Heart Disease Risk Factor Study (KIHD). <i>European Journal of Nutrition</i> , 2022, 61, 2531-2542. | 3.9 | 16 |
| 3 | Serum n-6 polyunsaturated fatty acids and risk of atrial fibrillation: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>European Journal of Nutrition</i> , 2022, 61, 1981-1989. | 3.9 | 6 |
| 4 | Examining the effect of mitochondrial DNA variants on blood pressure in two Finnish cohorts. <i>Scientific Reports</i> , 2021, 11, 611. | 3.3 | 7 |
| 5 | Mitochondrial genome-wide analysis of nuclear DNA methylation quantitative trait loci. <i>Human Molecular Genetics</i> , 2021, , . | 2.9 | 1 |
| 6 | Serum copper-to-zinc-ratio and risk of incident infection in men: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>European Journal of Epidemiology</i> , 2020, 35, 1149-1156. | 5.7 | 27 |
| 7 | Associations of dietary choline intake with risk of incident dementia and with cognitive performance: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1416-1423. | 4.7 | 56 |
| 8 | Discovery of mitochondrial DNA variants associated with genome-wide blood cell gene expression: a population-based mtDNA sequencing study. <i>Human Molecular Genetics</i> , 2019, 28, 1381-1391. | 2.9 | 3 |
| 9 | Egg consumption, cholesterol intake, and risk of incident stroke in men: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 169-176. | 4.7 | 31 |
| 10 | Dietary proteins and protein sources and risk of death: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1462-1471. | 4.7 | 78 |
| 11 | Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631. | 2.2 | 97 |
| 12 | Use of Repeated Blood Pressure and Cholesterol Measurements to Improve Cardiovascular Disease Risk Prediction: An Individual-Participant-Data Meta-Analysis. <i>American Journal of Epidemiology</i> , 2017, 186, 899-907. | 3.4 | 42 |
| 13 | Alcohol Consumption and Common Carotid Intima-Media Thickness: The USE-IMT Study. <i>Alcohol and Alcoholism</i> , 2017, 52, 483-486. | 1.6 | 7 |
| 14 | Socioeconomic position, John Henryism, and incidence of acute myocardial infarction in Finnish men. <i>Social Science and Medicine</i> , 2017, 173, 54-62. | 3.8 | 14 |
| 15 | Association of dietary cholesterol and egg intakes with the risk of incident dementia or Alzheimer disease: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 476-484. | 4.7 | 49 |
| 16 | Clustering of cardiovascular risk factors and carotid intima-media thickness: The USE-IMT study. <i>PLoS ONE</i> , 2017, 12, e0173393. | 2.5 | 13 |
| 17 | Natriuretic peptides and integrated risk assessment for cardiovascular disease: an individual-participant-data meta-analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 840-849. | 11.4 | 159 |
| 18 | Associations of egg and cholesterol intakes with carotid intima-media thickness and risk of incident coronary artery disease according to apolipoprotein E phenotype in men: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 895-901. | 4.7 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Race/Ethnic Differences in the Associations of the Framingham Risk Factors with Carotid IMT and Cardiovascular Events. PLoS ONE, 2015, 10, e0132321. | 2.5 | 141 |
| 20 | Common Carotid Intima-Media Thickness Relates to Cardiovascular Events in Adults Aged <45 Years. Hypertension, 2015, 65, 707-713. | 2.7 | 60 |
| 21 | Association of Cardiometabolic Multimorbidity With Mortality. JAMA - Journal of the American Medical Association, 2015, 314, 52. | 7.4 | 624 |
| 22 | Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. PLoS ONE, 2014, 9, e100409. | 2.5 | 162 |
| 23 | Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. American Journal of Epidemiology, 2014, 179, 621-632. | 3.4 | 47 |
| 24 | Glycated Hemoglobin Measurement and Prediction of Cardiovascular Disease. JAMA - Journal of the American Medical Association, 2014, 311, 1225. | 7.4 | 179 |
| 25 | Common Carotid Intima-Media Thickness Measurements Do Not Improve Cardiovascular Risk Prediction in Individuals With Elevated Blood Pressure. Hypertension, 2014, 63, 1173-1181. | 2.7 | 72 |
| 26 | Association of Mitochondrial Genetic Variation with Carotid Atherosclerosis. PLoS ONE, 2013, 8, e68070. | 2.5 | 38 |
| 27 | Lipid-Related Markers and Cardiovascular Disease Prediction. JAMA - Journal of the American Medical Association, 2012, 307, 2499-506. | 7.4 | 352 |
| 28 | C-Reactive Protein, Fibrinogen, and Cardiovascular Disease Prediction. New England Journal of Medicine, 2012, 367, 1310-1320. | 27.0 | 909 |
| 29 | Myocardial infarction in relation to mercury and fatty acids from fish: a risk-benefit analysis based on pooled Finnish and Swedish data in men. American Journal of Clinical Nutrition, 2012, 96, 706-713. | 4.7 | 49 |
| 30 | Common Carotid Intima-Media Thickness Measurements in Cardiovascular Risk Prediction. JAMA - Journal of the American Medical Association, 2012, 308, 796. | 7.4 | 622 |
| 31 | The effect of olive oil polyphenols on antibodies against oxidized LDL. A randomized clinical trial. Clinical Nutrition, 2011, 30, 490-493. | 5.0 | 71 |
| 32 | Methylmercury Exposure and Adverse Cardiovascular Effects in Faroese Whaling Men. Environmental Health Perspectives, 2009, 117, 367-372. | 6.0 | 192 |
| 33 | Work time and 11-year progression of carotid atherosclerosis in middle-aged Finnish men. Preventing Chronic Disease, 2009, 6, A13. | 3.4 | 18 |
| 34 | Intake of flavonoids and risk of cancer in Finnish men: The Kuopio Ischaemic Heart Disease Risk Factor Study. International Journal of Cancer, 2008, 123, 660-663. | 5.1 | 75 |
| 35 | Usefulness of Chronotropic Incompetence in Response to Exercise as a Predictor of Myocardial Infarction in Middle-Aged Men Without Cardiovascular Disease. American Journal of Cardiology, 2008, 101, 992-998. | 1.6 | 20 |
| 36 | Long-Term Effects of Fenofibrate on Carotid Intima-Media Thickness and Augmentation Index in Subjects With Type 2 Diabetes Mellitus. Journal of the American College of Cardiology, 2008, 52, 2190-2197. | 2.8 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Dyslipidaemia as a predictor of hypertension in middle-aged men. <i>European Heart Journal</i> , 2008, 29, 2561-2568. | 2.2 | 121 |
| 38 | Chronotropic incompetence and mortality in middle-aged men with known or suspected coronary heart disease. <i>European Heart Journal</i> , 2008, 29, 1896-1902. | 2.2 | 49 |
| 39 | Flavonoid intake and the risk of ischaemic stroke and CVD mortality in middle-aged Finnish men: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>British Journal of Nutrition</i> , 2008, 100, 890-895. | 2.3 | 161 |
| 40 | Changes in LDL Fatty Acid Composition as a Response to Olive Oil Treatment Are Inversely Related to Lipid Oxidative Damage: The EUROLIVE Study. <i>Journal of the American College of Nutrition</i> , 2008, 27, 314-320. | 1.8 | 84 |
| 41 | Effect of olive oils on biomarkers of oxidative DNA stress in Northern and Southern Europeans. <i>FASEB Journal</i> , 2007, 21, 45-52. | 0.5 | 134 |
| 42 | Serum Matrix Metalloproteinase-8 Concentrations Are Associated With Cardiovascular Outcome in Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2722-2728. | 2.4 | 153 |
| 43 | The intake of flavonoids and carotid atherosclerosis: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>British Journal of Nutrition</i> , 2007, 98, 814-8. | 2.3 | 41 |
| 44 | Risks and Benefits of Fish Intake. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 585. | 7.4 | 0 |
| 45 | Outcome-Dependent Sampling. <i>Epidemiology</i> , 2007, 18, 461-468. | 2.7 | 39 |
| 46 | Type 2 Diabetes Whole-Genome Association Study in Four Populations: The DiaGen Consortium. <i>American Journal of Human Genetics</i> , 2007, 81, 338-345. | 6.2 | 172 |
| 47 | Body iron is a contributor to oxidative damage of DNA. <i>Free Radical Research</i> , 2007, 41, 324-328. | 3.3 | 50 |
| 48 | Functional COMT Val158Met Polymorphism, Risk of Acute Coronary Events and Serum Homocysteine: The Kuopio Ischaemic Heart Disease Risk Factor Study. <i>PLoS ONE</i> , 2007, 2, e181. | 2.5 | 36 |
| 49 | Coffee intake and the incidence of hypertension. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1248. | 4.7 | 0 |
| 50 | Effectiveness of Workload at the Heart Rate of 100 Beats/Min in Predicting Cardiovascular Mortality in Men Aged 42, 48, 54, or 60 Years at Baseline. <i>American Journal of Cardiology</i> , 2007, 100, 563-568. | 1.6 | 11 |
| 51 | Systolic blood pressure response to exercise testing is related to the risk of acute myocardial infarction in middle-aged men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 421-428. | 2.8 | 59 |
| 52 | Consumption of Juice Fortified with Oregano Extract Markedly Increases Excretion of Phenolic Acids but Lacks Short- and Long-Term Effects on Lipid Peroxidation in Healthy Nonsmoking Men. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 5790-5796. | 5.2 | 11 |
| 53 | High dietary methionine intake increases the risk of acute coronary events in middle-aged men. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 113-120. | 2.6 | 53 |
| 54 | The Effect of Polyphenols in Olive Oil on Heart Disease Risk Factors. <i>Annals of Internal Medicine</i> , 2006, 145, 333. | 3.9 | 627 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Plasma N-terminal fragments of natriuretic propeptides predict the risk of cardiovascular events and mortality in middle-aged men. <i>European Heart Journal</i> , 2006, 27, 1230-1237. | 2.2 | 39 |
| 56 | Heart rate response during exercise test and cardiovascular mortality in middle-aged men. <i>European Heart Journal</i> , 2006, 27, 582-588. | 2.2 | 89 |
| 57 | Metabolic Syndrome and the Risk of Stroke in Middle-Aged Men. <i>Stroke</i> , 2006, 37, 806-811. | 2.0 | 192 |
| 58 | Socioeconomic and Psychosocial Exposures across the Life Course and Binge Drinking in Adulthood: Population-based Study. <i>American Journal of Epidemiology</i> , 2006, 165, 184-193. | 3.4 | 50 |
| 59 | Systolic blood pressure response to exercise testing is related to the risk of acute myocardial infarction in middle-aged men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 421-428. | 2.8 | 54 |
| 60 | Catechol-O-Methyltransferase Gene Polymorphism Modifies the Effect of Coffee Intake on Incidence of Acute Coronary Events. <i>PLoS ONE</i> , 2006, 1, e117. | 2.5 | 38 |
| 61 | Modulation of Cigarette Smoke Effects by Antioxidants: Oxidative Stress and Degenerative Diseases. , 2006, , 215-235. | | 0 |
| 62 | The effects of coffee consumption on lipid peroxidation and plasma total homocysteine concentrations: a clinical trial. <i>Free Radical Biology and Medicine</i> , 2005, 38, 527-534. | 2.9 | 55 |
| 63 | Mediation and Modification of the Association Between Hopelessness, Hostility, and Progression of Carotid Atherosclerosis. <i>Journal of Behavioral Medicine</i> , 2005, 28, 53-64. | 2.1 | 43 |
| 64 | Left Atrium Size and the Risk of Cardiovascular Death in Middle-aged Men. <i>Archives of Internal Medicine</i> , 2005, 165, 1788. | 3.8 | 140 |
| 65 | Mercury, Fish Oils, and Risk of Acute Coronary Events and Cardiovascular Disease, Coronary Heart Disease, and All-Cause Mortality in Men in Eastern Finland. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 228-233. | 2.4 | 271 |
| 66 | Serum Antibody Levels to <i>Actinobacillus actinomycetemcomitans</i> Predict the Risk for Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 833-838. | 2.4 | 131 |
| 67 | Prediction of Cardiovascular Mortality in Middle-aged Men by Dietary and Serum Linoleic and Polyunsaturated Fatty Acids. <i>Archives of Internal Medicine</i> , 2005, 165, 193. | 3.8 | 165 |
| 68 | The Metabolic Syndrome and Smoking in Relation to Hypogonadism in Middle-Aged Men: A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 712-719. | 3.6 | 211 |
| 69 | Serum homocysteine, folate and risk of stroke: Kuopio Ischaemic Heart Disease Risk Factor (KIHD) Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 369-375. | 2.8 | 36 |
| 70 | C-reactive protein in the prediction of cardiovascular and overall mortality in middle-aged men: a population-based cohort study. <i>European Heart Journal</i> , 2005, 26, 1783-1789. | 2.2 | 81 |
| 71 | Polyphenol-Rich Phloem Enhances the Resistance of Total Serum Lipids to Oxidation in Men. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 3017-3022. | 5.2 | 15 |
| 72 | Association between depressive symptoms and serum concentrations of homocysteine in men: a population study. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1574-1578. | 4.7 | 76 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The predictive value of cardiorespiratory fitness for cardiovascular events in men with various risk profiles: a prospective population-based cohort study. <i>European Heart Journal</i> , 2004, 25, 1428-1437. | 2.2 | 220 |
| 74 | Uric Acid Level as a Risk Factor for Cardiovascular and All-Cause Mortality in Middle-aged Men. <i>Archives of Internal Medicine</i> , 2004, 164, 1546. | 3.8 | 557 |
| 75 | Systolic Blood Pressure During Recovery From Exercise and the Risk of Acute Myocardial Infarction in Middle-Aged Men. <i>Hypertension</i> , 2004, 44, 820-825. | 2.7 | 98 |
| 76 | Circulating Oxidized Low-Density Lipoprotein and Its Association With Carotid Intima-Media Thickness in Asymptomatic Members of Familial Combined Hyperlipidemia Families. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1492-1497. | 2.4 | 86 |
| 77 | Inflammation, Abdominal Obesity, and Smoking as Predictors of Hypertension. <i>Hypertension</i> , 2004, 44, 859-865. | 2.7 | 291 |
| 78 | Dietary Folate and the Risk of Depression in Finnish Middle-Aged Men. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 334-339. | 8.8 | 128 |
| 79 | Dark Chocolate Consumption Increases HDL Cholesterol Concentration and Chocolate Fatty Acids May Inhibit Lipid Peroxidation in Healthy Humans. <i>Free Radical Biology and Medicine</i> , 2004, 37, 1351-1359. | 2.9 | 225 |
| 80 | Does Mercury Promote Lipid Peroxidation?: An In Vitro Study Concerning Mercury, Copper, and Iron in Peroxidation of Low-Density Lipoprotein. <i>Biological Trace Element Research</i> , 2004, 101, 117-132. | 3.5 | 64 |
| 81 | Serum linoleic and total polyunsaturated fatty acids in relation to prostate and other cancers: A population-based cohort study. <i>International Journal of Cancer</i> , 2004, 111, 444-450. | 5.1 | 50 |
| 82 | Testosterone and Sex Hormone-binding Globulin Predict the Metabolic Syndrome and Diabetes in Middle-Aged Men. <i>Diabetes Care</i> , 2004, 27, 1036-1041. | 8.6 | 803 |
| 83 | Self-esteem and mortality: prospective evidence from a population-based study. <i>Annals of Epidemiology</i> , 2004, 14, 58-65. | 1.9 | 44 |
| 84 | Coffee Drinking Is Dose-Dependently Related to the Risk of Acute Coronary Events in Middle-Aged Men. <i>Journal of Nutrition</i> , 2004, 134, 2381-2386. | 2.9 | 97 |
| 85 | Serum folate and homocysteine and the incidence of acute coronary events: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 317-323. | 4.7 | 68 |
| 86 | Serum ferritin concentration is associated with plasma levels of cholesterol oxidation products in man. <i>Free Radical Biology and Medicine</i> , 2003, 35, 922-928. | 2.9 | 46 |
| 87 | Asymmetrical dimethylarginine (ADMA) and risk of acute coronary events. <i>Atherosclerosis Supplements</i> , 2003, 4, 19-22. | 1.2 | 48 |
| 88 | Six-Year Effect of Combined Vitamin C and E Supplementation on Atherosclerotic Progression. <i>Circulation</i> , 2003, 107, 947-953. | 1.6 | 348 |
| 89 | Cardiorespiratory Fitness and Vigorous Leisure-Time Physical Activity Modify the Association of Small Size at Birth With the Metabolic Syndrome. <i>Diabetes Care</i> , 2003, 26, 2156-2164. | 8.6 | 79 |
| 90 | New Paraoxonase 1 Polymorphism I102V and the Risk of Prostate Cancer in Finnish Men. <i>Journal of the National Cancer Institute</i> , 2003, 95, 812-818. | 6.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Risk of Cardiovascular Disease-Related and All-Cause Death According to Serum Concentrations of Enterolactone. <i>Archives of Internal Medicine</i> , 2003, 163, 1099. | 3.8 | 129 |
| 92 | Sex hormones, inflammation and the metabolic syndrome: a population-based study. <i>European Journal of Endocrinology</i> , 2003, 149, 601-608. | 3.7 | 360 |
| 93 | Liver damage and protective effect of high density lipoprotein cholesterol. <i>BMJ: British Medical Journal</i> , 2003, 327, 1082-1083. | 2.3 | 9 |
| 94 | Sedentary Lifestyle, Poor Cardiorespiratory Fitness, and the Metabolic Syndrome. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1279-1286. | 0.4 | 337 |
| 95 | Cardiorespiratory Fitness and the Risk for Stroke in Men. <i>Archives of Internal Medicine</i> , 2003, 163, 1682. | 3.8 | 120 |
| 96 | Long-Term Combined Supplementations with α -Tocopherol and Vitamin C Have No Detectable Anti-Inflammatory Effects in Healthy Men. <i>Journal of Nutrition</i> , 2003, 133, 1170-1173. | 2.9 | 63 |
| 97 | Low Intake of Fruits, Berries and Vegetables Is Associated with Excess Mortality in Men: the Kuopio Ischaemic Heart Disease Risk Factor (KIHD) Study. <i>Journal of Nutrition</i> , 2003, 133, 199-204. | 2.9 | 204 |
| 98 | Dietary Folate and Depressive Symptoms Are Associated in Middle-Aged Finnish Men. <i>Journal of Nutrition</i> , 2003, 133, 3233-3236. | 2.9 | 97 |
| 99 | Serum lycopene concentrations and carotid atherosclerosis: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 133-138. | 4.7 | 188 |
| 100 | Definitions of the Metabolic Syndrome-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 1241. | 7.4 | 0 |
| 101 | Clinical Trials Testing Cardiovascular Benefits of Antioxidant Supplementation. <i>Free Radical Research</i> , 2002, 36, 1299-1306. | 3.3 | 20 |
| 102 | Reduced IGFBP-1 Is Associated With Thickening of the Carotid Wall in Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 1807-1812. | 8.6 | 33 |
| 103 | Life course socioeconomic conditions and adult psychosocial functioning. <i>International Journal of Epidemiology</i> , 2002, 31, 395-403. | 1.9 | 143 |
| 104 | Association Between Carotid Intima-Media Thickness and Low-Density Lipoprotein Size and Susceptibility of Low-Density Lipoprotein to Oxidation in Asymptomatic Members of Familial Combined Hyperlipidemia Families. <i>Stroke</i> , 2002, 33, 1255-1260. | 2.0 | 59 |
| 105 | Metabolic Syndrome and Development of Diabetes Mellitus: Application and Validation of Recently Suggested Definitions of the Metabolic Syndrome in a Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2002, 156, 1070-1077. | 3.4 | 756 |
| 106 | Low Levels of Leisure-Time Physical Activity and Cardiorespiratory Fitness Predict Development of the Metabolic Syndrome. <i>Diabetes Care</i> , 2002, 25, 1612-1618. | 8.6 | 564 |
| 107 | The Metabolic Syndrome and Total and Cardiovascular Disease Mortality in Middle-aged Men. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 2709. | 7.4 | 4,071 |
| 108 | Lycopene, Atherosclerosis, and Coronary Heart Disease. <i>Experimental Biology and Medicine</i> , 2002, 227, 900-907. | 2.4 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Physical Workload and Risk of Early Retirement: Prospective Population-Based Study Among Middle-Aged Men. <i>Journal of Occupational and Environmental Medicine</i> , 2002, 44, 930-939. | 1.7 | 79 |
| 110 | Association between low serum enterolactone and increased plasma F2-isoprostanes, a measure of lipid peroxidation. <i>Atherosclerosis</i> , 2002, 160, 465-469. | 0.8 | 76 |
| 111 | Carotid artery intima-media thickness in Finnish families with familial combined hyperlipidemia. <i>Atherosclerosis</i> , 2002, 162, 171-178. | 0.8 | 22 |
| 112 | Analysis of monoamine oxidase A (MAOA) promoter polymorphism in Finnish male alcoholics. <i>Psychiatry Research</i> , 2002, 109, 113-119. | 3.3 | 69 |
| 113 | Arginine intake, blood pressure, and the incidence of acute coronary events in men: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 359-364. | 4.7 | 26 |
| 114 | Cardiorespiratory fitness and physical activity as risk predictors of future atherosclerotic cardiovascular diseases. <i>Current Atherosclerosis Reports</i> , 2002, 4, 468-476. | 4.8 | 57 |
| 115 | Coenzyme Q10: Absorption, Antioxidative Properties, Determinants, and Plasma Levels. <i>Free Radical Research</i> , 2002, 36, 389-397. | 3.3 | 86 |
| 116 | Abdominal obesity is associated with accelerated progression of carotid atherosclerosis in men. <i>Atherosclerosis</i> , 2001, 154, 497-504. | 0.8 | 179 |
| 117 | Leucine7 to proline7 polymorphism in the preproneuropeptide Y is associated with the progression of carotid atherosclerosis, blood pressure and serum lipids in Finnish men. <i>Atherosclerosis</i> , 2001, 159, 145-151. | 0.8 | 101 |
| 118 | An insertion/deletion polymorphism in the β -adrenergic receptor gene is a novel genetic risk factor for acute coronary events. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1516-1522. | 2.8 | 110 |
| 119 | Exercise-induced silent myocardial ischemia and coronary morbidity and mortality in middle-aged men. <i>Journal of the American College of Cardiology</i> , 2001, 38, 72-79. | 2.8 | 109 |
| 120 | Risk of acute coronary events and serum concentration of asymmetrical dimethylarginine. <i>Lancet</i> , The, 2001, 358, 2127-2128. | 13.7 | 544 |
| 121 | Supplementation with vitamin E but not with vitamin C lowers lipid peroxidation in vivo in mildly hypercholesterolemic men. <i>Free Radical Research</i> , 2001, 35, 967-978. | 3.3 | 42 |
| 122 | Low serum lycopene concentration is associated with an excess incidence of acute coronary events and stroke: the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>British Journal of Nutrition</i> , 2001, 85, 749-754. | 2.3 | 145 |
| 123 | Cardiorespiratory Fitness and the Progression of Carotid Atherosclerosis in Middle-Aged Men. <i>Annals of Internal Medicine</i> , 2001, 134, 12. | 3.9 | 142 |
| 124 | G-protein β 3 subunit C825T polymorphism: no association with risk for hypertension and obesity. <i>Journal of Hypertension</i> , 2001, 19, 2149-2155. | 0.5 | 45 |
| 125 | Low Dietary Folate Intake Is Associated With an Excess Incidence of Acute Coronary Events. <i>Circulation</i> , 2001, 103, 2674-2680. | 1.6 | 197 |
| 126 | Cardiovascular Fitness as a Predictor of Mortality in Men. <i>Archives of Internal Medicine</i> , 2001, 161, 825. | 3.8 | 230 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Childhood socioeconomic position and cognitive function in adulthood. <i>International Journal of Epidemiology</i> , 2001, 30, 256-263. | 1.9 | 279 |
| 128 | Vigorous physical activity, cardiorespiratory fitness and a diet low in saturated relative to polyunsaturated fat may protect against development of the metabolic syndrome in middle-aged men.. <i>Circulation</i> , 2001, 103, 1346-1346. | 1.6 | 0 |
| 129 | Hyperinsulinemia and the Risk of Cardiovascular Death and Acute Coronary and Cerebrovascular Events in Men. <i>Archives of Internal Medicine</i> , 2000, 160, 1160. | 3.8 | 105 |
| 130 | Role of C282Y mutation in haemochromatosis gene in development of type 2 diabetes in healthy men: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2000, 320, 1706-1707. | 2.3 | 39 |
| 131 | Lack of association between the functional variant of the catechol-o-methyltransferase (COMT) gene and early-onset alcoholism associated with severe antisocial behavior. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 348-352. | 2.4 | 60 |
| 132 | Neuropeptide Y polymorphism and alcohol consumption in middle-aged men. <i>American Journal of Medical Genetics Part A</i> , 2000, 93, 117-121. | 2.4 | 82 |
| 133 | Association Between the Functional Polymorphism of Catechol-O-Methyltransferase Gene and Alcohol Consumption Among Social Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 135-139. | 2.4 | 87 |
| 134 | Anticipatory Blood Pressure Responses to Exercise Are Associated With Left Ventricular Mass in Finnish Men. <i>Circulation</i> , 2000, 102, 1394-1399. | 1.6 | 42 |
| 135 | Low Plasma Lycopene Concentration Is Associated With Increased Intima-Media Thickness of the Carotid Artery Wall. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2677-2681. | 2.4 | 95 |
| 136 | Antioxidative efficacy of parallel and combined supplementation with coenzyme Q10 and d-Î±-Tocopherol in mildly hypercholesterolemic subjects: a randomized placebo-controlled clinical study. <i>Free Radical Research</i> , 2000, 33, 329-340. | 3.3 | 42 |
| 137 | Hypertension Incidence Is Predicted by High Levels of Hopelessness in Finnish Men. <i>Hypertension</i> , 2000, 35, 561-567. | 2.7 | 145 |
| 138 | Fish Oilâ€“Derived Fatty Acids, Docosahexaenoic Acid and Docosapentaenoic Acid, and the Risk of Acute Coronary Events. <i>Circulation</i> , 2000, 102, 2677-2679. | 1.6 | 283 |
| 139 | Long-Term Effects of Vitamin E, Vitamin C, and Combined Supplementation on Urinary 7-Hydro-8-Oxo-2â€²-Deoxyguanosine, Serum Cholesterol Oxidation Products, and Oxidation Resistance of Lipids in Nondepleted Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2087-2093. | 2.4 | 100 |
| 140 | Mercury accumulation and accelerated progression of carotid atherosclerosis: a population-based prospective 4-year follow-up study in men in eastern Finland. <i>Atherosclerosis</i> , 2000, 148, 265-273. | 0.8 | 243 |
| 141 | Association Between the Functional Polymorphism of Catechol-O-Methyltransferase Gene and Alcohol Consumption Among Social Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 135-139. | 2.4 | 4 |
| 142 | Polymorphism in high density lipoprotein paraoxonase gene and risk of acute myocardial infarction in men: prospective nested case-control study Â Commentary: Causality--the Achilles' heel of observational studies Â Commentary: How high density lipoprotein protects against heart disease. <i>BMJ: British Medical Journal</i> , 1999, 319, 487-489. | 2.3 | 67 |
| 143 | Enhanced In Vivo Lipid Peroxidation at Elevated Plasma Total Homocysteine Levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1263-1266. | 2.4 | 190 |
| 144 | Increased Risk of Acute Myocardial Infarction in Carriers of the Hemochromatosis Gene Cys282Tyr Mutation. <i>Circulation</i> , 1999, 100, 1274-1279. | 1.6 | 224 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Pattern of Alcohol Drinking and Progression of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 3001-3006. | 2.4 | 84 |
| 146 | Blood Pressure and the Progression of Carotid Atherosclerosis in Middle-Aged Men. <i>Hypertension</i> , 1999, 34, 51-56. | 2.7 | 120 |
| 147 | The Role of Psychological Characteristics in the Relation Between Socioeconomic Status and Perceived Health1. <i>Journal of Applied Social Psychology</i> , 1999, 29, 445-468. | 2.0 | 107 |
| 148 | Oral supplementation with ferrous sulfate but not with non-ionic iron polymaltose complex increases the susceptibility of plasma lipoproteins to oxidation. <i>Nutrition Research</i> , 1999, 19, 1121-1132. | 2.9 | 28 |
| 149 | Risk of acute coronary events according to serum concentrations of enterolactone: a prospective population-based case-control study. <i>Lancet, The</i> , 1999, 354, 2112-2115. | 13.7 | 227 |
| 150 | Determinants of plasma coenzyme Q10 in humans. <i>FEBS Letters</i> , 1999, 443, 163-166. | 2.8 | 88 |
| 151 | Anger Expression and Incident Stroke. <i>Stroke</i> , 1999, 30, 523-528. | 2.0 | 82 |
| 152 | Does vitamin C have a pro-oxidant effect?. <i>Nature</i> , 1998, 395, 231-232. | 27.8 | 53 |
| 153 | Oxidative DNA damage <i>in vivo</i> : Relationship to age, plasma antioxidants, drug metabolism, glutathione-S-transferase activity and urinary creatinine excretion. <i>Free Radical Research</i> , 1998, 29, 565-571. | 3.3 | 94 |
| 154 | Association between elevated plasma total homocysteine and increased common carotid artery wall thickness. <i>Annals of Medicine</i> , 1998, 30, 300-306. | 3.8 | 60 |
| 155 | Effect of combined coenzyme Q10 and d- α -tocopheryl acetate supplementation on exercise-induced lipid peroxidation and muscular damage: a placebo-controlled double-blind study in marathon runners. <i>Free Radical Research</i> , 1998, 29, 85-92. | 3.3 | 76 |
| 156 | Relation between iron stores and non-insulin dependent diabetes in men: case-control study. <i>BMJ: British Medical Journal</i> , 1998, 317, 727-730. | 2.3 | 206 |
| 157 | Association Between Body Iron Stores and the Risk of Acute Myocardial Infarction in Men. <i>Circulation</i> , 1998, 97, 1461-1466. | 1.6 | 237 |
| 158 | Anger Expression and Incident Hypertension. <i>Psychosomatic Medicine</i> , 1998, 60, 730-735. | 2.0 | 149 |
| 159 | Epidemiological Studies on Antioxidants, Lipid Peroxidation and Atherosclerosis. <i>Archives of Toxicology Supplement</i> , 1998, 20, 249-267. | 0.7 | 12 |
| 160 | Frequent Hangovers and Cardiovascular Mortality in Middle-Aged Men. <i>Epidemiology</i> , 1997, 8, 310. | 2.7 | 78 |
| 161 | Ageing or disease? Cardiovascular reactivity in Finnish men over the middle years.. <i>Psychology and Aging</i> , 1997, 12, 225-238. | 1.6 | 50 |
| 162 | Effect of Oral Coenzyme Q10 Supplementation on the Oxidation Resistance of Human VLDL+LDL Fraction: Absorption and Antioxidative Properties of Oil and Granule-Based Preparations. <i>Free Radical Biology and Medicine</i> , 1997, 22, 1195-1202. | 2.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Socioeconomic Status and Progression of Carotid Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 513-519. | 2.4 | 71 |
| 164 | Hopelessness and 4-Year Progression of Carotid Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1490-1495. | 2.4 | 190 |
| 165 | Lipoprotein Oxidation and Progression of Carotid Atherosclerosis. <i>Circulation</i> , 1997, 95, 840-845. | 1.6 | 190 |
| 166 | Workplace Demands, Economic Reward, and Progression of Carotid Atherosclerosis. <i>Circulation</i> , 1997, 96, 302-307. | 1.6 | 116 |
| 167 | Exaggerated Blood Pressure Responses During Mental Stress Are Associated With Enhanced Carotid Atherosclerosis in Middle-Aged Finnish Men. <i>Circulation</i> , 1997, 96, 3842-3848. | 1.6 | 203 |
| 168 | Alexithymia and risk of death in middle-aged men. <i>Journal of Psychosomatic Research</i> , 1996, 41, 541-549. | 2.6 | 137 |
| 169 | Increased oxidation resistance of atherogenic plasma lipoproteins at high vitamin E levels in non-vitamin E supplemented men. <i>Atherosclerosis</i> , 1996, 124, 83-94. | 0.8 | 48 |
| 170 | Hopelessness and Risk of Mortality and Incidence of Myocardial Infarction and Cancer. <i>Psychosomatic Medicine</i> , 1996, 58, 113-121. | 2.0 | 481 |
| 171 | Conditioning Leisure Time Physical Activity and Cardiorespiratory Fitness in Sociodemographic Groups of Middle-Aged Men in Eastern Finland. <i>International Journal of Epidemiology</i> , 1996, 25, 86-93. | 1.9 | 45 |
| 172 | Lens opacity increase in a longitudinal study: comparison of the lens opacities classification system II and lensmeter 701. <i>Current Eye Research</i> , 1996, 15, 293-297. | 1.5 | 1 |
| 173 | Contrast sensitivity in different types of early lens opacities. <i>Acta Ophthalmologica</i> , 1996, 74, 379-384. | 0.3 | 17 |
| 174 | Anticipatory Blood Pressure Response to Exercise Predicts Future High Blood Pressure in Middle-aged Men. <i>Hypertension</i> , 1996, 27, 1059-1064. | 2.7 | 150 |
| 175 | The Kuopio Atherosclerosis Prevention Study (KAPS): Effect of pravastatin treatment on lipids, oxidation resistance of lipoproteins, and atherosclerotic progression. <i>American Journal of Cardiology</i> , 1995, 76, 34C-39C. | 1.6 | 100 |
| 176 | Are All Hostility Scales Alike? Factor Structure and Covariation Among Measures of Hostility ¹ . <i>Journal of Applied Social Psychology</i> , 1995, 25, 1142-1168. | 2.0 | 51 |
| 177 | Plasma and lipoprotein lipid peroxidation in humans on sunflower and rapessed oil diets. <i>Lipids</i> , 1995, 30, 485-492. | 1.7 | 43 |
| 178 | Increased risk of non-insulin dependent diabetes mellitus at low plasma vitamin E concentrations: a four year follow up study in men. <i>BMJ: British Medical Journal</i> , 1995, 311, 1124-1127. | 2.3 | 184 |
| 179 | Intake of Mercury From Fish, Lipid Peroxidation, and the Risk of Myocardial Infarction and Coronary, Cardiovascular, and Any Death in Eastern Finnish Men. <i>Circulation</i> , 1995, 91, 645-655. | 1.6 | 454 |
| 180 | Kuopio Atherosclerosis Prevention Study (KAPS). <i>Circulation</i> , 1995, 92, 1758-1764. | 1.6 | 442 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Socioeconomic Status and Carotid Atherosclerosis. <i>Circulation</i> , 1995, 92, 1786-1792. | 1.6 | 110 |
| 182 | Reduction in Cardiovascular Events During Pravastatin Therapy. <i>Circulation</i> , 1995, 92, 2419-2425. | 1.6 | 240 |
| 183 | Relation of Leisure-Time Physical Activity and Cardiorespiratory Fitness to the Risk of Acute Myocardial Infarction in Men. <i>New England Journal of Medicine</i> , 1994, 330, 1549-1554. | 27.0 | 721 |
| 184 | Moderate to high intensity conditioning leisure time physical activity and high cardiorespiratory fitness are associated with reduced plasma fibrinogen in Eastern Finnish men. <i>Journal of Clinical Epidemiology</i> , 1993, 46, 1119-1127. | 5.0 | 84 |
| 185 | The role of iron as a cardiovascular risk factor. <i>Current Opinion in Lipidology</i> , 1993, 4, 277-282. | 2.7 | 37 |
| 186 | Comparison of the Lens Opacities Classification System II and Lensmeter 701. <i>American Journal of Ophthalmology</i> , 1993, 116, 617-621. | 3.3 | 14 |
| 187 | Prevalence and Change of Cardiovascular Risk Factors among Men born 1900-1919: The Finnish Cohorts of the Seven Countries Study. <i>Age and Ageing</i> , 1993, 22, 365-376. | 1.6 | 25 |
| 188 | Association between Plasma Fibrinogen Concentration and Five Socioeconomic Indices in the Kuopio Ischemic Heart Disease Risk Factor Study. <i>American Journal of Epidemiology</i> , 1993, 137, 292-300. | 3.4 | 108 |
| 189 | Intra-Person Variability of Various Physical Activity Assessments in the Kuopio Ischaemic Heart Disease Risk Factor Study. <i>International Journal of Epidemiology</i> , 1992, 21, 467-472. | 1.9 | 133 |
| 190 | Characteristics of type-A men in a psychodynamically oriented interview. <i>Nordic Journal of Psychiatry</i> , 1992, 46, 329-334. | 1.3 | 3 |
| 191 | Coping with Inner Feelings and Stress: Heavy Alcohol Use in the Context of Alexithymia. <i>Behavioral Medicine</i> , 1992, 18, 121-126. | 1.9 | 137 |
| 192 | Validity and reliability of the Toronto Alexithymia scale (TAS) in a population study. <i>Journal of Psychosomatic Research</i> , 1992, 36, 687-694. | 2.6 | 42 |
| 193 | Measurement of intima-media thickness of common carotid arteries with high-resolution B-mode ultrasonography: Inter- and intra-observer variability. <i>Ultrasound in Medicine and Biology</i> , 1991, 17, 225-230. | 1.5 | 206 |
| 194 | Alexithymia and Perceived Symptoms: Criterion Validity of the Toronto Alexithymia Scale. <i>Psychotherapy and Psychosomatics</i> , 1991, 56, 247-252. | 8.8 | 39 |
| 195 | Dietary Fats, Antioxidants and Blood Pressure. <i>Annals of Medicine</i> , 1991, 23, 295-298. | 3.8 | 34 |
| 196 | Prevention of Coronary Heart Disease in Finland - Application of the Population Strategy. <i>Annals of Medicine</i> , 1991, 23, 607-612. | 3.8 | 7 |
| 197 | Serum Copper and the Risk of Acute Myocardial Infarction: A Prospective Population Study in Men in Eastern Finland. <i>American Journal of Epidemiology</i> , 1991, 134, 268-276. | 3.4 | 157 |
| 198 | Comparison of gel permeation chromatography, density gradient ultracentrifugation and precipitation methods for quantitation of very-low-, low- and high-density lipoprotein cholesterol. <i>Biomedical Applications</i> , 1991, 570, 382-389. | 1.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Carotid Atherosclerosis in Relation to Systolic and Diastolic Blood Pressure: Kuopio Ischaemic Heart Disease Risk Factor Study. <i>Annals of Medicine</i> , 1991, 23, 23-27. | 3.8 | 78 |
| 200 | Progression of carotid atherosclerosis and its determinants: a population-based ultrasonography study. <i>Atherosclerosis</i> , 1990, 81, 33-40. | 0.8 | 437 |
| 201 | Risk Factors for Carotid Atherosclerosis: The Kuopio Ischaemic Heart Disease Risk Factor Study. <i>Annals of Medicine</i> , 1989, 21, 227-229. | 3.8 | 70 |
| 202 | Contribution of Risk Factor Changes to the Decline in Coronary Incidence During the North Karelia Project: A Within-Community Analysis. <i>International Journal of Epidemiology</i> , 1989, 18, 595-601. | 1.9 | 16 |
| 203 | Nutrition data collection in the Kuopio Ischaemic Heart Disease Risk Factor Study: Nutrient intake of middle-aged eastern finnish men. <i>Nutrition Research</i> , 1989, 9, 597-604. | 2.9 | 41 |
| 204 | Relationship of serum selenium and antioxidants to plasma lipoproteins, platelet aggregability and prevalent ischaemic heart disease in Eastern Finnish men. <i>Atherosclerosis</i> , 1988, 70, 155-160. | 0.8 | 181 |
| 205 | LEISURE TIME AND OCCUPATIONAL PHYSICAL ACTIVITY: RISK OF DEATH FROM ISCHEMIC HEART DISEASE. <i>American Journal of Epidemiology</i> , 1988, 127, 87-94. | 3.4 | 172 |
| 206 | SOCIAL CONNECTIONS AND MORTALITY FROM ALL CAUSES AND FROM CARDIOVASCULAR DISEASE: PROSPECTIVE EVIDENCE FROM EASTERN FINLAND. <i>American Journal of Epidemiology</i> , 1988, 128, 370-380. | 3.4 | 364 |
| 207 | 10-Year Trends in Physical Activity in the Eastern Finnish Adult Population: Relationship to Socioeconomic and Lifestyle Characteristics. <i>Acta Medica Scandinavica</i> , 1988, 224, 195-203. | 0.0 | 28 |
| 208 | Selenium in Ischaemic Heart Disease. <i>International Journal of Epidemiology</i> , 1987, 16, 323-328. | 1.9 | 39 |
| 209 | Social, Personality and Environmental Determinants of Smoking in Young Finnish Men. <i>Scandinavian Journal of Public Health</i> , 1987, 15, 219-224. | 0.6 | 6 |
| 210 | Interdependence of associations of physical activity, smoking, and alcohol and coffee consumption with serum high-density lipoprotein and non-high-density lipoprotein cholesterol—a population study in eastern Finland. <i>Preventive Medicine</i> , 1987, 16, 647-658. | 3.4 | 39 |
| 211 | An automated colorimetric assay for urine nicotine metabolites: a suitable alternative to cotinine assays for the assessment of smoking status. <i>Clinica Chimica Acta</i> , 1987, 170, 255-262. | 1.1 | 36 |
| 212 | Relationship between Leisure-time Physical Activity and Risk Factors for Coronary Heart Disease in Middle-aged Finnish Women. <i>Acta Medica Scandinavica</i> , 1987, 222, 223-230. | 0.0 | 19 |
| 213 | Effect of Omega-3 Fatty Acid Supplementation on Platelet Aggregability and Platelet Produced Thromboxane. <i>Thrombosis and Haemostasis</i> , 1987, 57, 269-272. | 3.4 | 20 |
| 214 | Effects of smoking and stopping smoking on serum high-density lipoprotein cholesterol levels in a representative population sample. <i>Preventive Medicine</i> , 1986, 15, 35-45. | 3.4 | 28 |
| 215 | Effects of bevantolol and atenolol on symptoms, exercise tolerance and metabolic risk factors in angina pectoris. <i>American Journal of Cardiology</i> , 1986, 58, E35-E40. | 1.6 | 10 |
| 216 | Impact of a Health Education Program and Other Factors on Stopping Smoking after Heart Attack. <i>Scandinavian Journal of Public Health</i> , 1985, 13, 103-108. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Trends in Coronary Heart Disease Mortality and Morbidity and Related Factors in Finland. <i>Cardiology</i> , 1985, 72, 35-51. | 1.4 | 87 |
| 218 | Nutrition-related determinants of blood pressure. <i>Preventive Medicine</i> , 1985, 14, 413-427. | 3.4 | 19 |
| 219 | Serum fatty acids, apolipoproteins, selenium and vitamin antioxidants and the risk of death from coronary artery disease. <i>American Journal of Cardiology</i> , 1985, 56, 226-231. | 1.6 | 265 |
| 220 | Factors Associated with Changes in Serum Cholesterol during a Community-based Hypertension Programme. <i>Acta Medica Scandinavica</i> , 1985, 217, 243-252. | 0.0 | 10 |
| 221 | Message Dissemination for a Community-based Cardiovascular Disease Prevention Programme (The Tj ETQq1 1 0.784314 rgBT /Over | 1.5 | 11 |
| 222 | Alcohol, Patient Compliance and Blood Pressure Control in Hypertensive Patients. <i>Scandinavian Journal of Public Health</i> , 1984, 12, 177-181. | 0.6 | 33 |
| 223 | ASSOCIATION BETWEEN SERUM SELENIUM AND THE RISK OF CANCER. <i>American Journal of Epidemiology</i> , 1984, 120, 342-349. | 3.4 | 280 |
| 224 | Analgesics and Risk of Coronary and other Death in Middle-aged Men in Eastern Finland. <i>Acta Medica Scandinavica</i> , 1984, 216, 295-299. | 0.0 | 0 |
| 225 | Intake of spirits and beer and risk of myocardial infarction and death—A longitudinal study in Eastern Finland. <i>Journal of Chronic Diseases</i> , 1983, 36, 533-543. | 1.2 | 69 |
| 226 | Is there an Association between Serum Cholesterol and Blood Pressure Changes?. <i>Acta Medica Scandinavica</i> , 1983, 214, 49-54. | 0.0 | 4 |
| 227 | RISK OF CANCER AND DEATH IN RELATION TO SERUM CHOLESTEROL. <i>American Journal of Epidemiology</i> , 1982, 116, 622-630. | 3.4 | 56 |
| 228 | A Decline in Earning Losses Associated With a Community-Based Cardiovascular Disease Prevention Project. <i>Medical Care</i> , 1982, 20, 663-675. | 2.4 | 15 |
| 229 | PRIMARY PREVENTION OF SUDDEN CORONARY DEATH: A COMMUNITY-BASED PROGRAM IN NORTH KARELIA, FINLAND. <i>Annals of the New York Academy of Sciences</i> , 1982, 382, 423-437. | 3.8 | 23 |
| 230 | Serum Total Cholesterol, HDL Cholesterol and Blood Pressure Levels in 13-Year-Old Children in Eastern Finland. <i>Acta Medica Scandinavica</i> , 1982, 211, 95-103. | 0.0 | 11 |
| 231 | Oral Contraceptives, Smoking and Risk of Myocardial Infarction in Young Women. <i>Acta Medica Scandinavica</i> , 1982, 212, 141-144. | 0.0 | 35 |
| 232 | CHANGES IN SMOKING, SERUM CHOLESTEROL AND BLOOD PRESSURE LEVELS DURING A COMMUNITY-BASED CARDIOVASCULAR DISEASE PREVENTION PROGRAM—THE NORTH KARELIA PROJECT. <i>American Journal of Epidemiology</i> , 1981, 114, 81-94. | 3.4 | 80 |
| 233 | The Relation of Physical Activity Changes to Changes in Serum Cholesterol and Body Weight in a Three-Year Follow-up of Population Sample. <i>Scandinavian Journal of Public Health</i> , 1981, 9, 109-117. | 0.6 | 6 |
| 234 | Coronary Risk Factor Clustering Patterns in Eastern Finland. <i>International Journal of Epidemiology</i> , 1981, 10, 203-210. | 1.9 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Change in Health Behaviour in Relation to Estimated Coronary Heart Disease Risk During a Community-Based Cardiovascular Disease Prevention Programme. <i>International Journal of Epidemiology</i> , 1981, 10, 343-354. | 1.9 | 12 |