Jose Becerra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1128648/publications.pdf

Version: 2024-02-01

414414 331670 1,632 104 21 32 h-index citations g-index papers 104 104 104 2399 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Chitosan-collagen-hydroxyapatite membranes for tissue engineering. Journal of Materials Science: Materials in Medicine, 2022, 33, 18.	3.6	37
2	Antiproliferative activity of carotenoid pigments produced by extremophile bacteria. Natural Product Research, 2021, 35, 4638-4642.	1.8	11
3	Influence of Highâ€Pressure Polymerization on Mechanical Properties of Denture Base Resins. Journal of Prosthodontics, 2021, 30, 128-134.	3.7	14
4	Invasive diatom Didymosphenia geminata as a source of polysaccharides with antioxidant and immunomodulatory effects on macrophage cell lines. Journal of Applied Phycology, 2020, 32, 93-102.	2.8	10
5	Maytenus disticha Extract and an Isolated \hat{l}^2 -Dihydroagarofuran Induce Mitochondrial Depolarization and Apoptosis in Human Cancer Cells by Increasing Mitochondrial Reactive Oxygen Species. Biomolecules, 2020, 10, 377.	4.0	3
6	Exposure to UV-B Radiation Leads to Increased Deposition of Cell Wall-Associated Xerocomic Acid in Cultures of <i>Serpula himantioides</i> . Applied and Environmental Microbiology, 2019, 85, .	3.1	2
7	Nanoparticles of 4,7â€dichloroâ€2â€quinolinemethylacrylateâ€based copolymers and their potential cytotoxic activity on human breast carcinoma cells. Journal of Applied Polymer Science, 2019, 136, 47545.	2.6	1
8	Spatiotemporal variation in phenolic levels in galls of calophyids on Schinus polygama (Anacardiaceae). Journal of Plant Research, 2019, 132, 509-520.	2.4	4
9	New Poroid Hymenochaetaceae (Basidiomycota, Hymenochaetales) from Chile. Mycological Progress, 2019, 18, 865-877.	1.4	16
10	17 Oxo Sparteine and Lupanine, Obtained from Cytisus scoparius, Exert a Neuroprotection against Soluble Oligomers of Amyloid-Î ² Toxicity by Nicotinic Acetylcholine Receptors. Journal of Alzheimer's Disease, 2019, 67, 343-356.	2.6	8
11	Morphological response to salinity, temperature, and pH changes by marine fungus Epicoccum nigrum. Environmental Monitoring and Assessment, 2019, 191, 35.	2.7	11
12	Exploring the Multi–Target Neuroprotective Chemical Space of Benzofuran Scaffolds: A New Strategy in Drug Development for Alzheimer's Disease. Frontiers in Pharmacology, 2019, 10, 1679.	3.5	14
13	Effect of nitrate and irradiance on fatty acid production in microalgae cultivated for feeding larvae and broodstock conditioning in batch culture. Revista De Biologia Marina Y Oceanografia, 2019, 54, 91-106.	0.2	2
14	Propagation and Bulblet Enhancement of Rhodophiala pratensis from Seeds Germinated In Vitro. , 2019, 46, 12-22.		3
15	Rhodolirium andicola: a new renewable source of alkaloids with acetylcholinesterase inhibitory activity, a study from nature to molecular docking. Revista Brasileira De Farmacognosia, 2018, 28, 34-43.	1.4	29
16	A Natural Benzofuran from the Patagonic Aleurodiscus vitellinus Fungus has Potent Neuroprotective Properties on a Cellular Model of Amyloid- \hat{l}^2 Peptide Toxicity. Journal of Alzheimer's Disease, 2018, 61, 1463-1475.	2.6	15
17	Antibiotic activity of Emerimicin IV isolated from <i>Emericellopsis minima</i> from Talcahuano Bay, Chile. Natural Product Research, 2018, 32, 1361-1364.	1.8	19
18	Effect of Didymosphenia geminata coverage on the phytobenthic community in an Andean basin of Chile. Revista Chilena De Historia Natural, $2018, 91, .$	1.2	7

#	Article	IF	CITATIONS
19	Biocontrol of Sirex noctilio by the parasitic nematode Deladenus siricidicola: A five season field study in southern Chile. PLoS ONE, 2018, 13, e0207529.	2.5	1
20	Alkaloids from Chilean species of the genus Rhodophiala C. Presl (Amaryllidaceae) and their chemotaxonomic importance. Gayana - Botanica, 2018, 75, 459-465.	0.2	3
21	RAPID ROOM TEMPERATURE LIQUID PHASE SYNTHESIS OF DIETHYL 2-((4-NITROANILINO)) Tj ETQq1 1 0.784314	l rgBT /Ov	erlock 10 Tf
22	Factors influencing the morphogenesis of galls induced by <i>Calophya mammifex</i> (Calophyidae) on <i>Schinus polygama</i> (Anacardiaceae) leaves. Botany, 2018, 96, 589-599.	1.0	9
23	Assessment of insecticidal responses of extracts and compounds of Drimys winteri, Lobelia tupa, Viola portalesia and Vestia foetida against the granary weevil Sitophilus granarius. Industrial Crops and Products, 2018, 122, 232-238.	5.2	20
24	A discussion on the genus Fomitiporella (Hymenochaetaceae, Hymenochaetales) and first record of F. americana from southern South America. MycoKeys, 2018, 38, 77-91.	1.9	8
25	Steroidal composition and cytotoxic activity from fruiting body of Cortinarius xiphidipus. Natural Product Research, 2017, 31, 473-476.	1.8	24
26	Antifungal activities of secondary metabolites isolated from liquid fermentations of Stereum hirsutum (Sh134-11) against Botrytis cinerea (grey mould agent). Food and Chemical Toxicology, 2017, 109, 1048-1054.	3.6	32
27	Tuning the Hydrophilic/Hydrophobic Balance to Control the Structure of Chitosan Films and Their Protein Release Behavior. AAPS PharmSciTech, 2017, 18, 1070-1083.	3.3	33
28	Is autotoxicity responsible for inhibition growth of new conspecific seedlings under the canopy of the invasive Acacia dealbata Link?. Gayana - Botanica, 2017, , 0-0.	0.2	2
29	Stigmasterol Removal by an Aerobic Treatment System. Methods in Molecular Biology, 2017, 1645, 151-158.	0.9	0
30	Caracterizaci \tilde{A}^3 n fisiol \tilde{A}^3 gica del enraizamiento in vitro de Eucalyptus nitens y Eucalyptus globulus. Gayana - Botanica, 2016, 73, 421-429.	0.2	0
31	Hongos aislados desde sedimentos de fiordos chilenos degradadores de oxitetraciclina. Revista De Biologia Marina Y Oceanografia, 2016, 51, 591-598.	0.2	3
32	CHANGES IN SECONDARY METABOLITES PROFILES AND BIOLOGICAL ACTIVITY OF THE FRESH FRUITING BODIES OF Stereum hirsutum EXPOSED TO HIGH-DOSE UV-B RADIATION. Journal of the Chilean Chemical Society, 2016, 61, 3224-3227.	1.2	4
33	Removal of stigmasterol from Kraft mill effluent by aerobic biological treatment with steroidal metabolite detection. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 1012-1017.	1.7	2
34	Persistent organic pollutants and porphyrins biomarkers in penguin faeces from Kopaitic Island and Antarctic Peninsula. Science of the Total Environment, 2016, 573, 1390-1396.	8.0	18
35	Antifungal activities of extracts produced by liquid fermentations of Chilean Stereum species against Botrytis cinerea (grey mould agent). Crop Protection, 2016, 89, 95-100.	2.1	22
36	Leaf and stem galls of Schinus polygamus (Cav.) Cabr (Anacardiaceae): Anatomical and chemical implications. Biochemical Systematics and Ecology, 2016, 69, 266-273.	1.3	12

#	Article	IF	CITATIONS
37	Chilenopeptins A and B, Peptaibols from the Chilean <i>Sepedonium</i> aff. <i>chalcipori</i> KSH 883. Journal of Natural Products, 2016, 79, 929-938.	3.0	32
38	(-)-Pentylsedinine, a New Alkaloid from the Leaves of Lobelia Tupa with Agonist Activity at Nicotinic Acetylcholine Receptor. Natural Product Communications, 2015, 10, 1934578X1501000.	0.5	3
39	Allelopathic effect of the invasive Acacia dealbata Link (Fabaceae) on two native plant species in south-central Chile. Gayana - Botanica, 2015, 72, 231-239.	0.2	33
40	Antiproliferative activity of yatein isolated from Austrocedrus chilensis against murine myeloma cells: Cytological studies and chemical investigations. Pharmaceutical Biology, 2015, 53, 378-385.	2.9	14
41	Effect of Albino ophiostoma strains on Eucalyptus nitens extractives. Maderas: Ciencia Y Tecnologia, 2015, , 0-0.	0.7	2
42	Does <i><scp>A</scp>cacia dealbata</i> express shade tolerance in <scp>M</scp> editerranean forest ecosystems of <scp>S</scp> outh <scp>A</scp> merica?. Ecology and Evolution, 2015, 5, 3338-3351.	1.9	13
43	Volatiles from white-rot fungi for controlling plant pathogenic fungi. Chemistry and Ecology, 2015, 31, 754-763.	1.6	18
44	Morphological effects at radicle level by direct contact of invasive Acacia dealbata Link. Flora: Morphology, Distribution, Functional Ecology of Plants, 2015, 215, 54-59.	1.2	18
45	Bioactive compounds isolated from submerged fermentations of the Chilean fungus <i>Stereum rameale</i> . Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2015, 70, 97-102.	1.4	13
46	INHIBITION OF QUORUM SENSING BY DRIMANE LACTONES FROM CHILEAN FLORA. Journal of the Chilean Chemical Society, 2014, 59, 2622-2624.	1.2	15
47	Variation of sterols and fatty acids as an adaptive response to changes in temperature, salinity and pH of a marine fungus Epicoccum nigrum isolated from the Patagonian Fjords. Revista De Biologia Marina Y Oceanografia, 2014, 49, 293-305.	0.2	13
48	Modulation of Neuronal Nicotinic Receptor by Quinolizidine Alkaloids Causes Neuroprotection on a Cellular Alzheimer Model. Journal of Alzheimer's Disease, 2014, 42, 143-155.	2.6	15
49	Distribution and sources of phytosterols in coastal and river sediments of south central Chile. Latin American Journal of Aquatic Research, 2014, 42, 61-84.	0.6	6
50	Antibacterial metabolites synthesized by psychrotrophic bacteria isolated from cold-freshwater environments. Folia Microbiologica, 2013, 58, 127-133.	2.3	12
51	Analysis of aryl hydrocarbon receptor ligands in kraft mill effluents by a combination of yeast bioassays and CG-MS chemical determinations. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 145-151.	1.7	9
52	(E)-Ethyl 3-(3,4-dihydroxyphenyl)prop-2-enoate: a natural polymorph extracted fromAristotelia chilensis(Maqui). Acta Crystallographica Section C: Crystal Structure Communications, 2013, 69, 765-769.	0.4	0
53	A polymorphic form of 4,4-dimethyl-8-methylene-3-azabicyclo[3.3.1]non-2-en-2-yl 3-indolyl ketone, an indole alkaloid extracted from <i>Aristotelia chilensis</i> Crystal Structure Communications, 2013, 69, 1509-1512.	0.4	6
54	Characterization of bioactive molecules isolated from sea cucumber Athyonidium chilensis. Revista De Biologia Marina Y Oceanografia, 2013, 48, 23-35.	0.2	10

#	Article	IF	CITATIONS
55	BIOLOGICAL ACTIVITY OF MACROMYCETES ISOLATED FROM CHILEAN SUBANTARCTIC ECOSYSTEMS. Journal of the Chilean Chemical Society, 2013, 58, 2016-2019.	1.2	10
56	Drimendiol, A Drimane Sesquiterpene with Quorum Sensing Inhibition Activity. Natural Product Communications, 2013, 8, 1934578X1300800.	0.5	6
57	Induction of Defensive Response in Eucalyptus globulus Plants and its Persistence in Vegetative Propagation. Natural Product Communications, 2013, 8, 1934578X1300800.	0.5	1
58	SYNTHESIS AND ACHE INHIBITING ACTIVITY OF 2, 4 SUBSTITUTED 6-PHENYL PYRIMIDINES. Journal of the Chilean Chemical Society, 2012, 57, 1292-1294.	1.2	5
59	Direct characterisation of phenolic antioxidants in infusions from four Mapuche medicinal plants by liquid chromatography with diode array detection (HPLC-DAD) and electrospray ionisation tandem mass spectrometry (HPLC-ESI–MS). Food Chemistry, 2012, 131, 318-327.	8.2	49
60	Synaptic Silencing and Plasma Membrane Dyshomeostasis Induced by Amyloid-β Peptide are Prevented by Aristotelia chilensis Enriched Extract. Journal of Alzheimer's Disease, 2012, 31, 879-889.	2.6	32
61	Cordyceps cuncunae (Ascomycota, Hypocreales), a new pleoanamorphic species from temperate rainforest in southern Chile. Mycological Progress, 2012, 11, 733-739.	1.4	10
62	CHEMISTRY OF THE AROMA BOUQUET OF THE EDIBLE MUSHROOM "LEBRE" (Cortinarius lebre,) Tj ETQq0 0 0 rş	gBT ₁ /Overl	ock 10 Tf 50
63	Antifungal activity of volatile metabolites emitted by mycelial cultures of saprophytic fungi. Chemistry and Ecology, 2011, 27, 503-513.	1.6	44
64	Inhibitory Activities on Mammalian Central Nervous System Receptors and Computational Studies of Three Sesquiterpene Lactones from Coriaria ruscifolia subsp. ruscifolia. Chemical and Pharmaceutical Bulletin, 2011, 59, 161-165.	1.3	8
65	Synaptic failure and adenosine triphosphate imbalance induced by amyloidâ€Î² aggregates are prevented by blueberryâ€enriched polyphenols extract. Journal of Neuroscience Research, 2011, 89, 1499-1508.	2.9	42
66	Explaining differential herbivory in sun and shade: the case of Aristotelia chilensis saplings. Arthropod-Plant Interactions, 2010, 4, 229-235.	1.1	27
67	Antimicrobial Activity of Submerged Cultures of Chilean Basidiomycetes. Planta Medica, 2010, 76, 1787-1791.	1.3	9
68	Fatty acid composition of three species of Codium (Bryopsidales, Chlorophyta) in Chile. Revista De Biologia Marina Y Oceanografia, 2010, 45, .	0.2	20
69	Fungistatic Activity Of Essential Oils Extracted from Peumus boldus Mol., Laureliopsis philippiana (Looser) Schodde and Laurelia sempervirens (Ruiz & Pav.) Tul. (Chilean Monimiaceae). Chilean Journal of Agricultural Research, 2009, 69, .	1.1	27
70	Chelating and antioxidant activity of lignans from Chilean woods (Cupressaceae). Holzforschung, 2009, 63, .	1.9	20
71	Degradation of 2,4,6-tribromophenol and 2,4,6-trichlorophenol by aerobic heterotrophic bacteria present in psychrophilic lakes. World Journal of Microbiology and Biotechnology, 2009, 25, 553-560.	3.6	14
72	Activated sludge versus aerated lagoon treatment of kraft mill effluents containing \hat{I}^2 -sitosterol and stigmasterol. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 327-335.	1.7	17

#	Article	IF	Citations
73	Aerobic removal of stigmasterol contained in kraft mill effluents. Electronic Journal of Biotechnology, 2009, 12, 0-0.	2.2	11
74	Degradative ability of 2,4,6-tribromophenol by saprophytic fungi Trametes versicolor and Agaricus augustus isolated from chilean forestry. World Journal of Microbiology and Biotechnology, 2008, 24, 961-968.	3.6	21
75	An unusual Xanthophyllomyces strain from leaves of Eucalyptus globulus in Chile. Mycological Research, 2008, 112, 861-867.	2.5	20
76	RESIN ACIDS IN BILE SAMPLES FROM FISH INHABITING MARINE WATERS AFFECTED BY PULP MILL EFFLUENTS. Journal of the Chilean Chemical Society, 2008, 53, .	1.2	7
77	STEROIDS FROM THE MARINE FUNGUS GEOTRICHUM SP. Journal of the Chilean Chemical Society, 2008, 53, 1377-1378.	1.2	2
78	Biosynthesis of poly-β-hydroxyalkanoate by Brevundimonas vesicularis LMG P-23615 and Sphingopyxis macrogoltabida LMG 17324 using acid-hydrolyzed sawdust as carbon source. Journal of Bioscience and Bioengineering, 2007, 103, 542-546.	2.2	62
79	Anaerobic Biodegradation of Sterols Contained in Kraft Mill Effluents. Journal of Bioscience and Bioengineering, 2007, 104, 476-480.	2.2	31
80	Genetic diversity and differentiation within and among Chilean populations of <i>Araucaria araucana (</i> Araucariaceae) based on allozyme variability. Taxon, 2007, 56, 1221-1228.	0.7	26
81	Inhibitory effects of tutin on glycine receptors in spinal neurons. European Journal of Pharmacology, 2007, 559, 61-64.	3.5	21
82	Gastroprotective and ulcer healing effect of ferruginol in mice and rats: Assessment of its mechanism of action using in vitro models. Life Sciences, 2006, 78, 2503-2509.	4.3	71
83	HYDROCARBONS AND ORGANOCHLORINE PESTICIDES IN SOILS OF THE URBAN ECOSYSTEM OF CHILLÂN AND CHILLÂN VIEJO, CHILE. Journal of the Chilean Chemical Society, 2006, 51, 938.	1.2	10
84	Interactive Effects of Leaf Damage, Light Intensity and Support Availability on Chemical Defenses and Morphology of a Twining Vine. Journal of Chemical Ecology, 2006, 33, 95-103.	1.8	18
85	Antifungal and Antibacterial Activities of Araucaria araucana (Mol.) K. Koch Heartwood Lignans. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2006, 61, 35-43.	1.4	61
86	ANTIMICROBIAL ACTIVITY OF METABOLITES FROM MYCELIAL CULTURES OF CHILEAN BASIDIOMYCETES. Journal of the Chilean Chemical Society, 2006, 51, .	1.2	13
87	Favolon B, a New Triterpenoid Isolated from the Chilean Mycena sp. Strain 96180. Journal of Antibiotics, 2005, 58, 61-64.	2.0	19
88	Biosynthesis of poly-β-hydroxyalkanoates by Sphingopyxis chilensis S37 and Wautersia sp. PZK cultured in cellulose pulp mill effluents containing 2,4,6-trichlorophenol. Journal of Industrial Microbiology and Biotechnology, 2005, 32, 397-401.	3.0	17
89	Occupational and environmental exposure to tribromophenol used for wood surface protection in sawmills. International Journal of Environmental Health Research, 2005, 15, 171-179.	2.7	17
90	Phylogenetic relationships and genetic divergence among endemic species of <i>Berberis</i> , <i>Gunnera</i> , <i>Myrceugenia</i> and <i>Sophora</i> of the Juan FernÃ;ndez Islands (Chile) and their continental progenitors based on isozymes and nrITS sequences. Taxon, 2004, 53, 321-332.	0.7	16

#	Article	IF	CITATIONS
91	Aerobic secondary utilization of a non-growth and inhibitory substrate 2,4,6-trichlorophenol by Sphingopyxis chilensis S37 and sphingopyxis-like strain S32. Biodegradation, 2003, 14, 265-274.	3.0	40
92	Lipid and Polypeptide Profiles in the Female Portion of Gonads from Diet-Conditioned Broodstock of North Chilean ScallopsArgopecten purpuratus. North American Journal of Aquaculture, 2003, 65, 1-7.	1.4	3
93	New Caffeic Acid Esters from Plazia daphnoides. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 39-41.	1.4	5
94	Insect Growth Regulator and Insecticidal Activity of \hat{I}^2 -Dihydroagarofurans from Maytenus spp. (Celastraceae). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2001, 56, 603-613.	1.4	41
95	Morphological and ITS Sequence Divergence between Taxa of Cuminia (Lamiaceae), an Endemic Genus of the Juan Fernandez Islands, Chile. Brittonia, 2000, 52, 341.	0.2	5
96	PHENETIC RELATIONSHIPS BETWEEN JUAN FERNANDEZ AND CONTINENTAL CHILEAN SPECIES OF SOPHORA (FABACEAE) BASED ON FLAVONOID PATTERNS. Journal of the Chilean Chemical Society, 1999, 44, .	0.1	5
97	Total Mercury and Methylmercury Levels in Scalp Hair and Blood of Pregnant Women Residents of Fishing Villages in the Eighth Region of Chile. ACS Symposium Series, 1997, , 151-177.	0.5	3
98	Î ² -Agarofurans from seeds of Maytenus boaria. Phytochemistry, 1995, 40, 1457-1460.	2.9	19
99	Determination of total mercury in scalp hair of humans by gold amalgamation cold vapour atomic absorption spectrometry. Journal of Analytical Atomic Spectrometry, 1994, 9, 535-541.	3.0	21
100	Flavonoid Chemistry of the Endemic Species of Myrceugenia (Myrtaceae) of the Juan Fernandez Islands and Relatives in Continental South America. Brittonia, 1994, 46, 187.	0.2	6
101	N-alkanes from chilean euphorbiaceae and compositae species. Phytochemistry, 1989, 28, 1254-1256.	2.9	7
102	Sesquiterpenes from seeds of Maytenus boaria. Phytochemistry, 1987, 26, 3073-3074.	2.9	19
103	Thymol derivatives from Eupatorium glechonophyllum. Phytochemistry, 1984, 23, 1947-1950.	2.9	21
104	DDTs in Balaenopterids (Cetacea) from the Chilean coast. Marine Pollution Bulletin, 1984, 15, 451.	5.0	10