

# Tianbo Jin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1128995/publications.pdf>

Version: 2024-02-01

160  
papers

1,605  
citations

471509

17  
h-index

526287

27  
g-index

161  
all docs

161  
docs citations

161  
times ranked

2224  
citing authors

#	ARTICLE	IF	CITATIONS
1	The association study between CYP20A1, CYP4F2, CYP2D6 gene polymorphisms and coronary heart disease risk in the Han population in southern China. <i>Genes and Genomics</i> , 2022, 44, 1125-1135.	1.4	3
2	C5orf66 rs4976270/rs639933 Are Associated with Colorectal Cancer Risk in Southern Chinese Han Population: A Case-Control Study. <i>Digestion</i> , 2022, 103, 103-115.	2.3	1
3	ARRDC3 polymorphisms may affect the risk of glioma in Chinese Han. <i>Functional and Integrative Genomics</i> , 2022, 22, 27-33.	3.5	1
4	Genetic variation of pharmacogenomic VIP variants in the Chinese Li population: an updated research. <i>Molecular Genetics and Genomics</i> , 2022, 297, 407-417.	2.1	2
5	Genome-wide association study of serum tumor markers in Southern Chinese Han population. <i>BMC Cancer</i> , 2022, 22, 160.	2.6	2
6	Effect of PITX2 genetic variants on the susceptibility to stroke in the Chinese Han population. <i>Infection, Genetics and Evolution</i> , 2022, 98, 105201.	2.3	7
7	Relationship between rs7586085, GALNT3 and CCDC170 gene polymorphisms and the risk of osteoporosis among the Chinese Han population. <i>Scientific Reports</i> , 2022, 12, 6089.	3.3	4
8	Missense Variant rs28362680 in BTNL2 Reduces Risk of Coronary Heart Disease. <i>Pharmacogenomics and Personalized Medicine</i> , 2022, Volume 15, 449-464.	0.7	0
9	Impact of ESR1 Polymorphisms on Risk of Breast Cancer in the Chinese Han Population. <i>Clinical Breast Cancer</i> , 2021, 21, e235-e242.	2.4	10
10	Analysis of very important pharmacogene variants in the Tibetan population from China. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2021, 48, 668-678.	1.9	0
11	Genetic variation of pharmacogenomic VIP variants in Zhuang nationality of southern China. <i>Pharmacogenomics Journal</i> , 2021, 21, 60-68.	2.0	6
12	RAB40C gene polymorphisms rs62030917 and rs2269556 are associated with an increased risk of lumbar disc herniation development in the Chinese Han population. <i>Journal of Gene Medicine</i> , 2021, 23, e3252.	2.8	2
13	Assessment of ADCY9 polymorphisms and colorectal cancer risk in the Chinese Han population. <i>Journal of Gene Medicine</i> , 2021, 23, e3298.	2.8	6
14	Impact of genetic variants in IL-2RA and IL-2RB on breast cancer risk in Chinese Han women. <i>Biochemical Genetics</i> , 2021, 59, 697-713.	1.7	0
15	The Influence of NDRG1 Single Nucleotide Polymorphisms on Glioma Risk and Prognosis in Chinese Han Population. <i>Cellular and Molecular Neurobiology</i> , 2021, , 1.	3.3	2
16	TCF7L1 Genetic Variants Are Associated with the Susceptibility to Cervical Cancer in a Chinese Population. <i>BioMed Research International</i> , 2021, 2021, 1-8.	1.9	0
17	Impact of COL6A4P2 gene polymorphisms on the risk of lung cancer: A case-control study. <i>PLoS ONE</i> , 2021, 16, e0252082.	2.5	3
18	Network pharmacology and molecular docking analysis on mechanisms of Tibetan Hongjingtian ( <i>Rhodiola crenulata</i> ) in the treatment of COVID-19. <i>Journal of Medical Microbiology</i> , 2021, 70, .	1.8	12

#	ARTICLE	IF	CITATIONS
19	Population Genetic Difference of Pharmacogenomic VIP Variants in the Tibetan Population. <i>Pharmacogenomics and Personalized Medicine</i> , 2021, Volume 14, 1027-1040.	0.7	1
20	Genetic variants of <i>CYP4F12</i> gene are associated with glioma susceptibility. <i>International Journal of Cancer</i> , 2021, 149, 1910-1915.	5.1	5
21	Impacts of LOC105371267 Variants on Breast Cancer Susceptibility in Northern Chinese Han Females: A Population-Based Case-Control Study. <i>Journal of Oncology</i> , 2021, 2021, 1-10.	1.3	0
22	The effect of CYP7B1 polymorphisms on the risk of coronary heart disease in Hainan Han population. <i>BMC Medical Genomics</i> , 2021, 14, 220.	1.5	2
23	CYP2C8 and CYP2E1 genetic variants increase risk of tuberculosis in northwest Chinese Han population. <i>Infection, Genetics and Evolution</i> , 2021, 95, 105022.	2.3	1
24	Fc receptor-like 1, 3, and 6 variants are associated with rheumatoid arthritis risk in the Chinese Han population. <i>Genes and Environment</i> , 2021, 43, 42.	2.1	1
25	Influence of CMTM8 polymorphisms on lung cancer susceptibility in the Chinese Han population. <i>Pharmacogenetics and Genomics</i> , 2021, 31, 89-95.	1.5	1
26	Analysis of mutations in the Chinese Uyghur population. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 10871-10881.	0.0	0
27	Genetic analysis of pharmacogenomic VIP variants in the Wa population from Yunnan Province of China. <i>BMC Genomic Data</i> , 2021, 22, 51.	1.7	3
28	Genetic Polymorphisms of Very Important Pharmacogene Variants in the Blang Population from Yunnan Province in China. <i>Pharmacogenomics and Personalized Medicine</i> , 2021, Volume 14, 1647-1660.	0.7	0
29	Association of polymorphisms in <i>LOC105377871</i> and <i>CASC16</i> with breast cancer in the northwest Chinese Han population. <i>Journal of Gene Medicine</i> , 2020, 22, e3131.	2.8	5
30	Genetic Variations of CYP19A1 Gene and Stroke Susceptibility. <i>Journal of Cardiovascular Pharmacology</i> , 2020, 75, 344-350.	1.9	7
31	The association analysis between CYP24A1 genetic polymorphisms and the risk of ischemic stroke in Chinese Han population. <i>Brain and Behavior</i> , 2020, 10, e01503.	2.2	15
32	Long Non-coding RNA LINC-PINT and LINC00599 Polymorphisms are Associated With High-altitude Pulmonary Edema in Chinese. <i>Archivos De Bronconeumologia</i> , 2020, 56, 360-364.	0.8	7
33	Three SNPs of FCRL3 and one SNP of MTMR3 are associated with immunoglobulin A nephropathy risk. <i>Immunobiology</i> , 2020, 225, 151869.	1.9	4
34	Long Non-coding RNA LINC-PINT and LINC00599 Polymorphisms are Associated With High-altitude Pulmonary Edema in Chinese. <i>Archivos De Bronconeumologia</i> , 2020, 56, 360-364.	0.8	1
35	Global Burden of Thyroid Cancer From 1990 to 2017. <i>JAMA Network Open</i> , 2020, 3, e208759.	5.9	170
36	Variants in multiple genes are associated with esophageal cancer risk in a Chinese Han population: A case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3266.	2.8	3

#	ARTICLE	IF	CITATIONS
37	&lt;b&gt;&lt;i&gt;CYP24A1&lt;/i&gt;&lt;/b&gt; rs1570669 Variant Has a Protective Effect against Tumors of the Urinary System. <i>Public Health Genomics</i> , 2020, 23, 200-209.	1.0	0
38	Association of GSDMC polymorphisms with lumbar disc herniation among Chinese Han population. <i>International Journal of Immunogenetics</i> , 2020, 47, 546-553.	1.8	10
39	Evaluation of genetic variants in <i>IL&#x2D;1B</i> and its interaction with the predisposition of osteoporosis in the northwestern Chinese Han population. <i>Journal of Gene Medicine</i> , 2020, 22, e3214.	2.8	14
40	Association between CYP2C19 gene polymorphisms and susceptibility to high&#x2D;altitude pulmonary edema. <i>Clinical Respiratory Journal</i> , 2020, 14, 973-979.	1.6	0
41	Polymorphisms in IL&#x2D;1A are associated with endometrial cancer susceptibility among Chinese Han population: A case&#x2D;control study. <i>International Journal of Immunogenetics</i> , 2020, 47, 169-174.	1.8	7
42	CASC15 polymorphisms are correlated with cervical cancer susceptibility in Chinese women. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1246.	1.2	5
43	Genetic polymorphisms of IL1RN were associated with lumbar disk herniation risk in a Chinese Han population. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1247.	1.2	3
44	Association between IL1B polymorphisms and the risk of rheumatoid arthritis. <i>International Immunopharmacology</i> , 2020, 83, 106401.	3.8	16
45	Influence of <i>IGF2BP2</i>, <i>HMG20A</i>, and <i>HNF1B</i> genetic polymorphisms on the susceptibility to Type 2 diabetes mellitus in Chinese Han population. <i>Bioscience Reports</i> , 2020, 40, .	2.4	15
46	MiR-143HG Gene Polymorphisms as Risk Factors for Gastric Cancer in Chinese Han Population. <i>Current Molecular Medicine</i> , 2020, 20, 536-547.	1.3	1
47	<i>IL1R2</i> Polymorphisms are Associated with Increased Risk of Esophageal Cancer. <i>Current Molecular Medicine</i> , 2020, 20, 379-387.	1.3	6
48	TIMP3 gene polymorphisms and relation to Ankylosing spondylitis susceptibility in Chinese Han population. <i>International Journal of Immunogenetics</i> , 2019, 46, 472-478.	1.8	1
49	Association between DIO2 polymorphism and the risk of Kashin&#x2D;Beck disease in the Tibetan population. <i>Journal of Gene Medicine</i> , 2019, 21, e3123.	2.8	7
50	COL6A3 polymorphisms were associated with lung cancer risk in a Chinese population. <i>Respiratory Research</i> , 2019, 20, 143.	3.6	11
51	Variants in COL6A3 gene influence susceptibility to esophageal cancer in the Chinese population. <i>Cancer Genetics</i> , 2019, 238, 23-30.	0.4	3
52	Gene polymorphism of cytochrome P450 significantly affects lung cancer susceptibility. <i>Cancer Medicine</i> , 2019, 8, 4892-4905.	2.8	17
53	The genetic polymorphisms of <i>ZC3HC1</i> and <i>SMARCA4</i> are associated with hypertension risk. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e942.	1.2	8
54	Impact of four lncRNA polymorphisms (rs2151280, rs7763881, rs1136410, and rs3787016) on glioma risk and prognosis: A case&#x2D;control study. <i>Molecular Carcinogenesis</i> , 2019, 58, 2218-2229.	2.7	17

#	ARTICLE	IF	CITATIONS
55	Association between <i>ACYP2</i> polymorphisms and the risk of renal cell cancer. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e966.	1.2	6
56	LPP and RYR2 Gene Polymorphisms Correlate with the Risk and the Prognosis of Astrocytoma. <i>Journal of Molecular Neuroscience</i> , 2019, 69, 628-635.	2.3	8
57	Association between the <i>IL1R2</i> rs2072472 polymorphism and high-altitude pulmonary edema risk. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e542.	1.2	8
58	Association between <i>IL1B</i> gene and cervical cancer susceptibility in Chinese Uygur Population: A Case-Control study. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e779.	1.2	22
59	The role of <i>FOXO3</i> polymorphisms in susceptibility to tuberculosis in a Chinese population. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e770.	1.2	3
60	Associations between polymorphisms of the <i>ACYP2</i> gene and Liver cancer risk: A case-control study and meta-analysis. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00716.	1.2	3
61	Genetic analysis of the relation between <i>IL2RA</i> / <i>IL2RB</i> and rheumatoid arthritis risk. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00754.	1.2	8
62	Assessment of the association between <i>ACYP2</i> and laryngeal squamous cell carcinoma risk in Chinese males. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00731.	1.2	4
63	Genetic variants in the <i>ITPR2</i> gene are associated with Kashin-Beck Disease in Tibetan. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00715.	1.2	2
64	<i>IL1RN</i> Polymorphisms Are Associated with a Decreased Risk of Esophageal Cancer Susceptibility in a Chinese Population. <i>Chemotherapy</i> , 2019, 64, 28-35.	1.6	9
65	Genetic polymorphisms in <i>IL1R1</i> and <i>IL1R2</i> are associated with susceptibility to thyroid cancer in the Chinese Han population. <i>Journal of Gene Medicine</i> , 2019, 21, e3093.	2.8	10
66	Influence of <i>IL1R2</i> polymorphisms on endometrial cancer susceptibility in the Chinese Han population. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e650.	1.2	3
67	Genetics of <i>IL6</i> polymorphisms: Case-control study of the risk of endometrial cancer. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00600.	1.2	5
68	Association study between genetic polymorphisms in folate metabolism and gastric cancer susceptibility in Chinese Han population: A case-control study. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e633.	1.2	18
69	Effects of <i>CYP3A4</i> Polymorphisms on Drug Addiction Risk Among the Chinese Han Population. <i>Frontiers in Public Health</i> , 2019, 7, 315.	2.7	6
70	The impact of genetic variants in <i>IL1R2</i> on cervical cancer risk among Uygur females from China: A case-control study. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00516.	1.2	11
71	Impact of <i>IL1R1</i> and <i>IL1R2</i> gene polymorphisms on risk of osteonecrosis of the femoral head from a case-control study. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e00557.	1.2	11
72	Single nucleotide polymorphism in the 3' untranslated region of LPP is a risk factor for lung cancer: a case-control study. <i>BMC Cancer</i> , 2019, 19, 35.	2.6	9

#	ARTICLE	IF	CITATIONS
73	IL4 gene polymorphisms and their relation to steroid-induced osteonecrosis of the femoral head in Chinese population. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e563.	1.2	10
74	IL1R1 Polymorphisms are Associated with Lumbar Disc Herniation Risk in the Northwestern Chinese Han Population. <i>Medical Science Monitor</i> , 2019, 25, 3728-3738.	1.1	4
75	Genetic polymorphisms of pharmacogenomic VIP variants in the Yi population from China. <i>Gene</i> , 2018, 648, 54-62.	2.2	7
76	Matrix metalloproteinase-2 gene polymorphisms are associated with ischemic stroke in a Hainan population. <i>Medicine (United States)</i> , 2018, 97, e12302.	1.0	9
77	Genetic polymorphisms of the drug-metabolizing enzyme CYP2J2 in a Tibetan population. <i>Medicine (United States)</i> , 2018, 97, e12579.	1.0	4
78	Shorter Telomere Length Is Associated with Increased Breast Cancer Risk in a Chinese Han Population: A Case-Control Analysis. <i>Journal of Breast Cancer</i> , 2018, 21, 391.	1.9	14
79	Relative Telomere Length and Stroke Risk in a Chinese Han Population. <i>Journal of Molecular Neuroscience</i> , 2018, 66, 475-481.	2.3	8
80	Age-related differences in limb fat-free mass and fat mass in healthy Chinese Adults. <i>Scientific Reports</i> , 2018, 8, 8013.	3.3	6
81	Genetic polymorphisms in very important pharmacogenomic variants in the Zhuang ethnic group of Southwestern China. <i>Medicine (United States)</i> , 2018, 97, e0559.	1.0	3
82	A case-control study of the genetic polymorphism of IL6 and HAPE risk in a Chinese Han population. <i>Clinical Respiratory Journal</i> , 2018, 12, 2419-2425.	1.6	7
83	Association of IL4, IL6, and IL10 polymorphisms with pulmonary tuberculosis in a Tibetan Chinese population. <i>Oncotarget</i> , 2018, 9, 16418-16426.	1.8	15
84	Association of TERT polymorphisms with chronic hepatitis B in a Chinese Han population. <i>Oncotarget</i> , 2018, 9, 9199-9205.	1.8	1
85	Genetic polymorphisms of the drug-metabolizing enzyme cytochrome P450 2A6 in a Tibetan Chinese population. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 5024-5033.	0.5	0
86	Association between IL-1 gene polymorphisms and tuberculosis susceptibility in the Chinese Tibetan population. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 5441-5449.	0.5	2
87	Increasing the reference populations for the 55 AISNP panel: the need and benefits. <i>International Journal of Legal Medicine</i> , 2017, 131, 913-917.	2.2	38
88	Association between regulator of telomere elongation helicase1 (RTEL1) gene and HAPE risk. <i>Medicine (United States)</i> , 2017, 96, e8222.	1.0	14
89	IL1RN gene polymorphisms are associated with breast cancer risk in a Chinese Han population. <i>Journal of Gene Medicine</i> , 2017, 19, e2996.	2.8	10
90	Association between genetic polymorphism of telomere-associated gene ACYP2 and the risk of HAPE among the Chinese Han population. <i>Medicine (United States)</i> , 2017, 96, e6504.	1.0	10

#	ARTICLE	IF	CITATIONS
91	Genetic polymorphism analysis of cytochrome P4502E1 (CYP2E1) in a Chinese Tibetan population. <i>Medicine (United States)</i> , 2017, 96, e8855.	1.0	7
92	microRNA-22 can regulate expression of the long non-coding RNA MEG3 in acute myeloid leukemia. <i>Oncotarget</i> , 2017, 8, 65211-65217.	1.8	22
93	Genetic polymorphisms in the <i>ALDH2</i> gene and the risk of ischemic stroke in a Chinese han population. <i>Oncotarget</i> , 2017, 8, 101936-101943.	1.8	11
94	The effects of gene polymorphisms on glioma prognosis. <i>Journal of Gene Medicine</i> , 2017, 19, 345-352.	2.8	7
95	<i>TIMP-2</i> SNPs rs7342880 and rs4789936 are linked to risk of knee osteoarthritis in the Chinese Han Population. <i>Oncotarget</i> , 2017, 8, 1166-1176.	1.8	4
96	<i>IL1R1</i> gene polymorphisms are associated with knee osteoarthritis risk in the Chinese Han population. <i>Oncotarget</i> , 2017, 8, 4228-4233.	1.8	16
97	Genetic polymorphisms in <i>TERT</i> are associated with increased risk of esophageal cancer. <i>Oncotarget</i> , 2017, 8, 10523-10530.	1.8	16
98	Association between single nucleotide polymorphisms in <i>ADRB2</i> , <i>GNB3</i> and <i>GSTP1</i> genes and high-altitude pulmonary edema (HAPE) in the Chinese Han population. <i>Oncotarget</i> , 2017, 8, 18206-18212.	1.8	10
99	<i>MMP-3</i> and <i>MMP-8</i> single-nucleotide polymorphisms are related to alcohol-induced osteonecrosis of the femoral head in Chinese males. <i>Oncotarget</i> , 2017, 8, 25177-25188.	1.8	24
100	<i>TCF7L2</i> polymorphisms and the risk of schizophrenia in the Chinese Han population. <i>Oncotarget</i> , 2017, 8, 28614-28620.	1.8	10
101	Correlation between polymorphisms in microRNA-regulated genes and cervical cancer susceptibility in a Xinjiang Uygur population. <i>Oncotarget</i> , 2017, 8, 31758-31764.	1.8	14
102	Association of <i>IL-1A</i> and <i>IL-1B</i> polymorphisms with ankylosing spondylitis among the Chinese Han population: a case-control study. <i>Oncotarget</i> , 2017, 8, 28278-28284.	1.8	12
103	Association analysis of telomere length related gene <i>ACYP2</i> with the gastric cancer risk in the northwest Chinese Han population. <i>Oncotarget</i> , 2017, 8, 31144-31152.	1.8	10
104	Genome-wide association study of high-altitude pulmonary edema in a Han Chinese population. <i>Oncotarget</i> , 2017, 8, 31568-31580.	1.8	7
105	A case-control study of the association between the <i>EGFR</i> gene and glioma risk in a Chinese Han population. <i>Oncotarget</i> , 2017, 8, 59823-59830.	1.8	3
106	Determination of <i>IL-1B</i> (rs16944) and <i>IL-6</i> (rs1800796) genetic polymorphisms in IgA nephropathy in a northwest Chinese Han population. <i>Oncotarget</i> , 2017, 8, 71750-71758.	1.8	7
107	Associations between polymorphisms in the <i>IL-4</i> gene and renal cell carcinoma in Chinese Han population. <i>Oncotarget</i> , 2017, 8, 82078-82084.	1.8	3
108	<i>ACYP2</i> polymorphisms are associated with the risk of liver cancer in a Han Chinese population. <i>Oncotarget</i> , 2017, 8, 67723-67731.	1.8	9



#	ARTICLE	IF	CITATIONS
109	Sex-specific association of <i>SH2B3</i> and <i>SMARCA4</i> polymorphisms with coronary artery disease susceptibility. <i>Oncotarget</i> , 2017, 8, 59397-59407.	1.8	5
110	Association between TNIP1, MPHOSPH6 and ZNF208 genetic polymorphisms and the coronary artery disease risk in Chinese Han population. <i>Oncotarget</i> , 2017, 8, 77233-77240.	1.8	9
111	Association of <i>IFNGR1</i> and <i>IFNG</i> genetic polymorphisms with the risk for pulmonary tuberculosis in the Chinese Tibetan population. <i>Oncotarget</i> , 2017, 8, 98417-98425.	1.8	8
112	Genetic variations in <i>TERC</i> and <i>TERT</i> genes are associated with lung cancer risk in a Chinese Han population. <i>Oncotarget</i> , 2017, 8, 110145-110152.	1.8	14
113	The association analysis of TLR2 and TLR4 gene with tuberculosis in the Tibetan Chinese population. <i>Oncotarget</i> , 2017, 8, 113082-113089.	1.8	13
114	Association between and polymorphisms and pulmonary tuberculosis risk in the Tibetan Chinese population. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 11188-11194.	0.5	2
115	MiR-100-5p, miR-199a-3p and miR-199b-5p induce autophagic death of endometrial carcinoma cell through targeting mTOR. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 9262-9272.	0.5	8
116	Polymorphisms of telomere-length related genes in three China ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 9654-9665.	0.5	1
117	Association of DENND1A Gene Polymorphisms with Polycystic Ovary Syndrome: A Meta-Analysis. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2016, 8, 135-143.	0.9	12
118	Angiotensin II receptor 1 gene variants are associated with high-altitude pulmonary edema risk. <i>Oncotarget</i> , 2016, 7, 77117-77123.	1.8	8
119	ADH1B and CDH1 polymorphisms predict prognosis in male patients with non-metastatic laryngeal cancer. <i>Oncotarget</i> , 2016, 7, 73216-73228.	1.8	2
120	<i>IL-10</i> and <i>PRKDC</i> polymorphisms are associated with glioma patient survival. <i>Oncotarget</i> , 2016, 7, 80680-80687.	1.8	9
121	Vitamin D receptor gene associations with pulmonary tuberculosis in a Tibetan Chinese population. <i>BMC Infectious Diseases</i> , 2016, 16, 469.	2.9	20
122	SYNJ2 Variant Rs9365723 is Associated with Colorectal Cancer Risk in Chinese Han Population. <i>International Journal of Biological Markers</i> , 2016, 31, 138-143.	1.8	16
123	Association between genetic polymorphisms of MMP8 and the risk of steroid-induced osteonecrosis of the femoral head in the population of northern China. <i>Medicine (United States)</i> , 2016, 95, e4794.	1.0	35
124	P2X7R Gene Polymorphisms are Associated with Increased Risk of Pulmonary Tuberculosis in the Tibetan Chinese Population. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1016-1020.	1.4	9
125	Telomere length related gene <i>ACYP2</i> polymorphism is associated with the risk of HAPE in Chinese Han population. <i>Journal of Gene Medicine</i> , 2016, 18, 244-249.	2.8	18
126	The relationship between polymorphisms of <i>BDNFOS</i> and <i>BDNF</i> genes and heroin addiction in the Han Chinese population. <i>Journal of Gene Medicine</i> , 2016, 18, 288-293.	2.8	10



#	ARTICLE	IF	CITATIONS
127	Genetic polymorphisms study of pharmacogenomic VIP variants in Han ethnic of China's Shaanxi province. <i>Environmental Toxicology and Pharmacology</i> , 2016, 46, 27-35.	4.0	8
128	Single-nucleotide polymorphisms of MMP2 in MMP/TIMP pathways associated with the risk of alcohol-induced osteonecrosis of the femoral head in Chinese males. <i>Medicine (United States)</i> , 2016, 95, e5407.	1.0	17
129	Genetic polymorphisms of pharmacogenomic VIP variants in the Mongol of Northwestern China. <i>BMC Genetics</i> , 2016, 17, 70.	2.7	6
130	WDR1 and CLNK gene polymorphisms correlate with serum glucose and high-density lipoprotein levels in Tibetan gout patients. <i>Rheumatology International</i> , 2016, 36, 405-412.	3.0	5
131	Genotype-phenotype analysis of CYP2C19 in the Tibetan population and its potential clinical implications in drug therapy. <i>Molecular Medicine Reports</i> , 2016, 13, 2117-2123.	2.4	12
132	CLPTM1L polymorphism as a protective factor for lung cancer: a case-control study in southern Chinese population. <i>Tumor Biology</i> , 2016, 37, 10533-10538.	1.8	6
133	Genetic polymorphisms of pharmacogenomic VIP variants in Li nationality of southern China. <i>Environmental Toxicology and Pharmacology</i> , 2016, 42, 237-242.	4.0	12
134	Genetic polymorphisms analysis of drug-metabolizing enzyme CYP2C9 in the Uyghur population. <i>Xenobiotica</i> , 2016, 46, 709-714.	1.1	6
135	Genetic variation in the ABCG2 gene is associated with gout risk in the Chinese Han population. <i>Clinical Rheumatology</i> , 2016, 35, 159-163.	2.2	18
136	Identification of a shared protective genetic susceptibility locus for colorectal cancer and gastric cancer. <i>Tumor Biology</i> , 2016, 37, 2443-2448.	1.8	2
137	Association between single nucleotide polymorphisms in the <i>TSPYL6</i> gene and breast cancer susceptibility in the Han Chinese population. <i>Oncotarget</i> , 2016, 7, 54771-54781.	1.8	9
138	RTEL1 polymorphisms are associated with lung cancer risk in the Chinese Han population. <i>Oncotarget</i> , 2016, 7, 70475-70480.	1.8	10
139	Association of the miR-17-5p variants with susceptibility to cervical cancer in a Chinese population. <i>Oncotarget</i> , 2016, 7, 76647-76655.	1.8	19
140	CDKN2BAS polymorphisms are associated with coronary heart disease risk a Han Chinese population. <i>Oncotarget</i> , 2016, 7, 82046-82054.	1.8	19
141	The relationship between polymorphisms of <i>XRCC5</i> genes with astrocytoma prognosis in the Han Chinese population. <i>Oncotarget</i> , 2016, 7, 85283-85290.	1.8	8
142	Impact of diabetes-related gene polymorphisms on the clinical characteristics of type 2 diabetes Chinese Han population. <i>Oncotarget</i> , 2016, 7, 85464-85471.	1.8	12
143	Genetic variants in the <i>ZNF208</i> gene are associated with esophageal cancer in a Chinese Han population. <i>Oncotarget</i> , 2016, 7, 86829-86835.	1.8	8
144	Genetic variants in the <i>acylphosphatase</i> 2 gene and the risk of breast cancer in a Han Chinese population. <i>Oncotarget</i> , 2016, 7, 86704-86712.	1.8	18

#	ARTICLE	IF	CITATIONS
145	Association of polymorphisms in the telomere-related gene ACYP2 with lung cancer risk in the Chinese Han population. <i>Oncotarget</i> , 2016, 7, 87473-87478.	1.8	13
146	<i>TERT</i> rs2853676 polymorphisms correlate with glioma prognosis in Chinese population. <i>Oncotarget</i> , 2016, 7, 73781-73791.	1.8	3
147	Genetic polymorphism analysis of the drug-metabolizing enzyme CYP2C9 in a Chinese Tibetan population. <i>Gene</i> , 2015, 567, 196-200.	2.2	4
148	Genetic polymorphisms of pharmacogenomic VIP variants in the Uygur population from northwestern China. <i>BMC Genetics</i> , 2015, 16, 66.	2.7	14
149	Genetic Polymorphisms Analysis of Pharmacogenomic VIP Variants in Miao Ethnic Group of Southwest China. <i>Medical Science Monitor</i> , 2015, 21, 3769-3776.	1.1	11
150	FGFR2 gene polymorphisms are associated with breast cancer risk in the Han Chinese population. <i>American Journal of Cancer Research</i> , 2015, 5, 1854-61.	1.4	23
151	Association of five single nucleotide polymorphisms at 6q25.1 with breast cancer risk in northwestern China. <i>American Journal of Cancer Research</i> , 2015, 5, 2467-75.	1.4	14
152	Impact of multiple Alcohol Dehydrogenase gene polymorphisms on risk of laryngeal, esophageal, gastric and colorectal cancers in Chinese Han population. <i>American Journal of Cancer Research</i> , 2015, 5, 2508-15.	1.4	4
153	Genetic association of the ApoB and ApoA1 gene polymorphisms with the risk for alcohol-induced osteonecrosis of femoral head. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11332-9.	0.5	21
154	Genetic polymorphisms and phenotypic analysis of drug-metabolizing enzyme CYP2C19 in a Li Chinese population. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 13201-8.	0.5	12
155	Genetic polymorphisms of pharmacogenomic VIP variants in the lhoba population of southwest China. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 13293-303.	0.5	15
156	Genetic association between selected cytokine genes and glioblastoma in the Han Chinese population. <i>BMC Cancer</i> , 2013, 13, 236.	2.6	21
157	Genetic polymorphisms of pharmacogenomic VIP variants in the Kyrgyz population from northwest China. <i>Gene</i> , 2013, 529, 88-93.	2.2	15
158	Polymorphisms of TREH, IL4R and CCDC26 genes associated with risk of glioma. <i>Cancer Epidemiology</i> , 2012, 36, 283-287.	1.9	58
159	Functional polymorphisms of circadian positive feedback regulation genes and clinical outcome of Chinese patients with resected colorectal cancer. <i>Cancer</i> , 2012, 118, 937-946.	4.1	55
160	Analysis of pharmacogenomic very important pharmacogenomic variants: <i>CYP3A5</i> , <i>ACE</i> , <i>PTGS2</i> and <i>NAT2</i> genes in Chinese Bai population. <i>Personalized Medicine</i> , 0, , .	1.5	0