

Richard Jm Kormelink

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1129843/publications.pdf>

Version: 2024-02-01

112
papers

6,262
citations

61984

43
h-index

74163

75
g-index

116
all docs

116
docs citations

116
times ranked

3590
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospects for viruses infecting eukaryotic microalgae in biotechnology. <i>Biotechnology Advances</i> , 2022, 54, 107790.	11.7	5
2	Members of the ribosomal protein S6 (RPS6) family act as pro-viral factor for tomato spotted wilt orthospovirus infectivity in <i>Nicotiana benthamiana</i> . <i>Molecular Plant Pathology</i> , 2022, 23, 431-446.	4.2	6
3	Complete genomic sequence of a novel phytopathogenic Burkholderia phage isolated from fallen leaf compost. <i>Archives of Virology</i> , 2021, 166, 313-316.	2.1	6
4	Plant Resistance to Viruses: Natural Resistance Associated With Dominant Genes. , 2021, , 60-68.		1
5	The Bunyavirales: The Plant-Infecting Counterparts. <i>Viruses</i> , 2021, 13, 842.	3.3	31
6	Antiviral RISC mainly targets viral mRNA but not genomic RNA of tospovirus. <i>PLoS Pathogens</i> , 2021, 17, e1009757.	4.7	2
7	An Isoform of the Eukaryotic Translation Elongation Factor 1A (eEF1a) Acts as a Pro-Viral Factor Required for Tomato Spotted Wilt Virus Disease in <i>Nicotiana benthamiana</i> . <i>Viruses</i> , 2021, 13, 2190.	3.3	3
8	Small RNA Profiling of Susceptible and Resistant Ty-1 Encoding Tomato Plants Upon Tomato Yellow Leaf Curl Virus Infection. <i>Frontiers in Plant Science</i> , 2021, 12, 757165.	3.6	6
9	Cucumber Mosaic Virus Infection in <i>Arabidopsis</i> : A Conditional Mutualistic Symbiont?. <i>Frontiers in Microbiology</i> , 2021, 12, 770925.	3.5	3
10	Cellular RNA Hubs: Friends and Foes of Plant Viruses. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 40-54.	2.6	18
11	Rescue of tomato spotted wilt virus entirely from complementary DNA clones. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 1181-1190.	7.1	59
12	<i>Ty-1</i> , a universal resistance gene against geminiviruses that is compromised by co-replication of a betasatellite. <i>Molecular Plant Pathology</i> , 2020, 21, 160-172.	4.2	38
13	The NLR Protein Encoded by the Resistance Gene Ty-2 Is Triggered by the Replication-Associated Protein Rep/C1 of Tomato Yellow Leaf Curl Virus. <i>Frontiers in Plant Science</i> , 2020, 11, 545306.	3.6	26
14	Defenses against Virus and Vector: A Phloem-Biological Perspective on RTM- and SLI1-Mediated Resistance to Potyviruses and Aphids. <i>Viruses</i> , 2020, 12, 129.	3.3	16
15	Taxonomy of the order Bunyavirales: second update 2018. <i>Archives of Virology</i> , 2019, 164, 927-941.	2.1	115
16	Plant Viruses in Plant Molecular Pharming: Toward the Use of Enveloped Viruses. <i>Frontiers in Plant Science</i> , 2019, 10, 803.	3.6	38
17	Paving the Way to Tospovirus Infection: Multilined Interplays with Plant Innate Immunity. <i>Annual Review of Phytopathology</i> , 2019, 57, 41-62.	7.8	53
18	Tomato Chlorotic Spot Virus (TCSV) Putatively Incorporated a Genomic Segment of Groundnut Ringspot Virus (GRSV) Upon a Reassortment Event. <i>Viruses</i> , 2019, 11, 187.	3.3	8

#	ARTICLE	IF	CITATIONS
19	Virus Latency and the Impact on Plants. <i>Frontiers in Microbiology</i> , 2019, 10, 2764.	3.5	81
20	A functional investigation of the suppression of CpG and UpA dinucleotide frequencies in plant RNA virus genomes. <i>Scientific Reports</i> , 2019, 9, 18359.	3.3	18
21	Alstroemeria yellow spot virus (AYSV): a new orthospovirus species within a growing Eurasian clade. <i>Archives of Virology</i> , 2019, 164, 117-126.	2.1	14
22	Identification and characterization of a new class of Tomato spotted wilt virus isolates that break Tsw ϵ -based resistance in a temperature ϵ -dependent manner. <i>Plant Pathology</i> , 2019, 68, 60-71.	2.4	12
23	Survey of the response of 82 domestic landraces of <i>Zea mays</i> to cucumber mosaic virus (<sc>CMV</sc>) reveals geographical region ϵ -related resistance to <sc>CMV</sc> in Japan. <i>Plant Pathology</i> , 2018, 67, 1401-1415.	2.4	1
24	Taxonomy of the family Arenaviridae and the order Bunyvirales: update 2018. <i>Archives of Virology</i> , 2018, 163, 2295-2310.	2.1	157
25	Genome packaging of the Bunyvirales. <i>Current Opinion in Virology</i> , 2018, 33, 151-155.	5.4	36
26	The Sw-5 Gene Cluster: Tomato Breeding and Research Toward Orthospovirus Disease Control. <i>Frontiers in Plant Science</i> , 2018, 9, 1055.	3.6	35
27	Identification and characterization of two RNA silencing suppressors encoded by ophioviruses. <i>Virus Research</i> , 2017, 235, 96-105.	2.2	12
28	Biochemical analysis of NSs from different tospoviruses. <i>Virus Research</i> , 2017, 242, 149-155.	2.2	12
29	The NSm proteins of phylogenetically related tospoviruses trigger Sw-5 ϵ -mediated resistance dissociated of their cell-to-cell movement function. <i>Virus Research</i> , 2017, 240, 25-34.	2.2	14
30	The Cap Snatching of Segmented Negative Sense RNA Viruses as a Tool to Map the Transcription Start Sites of Heterologous Co-infecting Viruses. <i>Frontiers in Microbiology</i> , 2017, 8, 2519.	3.5	13
31	Viral RNA Silencing Suppression: The Enigma of Bunyavirus NSs Proteins. <i>Viruses</i> , 2016, 8, 208.	3.3	38
32	Cell death triggering and effector recognition by Sw ϵ SD ϵ CNL proteins from resistant and susceptible tomato isolines to <i>Tomato spotted wilt virus</i> . <i>Molecular Plant Pathology</i> , 2016, 17, 1442-1454.	4.2	42
33	Inherent properties not conserved in other tenuiviruses increase priming and realignment cycles during transcription of Rice stripe virus. <i>Virology</i> , 2016, 496, 287-298.	2.4	12
34	Generic RT-PCR tests for detection and identification of tospoviruses. <i>Journal of Virological Methods</i> , 2016, 233, 89-96.	2.1	13
35	Resistance to Tospoviruses in Vegetable Crops: Epidemiological and Molecular Aspects. <i>Annual Review of Phytopathology</i> , 2016, 54, 347-371.	7.8	98
36	Grafting on a Non-Transgenic Tolerant Tomato Variety Confers Resistance to the Infection of a Sw5-Breaking Strain of Tomato spotted wilt virus via RNA Silencing. <i>PLoS ONE</i> , 2015, 10, e0141319.	2.5	27

#	ARTICLE	IF	CITATIONS
37	Feasibility of Cowpea chlorotic mottle virus-like particles as scaffold for epitope presentations. BMC Biotechnology, 2015, 15, 80.	3.3	34
38	The complete nucleotide sequence of chrysanthemum stem necrosis virus. Archives of Virology, 2015, 160, 605-608.	2.1	10
39	Assessing the genetic variation of Ty-1 and Ty-3 alleles conferring resistance to tomato yellow leaf curl virus in a broad tomato germplasm. Molecular Breeding, 2015, 35, 132.	2.1	46
40	In memoriam "Richard M. Elliott (1954"2015). Journal of General Virology, 2015, 96, 1975-1978.	2.9	4
41	Analysis of Tospovirus NSs Proteins in Suppression of Systemic Silencing. PLoS ONE, 2015, 10, e0134517.	2.5	28
42	Analysis of the A-U Rich Hairpin from the Intergenic Region of Tospovirus S RNA as Target and Inducer of RNA Silencing. PLoS ONE, 2014, 9, e106027.	2.5	15
43	Dominant resistance against plant viruses. Frontiers in Plant Science, 2014, 5, 307.	3.6	197
44	Analysis of <i>Tospovirus</i> NSs protein indicates the importance of the N-terminal domain for avirulence and RNA silencing suppression. Molecular Plant Pathology, 2014, 15, 185-195.	4.2	83
45	The <i>Tospovirus</i> cell-to-cell movement protein (NS-M) triggers a hypersensitive response in <i>Solanum</i> containing resistant tomato lines and in <i>Nicotiana benthamiana</i> transformed with the functional <i>Sb5</i> resistance gene copy. Molecular Plant Pathology, 2014, 15, 871-880.	4.2	72
46	Tomato yellow leaf curl virus resistance by Ty-1 involves increased cytosine methylation of viral genomes and is compromised by cucumber mosaic virus infection. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 12942-12947.	7.1	180
47	Bluetongue, Schmallenberg - what is next? Culicoides-borne viral diseases in the 21st Century. BMC Veterinary Research, 2014, 10, 77.	1.9	27
48	Molecular characterization of the full-length L and M RNAs of Tomato yellow ring virus, a member of the genus Tospovirus. Virus Genes, 2013, 46, 487-495.	1.6	16
49	The Cytosolic Nucleoprotein of the Plant-Infecting Bunyavirus Tomato Spotted Wilt Recruits Endoplasmic Reticulum Resident Proteins to Endoplasmic Reticulum Export Sites. Plant Cell, 2013, 25, 3602-3614.	6.6	22
50	<i>Tospovirus</i> gene-based resistance is triggered by a functional RNA silencing suppressor protein of the <i>Tospovirus</i> . Molecular Plant Pathology, 2013, 14, 405-415.	4.2	84
51	The Tomato Yellow Leaf Curl Virus Resistance Genes Ty-1 and Ty-3 Are Allelic and Code for DFDGD-Class RNA-Dependent RNA Polymerases. PLoS Genetics, 2013, 9, e1003399.	3.5	299
52	Analysis of the Tomato spotted wilt virus Ambisense S RNA-Encoded Hairpin Structure in Translation. PLoS ONE, 2012, 7, e31013.	2.5	33
53	Negative-strand RNA viruses: The plant-infecting counterparts. Virus Research, 2011, 162, 184-202.	2.2	167
54	DETECTION OF EIGHT DIFFERENT TOSPOVIRUS SPECIES BY A MONOCLONAL ANTIBODY AGAINST THE COMMON EPITOPE OF NSS PROTEIN. Acta Horticulturae, 2011, , 61-66.	0.2	2

#	ARTICLE	IF	CITATIONS
55	Chromosomal rearrangements between tomato and <i>Solanum chilense</i> hamper mapping and breeding of the TYLCV resistance gene <i>Ty-1</i> . <i>Plant Journal</i> , 2011, 68, 1093-1103.	5.7	96
56	Base-pairing promotes leader selection to prime in vitro influenza genome transcription. <i>Virology</i> , 2011, 409, 17-26.	2.4	38
57	Preferential use of RNA leader sequences during influenza A transcription initiation in vivo. <i>Virology</i> , 2011, 409, 27-32.	2.4	28
58	Tomato necrotic ring virus (TNRV), a recently described tospovirus species infecting tomato and pepper in Thailand. <i>European Journal of Plant Pathology</i> , 2011, 130, 449-456.	1.7	10
59	Tospovirus, 2011, , 231-235.		0
60	A distinct tospovirus causing necrotic streak on <i>Alstroemeria</i> sp. in Colombia. <i>Archives of Virology</i> , 2010, 155, 423-428.	2.1	61
61	Development of a locus-specific, co-dominant SCAR marker for assisted-selection of the Sw-5 (Tospovirus resistance) gene cluster in a wide range of tomato accessions. <i>Molecular Breeding</i> , 2010, 25, 133-142.	2.1	45
62	Diverging Affinity of Tospovirus RNA Silencing Suppressor Proteins, NSs, for Various RNA Duplex Molecules. <i>Journal of Virology</i> , 2010, 84, 11542-11554.	3.4	102
63	Tomato spotted wilt virus nucleocapsid protein interacts with both viral glycoproteins Gn and Gc in planta. <i>Virology</i> , 2009, 383, 121-130.	2.4	61
64	The NS3 protein of rice hoja blanca virus complements the RNAi suppressor function of HIV-1 Tat. <i>EMBO Reports</i> , 2009, 10, 258-263.	4.5	62
65	Requirements for ER-Arrest and Sequential Exit to the Golgi of Tomato Spotted Wilt Virus Glycoproteins. <i>Traffic</i> , 2009, 10, 664-672.	2.7	23
66	RNAi-Mediated Transgenic Tospovirus Resistance Broken by Intraspecies Silencing Suppressor Protein Complementation. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 1250-1257.	2.6	24
67	Tomato spotted wilt virus glycoproteins induce the formation of endoplasmic reticulum- and Golgi-derived pleomorphic membrane structures in plant cells. <i>Journal of General Virology</i> , 2008, 89, 1811-1818.	2.9	54
68	Tomato spotted wilt virus Gc and N proteins interact in vivo. <i>Virology</i> , 2007, 357, 115-123.	2.4	42
69	The cytoplasmic domain of tomato spotted wilt virus Gn glycoprotein is required for Golgi localisation and interaction with Gc. <i>Virology</i> , 2007, 363, 272-279.	2.4	20
70	Molecular and biological comparison of two Tomato yellow ring virus (TYRV) isolates: challenging the Tospovirus species concept. <i>Archives of Virology</i> , 2007, 152, 85-96.	2.1	30
71	Functional Entry of Baculovirus into Insect and Mammalian Cells Is Dependent on Clathrin-Mediated Endocytosis. <i>Journal of Virology</i> , 2006, 80, 8830-8833.	3.4	135
72	Tobacco plants respond to the constitutive expression of the tospovirus movement protein NSM with a heat-reversible sealing of plasmodesmata that impairs development. <i>Plant Journal</i> , 2005, 43, 688-707.	5.7	69

#	ARTICLE	IF	CITATIONS
73	The use of fluorescence microscopy to visualise homotypic interactions of tomato spotted wilt virus nucleocapsid protein in living cells. <i>Journal of Virological Methods</i> , 2005, 125, 15-22.	2.1	22
74	Tomato spotted wilt virus transcriptase in vitro displays a preference for cap donors with multiple base complementarity to the viral template. <i>Virology</i> , 2005, 335, 122-130.	2.4	42
75	A New Tomato-Infecting Tospovirus from Iran. <i>Phytopathology</i> , 2005, 95, 852-858.	2.2	62
76	Tomato Spotted Wilt Virus Particle Assembly and the Prospects of Fluorescence Microscopy to Study Protein-Protein Interactions Involved. <i>Advances in Virus Research</i> , 2005, 65, 63-120.	2.1	10
77	Tomato spotted wilt virus S-segment mRNAs have overlapping 3'-ends containing a predicted stem-loop structure and conserved sequence motif. <i>Virus Research</i> , 2005, 110, 125-131.	2.2	35
78	In vitro transcription of Tomato spotted wilt virus is independent of translation. <i>Journal of General Virology</i> , 2004, 85, 1335-1338.	2.9	11
79	Genetic organisation of Iris yellow spot virus M RNA: indications for functional homology between the G (C) glycoproteins of tospoviruses and animal-infecting bunyaviruses. <i>Archives of Virology</i> , 2002, 147, 2313-2325.	2.1	31
80	Expression of the movement protein of Tomato spotted wilt virus in its insect vector <i>Frankliniella occidentalis</i> . <i>Archives of Virology</i> , 2002, 147, 825-831.	2.1	8
81	A comparison of two methods of microinjection for assessing altered plasmodesmal gating in tissues expressing viral movement proteins. <i>Plant Journal</i> , 2002, 13, 131-140.	5.7	71
82	Purified Tomato spotted wilt virus Particles Support Both Genome Replication and Transcription in Vitro. <i>Virology</i> , 2002, 303, 278-286.	2.4	37
83	Identification and characterization of a novel tospovirus species using a new RT-PCR approach. <i>Archives of Virology</i> , 2001, 146, 265-278.	2.1	70
84	In vivo analysis of the TSWV cap-snatching mechanism: single base complementarity and primer length requirements. <i>EMBO Journal</i> , 2001, 20, 2545-2552.	7.8	71
85	Tomato Spotted Wilt Virus Glycoproteins Exhibit Trafficking and Localization Signals That Are Functional in Mammalian Cells. <i>Journal of Virology</i> , 2001, 75, 1004-1012.	3.4	63
86	Application of Phage Display in Selecting Tomato spotted wilt virus-Specific Single-Chain Antibodies (scFvs) for Sensitive Diagnosis in ELISA. <i>Phytopathology</i> , 2000, 90, 183-190.	2.2	30
87	Tomato Spotted Wilt Virus Particle Morphogenesis in Plant Cells. <i>Journal of Virology</i> , 1999, 73, 2288-2297.	3.4	93
88	Increase of Tospoviral Diversity in Brazil with the Identification of Two New Tospovirus Species, One from <i>Chrysanthemum</i> and One from <i>Zucchini</i> . <i>Phytopathology</i> , 1999, 89, 823-830.	2.2	89
89	Infection of barley protoplasts with rice hoja blanca tenuivirus. <i>Archives of Virology</i> , 1999, 144, 2247-2252.	2.1	1
90	Characterization of a Tospovirus Isolate of Iris Yellow Spot Virus Associated with a Disease in Onion Fields in Brazil. <i>Plant Disease</i> , 1999, 83, 345-350.	1.4	93

#	ARTICLE	IF	CITATIONS
91	Alfalfa Mosaic Virus RNAs Serve as Cap Donors for Tomato Spotted Wilt Virus Transcription during Coinfection of <i>Nicotiana benthamiana</i> . <i>Journal of Virology</i> , 1999, 73, 5172-5175.	3.4	33
92	Molecular Characterization of Tomato Spotted Wilt Virus Defective Interfering RNAs and Detection of Truncated L Proteins. <i>Virology</i> , 1998, 248, 342-356.	2.4	16
93	Molecular and Serological Characterization of Iris Yellow Spot Virus, a New and Distinct Tospovirus Species. <i>Phytopathology</i> , 1998, 88, 1276-1282.	2.2	127
94	Binding of Tomato Spotted Wilt Virus to a 94-kDa Thrips Protein. <i>Phytopathology</i> , 1998, 88, 63-69.	2.2	62
95	Effects of Temperature and Host on the Generation of Tomato Spotted Wilt Virus Defective Interfering RNAs. <i>Phytopathology</i> , 1997, 87, 1168-1173.	2.2	29
96	Title is missing!. <i>Transgenic Research</i> , 1997, 6, 245-251.	2.4	21
97	Serological comparison of tospoviruses with polyclonal antibodies produced against the main structural proteins of tomato spotted wilt virus. <i>Archives of Virology</i> , 1997, 142, 781-793.	2.1	8
98	A protoplast system for studying tomato spotted wilt virus infection.. <i>Journal of General Virology</i> , 1997, 78, 1755-1763.	2.9	43
99	The Nonstructural NSm Protein of Tomato Spotted Wilt Virus Induces Tubular Structures in Plant and Insect Cells. <i>Virology</i> , 1995, 214, 485-493.	2.4	195
100	Expression and Subcellular Location of the NSM Protein of Tomato Spotted Wilt Virus (TSWV), a Putative Viral Movement Protein. <i>Virology</i> , 1994, 200, 56-65.	2.4	209
101	Distinct levels of relationships between tospovirus isolates. <i>Archives of Virology</i> , 1993, 128, 211-227.	2.1	83
102	Classification of tospoviruses based on phylogeny of nucleoprotein gene sequences. <i>Journal of General Virology</i> , 1993, 74, 153-159.	2.9	165
103	Multiplication of tomato spotted wilt virus in its insect vector, <i>Frankliniella occidentalis</i> . <i>Journal of General Virology</i> , 1993, 74, 341-349.	2.9	224
104	Non-viral heterogeneous sequences at the 5' ends of tomato spotted wilt virus mRNAs. <i>Journal of General Virology</i> , 1992, 73, 2125-2128.	2.9	66
105	The nucleotide sequence of the S RNA of Impatiens necrotic spot virus, a novel tospovirus. <i>FEBS Letters</i> , 1992, 306, 27-32.	2.8	60
106	Characterization of a Distinct Isolate of Tomato Spotted Wilt Virus (TSWV) from <i>Impatiens</i> sp. in The Netherlands. <i>Journal of Phytopathology</i> , 1992, 134, 133-151.	1.0	61
107	The nucleotide sequence of the M RNA segment of tomato spotted wilt virus, a bunyavirus with two ambisense RNA segments. <i>Journal of General Virology</i> , 1992, 73, 2795-2804.	2.9	193
108	Viral RNA synthesis in tomato spotted wilt virus-infected <i>Nicotiana rustica</i> plants. <i>Journal of General Virology</i> , 1992, 73, 687-693.	2.9	44

#	ARTICLE	IF	CITATIONS
109	The nonstructural protein (NSS) encoded by the ambisense S RNA segment of tomato spotted wilt virus is associated with fibrous structures in infected plant cells. <i>Virology</i> , 1991, 181, 459-468.	2.4	128
110	Generation of envelope and defective interfering RNA mutants of tomato spotted wilt virus by mechanical passage. <i>Journal of General Virology</i> , 1991, 72, 2375-2383.	2.9	96
111	Tomato spotted wilt virus L RNA encodes a putative RNA polymerase. <i>Journal of General Virology</i> , 1991, 72, 2207-2216.	2.9	242
112	Nucleotide sequence of two soybean ENOD2 early nodulin genes encoding Ngm-75. <i>Plant Molecular Biology</i> , 1990, 14, 103-106.	3.9	27