

# Jose Posada-Villa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11302694/publications.pdf>

Version: 2024-02-01

107  
papers

30,776  
citations

15504

65  
h-index

27406

106  
g-index

107  
all docs

107  
docs citations

107  
times ranked

33318  
citing authors

#	ARTICLE	IF	CITATIONS
1	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	4.5	23
2	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 168-179.	4.1	8
3	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	3.1	7
4	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 273-285.	4.1	9
5	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	10.4	16
6	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, .	2.7	1
7	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	4.5	21
8	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583.	1.9	7
9	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	4.1	9
10	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	2.6	10
11	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	3.2	3
12	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e70.	3.9	3
13	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020, 102, 106128.	3.0	108
14	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020, 37, 972-994.	4.1	12
15	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	3.3	45
16	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	3.3	27
17	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	11.0	27
18	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739.	4.5	27

#	ARTICLE	IF	CITATIONS
19	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	4.1	318
20	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	3.1	79
21	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	3.3	56
22	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084.	4.5	46
23	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110.	1.4	32
24	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	2.0	20
25	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017, 74, 270.	11.0	179
26	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017, 74, 465.	11.0	274
27	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017, 210, 119-124.	2.8	664
28	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326.	4.1	33
29	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017, 211, 373-380.	2.8	82
30	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307.	10.4	160
31	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136.	11.0	75
32	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017, 211, 280-288.	2.8	118
33	Trauma and PTSD in the WHO World Mental Health Surveys. <i>Hägrg Utbildning</i> , 2017, 8, 1353383.	3.0	801
34	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367.	3.1	19
35	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017, 9, 47-65.	1.7	507
36	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.	5.5	258

#	ARTICLE	IF	CITATIONS
37	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
38	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	4.1	144
39	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	7.2	176
40	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	2.6	6
41	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	11.0	372
42	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	2.6	12
43	The Associations Between Preexisting Mental Disorders and Subsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. Journal of Pain, 2015, 16, 42-52.	1.4	29
44	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	1.3	197
45	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27
46	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	10.4	194
47	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW" AND "BROAD" APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	4.1	161
48	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	2.3	87
49	Associations Between Subjective Social Status and DSM-IV Mental Disorders. JAMA Psychiatry, 2014, 71, 1400.	11.0	101
50	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
51	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. American Journal on Addictions, 2014, 23, 145-155.	1.4	15
52	MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. Depression and Anxiety, 2014, 31, 765-777.	4.1	56
53	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	3.1	58
54	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212.	2.6	25

#	ARTICLE	IF	CITATIONS
55	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 904-914.	1.3	1,025
56	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 302-312.	1.3	251
57	Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013, 202, 42-49.	2.8	67
58	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125.	1.7	76
59	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e80573.	2.5	119
60	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461.	2.8	77
61	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012, 200, 290-299.	2.8	201
62	An updated global picture of cigarette smoking persistence among adults. <i>Journal of Epidemiology and Global Health</i> , 2012, 2, 135.	2.9	11
63	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012, 72, 228-237.	1.3	114
64	Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011, 9, 90.	5.5	1,541
65	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2011, 68, 90.	12.3	410
66	Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative. <i>Archives of General Psychiatry</i> , 2011, 68, 241.	12.3	1,931
67	Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. <i>Archives of General Psychiatry</i> , 2011, 68, 838.	12.3	281
68	Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011, 199, 64-70.	2.8	289
69	The tobacco dependence dimension in Colombia. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2011, 29, 52-6.	1.1	0
70	Rapid-cycling bipolar disorder: cross-national community study. <i>British Journal of Psychiatry</i> , 2010, 196, 217-225.	2.8	44
71	Chronic Physical Conditions and Their Association With First Onset of Suicidal Behavior in the World Mental Health Surveys. <i>Psychosomatic Medicine</i> , 2010, 72, 712-719.	2.0	178
72	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010, 197, 20-27.	2.8	278

#	ARTICLE	IF	CITATIONS
73	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 114-121.	2.8	156
74	Cross-national differences in clinically significant cannabis problems: epidemiologic evidence from 'cannabis-only' smokers in the United States, Mexico, and Colombia. <i>BMC Public Health</i> , 2010, 10, 152.	2.9	7
75	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010, 27, 351-364.	4.1	363
76	Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010, 27, 390-403.	4.1	52
77	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 4-22.	2.1	953
78	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010, 5, e10574.	2.5	273
79	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1617-1628.	2.2	566
80	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. <i>Tobacco Control</i> , 2010, 19, 65-74.	3.2	31
81	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 378-385.	2.8	1,854
82	Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010, 172, 149-159.	3.4	64
83	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2010, 68, 465-473.	1.3	80
84	Evaluating the drug use "gateway" theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010, 108, 84-97.	3.2	228
85	Early childhood adversity and later hypertension: data from the World Mental Health Survey. <i>Annals of Clinical Psychiatry</i> , 2010, 22, 19-28.	0.6	80
86	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009, 6, e1000123.	8.4	592
87	Prevalence of Suicide Risk Factors and Suicide-Related Outcomes in the National Mental Health Study, Colombia. <i>Suicide and Life-Threatening Behavior</i> , 2009, 39, 408-424.	1.9	14
88	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009, 143, 76-83.	4.2	82
89	Childhood Predictors of Adult Attention-Deficit/Hyperactivity Disorder: Results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009, 65, 46-54.	1.3	346
90	DSM-IV personality disorders in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2009, 195, 46-53.	2.8	260

#	ARTICLE	IF	CITATIONS
91	Association of headache with childhood adversity and mental disorder: cross-national study. British Journal of Psychiatry, 2009, 194, 111-116.	2.8	33
92	Mental disorders among persons with diabetes—Results from the World Mental Health Surveys. Journal of Psychosomatic Research, 2008, 65, 571-580.	2.6	154
93	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. Journal of Clinical Epidemiology, 2008, 61, 1132-1143.	5.0	128
94	Adult smokers in Colombia: Who isn't giving it up?. Addictive Behaviors, 2008, 33, 412-421.	3.0	13
95	The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. Pain, 2008, 135, 82-91.	4.2	260
96	Common Chronic Pain Conditions in Developed and Developing Countries: Gender and Age Differences and Comorbidity With Depression-Anxiety Disorders. Journal of Pain, 2008, 9, 883-891.	1.4	918
97	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
98	Disability and treatment of specific mental and physical disorders across the world. British Journal of Psychiatry, 2008, 192, 368-375.	2.8	326
99	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	2.0	91
100	Toward a Global View of Alcohol, Tobacco, Cannabis, and Cocaine Use: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2008, 5, e141.	8.4	629
101	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. British Journal of Psychiatry, 2007, 190, 402-409.	2.8	1,118
102	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	4.2	471
103	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
104	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	2.4	251
105	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	10.4	351
106	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 168-76.	10.4	1,239
107	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696