

Irene M Ghobrial

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1130387/publications.pdf>

Version: 2024-02-01

313
papers

10,095
citations

38742

50
h-index

42399

92
g-index

318
all docs

318
docs citations

318
times ranked

12476
citing authors

#	ARTICLE	IF	CITATIONS
1	Ibrutinib in Previously Treated Waldenström's Macroglobulinemia. <i>New England Journal of Medicine</i> , 2015, 372, 1430-1440.	27.0	810
2	The International Consensus Classification of Mature Lymphoid Neoplasms: a report from the Clinical Advisory Committee. <i>Blood</i> , 2022, 140, 1229-1253.	1.4	512
3	Genomic complexity of multiple myeloma and its clinical implications. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 100-113.	27.6	413
4	CXCR4 inhibitor AMD3100 disrupts the interaction of multiple myeloma cells with the bone marrow microenvironment and enhances their sensitivity to therapy. <i>Blood</i> , 2009, 113, 4341-4351.	1.4	398
5	Mitochondrial metabolism promotes adaptation to proteotoxic stress. <i>Nature Chemical Biology</i> , 2019, 15, 681-689.	8.0	275
6	Bone marrow niches in haematological malignancies. <i>Nature Reviews Cancer</i> , 2020, 20, 285-298.	28.4	270
7	Hypoxia promotes dissemination of multiple myeloma through acquisition of epithelial to mesenchymal transition-like features. <i>Blood</i> , 2012, 119, 5782-5794.	1.4	268
8	The BTK inhibitor ibrutinib may protect against pulmonary injury in COVID-19-infected patients. <i>Blood</i> , 2020, 135, 1912-1915.	1.4	253
9	Engineered nanomedicine for myeloma and bone microenvironment targeting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10287-10292.	7.1	234
10	Response assessment in Waldenström macroglobulinaemia: update from the 13th International Workshop. <i>British Journal of Haematology</i> , 2013, 160, 171-176.	2.5	226
11	Prognostic role of circulating exosomal miRNAs in multiple myeloma. <i>Blood</i> , 2017, 129, 2429-2436.	1.4	214
12	Single-cell RNA sequencing reveals compromised immune microenvironment in precursor stages of multiple myeloma. <i>Nature Cancer</i> , 2020, 1, 493-506.	13.2	209
13	C1013G/CXCR4 acts as a driver mutation of tumor progression and modulator of drug resistance in lymphoplasmacytic lymphoma. <i>Blood</i> , 2014, 123, 4120-4131.	1.4	187
14	Triplet Therapy, Transplantation, and Maintenance until Progression in Myeloma. <i>New England Journal of Medicine</i> , 2022, 387, 132-147.	27.0	173
15	Carfilzomib, rituximab, and dexamethasone (CaRD) treatment offers a neuropathy-sparing approach for treating Waldenström's macroglobulinemia. <i>Blood</i> , 2014, 124, 503-510.	1.4	168
16	Myeloma as a model for the process of metastasis: implications for therapy. <i>Blood</i> , 2012, 120, 20-30.	1.4	163
17	Mapping the Degradable Kinome Provides a Resource for Expedited Degradation Development. <i>Cell</i> , 2020, 183, 1714-1731.e10.	28.9	163
18	Treatment recommendations for patients with Waldenström macroglobulinemia (WM) and related disorders: IWWM-7 consensus. <i>Blood</i> , 2014, 124, 1404-1411.	1.4	138

#	ARTICLE	IF	CITATIONS
19	Regulation of microRNAs in cancer metastasis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1845, 255-265.	7.4	132
20	CXCR4 Regulates Extra-Medullary Myeloma through Epithelial-Mesenchymal-Transition-like Transcriptional Activation. <i>Cell Reports</i> , 2015, 12, 622-635.	6.4	123
21	The bone-marrow niche in MDS and MGUS: implications for AML and MM. <i>Nature Reviews Clinical Oncology</i> , 2018, 15, 219-233.	27.6	120
22	Multiple Myeloma Mesenchymal Stem Cells: Characterization, Origin, and Tumor-Promoting Effects. <i>Clinical Cancer Research</i> , 2012, 18, 342-349.	7.0	118
23	A phase 2 study of modified lenalidomide, bortezomib and dexamethasone in transplant-eligible multiple myeloma. <i>British Journal of Haematology</i> , 2018, 182, 222-230.	2.5	118
24	SDF-1 Inhibition Targets the Bone Marrow Niche for Cancer Therapy. <i>Cell Reports</i> , 2014, 9, 118-128.	6.4	116
25	Genomic Profiling of Smoldering Multiple Myeloma Identifies Patients at a High Risk of Disease Progression. <i>Journal of Clinical Oncology</i> , 2020, 38, 2380-2389.	1.6	110
26	Investigating osteogenic differentiation in multiple myeloma using a novel 3D bone marrow niche model. <i>Blood</i> , 2014, 124, 3250-3259.	1.4	109
27	Genomic Landscape of Waldenström Macroglobulinemia and Its Impact on Treatment Strategies. <i>Journal of Clinical Oncology</i> , 2020, 38, 1198-1208.	1.6	103
28	Clonal hematopoiesis is associated with adverse outcomes in multiple myeloma patients undergoing transplant. <i>Nature Communications</i> , 2020, 11, 2996.	12.8	98
29	Long-Term Follow-Up of Ibrutinib Monotherapy in Symptomatic, Previously Treated Patients With Waldenström Macroglobulinemia. <i>Journal of Clinical Oncology</i> , 2021, 39, 565-575.	1.6	98
30	The sialyltransferase ST3GAL6 influences homing and survival in multiple myeloma. <i>Blood</i> , 2014, 124, 1765-1776.	1.4	97
31	The Mutational Landscape of Circulating Tumor Cells in Multiple Myeloma. <i>Cell Reports</i> , 2017, 19, 218-224.	6.4	92
32	The cancer glycome: Carbohydrates as mediators of metastasis. <i>Blood Reviews</i> , 2015, 29, 269-279.	5.7	91
33	TAK-228 (formerly MLN0128), an investigational oral dual TORC1/2 inhibitor: A phase I dose escalation study in patients with relapsed or refractory multiple myeloma, non-Hodgkin lymphoma, or Waldenström's macroglobulinemia. <i>American Journal of Hematology</i> , 2016, 91, 400-405.	4.1	89
34	Weekly bortezomib in combination with temsirolimus in relapsed or relapsed and refractory multiple myeloma: a multicentre, phase 1/2, open-label, dose-escalation study. <i>Lancet Oncology</i> , The, 2011, 12, 263-272.	10.7	88
35	Central nervous system involvement by Waldenström macroglobulinaemia (Bing-Neel syndrome): a multi-institutional retrospective study. <i>British Journal of Haematology</i> , 2016, 172, 709-715.	2.5	87
36	Blocking IFNAR1 inhibits multiple myeloma-driven Treg expansion and immunosuppression. <i>Journal of Clinical Investigation</i> , 2018, 128, 2487-2499.	8.2	80

#	ARTICLE	IF	CITATIONS
37	Dissecting racial disparities in multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 19.	6.2	79
38	Role of endothelial progenitor cells in cancer progression. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1846, 26-39.	7.4	70
39	Antibody-Dependent Cellular Phagocytosis by Macrophages is a Novel Mechanism of Action of Elotuzumab. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1454-1463.	4.1	70
40	Development of extramedullary myeloma in the era of novel agents: no evidence of increased risk with lenalidomideâ€“bortezomib combinations. <i>British Journal of Haematology</i> , 2015, 169, 843-850.	2.5	66
41	A Phase Ib/II Trial of the First-in-Class Anti-CXCR4 Antibody Ulocuplumab in Combination with Lenalidomide or Bortezomib Plus Dexamethasone in Relapsed Multiple Myeloma. <i>Clinical Cancer Research</i> , 2020, 26, 344-353.	7.0	66
42	Incidence and clinical features of extramedullary multiple myeloma in patients who underwent stem cell transplantation. <i>British Journal of Haematology</i> , 2015, 169, 851-858.	2.5	63
43	Genome instability in multiple myeloma. <i>Leukemia</i> , 2020, 34, 2887-2897.	7.2	63
44	Multiple Myeloma and the immune microenvironment. <i>Current Cancer Drug Targets</i> , 2017, 17, 1-1.	1.6	59
45	Serum IgM level as predictor of symptomatic hyperviscosity in patients with WaldenstrÃ¶m macroglobulinaemia. <i>British Journal of Haematology</i> , 2017, 177, 717-725.	2.5	58
46	Single-cell profiling of tumour evolution in multiple myeloma â€” opportunities for precision medicine. <i>Nature Reviews Clinical Oncology</i> , 2022, 19, 223-236.	27.6	58
47	Monoclonal gammopathy of undetermined significance. <i>Blood</i> , 2019, 133, 2484-2494.	1.4	57
48	Triply Loaded Nitroxide Brush-Arm Star Polymers Enable Metal-Free Millimetric Tumor Detection by Magnetic Resonance Imaging. <i>ACS Nano</i> , 2018, 12, 11343-11354.	14.6	56
49	Dynamic interplay between bone and multiple myeloma: Emerging roles of the osteoblast. <i>Bone</i> , 2015, 75, 161-169.	2.9	55
50	Brief treatment with a highly selective immunoproteasome inhibitor promotes long-term cardiac allograft acceptance in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E8425-E8432.	7.1	54
51	Inhibiting the oncogenic translation program is an effective therapeutic strategy in multiple myeloma. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	53
52	Pyk2 promotes tumor progression in multiple myeloma. <i>Blood</i> , 2014, 124, 2675-2686.	1.4	51
53	Results of a phase 2 trial of the single-agent histone deacetylase inhibitor panobinostat in patients with relapsed/refractory WaldenstrÃ¶m macroglobulinemia. <i>Blood</i> , 2013, 121, 1296-1303.	1.4	46
54	Drug-Related Pneumonitis During Mammalian Target of Rapamycin Inhibitor Therapy: Radiographic Pattern-Based Approach in WaldenstrÃ¶m Macroglobulinemia as a Paradigm. <i>Oncologist</i> , 2015, 20, 1077-1083.	3.7	46

#	ARTICLE	IF	CITATIONS
55	IgM myeloma: A multicenter retrospective study of 134 patients. American Journal of Hematology, 2017, 92, 746-751.	4.1	45
56	Platelets Enhance Multiple Myeloma Progression via IL-1 β Upregulation. Clinical Cancer Research, 2018, 24, 2430-2439.	7.0	44
57	Phase I/II trial of the CXCR4 inhibitor plerixafor in combination with bortezomib as a chemosensitization strategy in relapsed/refractory multiple myeloma. American Journal of Hematology, 2019, 94, 1244-1253.	4.1	42
58	Phase II Trial of the Combination of Ixazomib, Lenalidomide, and Dexamethasone in High-Risk Smoldering Multiple Myeloma. Blood, 2018, 132, 804-804.	1.4	42
59	How I treat smoldering multiple myeloma. Blood, 2014, 124, 3380-3388.	1.4	41
60	Cancer Cell Dissemination and Homing to the Bone Marrow in a Zebrafish Model. Cancer Research, 2016, 76, 463-471.	0.9	39
61	Current use of monoclonal antibodies in the treatment of multiple myeloma. British Journal of Haematology, 2018, 181, 447-459.	2.5	37
62	Mutational Profile and Prognostic Relevance of Circulating Tumor Cells in Multiple Myeloma. Blood, 2015, 126, 23-23.	1.4	37
63	Aberrant Levels of miRNAs in Bone Marrow Microenvironment and Peripheral Blood of Myeloma Patients and Disease Progression. Journal of Molecular Diagnostics, 2015, 17, 669-678.	2.8	36
64	A Phase Ib/II Study of Oprozomib in Patients with Advanced Multiple Myeloma and Waldenström Macroglobulinemia. Clinical Cancer Research, 2019, 25, 4907-4916.	7.0	36
65	Bone marrow stroma protects myeloma cells from cytotoxic damage via induction of the oncoprotein μ MUC1. British Journal of Haematology, 2017, 176, 929-938.	2.5	34
66	Inhibition of microRNA-138 enhances bone formation in multiple myeloma bone marrow niche. Leukemia, 2018, 32, 1739-1750.	7.2	34
67	The COronavirus Pandemic Epidemiology (COPE) Consortium: A Call to Action. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1283-1289.	2.5	34
68	A Prospective Multicenter Study Of The Bruton's Tyrosine Kinase Inhibitor Ibrutinib In Patients With Relapsed Or Refractory Waldenström's Macroglobulinemia. Blood, 2013, 122, 251-251.	1.4	34
69	Biological and Clinical Implications of Clonal Heterogeneity and Clonal Evolution in Multiple Myeloma. Current Cancer Therapy Reviews, 2014, 10, 70-79.	0.3	34
70	Biomarkers of Bone Remodeling in Multiple Myeloma Patients to Tailor Bisphosphonate Therapy. Clinical Cancer Research, 2014, 20, 3955-3961.	7.0	33
71	Dietary Pattern and Risk of Multiple Myeloma in Two Large Prospective US Cohort Studies. JNCI Cancer Spectrum, 2019, 3, pkz025.	2.9	33
72	CXCR7-dependent angiogenic mononuclear cell trafficking regulates tumor progression in multiple myeloma. Blood, 2014, 124, 1905-1914.	1.4	32

#	ARTICLE	IF	CITATIONS
73	Phase 1 study of ibrutinib and the CXCR4 antagonist ulocuplumab in CXCR4-mutated Waldenström macroglobulinemia. <i>Blood</i> , 2021, 138, 1535-1539.	1.4	32
74	Exosomes in Tumor Angiogenesis. <i>Methods in Molecular Biology</i> , 2016, 1464, 25-34.	0.9	32
75	Targeting SDF-1 in multiple myeloma tumor microenvironment. <i>Cancer Letters</i> , 2016, 380, 315-318.	7.2	31
76	Human regulatory T cells undergo self-inflicted damage via granzyme pathways upon activation. <i>JCI Insight</i> , 2017, 2, .	5.0	31
77	Global Epigenetic Regulation of MicroRNAs in Multiple Myeloma. <i>PLoS ONE</i> , 2014, 9, e110973.	2.5	29
78	Bortezomib overcomes the negative impact of CXCR4 mutations on survival of Waldenstrom macroglobulinemia patients. <i>Blood</i> , 2018, 132, 2608-2612.	1.4	29
79	A Phase I/II Study of Evofosfamide, A Hypoxia-activated Prodrug with or without Bortezomib in Subjects with Relapsed/Refractory Multiple Myeloma. <i>Clinical Cancer Research</i> , 2019, 25, 478-486.	7.0	29
80	Are you sure this is Waldenström macroglobulinemia?. <i>Hematology American Society of Hematology Education Program</i> , 2012, 2012, 586-594.	2.5	28
81	Antibody-targeting of ultra-small nanoparticles enhances imaging sensitivity and enables longitudinal tracking of multiple myeloma. <i>Nanoscale</i> , 2019, 11, 20485-20496.	5.6	27
82	Prediagnosis dietary pattern and survival in patients with multiple myeloma. <i>International Journal of Cancer</i> , 2020, 147, 1823-1830.	5.1	27
83	Prevalence of monoclonal gammopathies and clinical outcomes in a high-risk US population screened by mass spectrometry: a multicentre cohort study. <i>Lancet Haematology</i> , 2022, 9, e340-e349.	4.6	27
84	Efficacy of the oral mTORC1 inhibitor everolimus in relapsed or refractory indolent lymphoma. <i>American Journal of Hematology</i> , 2017, 92, 448-453.	4.1	26
85	Progression signature underlies clonal evolution and dissemination of multiple myeloma. <i>Blood</i> , 2021, 137, 2360-2372.	1.4	26
86	Minimal Residual Disease in Myeloma: Application for Clinical Care and New Drug Registration. <i>Clinical Cancer Research</i> , 2021, 27, 5195-5212.	7.0	26
87	Phase I Trial of CCI-779 (Temozolomide) and Weekly Bortezomib in Relapsed and/or Refractory Multiple Myeloma. <i>Blood</i> , 2008, 112, 3696-3696.	1.4	26
88	Fluorescence monitoring of rare circulating tumor cell and cluster dissemination in a multiple myeloma xenograft model in vivo. <i>Journal of Biomedical Optics</i> , 2019, 24, 1.	2.6	25
89	Perspectives on the Risk-Stratified Treatment of Multiple Myeloma. <i>Blood Cancer Discovery</i> , 2022, 3, 273-284.	5.0	24
90	Hypoxia Promotes Dissemination and Colonization in New Bone Marrow Niches in Waldenström Macroglobulinemia. <i>Molecular Cancer Research</i> , 2015, 13, 263-272.	3.4	23

#	ARTICLE	IF	CITATIONS
91	Bone Marrow Stroma and Vascular Contributions to Myeloma Bone Homing. Current Osteoporosis Reports, 2017, 15, 499-506.	3.6	23
92	Prospective, Multicenter Clinical Trial of Everolimus as Primary Therapy in Waldenstrom Macroglobulinemia (WMCTG 09-214). Clinical Cancer Research, 2017, 23, 2400-2404.	7.0	23
93	Long-Term Outcome of a Prospective Study of Bortezomib, Dexamethasone and Rituximab (BDR) in Previously Untreated, Symptomatic Patients with Waldenstrom's Macroglobulinemia. Blood, 2015, 126, 1833-1833.	1.4	23
94	Exome sequencing reveals recurrent germ line variants in patients with familial Waldenstrom macroglobulinemia. Blood, 2016, 127, 2598-2606.	1.4	22
95	Monoclonal Gammopathy of Undetermined Significance (MGUS)â€”Not So Asymptomatic after All. Cancers, 2020, 12, 1554.	3.7	22
96	Genomic Aberrations in Multiple Myeloma. Cancer Treatment and Research, 2016, 169, 23-34.	0.5	21
97	Established and Novel Prognostic Biomarkers in Multiple Myeloma. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2017, 37, 548-560.	3.8	21
98	Acute lymphoblastic leukemia as a clonally unrelated second primary malignancy after multiple myeloma. Leukemia, 2019, 33, 266-270.	7.2	21
99	Are you sure this is Waldenstrom macroglobulinemia?. Hematology American Society of Hematology Education Program, 2012, 2012, 586-94.	2.5	21
100	Clinical Profile of Single-Agent Oprozomib in Patients (Pts) with Multiple Myeloma (MM): Updated Results from a Multicenter, Open-Label, Dose Escalation Phase 1b/2 Study. Blood, 2014, 124, 34-34.	1.4	21
101	Pro-organic radical contrast agents (â€œpro-ORCAsâ€) for real-time MRI of pro-drug activation in biological systems. Polymer Chemistry, 2020, 11, 4768-4779.	3.9	20
102	Single-cell RNA sequencing: one step closer to the clinic. Nature Medicine, 2021, 27, 375-376.	30.7	20
103	The Combination of Bortezomib and NPI-0052 Exerts Anti-Tumor Activity in Waldenstrom Macroglobulinemia (WM).. Blood, 2007, 110, 1516-1516.	1.4	19
104	Clinical Characteristics and Treatment Outcome Of CNS Involvement (Bing-Neel Syndrome) In Waldenstromâ€™s Macroglobulinemia. Blood, 2013, 122, 5090-5090.	1.4	18
105	Profiling of circulating exosomal miRNAs in patients with Waldenstrom Macroglobulinemia. PLoS ONE, 2018, 13, e0204589.	2.5	17
106	Updated Results of a Phase 2 Study of Modified Lenalidomide, Bortezomib, and Dexamethasone (RVd-lite) in Transplant-Ineligible Multiple Myeloma. Blood, 2019, 134, 3178-3178.	1.4	17
107	Prospective, Multicenter Study of the MTOR Inhibitor Everolimus (RAD001) As Primary Therapy in Waldenstrom's Macroglobulinemia. Blood, 2011, 118, 2951-2951.	1.4	17
108	Immunotherapy in Multiple Myeloma: Accelerating on the Path to the Patient. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, 332-344.	0.4	16

#	ARTICLE	IF	CITATIONS
109	Pregnancy outcomes, risk factors, and cell count trends in pregnant women with essential thrombocythemia. <i>Leukemia Research</i> , 2020, 98, 106459.	0.8	16
110	In Vivo Mobilization of Multiple Myeloma Cells Out of the Bone Marrow Using the CXCR4 Inhibitor AMD3100 and Bortezomib: Implications for Sensitization of Myeloma Cells to Apoptosis.. <i>Blood</i> , 2007, 110, 2501-2501.	1.4	16
111	Final Results of Phase I/II Trial of the Oral mTOR Inhibitor Everolimus (RAD001) in Combination with Bortezomib and Rituximab (RVR) in Relapsed or Refractory Waldenstrom Macroglobulinemia. <i>Blood</i> , 2014, 124, 3081-3081.	1.4	16
112	Altered cytokine and chemokine profiles in multiple myeloma and its precursor disease. <i>Cytokine</i> , 2014, 69, 294-297.	3.2	15
113	Citron Rho-interacting kinase silencing causes cytokinesis failure and reduces tumor growth in multiple myeloma. <i>Blood Advances</i> , 2019, 3, 995-1002.	5.2	15
114	Phase Ib Study of the Novel Anti-CXCR4 Antibody Ulocuplumab (BMS-936564) in Combination with Lenalidomide Plus Low-Dose Dexamethasone, or with Bortezomib plus Dexamethasone in Subjects with Relapsed or Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 3483-3483.	1.4	14
115	Anti-Sclerostin Treatment Prevents Multiple Myeloma Induced Bone Loss and Reduces Tumor Burden. <i>Blood</i> , 2015, 126, 119-119.	1.4	14
116	Cyclophosphamide, bortezomib, and dexamethasone combination in waldenstrom macroglobulinemia. <i>American Journal of Hematology</i> , 2015, 90, E122-3.	4.1	13
117	Genome Wide DNA Methylation Profiling In Patients with Multiple Myeloma.. <i>Blood</i> , 2010, 116, 3622-3622.	1.4	12
118	Quality of life, psychological distress, and prognostic perceptions in patients with multiple myeloma. <i>Cancer</i> , 2022, 128, 1996-2004.	4.1	12
119	Emerging drugs in multiple myeloma. <i>Expert Opinion on Emerging Drugs</i> , 2007, 12, 155-163.	2.4	11
120	ASH evidence-based guidelines: what is the role of maintenance therapy in the treatment of multiple myeloma?. <i>Hematology American Society of Hematology Education Program</i> , 2009, 2009, 587-589.	2.5	11
121	Bone marrow biopsy in low-risk monoclonal gammopathy of undetermined significance reveals a novel smoldering multiple myeloma risk group. <i>American Journal of Hematology</i> , 2019, 94, E146-E149.	4.1	11
122	Serum Free Light Chain in Waldenstrom Macroglobulinemia.. <i>Blood</i> , 2006, 108, 2420-2420.	1.4	11
123	Lack of Response to Vaccination in MGUS and Stable Myeloma.. <i>Blood</i> , 2009, 114, 1852-1852.	1.4	11
124	Attenuated response to SARS-CoV-2 vaccine in patients with asymptomatic precursor stages of multiple myeloma and Waldenstrom macroglobulinemia. <i>Cancer Cell</i> , 2022, 40, 6-8.	16.8	11
125	Genetic subtypes of smoldering multiple myeloma are associated with distinct pathogenic phenotypes and clinical outcomes. <i>Nature Communications</i> , 2022, 13, .	12.8	11
126	Bortezomib, Dexamethasone and Rituximab (BDR) Is a Highly Active Regimen in the Primary Therapy of Waldenstrom's Macroglobulinemia: Planned Interim Results of WMCTG Clinical Trial 05-180.. <i>Blood</i> , 2006, 108, 2765-2765.	1.4	10

#	ARTICLE	IF	CITATIONS
127	A Novel Activating Mutation Of CXCR4 Plays a Crucial Role In Waldenstrom Macroglobulinemia Biology. Blood, 2013, 122, 272-272.	1.4	10
128	Clonal hematopoiesis is associated with increased risk of progression of asymptomatic Waldenström macroglobulinemia. Blood Advances, 2022, 6, 2230-2235.	5.2	10
129	Safety and immunogenicity of conjugate quadrivalent meningococcal vaccination after hematopoietic cell transplantation. Blood Advances, 2018, 2, 1272-1276.	5.2	9
130	Phase II Trial of Single Agent Panobinostat (LBH589) In Relapsed or Relapsed/Refractory Waldenstrom Macroglobulinemia. Blood, 2010, 116, 3952-3952.	1.4	9
131	ROBO1 Promotes Homing, Dissemination, and Survival of Multiple Myeloma within the Bone Marrow Microenvironment. Blood Cancer Discovery, 2021, 2, 338-353.	5.0	8
132	Dissecting the Mechanisms of Activity of SLAMF7 and the Targeting Antibody Elotuzumab in Multiple Myeloma. Blood, 2014, 124, 3431-3431.	1.4	8
133	A Phase II Study of Modified Lenalidomide, Bortezomib, and Dexamethasone (RVD-lite) for Transplant-Ineligible Patients with Newly Diagnosed Multiple Myeloma. Blood, 2015, 126, 4217-4217.	1.4	8
134	Whole-Exome Sequencing and Targeted Deep Sequencing of cfDNA Enables a Comprehensive Mutational Profiling of Multiple Myeloma. Blood, 2016, 128, 197-197.	1.4	8
135	Epigenetics in Multiple Myeloma. Cancer Treatment and Research, 2016, 169, 35-49.	0.5	7
136	Phase II Trial of Combination of Bortezomib and Rituximab in Relapsed and/or Refractory Waldenstrom Macroglobulinemia. Blood, 2008, 112, 832-832.	1.4	7
137	Human Monoclonal Antibody Targeting IL-17A (AIN457) Down-Regulates MM Cell-Growth and Survival and Inhibits Osteoclast Development In Vitro and In Vivo: A Potential Novel Therapeutic Application In Myeloma. Blood, 2010, 116, 456-456.	1.4	7
138	Targeting the Bone Marrow in Waldenstrom Macroglobulinemia. Clinical Lymphoma, Myeloma and Leukemia, 2011, 11, S65-S69.	0.4	6
139	Clinical perspective: Linking psychosocial care to the disease continuum in patients with multiple myeloma. Palliative and Supportive Care, 2015, 13, 829-838.	1.0	6
140	The Role of Clonal Hematopoiesis of Indeterminate Potential (CHIP) in Multiple Myeloma: Immunomodulator Maintenance Post Autologous Stem Cell Transplant (ASCT) Predicts Better Outcome. Blood, 2018, 132, 749-749.	1.4	6
141	Pregnancy Outcomes, Risk Factors, and Gestational Cell Count Trends in Pregnant Women with Essential Thrombocythemia and Polycythemia Vera. Blood, 2019, 134, 4172-4172.	1.4	6
142	A Phase II Study of Daratumumab in Patients with High-Risk MGUS and Low-Risk Smoldering Multiple Myeloma: First Report of Efficacy and Safety. Blood, 2019, 134, 1898-1898.	1.4	6
143	Carfilzomib, Rituximab and Dexamethasone (CaRD) Is Highly Active and Offers a Neuropathy Sparing Approach For Proteasome-Inhibitor Based Therapy In Waldenstrom's Macroglobulinemia. Blood, 2013, 122, 757-757.	1.4	6
144	Finding the right academic job. Hematology American Society of Hematology Education Program, 2009, 2009, 729-733.	2.5	5

#	ARTICLE	IF	CITATIONS
145	BELLINI: a renaissance for an era of precision therapy in multiple myeloma. <i>Lancet Oncology</i> , The, 2020, 21, 1547-1549.	10.7	5
146	Final Results of the Phase I/II Trial of Weekly Bortezomib In Combination with Temsirolimus (CCI-779) In Relapsed or Relapsed/Refractory Multiple Myeloma Specifically In Patients Refractory to Bortezomib. <i>Blood</i> , 2010, 116, 990-990.	1.4	5
147	Phase I/II Trial Of Everolimus, Bortezomib and Rituximab In Relapsed Or Relapsed/Refractory Waldenström's Macroglobulinemia. <i>Blood</i> , 2013, 122, 4402-4402.	1.4	5
148	Immunotherapy for hematological malignancies. <i>Journal of Life Sciences (Westlake Village, Calif)</i> , 2019, 1, 46-52.	1.8	5
149	The emerging importance and evolving understanding of clonal hematopoiesis in multiple myeloma. <i>Seminars in Oncology</i> , 2022, 49, 19-26.	2.2	5
150	Novel Therapeutic Agents in Waldenström's Macroglobulinemia. <i>Clinical Lymphoma and Myeloma</i> , 2009, 9, 84-86.	1.4	4
151	Response to ibrutinib in a patient with IgG lymphoplasmacytic lymphoma carrying the MYD88 L265P gene mutation. <i>Leukemia and Lymphoma</i> , 2016, 57, 2699-2701.	1.3	4
152	Clinical Controversies in the Management of Smoldering Multiple Myeloma. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2020, 40, 314-319.	3.8	4
153	Inflammatory stromal cells in the myeloma microenvironment. <i>Nature Immunology</i> , 2021, 22, 677-678.	14.5	4
154	Updated Results of a Phase I Study of RAD001 In Combination with Lenalidomide In Patients with Relapsed or Refractory Multiple Myeloma with Pharmacodynamic and Pharmacokinetic Analysis. <i>Blood</i> , 2010, 116, 3051-3051.	1.4	4
155	In Vivo Targeting of Stromal-Derived Factor-1 As a Strategy to Prevent Myeloma Cell Dissemination to Distant Bone Marrow Niches. <i>Blood</i> , 2012, 120, 440-440.	1.4	4
156	Phase I/II Trial of Plerixafor and Bortezomib As a Chemosensitization Strategy In Relapsed Or Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2013, 122, 1947-1947.	1.4	4
157	Bone Marrow Mobilization Of Endothelial Progenitor Cells Represents An Early Pathogenic Event During Multiple Myeloma Progression. <i>Blood</i> , 2013, 122, 680-680.	1.4	4
158	Final Results of the Phase I/II Study of Chemosensitization Using the CXCR4 Inhibitor Plerixafor in Combination with Bortezomib in Patients with Relapsed or Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2015, 126, 4256-4256.	1.4	4
159	Characterization of the Role of Regulatory T Cells (Tregs) in Inducing Progression of Multiple Myeloma. <i>Blood</i> , 2015, 126, 502-502.	1.4	4
160	The importance of the genomic landscape in Waldenström's Macroglobulinemia for targeted therapeutical interventions. <i>Oncotarget</i> , 2017, 8, 35435-35444.	1.8	4
161	Circulating Exosomal microRNAs Are Prognostic Markers in Multiple Myeloma. <i>Blood</i> , 2015, 126, 1770-1770.	1.4	4
162	A novel in vivo model for studying conditional dual loss of BLIMP1 and p53 in B cells, leading to tumor transformation. <i>American Journal of Hematology</i> , 2017, 92, E138-E145.	4.1	3

#	ARTICLE	IF	CITATIONS
163	The 2020 BMT CTN Myeloma Intergroup Workshop on Immune Profiling and Minimal Residual Disease Testing in Multiple Myeloma. Transplantation and Cellular Therapy, 2021, 27, 807-816.	1.2	3
164	Novel Agent Perifosine Enhances Antitumor Activity of Bortezomib, Rituximab and Other Conventional Therapies in Waldenstrom's Macroglobulinemia.. Blood, 2006, 108, 2517-2517.	1.4	3
165	Incidence of Peripheral Neuropathy in Waldenstrom's Macroglobulinemia Patients At Diagnosis,. Blood, 2011, 118, 3692-3692.	1.4	3
166	Selective Inhibition of the Chymotrypsin-Like Activity of the Immunoproteasome and Constitutive Proteasome Represents a Valid Anti-Tumor Strategy in Waldenstrom Macroglobulinemia.. Blood, 2009, 114, 4911-4911.	1.4	3
167	Hevylite® [®] , a New Marker of Tumor Measurement In Waldenstrom Macroglobulinemia. Blood, 2010, 116, 5076-5076.	1.4	3
168	Single-Cell Multi-Omics Defines the Cell-Type Specific Impact of SF3B1 Splicing Factor Mutations on Hematopoietic Differentiation in Human Clonal Hematopoiesis and Myelodysplastic Syndromes. Blood, 2021, 138, 145-145.	1.4	3
169	Future Directions in the Evaluation and Treatment of Precursor Plasma Cell Disorders. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2016, 35, e400-e406.	3.8	2
170	Aspirin Use and Survival in Multiple Myeloma Patients. Blood, 2018, 132, 3250-3250.	1.4	2
171	The Selective Protein Kinase CB Inhibitor, Enzastaurin, Induces In Vitro and In Vivo Antitumor Activity in Waldenstrom's Macroglobulinemia.. Blood, 2006, 108, 2496-2496.	1.4	2
172	Phase II Trial of the Oral mTOR Inhibitor RAD001 (Everolimus) in Relapsed and/or Refractory Waldenstrom Macroglobulinemia: Preliminary Results.. Blood, 2007, 110, 4496-4496.	1.4	2
173	RAD001 Exerts Anti-Tumor Activity in Waldenstrom Macroglobulinemia.. Blood, 2009, 114, 3732-3732.	1.4	2
174	Eph-B2/Ephrin-B2 Interaction Plays a Major Role In the Adhesion and Survival of WM Cells In the Context of the Bone Marrow Microenvironment. Blood, 2010, 116, 142-142.	1.4	2
175	Phase I Trial of Plerixafor and Bortezomib as a Chemosensitization Strategy In Relapsed or Relapsed/Refractory Multiple Myeloma. Blood, 2010, 116, 1943-1943.	1.4	2
176	The Role of Serum Immunoglobulin Free Light Chain In Response and Progression In Waldenstrom Macroglobulinemia. Blood, 2010, 116, 3095-3095.	1.4	2
177	The New CXCR4 Inhibitor MDX-1338 Exerts Anti-Tumor Activity in Multiple Myeloma. Blood, 2011, 118, 1844-1844.	1.4	2
178	Biomarker Correlation with Outcomes in Patients with Relapsed or Refractory Multiple Myeloma on a Phase I Study of Everolimus in Combination with Lenalidomide,. Blood, 2011, 118, 3966-3966.	1.4	2
179	Stroma-Derived Exosomes Mediate Oncogenesis in Multiple Myeloma. Blood, 2011, 118, 625-625.	1.4	2
180	In Vivo Genome-Wide Crispr Library Screen in a Xenograft Mouse Model of Tumor Growth and Metastasis of Multiple Myeloma. Blood, 2016, 128, 1137-1137.	1.4	2

#	ARTICLE	IF	CITATIONS
181	Prospective, Multicenter Clinical Trial of Everolimus As Primary Therapy in Waldenstrom Macroglobulinemia (WMCTG 09-214). <i>Blood</i> , 2016, 128, 4487-4487.	1.4	2
182	Imatinib Mesylate (Gleevec®) Is Active in Relapsed/Refractory Waldenstrom's Macroglobulinemia: Planned Interim Results of WMCTG Clinical Trial 05-140.. <i>Blood</i> , 2006, 108, 2484-2484.	1.4	2
183	The CXCR4/SDF-1 Axis Regulates Migration and Adhesion in Waldenstrom Macroglobulinemia.. <i>Blood</i> , 2006, 108, 2418-2418.	1.4	2
184	Perifosine, an Oral Bioactive Novel Akt Inhibitor, Induces In Vitro and In Vivo Antitumor Activity in Waldenstrom Macroglobulinemia.. <i>Blood</i> , 2006, 108, 2488-2488.	1.4	2
185	Resveratrol Exerts Antiproliferative Effect and Induces Apoptosis in Waldenstrom's Macroglobulinemia.. <i>Blood</i> , 2007, 110, 1383-1383.	1.4	2
186	Phase II Trial of Weekly Bortezomib in Combination with Rituximab in Untreated Patients with Waldenstrom's Macroglobulinemia.. <i>Blood</i> , 2009, 114, 3752-3752.	1.4	2
187	PET/CT a New Marker of Response in Waldenstrom Macroglobulinemia (WM).. <i>Blood</i> , 2009, 114, 1937-1937.	1.4	2
188	Mirna Expression Profiling and Proteomic Analysis Of Circulating Exosomes From Multiple Myeloma Patients. <i>Blood</i> , 2013, 122, 3086-3086.	1.4	2
189	Hypoxia Induces Drug Resistance In Multiple Myeloma. <i>Blood</i> , 2013, 122, 1852-1852.	1.4	2
190	Phase I/II Trial of Plerixafor and Bortezomib As a Chemosensitization Strategy in Relapsed or Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 5777-5777.	1.4	2
191	A Phase II Trial of the Combination of Ixazomib, Lenalidomide, and Dexamethasone in High-Risk Smoldering Multiple Myeloma. <i>Blood</i> , 2021, 138, 2749-2749.	1.4	2
192	A Phase II Study of Daratumumab in Patients with High-Risk MGUS and Low-Risk Smoldering Multiple Myeloma. <i>Blood</i> , 2021, 138, 1649-1649.	1.4	2
193	Multiple Myeloma With Amplification of Chr1q: Therapeutic Opportunity and Challenges. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	2
194	Team Work Matters: Dual Inhibition Puts Non-Hodgkin Lymphoma Under Siege. <i>Clinical Cancer Research</i> , 2014, 20, 5863-5865.	7.0	1
195	Epigenomics in Waldenstrom's macroglobulinaemia. <i>Best Practice and Research in Clinical Haematology</i> , 2016, 29, 156-160.	1.7	1
196	Bone marrow niche in multiple myeloma and its precursor states. <i>HemaSphere</i> , 2019, 3, 121-123.	2.7	1
197	Intensification and consolidation therapy in multiple myeloma in the current era. <i>Lancet Haematology</i> , 2020, 7, e427-e429.	4.6	1
198	Single-Cell RNA Sequencing Reveals Compromised Immune Microenvironment in Precursor Stages of Multiple Myeloma. <i>Blood</i> , 2018, 132, 2603-2603.	1.4	1

#	ARTICLE	IF	CITATIONS
199	Single-Cell Multi-Omics in Human Clonal Hematopoiesis Reveals That <i>DNMT3A</i> R882 Mutations Perturb Early Progenitor States through Selective Hypomethylation. <i>Blood</i> , 2020, 136, 1-2.	1.4	1
200	Inhibition of ERK1/2 Activity by the MEK1/2 Inhibitor AZD6244 (ARRY-142886) Induces Human Multiple Myeloma Cell Apoptosis in the Bone Marrow Microenvironment: A New Therapeutic Strategy for MM.. <i>Blood</i> , 2006, 108, 3460-3460.	1.4	1
201	Serum Immunoglobulin Free Light Chain (sFLC) Is a Sensitive Marker of Response in Waldenstrom Macroglobulinemia (WM).. <i>Blood</i> , 2007, 110, 1486-1486.	1.4	1
202	Phase II Trial of Perifosine (KRX-0401) in Relapsed and/or Refractory Waldenstrom Macroglobulinemia: Preliminary Results.. <i>Blood</i> , 2007, 110, 4493-4493.	1.4	1
203	Phase II Trial of the mTOR Inhibitor RAD001 in Relapsed and/or Refractory Waldenstrom Macroglobulinemia: The Dana Farber Cancer Institute Experience.. <i>Blood</i> , 2008, 112, 1011-1011.	1.4	1
204	MicroRNA Changes Occur in Multiple Myeloma Cells in the Context of Bone Marrow Milieu.. <i>Blood</i> , 2009, 114, 1785-1785.	1.4	1
205	Role of Selectins in the Pathogenesis of Multiple Myeloma.. <i>Blood</i> , 2009, 114, 951-951.	1.4	1
206	Selectin Inhibition Disrupts Multiple Myeloma Cells Interaction with the Bone Marrow Microenvironment and Sensitizes Them to Therapy. <i>Blood</i> , 2010, 116, 453-453.	1.4	1
207	Phase I Trial of Plerixafor and Bortezomib As a Chemosensitization Strategy in Relapsed or Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2011, 118, 1874-1874.	1.4	1
208	Phase I Trial of Everolimus and Rituximab or Everolimus, Bortezomib and Rituximab in Relapsed or Relapsed/Refractory Waldenstrom's Macroglobulinemia. <i>Blood</i> , 2011, 118, 2705-2705.	1.4	1
209	Final Results of the Phase II Trial of Single Agent Panobinostat (LBH589) in Relapsed or Relapsed/Refractory Waldenstrom Macroglobulinemia. <i>Blood</i> , 2011, 118, 2706-2706.	1.4	1
210	Clonal-Heterogeneity and Propensity for Bone Metastasis in Multiple Myeloma. <i>Blood</i> , 2014, 124, 3370-3370.	1.4	1
211	Molecular Mechanisms Regulating Resistance to the Akt Inhibitor Perifosine in Waldenstrom's Macroglobulinemia, the Role of the ERK and PKC Pathways.. <i>Blood</i> , 2006, 108, 2416-2416.	1.4	1
212	Phase II Trial of Combination of Bortezomib and Rituximab in Relapsed and/or Refractory Waldenstrom Macroglobulinemia: Preliminary Results.. <i>Blood</i> , 2007, 110, 4494-4494.	1.4	1
213	Carfilzomib Exerts Anti-Neoplastic Activity in Waldenstrom Macroglobulinemia.. <i>Blood</i> , 2009, 114, 4916-4916.	1.4	1
214	Role of TORC1 and TORC2 in Multiple Myeloma. <i>Blood</i> , 2011, 118, 1815-1815.	1.4	1
215	CRM1 Inhibition Abrogates Osteoclast Formation and Bone Resorption Via Inhibition of RANKL-Induced NF- κ B While Sparing Osteoblastogenesis: Further Therapeutic Implication in Multiple Myeloma. <i>Blood</i> , 2012, 120, 1835-1835.	1.4	1
216	Proteomic Characterization of the Multiple Myeloma Bone Marrow Extracellular Matrix. <i>Blood</i> , 2014, 124, 2051-2051.	1.4	1

#	ARTICLE	IF	CITATIONS
217	Molecular Modification of the Microenvironment by the Tumor Clone. <i>Blood</i> , 2014, 124, SCI-49-SCI-49.	1.4	1
218	Platelets/Megakaryocytes Are Critical Regulators of Tumor Progression in Multiple Myeloma. <i>Blood</i> , 2015, 126, 1793-1793.	1.4	1
219	Profiling of Circulating Exosomes in Patients with Waldenström Macroglobulinemia. <i>Blood</i> , 2016, 128, 2940-2940.	1.4	1
220	Targeting a Myeloma Translocation for the First Time: The t(11;14) Journey. , 2018, 15, .		1
221	A Phase Ib/II Study of the Novel Anti-CXCR4 Antibody Ulocuplumab (BMS-936564) in Combination with Lenalidomide Plus Low-Dose Dexamethasone, or with Bortezomib Plus Dexamethasone in Subjects with Relapsed or Refractory Multiple Myeloma. <i>Blood</i> , 2018, 132, 3263-3263.	1.4	1
222	A Phase II Study of the Efficacy and Safety of Lenalidomide, Subcutaneous Bortezomib and Dexamethasone (RVD) Combination Therapy for Patients with Newly Diagnosed Multiple Myeloma: Promising Activity and Manageable Toxicity, Including in High Risk Disease. <i>Blood</i> , 2018, 132, 1981-1981.	1.4	1
223	Repositioning the Repurposed Drug, a Structural Study of Thalidomide Analogs. , 2019, 16, .		1
224	Quality of Life, Psychological Distress, and Prognostic Awareness in Caregivers of Patients with Multiple Myeloma. <i>Blood</i> , 2021, 138, 3044-3044.	1.4	1
225	Identification of a Novel Epigenetic Mechanism of MYC Deregulation in Smoldering and Newly Diagnosed Multiple Myeloma Patients. <i>Blood</i> , 2021, 138, 504-504.	1.4	1
226	Non-Invasive Liquid Biopsy to Quantify and Molecularly Characterize Circulating Multiple Myeloma Cells in the Assessment of Precursor Disease Pathology. <i>Blood</i> , 2021, 138, 78-78.	1.4	1
227	Clonal Hematopoiesis Prevalence Increases throughout Treatment of Newly Diagnosed Multiple Myeloma Patients. <i>Blood</i> , 2021, 138, 1091-1091.	1.4	1
228	Clonal Hematopoiesis Is Associated with Increased Risk of Progression of Asymptomatic Waldenström Macroglobulinemia. <i>Blood</i> , 2021, 138, 2678-2678.	1.4	1
229	Regular Aspirin Use and Mortality in Multiple Myeloma Patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.EPI-21-0946-E.2021.	2.5	1
230	Mass cytometry staining for human bone marrow clinical samples. <i>STAR Protocols</i> , 2022, 3, 101163.	1.2	1
231	Perceptions of prognosis in caregivers of multiple myeloma (MM) patients.. <i>Journal of Clinical Oncology</i> , 2021, 39, 12082-12082.	1.6	0
232	Abstract 2240: Genomic profiling of smoldering multiple myeloma classifies distinct molecular groups. , 2021, , .		0
233	A Novel Real-Time In Vivo Homing Model of Multiple Myeloma.. <i>Blood</i> , 2006, 108, 242-242.	1.4	0
234	Clinical and Pathological Prognostic Markers for Survival in Adult Patients with Post-Transplant Lymphoproliferative Disorders (PTLD), BCL2 Is a Poor Prognostic Marker in PTLD.. <i>Blood</i> , 2006, 108, 2035-2035.	1.4	0

#	ARTICLE	IF	CITATIONS
235	Targeting NF- κ B by Perifosine, Bortezomib and Rituximab in Waldenstrom Macroglobulinemia (WM).. Blood, 2007, 110, 2512-2512.	1.4	0
236	The Interaction of CXCR4/SDF-1 and VLA-4 Regulates Adhesion and Transendothelial Migration in Waldenstrom Macroglobulinemia.. Blood, 2007, 110, 2617-2617.	1.4	0
237	Regulation of the New CXCR7 Receptor in Plasma Cell Dyscrasias.. Blood, 2007, 110, 3527-3527.	1.4	0
238	Identification of An Atypical Paraprotein with Inconsistent M-Spike Quantitation in Four Patients with Waldenstrom's Macroglobulinemia. Blood, 2008, 112, 5145-5145.	1.4	0
239	The Effect of Insulin-Like Growth Factor 1 on Waldenstrom Macroglobulinemia. Blood, 2008, 112, 4994-4994.	1.4	0
240	TH17 Pathway Promotes Tumor Cell Growth and Suppresses Immune Function in Myeloma: Potential for Therapeutic Application. Blood, 2008, 112, 2737-2737.	1.4	0
241	Phase II Trial of Weekly Bortezomib in Combination with Rituximab in Relapsed or Relapsed/Refractory Waldenstrom's Macroglobulinemia.. Blood, 2009, 114, 2727-2727.	1.4	0
242	Primary Waldenstrom Macroglobulinemia Cells Harbor Constitutive Activation of Akt, mTOR, Rictor and Raptor: Rational for Testing a Dual Inhibitor of the PI3K/Akt and mTOR Pathways in This Disease.. Blood, 2009, 114, 3843-3843.	1.4	0
243	Serum Immunoglobulin Free Light Chain (sFLC) Measurement as a New Marker of Response to Therapy and Survival in Waldenstrom Macroglobulinemia (WM).. Blood, 2009, 114, 3952-3952.	1.4	0
244	Citron Rho Interacting Kinase (CRIK) Regulates Survival in IL-6 Dependent Multiple Myeloma Cells.. Blood, 2009, 114, 1825-1825.	1.4	0
245	Eph-B2 Receptor Tyrosine Kinase Is Overexpressed in Waldenstrom's Macroglobulinemia and Plays a Major Role in Its Interaction with the Bone Marrow Microenvironment.. Blood, 2009, 114, 2935-2935.	1.4	0
246	The Role of FGFR in the Progression of Waldenstrom's Macroglobulinemia and the Effect of Its Inhibition by TKI-258.. Blood, 2009, 114, 3737-3737.	1.4	0
247	The Effect of the CXCR4 Inhibitors, AMD3100 and AMD3465, in Multiple Myeloma Cell Homing and Its Interaction with the Bone Marrow Microenvironment.. Blood, 2009, 114, 1826-1826.	1.4	0
248	Role of Hypoxia in the Progression and Dissemination of Multiple Myeloma.. Blood, 2009, 114, 421-421.	1.4	0
249	Phase II Trial of Weekly Bortezomib in Combination with CCI-779 (temsirolimus) in Relapsed or Relapsed/Refractory Multiple Myeloma.. Blood, 2009, 114, 748-748.	1.4	0
250	Dynamic Regulation of the Level of Hypoxia In the Bone Marrow Regulates Cell Dissemination In Multiple Myeloma. Blood, 2010, 116, 4035-4035.	1.4	0
251	Proteomic Studies Identify Citron Rho Interacting Kinase (CRIK), a Novel Protein That Regulates Proliferation and Survival In Multiple Myeloma Cells. Blood, 2010, 116, 2958-2958.	1.4	0
252	LNA Anti-Microrna-155: a Novel Therapeutic Strategy In Waldenstrom Macroglobulinemia and Chronic Lymphocytic Leukemia. Blood, 2010, 116, 4914-4914.	1.4	0

#	ARTICLE	IF	CITATIONS
253	Promoter-Wide Transcriptional Deregulation In Waldenstrom Macroglobulinemia. Blood, 2010, 116, 3620-3620.	1.4	0
254	The Role of PET Scan Imaging In Waldenstrom Macroglobulinemia. Blood, 2010, 116, 4153-4153.	1.4	0
255	Similar Dreams, Different Journeys. , 2011, 8, .		0
256	Hypoxia Promotes Dissemination of Multiple Myeloma Through Acquisition of Endothelial to Mesenchymal Transition (EMT) Features. Blood, 2011, 118, 471-471.	1.4	0
257	Inhibition of c-Myc Expression and Function in Hematologic Malignancies. Blood, 2011, 118, 1409-1409.	1.4	0
258	Perifosine Plus Bortezomib and Dexamethasone in Relapsed/Refractory Multiple Myeloma Patients Previously Treated with Bortezomib: Final Results of a Phase I/II Trial. Blood, 2011, 118, 815-815.	1.4	0
259	The Role of PI3K Signaling in Cell Trafficking of Multiple Myeloma. Blood, 2011, 118, 1804-1804.	1.4	0
260	RVD Induction Followed by Consolidation with ASCT in Patients with Newly Diagnosed Multiple Myeloma,. Blood, 2011, 118, 4134-4134.	1.4	0
261	L-Stereoisomer RNA Oligonucleotide Anti-SDF-1 (Nox-A12) Disrupts the Interaction of Multiple Myeloma Cells with the Bone Marrow Milieu In Vivo, Leading to Enhanced Sensitivity to Bortezomib. Blood, 2011, 118, 887-887.	1.4	0
262	The Role of Bortezomib-Containing Regimens in Improving Response in Patients with Waldenstrom Macroglobulinemia. Blood, 2011, 118, 2713-2713.	1.4	0
263	MicroRNA-155 As a Potential Plasma Biomarker for Chronic Lymphocytic Leukemia and Waldenstrom Macroglobulinemia,. Blood, 2011, 118, 3669-3669.	1.4	0
264	Dissecting the role of CXCR7 in Cell Trafficking of Endothelial-Cells and Endothelial-Progenitor-Cells in Multiple Myeloma,. Blood, 2011, 118, 3934-3934.	1.4	0
265	LNA Anti-MicroRNA-155: A Novel Therapeutic Strategy in Waldenstrom Macroglobulinemia and Chronic Lymphocytic Leukemia. Blood, 2011, 118, 2728-2728.	1.4	0
266	Deregulation of TNFRSF18 (GITR) Through Promoter CpG Island Methylation Induces Tumor Proliferation in Multiple Myeloma. Blood, 2011, 118, 2424-2424.	1.4	0
267	Multiple Myeloma-Derived Bone-Marrow Mesenchymal Stem Cells: Microrna-, Gene Expression-Profiling and Functional Characterization. Blood, 2012, 120, 1837-1837.	1.4	0
268	Metabolomic Profiling Identifies Mechanisms Regulating Hypoxia-Induced Drug Resistance in Multiple Myeloma. Blood, 2012, 120, 3944-3944.	1.4	0
269	Let-7 Microrna Family Members Regulate Cell Proliferation in Multiple Myeloma. Blood, 2012, 120, 570-570.	1.4	0
270	Proline-Rich Tyrosine Kinase (Pyk2) Promotes Tumor Progression In Multiple Myeloma Through Modulation Of Wnt/ β 2-Catenin Signaling Pathway. Blood, 2013, 122, 3094-3094.	1.4	0

#	ARTICLE	IF	CITATIONS
271	Metabolomic Profiling Identifies Mechanisms Regulating Hypoxia-Induced Drug Resistance In Multiple Myeloma. Blood, 2013, 122, 121-121.	1.4	0
272	Class I PI3K Isoforms Exert a Differential Role On Survival and Cell Trafficking In Multiple Myeloma. Blood, 2013, 122, 3159-3159.	1.4	0
273	Extramedullary Disease In Waldenstrom's Macroglobulinemia. Blood, 2013, 122, 1773-1773.	1.4	0
274	A Case-Control Epidemiological Study Of Waldenstrom Macroglobulinemia. Blood, 2013, 122, 1713-1713.	1.4	0
275	Methylation-Dependent Epigenetic Silencing Of Mir-152 and Mir-10b-5p Plays a Crucial Role In Modulating Tumor Progression In Multiple Myeloma. Blood, 2013, 122, 3751-3751.	1.4	0
276	Microrna-Dependent Modulation Of Osteogenesis In a 3D In Vitro Bone Marrow Model System Of Multiple Myeloma. Blood, 2013, 122, 3093-3093.	1.4	0
277	Exosomes in Hematologic Malignancies. , 2014, 11, .		0
278	Citron Rho-Interacting Serine/Threonine kinase (CIT) Is a Novel Therapeutic Target in Multiple Myeloma Cells. Blood, 2014, 124, 3430-3430.	1.4	0
279	Proline-Rich Tyrosine Kinase (Pyk2) Promotes Tumor Progression in Multiple Myeloma (MM) and Represents a Novel Target for Therapy in MM. Blood, 2014, 124, 2101-2101.	1.4	0
280	Prognostic Value of Circulating Exosomal microRNAs in 112 Patients with Multiple Myeloma. Blood, 2014, 124, 2056-2056.	1.4	0
281	MYC Regulation Via the LIN28B/Let-7 Axis in Multiple Myeloma. Blood, 2015, 126, 1755-1755.	1.4	0
282	A New Model for Studying the Dissemination of Myeloma Cells throughout the Bone Marrow Using Embryonic Zebrafish. Blood, 2015, 126, 915-915.	1.4	0
283	Whole Exome Sequencing and Targeted Sequencing Reveal the Heterogeneity of Genomic Evolution and Mutational Profile in Smoldering Multiple Myeloma. Blood, 2016, 128, 237-237.	1.4	0
284	Dual Conditional Loss of BLIMP-1 and p53 in B-Cells Drives B-Cell Lymphomagenesis. Blood, 2016, 128, 4169-4169.	1.4	0
285	In Vivo Analysis of Clonal Evolution of Multiple Myeloma. Blood, 2016, 128, 799-799.	1.4	0
286	Immunotherapy in Multiple Myeloma: The Era of CAR T Cell Therapy. , 2018, 15, .		0
287	Redefining Risks in Multiple Myeloma is Still a Work in Progress. , 2018, 15, .		0
288	When Does Monoclonal Gammopathy Acquire Significance?. , 2018, 15, .		0

#	ARTICLE	IF	CITATIONS
289	Can We Vaccinate Our Way Out of Multiple Myeloma Progression?. , 2018, 15, .		0
290	New Approaches to Multiple Myeloma. European Oncology and Haematology, 2018, 14, 18.	0.0	0
291	Evaluation of Re-Intensification of Daratumumab to Weekly or Biweekly Dosing Schedule. Blood, 2018, 132, 2024-2024.	1.4	0
292	Deciphering Clonal Evolution and Dissemination of Multiple Myeloma Cells In Vivo. Blood, 2018, 132, 55-55.	1.4	0
293	Evolving Areas of Consensus and Disagreement Among Experts in Treatment of Patients with Multiple Myeloma (MM). Blood, 2018, 132, 5664-5664.	1.4	0
294	In Vivo Modeling of Clonal Competition Using CRISPR-Based Gene Editing Reveals Novel Fitness Variables in Multiple Myeloma. Blood, 2018, 132, 57-57.	1.4	0
295	In Search of Missed Tumors: Next-Generation Sequencing for Minimal Residual Disease Detection in Multiple Myeloma Comes of Age. , 2019, 16, .		0
296	IgL Translocations for Risk Stratification in Multiple Myeloma. , 2019, 16, .		0
297	The Microbiome: A New Variable in Multiple Myeloma Disease Progression. , 2019, 16, .		0
298	Rewiring the Unfolded Protein Response in Multiple Myeloma. , 2019, 16, .		0
299	XBP1s: Getting to the Roots of Multiple Myeloma. , 2019, 16, .		0
300	Multiple Myeloma Pathogenesis: The Role of Junb in Bone Marrow Angiogenesis. Blood, 2019, 134, 4341-4341.	1.4	0
301	The Transmembrane Receptor Roundabout 1 (ROBO1) Is Necessary for Multiple Myeloma Proliferation and Homing to the Bone Marrow Niche. Blood, 2019, 134, 507-507.	1.4	0
302	MYC Overexpressing Multiple Myeloma Are Dependent on GLS1. Blood, 2019, 134, 853-853.	1.4	0
303	Quantified Morphology in Diagnosis of Hematologic Malignancies. , 2020, 17, .		0
304	The Moving Target of When to Treat on the Myeloma Spectrum. , 2020, 17, .		0
305	Bispecific Antibodies in Multiple Myeloma: Do These T cell-Recruiting Antibodies Make a Difference?. , 2020, 17, .		0
306	Promising Preclinical Results for Immunotherapy in Multiple Myeloma. , 2020, 17, .		0

#	ARTICLE	IF	CITATIONS
307	Quality of Life, Psychological Distress, and Prognostic Awareness in Patients with Multiple Myeloma. Blood, 2021, 138, 4082-4082.	1.4	0
308	A Randomized Placebo-Controlled Phase 2 Study of Metformin for the Prevention of Progression of Monoclonal Gammopathy of Undetermined Significance and Low Risk Smoldering Multiple Myeloma. Blood, 2021, 138, 1659-1659.	1.4	0
309	B-PRISM (Precision Intervention Smoldering Myeloma): A Phase II Trial of Combination of Daratumumab, Bortezomib, Lenalidomide and Dexamethasone in High-Risk Smoldering Multiple Myeloma. Blood, 2021, 138, 4782-4782.	1.4	0
310	Single Cell Characterization of Myeloma and Its Precursor Conditions Reveals Transcriptional Signatures of Early Tumorigenesis. Blood, 2021, 138, 2219-2219.	1.4	0
311	A Phase I/II Study of Twice Weekly Ixazomib Plus Pomalidomide and Dexamethasone in Relapsed and Refractory Multiple Myeloma: Results from Phase I Dose Escalation Cohorts. Blood, 2020, 136, 1-2.	1.4	0
312	A Next Generation Liquid Biopsy Approach for Multiple Myeloma. Blood, 2020, 136, 33-33.	1.4	0
313	B-PRISM (Precision Intervention Smoldering Myeloma): A phase II trial of combination of daratumumab, bortezomib, lenalidomide, and dexamethasone in high-risk smoldering multiple myeloma.. Journal of Clinical Oncology, 2022, 40, 8040-8040.	1.6	0