
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1130448/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Trilayer Metal–Organic Frameworks as Multifunctional Electrocatalysts for Energy Conversion and Storage Applications. Journal of the American Chemical Society, 2022, 144, 3411-3428.	13.7	142
2	Recent Advances in Carbon Anodes for Sodiumâ€ion Batteries. Chemical Record, 2022, 22, .	5.8	53
3	Laserâ€Scribed Graphene–Polyaniline Microsupercapacitor for Internetâ€ofâ€Things Applications. Advanced Functional Materials, 2022, 32, .	14.9	27
4	Bioinspired polydopamine supported on oxygen-functionalized carbon cloth as a high-performance 1.2 V aqueous symmetric metal-free supercapacitor. Journal of Materials Chemistry A, 2021, 9, 7712-7725.	10.3	20
5	The ordered mesoporous carbon nitride-graphene aerogel nanocomposite for high-performance supercapacitors. Journal of Power Sources, 2021, 494, 229741.	7.8	34
6	In Situ Growth of Ni–Zn–Fe Layered Double Hydroxide on Graphene Aerogel: An Advanced Twoâ€inâ€One Material for Both the Anode and Cathode of Supercapacitors. Energy Technology, 2021, 9, 2100645.	3.8	5
7	Polyaniline-Lignin Interpenetrating Network for Supercapacitive Energy Storage. Nano Letters, 2021, 21, 9485-9493.	9.1	45
8	Aptamer-functionalized Fe3O4@MOF nanocarrier for targeted drug delivery and fluorescence imaging of the triple-negative MDA-MB-231 breast cancer cells. Journal of Solid State Chemistry, 2020, 292, 121680.	2.9	62
9	Exploration of Advanced Electrode Materials for Approaching Highâ€Performance Nickelâ€Based Superbatteries. Small, 2020, 16, e2001340.	10.0	26
10	Nile Blue Functionalized Graphene Aerogel as a Pseudocapacitive Negative Electrode Material across the Full pH Range. ACS Nano, 2019, 13, 12567-12576.	14.6	66
11	Rich-color visual genotyping of single-nucleotide polymorphisms based on platinum nanoparticle–induced etching of gold nanorods. Emergent Materials, 2019, 2, 351-361.	5.7	5
12	An air-stable electrochromic conjugated microporous polymer as an emerging electrode material for hybrid energy storage systems. Journal of Materials Chemistry A, 2019, 7, 16397-16405.	10.3	96
13	Towards establishing standard performance metrics for batteries, supercapacitors and beyond. Chemical Society Reviews, 2019, 48, 1272-1341.	38.1	824
14	Asymmetric supercapacitors: An alternative to activated carbon negative electrodes based on earth abundant elements. Materials Today Energy, 2019, 12, 26-36.	4.7	63
15	A dual Ni/Co-MOF-reduced graphene oxide nanocomposite as a high performance supercapacitor electrode material. Electrochimica Acta, 2018, 275, 76-86.	5.2	264
16	Saffron carotenoids (crocin and crocetin) binding to human serum albumin as investigated by different spectroscopic methods and molecular docking. Journal of Biomolecular Structure and Dynamics, 2018, 36, 1681-1690.	3.5	16
17	An integrated electrochemical device based on earth-abundant metals for both energy storage and conversion. Energy Storage Materials, 2018, 11, 282-293.	18.0	82
18	The use of an electrocatalytic redox electrolyte for pushing the energy density boundary of a flexible polyaniline electrode to a new limit. Nano Energy, 2018, 44, 489-498.	16.0	105

#	Article	IF	CITATIONS
19	Thionine Functionalized 3D Graphene Aerogel: Combining Simplicity and Efficiency in Fabrication of a Metalâ€Free Redox Supercapacitor. Advanced Energy Materials, 2018, 8, 1802869.	19.5	153
20	Synergistic effect between redox additive electrolyte and PANI-rGO nanocomposite electrode for high energy and high power supercapacitor. Electrochimica Acta, 2017, 228, 290-298.	5.2	85
21	A Prostate Specific Antigen Immunosensor Based on Biotinylatedâ€Antibody/Cyclodextrin Inclusion Complex: Fabrication and Electrochemical Studies. Electroanalysis, 2017, 29, 2818-2831.	2.9	28
22	A wide potential window aqueous supercapacitor based on LiMn2O4–rGO nanocomposite. Journal of the Iranian Chemical Society, 2017, 14, 2579-2590.	2.2	15
23	BSAâ€ŧemplated Pb Nanocluster as a Biocompatible Signaling Probe for Electrochemical EGFR Immunosensing. Electroanalysis, 2017, 29, 861-872.	2.9	8
24	Scanning Electrochemical Microscopy for Electrochemical Detection of Singleâ€base Mismatches by Tagging Ferrocenecarboxylic Acid as a Redox Probe to DNA. Electroanalysis, 2016, 28, 823-832.	2.9	11
25	Cadmium nanoclusters in a protein matrix: Synthesis, characterization, and application in targeted drug delivery and cellular imaging. Nano Research, 2016, 9, 3229-3246.	10.4	40
26	Synthesis of NiMnO ₃ /C nano-composite electrode materials for electrochemical capacitors. Nanotechnology, 2016, 27, 315401.	2.6	51
27	Label-free and sensitive impedimetric nanosensor for the detection of cocaine based on a supramolecular complexation with β-cyclodextrin, immobilized on a nanostructured polymer film. Journal of the Iranian Chemical Society, 2016, 13, 659-669.	2.2	13
28	Preparation of a new nanobiosensor for the determination of some biogenic polyamines and investigation of their interaction with DNA. Biosensors and Bioelectronics, 2016, 77, 767-773.	10.1	13
29	Flash Converted Graphene for Ultraâ€High Power Supercapacitors. Advanced Energy Materials, 2015, 5, 1500786.	19.5	80
30	Fabrication of high power LiNi0.5Mn1.5O4 battery cathodes by nanostructuring of electrode materials. RSC Advances, 2015, 5, 50433-50439.	3.6	12
31	Designing 3D Highly Ordered Nanoporous CuO Electrodes for High-Performance Asymmetric Supercapacitors. ACS Applied Materials & Interfaces, 2015, 7, 4851-4860.	8.0	340
32	Electrodeposition of morphology- and size-tuned PbO2 nanostructures in the presence of PVP and their electrochemical studies. Materials Chemistry and Physics, 2015, 156, 121-128.	4.0	29
33	Probing redox reaction of azurin protein immobilized on hydroxyl-terminated self-assembled monolayers with different lengths. Journal of Electroanalytical Chemistry, 2015, 755, 27-38.	3.8	7
34	Electrochemical aptamer/antibody based sandwich immunosensor for the detection of EGFR, a cancer biomarker, using gold nanoparticles as a signaling probe. Biosensors and Bioelectronics, 2015, 74, 491-497.	10.1	155
35	Highly Ordered Mesoporous CuCo ₂ O ₄ Nanowires, a Promising Solution for High-Performance Supercapacitors. Chemistry of Materials, 2015, 27, 3919-3926.	6.7	353
36	Graphene-based materials for flexible supercapacitors. Chemical Society Reviews, 2015, 44, 3639-3665.	38.1	1,015

#	Article	IF	CITATIONS
37	Engineering three-dimensional hybrid supercapacitors and microsupercapacitors for high-performance integrated energy storage. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 4233-4238.	7.1	500
38	Morphologically controlled preparation of CuO nanostructures under ultrasound irradiation and their evaluation as pseudocapacitor materials. Ultrasonics Sonochemistry, 2014, 21, 643-652.	8.2	47
39	Facile synthesis of nanostructured CuCo2O4 as a novel electrode material for high-rate supercapacitors. Chemical Communications, 2014, 50, 1972.	4.1	277
40	Electrochemical Investigation of Cytochrome c Immobilized onto Selfâ€Assembled Monolayer of Captopril. Electroanalysis, 2013, 25, 1689-1696.	2.9	7
41	Preparation of a new electrochemical biosensor for single base mismatch detection in DNA. Analytical Methods, 2013, 5, 6531.	2.7	17
42	Interaction Between DNA and Some Salicylic Acid Derivatives and Characterization of Their DNA Targets. Electroanalysis, 2013, 25, 2547-2556.	2.9	8
43	Fabrication of anchored copper oxide nanoparticles on graphene oxide nanosheets via an electrostatic coprecipitation and its application as supercapacitor. Electrochimica Acta, 2013, 88, 347-357.	5.2	355
44	Electrochemical behaviors of novel electroactive Au nanoparticles protected by self-assembled monolayers. Journal of the Iranian Chemical Society, 2013, 10, 333-338.	2.2	9
45	Is There Any Interaction Between Telomeric DNA Structures, G-Quadruplex and I-Motif, with Saffron Active Metabolites?. Nucleosides, Nucleotides and Nucleic Acids, 2012, 31, 801-812.	1.1	34
46	High performance hybrid supercapacitor based on two nanostructured conducting polymers: Self-doped polyaniline and polypyrrole nanofibers. Electrochimica Acta, 2012, 78, 212-222.	5.2	169
47	A new DNA-nanobiosensor based on G-quadruplex immobilized on carbon nanotubes modified glassy carbon electrode. Electrochimica Acta, 2012, 82, 143-151.	5.2	22
48	In Situ Synthesis of a Novel Quinone Imine Selfâ€Assembled Monolayer and Consideration of Its Reactivity with <scp>L</scp> â€Arginine. Electroanalysis, 2012, 24, 1362-1373.	2.9	7
49	Synthesis of micro and nanostructured MnO2 and their comparative study in lithium battery. Journal of the Iranian Chemical Society, 2012, 9, 389-395.	2.2	10
50	A Novel Hydrogen Peroxide Sensor Based on the Direct Electron Transfer of Catalase Immobilized on Nano‧ized NiO/MWCNTs Composite Film. Electroanalysis, 2012, 24, 357-367.	2.9	43
51	High performance battery–supercapacitor hybrid energy storage system based on self-doped polyaniline nanofibers. Synthetic Metals, 2011, 161, 2017-2023.	3.9	60
52	DNA immobilization on a polypyrrole nanofiber modified electrode and its interaction with salicylic acid/aspirin. Analytical Biochemistry, 2011, 411, 176-184.	2.4	45
53	Electron transfer kinetics of cytochrome c immobilized on a phenolic terminated thiol self assembled monolayer determined by scanning electrochemical microscopy. Electrochimica Acta, 2011, 56, 6224-6229.	5.2	14
54	Size effect investigation on battery performance: Comparison between micro- and nano-particles of β-Ni(OH)2 as nickel battery cathode material. Journal of Power Sources, 2010, 195, 5794-5800.	7.8	129

#	Article	IF	CITATIONS
55	Cyclic voltammetry and scanning electrochemical microscopy studies of methylene blue immobilized on the self-assembled monolayer of n-dodecanethiol. Electrochimica Acta, 2010, 56, 896-904.	5.2	17
56	Electrochemical DNA nano-biosensor for the study of spermidine–DNA interaction. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 587-593.	2.8	43
57	Ion transport and degradation studies of a polyaniline-modified electrode using SECM. Electrochimica Acta, 2009, 54, 4638-4646.	5.2	30
58	Electrochemical investigations of self-doped polyaniline nanofibers as a new electroactive material for high performance redox supercapacitor. Synthetic Metals, 2009, 159, 1717-1722.	3.9	98
59	Electrochemically fabricated polypyrrole nanofiber-modified electrode as a new electrochemical DNA biosensor. Biosensors and Bioelectronics, 2008, 23, 1825-1831.	10.1	137
60	Enhancement of electron transfer kinetics on a polyaniline-modified electrode in the presence of anionic dopants. Journal of Solid State Electrochemistry, 2008, 12, 259-268.	2.5	9
61	Enhancing extraction rate in solidâ€phase microextraction by using nanoâ€structured polyaniline coating. Journal of Separation Science, 2008, 31, 3565-3572.	2.5	60
62	Electron Transfer Behavior through Densely Packed Selfâ€Assembled Monolayers of a Novel Heteroaromatic Thiol Derivative onto the Gold Surface. Electroanalysis, 2008, 20, 513-519.	2.9	15
63	Flow injection potentiometry by a novel coated graphite electrode based on 5-(9-anthracenylmethyl)-5-aza-2,8-dithia[9],(2,9)-1,10-phenanthrolinophane for the selective determination of uranyl ions. Sensors and Actuators B: Chemical, 2008, 130, 300-309.	7.8	21
64	Nano-structured Ni(II)–curcumin modified glassy carbon electrode for electrocatalytic oxidation of fructose. Electrochimica Acta, 2008, 54, 490-498.	5.2	38
65	Impedance studies of a nano-structured conducting polymer and its application to the design of reliable scaffolds for impedimetric biosensors. Biosensors and Bioelectronics, 2008, 24, 104-110.	10.1	59
66	Electrochemical studies of DNA immobilization onto the azide-terminated monolayers and its interaction with taxol. Analytical Biochemistry, 2008, 375, 331-338.	2.4	42
67	Sonochemical-assisted synthesis of nano-structured lead dioxide. Ultrasonics Sonochemistry, 2008, 15, 448-455.	8.2	91
68	Inhibitory effect of some amino acids on corrosion of Pb–Ca–Sn alloy in sulfuric acid solution. Corrosion Science, 2008, 50, 1035-1045.	6.6	67
69	Application of Correlation Ranking Procedure and Artificial Neural Networks in the Modeling of Liquid Chromatographic Retention Times (tR) of Various Pesticides. Analytical Letters, 2008, 41, 3364-3385.	1.8	4
70	A novel flow injection potentiometric graphite coated ion-selective electrode for the low level determination of uranyl ion. Analytica Chimica Acta, 2007, 589, 22-32.	5.4	44
71	Electrochemical deposition of lead dioxide in the presence of polyvinylpyrrolidone. Electrochimica Acta, 2007, 53, 459-467.	5.2	57
72	Lead–acid bipolar battery assembled with primary chemically formed positive pasted electrode. Journal of Power Sources, 2007, 164, 896-904.	7.8	46

#	Article	IF	CITATIONS
73	Synthesis of polyaniline/graphite composite as a cathode of Zn-polyaniline rechargeable battery. Journal of Power Sources, 2007, 170, 513-519.	7.8	138
74	Self-assembled monolayers of a hydroquinone-terminated alkanethiol onto gold surface. Interfacial electrochemistry and Michael-addition reaction with glutathione. Journal of Electroanalytical Chemistry, 2007, 610, 218-226.	3.8	28
75	Electrochemical study of the thionine dye incorporated into ZSM-5 and HZSM-5 zeolites. Russian Journal of Electrochemistry, 2007, 43, 758-763.	0.9	8
76	Change in morphology of polyaniline/graphite composite: A fractal dimension approach. Synthetic Metals, 2006, 156, 911-916.	3.9	29
77	Prediction of selectivity coefficients of a theophylline-selective electrode using MLR and ANN. Talanta, 2006, 69, 736-740.	5.5	37
78	Nano-structured lead dioxide as a novel stationary phase for solid-phase microextraction. Journal of Chromatography A, 2006, 1134, 24-31.	3.7	124
79	A study on the influence of anionic surfactants on electrochemical degradation of polyaniline. Polymer Degradation and Stability, 2006, 91, 3463-3468.	5.8	26
80	New dry and wet Zn-polyaniline bipolar batteries and prediction of voltage and capacity by ANN. Journal of Power Sources, 2006, 154, 298-307.	7.8	51
81	On-Line Solid Phase Extraction and Simultaneous Determination of Hafnium and Zirconium by ICP–Atomic Emission Spectroscopy. Mikrochimica Acta, 2006, 154, 221-228.	5.0	13
82	Electrocatalytic oxidation of glucose at a Ni-curcumin modified glassy carbon electrode. Journal of Solid State Electrochemistry, 2006, 11, 273-282.	2.5	73
83	Preparation of polyaniline nanofibers and their use as a cathode of aqueous rechargeable batteries. Electrochimica Acta, 2006, 52, 1514-1522.	5.2	105
84	Energy storage capacity investigation of pulsed current formed nano-structured lead dioxide. Electrochimica Acta, 2006, 52, 1596-1602.	5.2	54
85	Synthesis and morphological investigation of pulsed current formed nano-structured lead dioxide. Electrochemistry Communications, 2005, 7, 1257-1264.	4.7	40
86	An electrochemical study of neutral red–DNA interaction. Electrochimica Acta, 2005, 51, 1108-1116.	5.2	27
87	A novel potentiometric sensor for selective determination of theophylline: Theoretical and practical investigations. Analytica Chimica Acta, 2005, 548, 192-198.	5.4	46
88	PVC Membrane Potentiometric Sensor Based on 5-Pyridino-2,8-dithia[9](2,9)-1,10-phenanthroline- phane for Selective Determination of Neodymium(III). Analytical Chemistry, 2005, 77, 276-283.	6.5	50
89	A study on open circuit voltage reduction as a main drawback of Zn–polyaniline rechargeable batteries. Synthetic Metals, 2005, 155, 480-484.	3.9	34
90	Application of some recently synthesized 9, 10-anthraquinone derivatives as new class of ionophores responsive to lead (II) ion. IEEE Sensors Journal, 2005, 5, 392-397.	4.7	16

MIR F MOUSAVI

#	Article	IF	CITATIONS
91	PVC Membrane and Coated Graphite Potentiometric Sensors Based on Dibenzoâ€21â€Crownâ€7 for Selective Determination of Rubidium Ions. Analytical Letters, 2005, 38, 573-588.	1.8	16
92	Study of Kinetics of Bromophenol Blue Fading in Alcohol-Water Binary Mixtures by SESMORTAC Model. Bulletin of the Korean Chemical Society, 2005, 26, 384-392.	1.9	11
93	A PVCâ€Based Vanadyl Phosphate Membrane Potentiometric Sensor for Vanadyl Ions. Analytical Letters, 2004, 37, 203-212.	1.8	4
94	A Sensitive Catalytic-Photometric Method for the Determination of Trace Amounts of Palladium(II) by Using a Computerized Probe-Type Photometer1, 2. Journal of Analytical Chemistry, 2004, 59, 71-74.	0.9	2
95	Evaluation of a PVC-Based Thionine-Zeolite and Zeolite Free Membranes as Sensing Elements in Ion Selective Electrode. Electroanalysis, 2004, 16, 1033-1037.	2.9	8
96	[Cu(L)](NO3)2 (L=4,7-Bis(3-aminopropyl)-1-thia-4,7-diazacyclononane) as a Suitable Ionophore for Construction of Thiocyanate-Selective Electrodes and Their Use in Determination of Urinary and Salivary Thiocyanate Concentration. Electroanalysis, 2004, 16, 1336-1342.	2.9	16
97	What is the limiting factor of the cycle-life of Zn–polyaniline rechargeable batteries?. Journal of Power Sources, 2004, 132, 296-301.	7.8	57
98	On-line preconcentration and simultaneous determination of heavy metal ions by inductively coupled plasma-atomic emission spectrometry. Analytica Chimica Acta, 2004, 509, 89-94.	5.4	142
99	Kinetic spectrophotometric method for simultaneous determination of selenium and tellurium using partial least squares calibration. Analytica Chimica Acta, 2004, 512, 369-373.	5.4	22
100	Electrochemical investigation of neutral red binding to DNA at the surface. Electrochemistry Communications, 2004, 6, 1114-1118.	4.7	54
101	Dodecyl benzene sulfonate anion-selective electrode based on polyaniline-coated electrode. Talanta, 2004, 63, 743-749.	5.5	37
102	QSAR Analysis for ADA upon Interaction with a Series of Adenine Derivatives as Inhibitors. Nucleosides, Nucleotides and Nucleic Acids, 2004, 23, 613-624.	1.1	28
103	Determination of Sulfide in Spring and Wastewater by a New Kinetic Spectrophotometric Method. Journal of the Chinese Chemical Society, 2004, 51, 517-521.	1.4	5
104	A New Kineticâ€Photometric Method for Determination of Carbimazole. Journal of the Chinese Chemical Society, 2004, 51, 363-366.	1.4	4
105	Study of Kinetics of Bromophenol Blue Fading in the Presence of SDS, DTAB and Triton X-100 by Classical Model. Bulletin of the Korean Chemical Society, 2004, 25, 726-736.	1.9	24
106	A Novel PVC-Membrane-Coated Graphite Sensor Based on an Anthraquinone Derivative Membrane for the Determination of Lead. Electroanalysis, 2003, 15, 1561-1565.	2.9	26
107	New flow injection potentiometric graphite coated ion-selective electrode for the determination of VO2+ ions. Analytica Chimica Acta, 2003, 481, 213-219.	5.4	19
108	Polymeric membrane and coated graphite samarium(III)-selective electrodes based on isopropyl 2-[(isopropoxycarbothioyl)disulfanyl]ethanethioate. Analytica Chimica Acta, 2003, 486, 93-99.	5.4	57

#	Article	IF	CITATIONS
109	Electrochemical study of methylene blue incorporated into mordenite type zeolite and its application for amperometric determination of ascorbic acid in real samples. Analytica Chimica Acta, 2003, 491, 193-201.	5.4	99
110	Direct determination of triamterene by potentiometry using a coated wire selective electrode. Journal of Pharmaceutical and Biomedical Analysis, 2003, 33, 975-982.	2.8	27
111	A new design for dry polyaniline rechargeable batteries. Journal of Power Sources, 2003, 117, 255-259.	7.8	143
112	A novel dry bipolar rechargeable battery based on polyaniline. Journal of Power Sources, 2003, 124, 303-308.	7.8	53
113	A PTEV-based zeolite membrane potentiometric sensor for cesium ion. Sensors and Actuators B: Chemical, 2003, 96, 560-564.	7.8	46
114	A new dodecylsulfate-selective supported liquid membrane electrode based on its N-cetylpyridinium ion-pair. Microchemical Journal, 2003, 74, 149-156.	4.5	30
115	PVC Membrane and Coated Graphite Potentiometric Sensors Based on Et4todit for Selective Determination of Samarium(III). Analytical Chemistry, 2003, 75, 5680-5686.	6.5	56
116	Flow injection potentiometry by a new coated graphite ion-selective electrode for the determination of Pb2+. Talanta, 2003, 60, 775-786.	5.5	32
117	A PVC-based 1,8-diaminonaphthalen electrode for selective determination of vanadyl ion. Talanta, 2003, 60, 853-859.	5.5	12
118	A New Ion-Selective Electrode for Potentiometric Determination of Ce(III). Analytical Letters, 2003, 36, 1065-1078.	1.8	40
119	CESIUM-SELECTIVE POLY (VINYLCHLORIDE) MEMBRANE ELECTRODE BASED ON A NEW CALIX[4]ARENE DERIVATIVE IN THE 1,3-ALTERNATE CONFORMATION. Analytical Letters, 2002, 35, 767-783.	1.8	16
120	Design of a New Dodecyl Sulfate-Selective Electrode Based on Conductive Polyaniline. Analytical Sciences, 2002, 18, 137-140.	1.6	36
121	Mixed Aza-Thioether Crowns Containing a 1,10-Phenanthroline Sub-Unit as Neutral Ionophores for Silver Ion. Electroanalysis, 2002, 14, 1691-1698.	2.9	31
122	Catalytic Kinetic Determination of Trace Amounts of Palladium with Photometric Detection. Mikrochimica Acta, 2002, 140, 41-44.	5.0	5
123	Effect of self-doped polyaniline on performance of secondary Zn–polyaniline battery. Journal of Power Sources, 2002, 110, 229-232.	7.8	82
124	Investigation of the pyridinium ion transfer across the water/nitrobenzene interface by means of cyclic voltammetry and ac-impedance techniques. Electrochimica Acta, 2002, 47, 2209-2214.	5.2	2
125	Copper(II)-selective membrane electrodes based on some recently synthesized mixed aza-thioether crowns containing a 1,10-phenanthroline sub-unit. Talanta, 2001, 55, 1047-1054.	5.5	81
126	Differential pulse anodic stripping voltammetric determination of lead(II) with a 1,4-bis(prop-2′-enyloxy)-9,10-anthraquinone modified carbon paste electrode. Talanta, 2001, 55, 305-312.	5.5	90

#	Article	IF	CITATIONS
127	Electrochemical properties of modified carbon paste electrodes containing some amino derivatives of 9,10-anthraquinone. Journal of Solid State Electrochemistry, 2001, 5, 68-73.	2.5	37
128	Al(III)-Selective Electrode Based on Furil as Neutral Carrier. Electroanalysis, 2001, 13, 1125-1128.	2.9	41
129	Electrocatalytic activity of cobaloxime complexes adsorbed on glassy carbon electrodes toward the reduction of dioxygen. Journal of Electroanalytical Chemistry, 2001, 517, 37-44.	3.8	36
130	A PVC-based capric acid membrane potentiometric sensor for lead(II) ions. Sensors and Actuators B: Chemical, 2001, 73, 199-204.	7.8	54
131	Catalytic-spectrophotometric determination of trace amounts of molybdenum(VI) ion. Microchemical Journal, 2000, 64, 33-39.	4.5	12
132	A new PVC-based 1,10-dibenzyl-1,10-diaza-18-crown-6 selective electrode for detecting nickel(II)ion. Sensors and Actuators B: Chemical, 2000, 66, 98-100.	7.8	49
133	Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6. Analytica Chimica Acta, 2000, 414, 189-194.	5.4	92
134	Kinetic spectrophotometric determination of trace amounts of nitrite by its reaction with molybdosilicic acid blue. Microchemical Journal, 2000, 65, 159-163.	4.5	34
135	New Potentiometric Membrane Sensors Responsive to Pb(li) Based on Some Recently Synthesized 9, 10- Anthraquinone Derivatives. Analytical Letters, 2000, 33, 2611-2629.	1.8	32
136	Determination Of SE(IV) in the Presence of SE(VI) at NG MLâ^'Concentration Levels by a Kinetic Spectrophotometric Method. Analytical Letters, 1999, 32, 2871-2885.	1.8	6
137	Electrocatalysis of O2Reduction at Glassy Carbon Electrodes Modified with Adsorbed 1,4-Dihydroxy-9,10-anthraquinone Derivatives. Bulletin of the Chemical Society of Japan, 1999, 72, 2121-2127.	3.2	53
138	A sensitive flow-injection method for determination of trace amounts of nitrite. Talanta, 1998, 45, 1247-1253.	5.5	38
139	Flow injection spectrophotometric determination of trace amounts of selenium. Talanta, 1998, 46, 1011-1017.	5.5	22
140	Electrochemical Study of the Micellization of Hexadecylpyridinium Bromide in the Presence of Some Crown Ethers. Journal of the Chinese Chemical Society, 1997, 44, 9-15.	1.4	11
141	Spectrophotometric Determination of Trace Amounts of Sulfide Ion Based on Its Catalytic Reduction Reaction with Methylene Blue in the Presence of Te(IV). Analytical Letters, 1997, 30, 1567-1578.	1.8	22
142	Kinetic study of the oxidation of ethanol by 3,4-lutidine chromium(VI) peroxide in dichloromethane solution. International Journal of Chemical Kinetics, 1994, 26, 497-502.	1.6	1
143	Spectrophotometric Determination of Trace Amounts of Sulfide Ion Based on Its Catalytic Reduction of Toluidine Blue. Bulletin of the Chemical Society of Japan, 1992, 65, 2770-2772.	3.2	13