

Dag Alnäs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1130501/publications.pdf>

Version: 2024-02-01

96
papers

5,810
citations

109321

35
h-index

110387

64
g-index

140
all docs

140
docs citations

140
times ranked

7524
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping Normative Trajectories of Cognitive Function and Its Relation to Psychopathology Symptoms and Genetic Risk in Youth. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 255-263.	2.2	8
2	Computational Modeling of the n-Back Task in the ABCD Study: Associations of Drift Diffusion Model Parameters to Polygenic Scores of Mental Disorders and Cardiometabolic Diseases. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 290-299.	1.5	1
3	In vivo hippocampal subfield volumes in bipolar disorder—A mega-analysis from The Enhancing Neuroimaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 385-398.	3.6	41
4	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2022, 43, 470-499.	3.6	76
5	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 56-82.	3.6	67
6	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3–90 years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	3.6	143
7	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3–90 years. <i>Human Brain Mapping</i> , 2022, 43, 452-469.	3.6	72
8	Association between complement component 4A expression, cognitive performance and brain imaging measures in UK Biobank. <i>Psychological Medicine</i> , 2022, 52, 3497-3507.	4.5	13
9	Functional connectivity in multiple sclerosis modelled as connectome stability: A 5-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2022, 28, 532-540.	3.0	1
10	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2022, 91, 582-592.	1.3	29
11	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , 2022, 43, 352-372.	3.6	39
12	Cardiometabolic risk factors associated with brain age and accelerated brain ageing. <i>Human Brain Mapping</i> , 2022, 43, 700-720.	3.6	42
13	Brain age prediction using fMRI network coupling in youths and associations with psychiatric symptoms. <i>NeuroImage: Clinical</i> , 2022, 33, 102921.	2.7	14
14	Adipose tissue distribution from body MRI is associated with cross-sectional and longitudinal brain age in adults. <i>NeuroImage: Clinical</i> , 2022, 33, 102949.	2.7	22
15	Boosting Schizophrenia Genetics by Utilizing Genetic Overlap With Brain Morphology. <i>Biological Psychiatry</i> , 2022, 92, 291-298.	1.3	20
16	Virtual Ontogeny of Cortical Growth Preceding Mental Illness. <i>Biological Psychiatry</i> , 2022, 92, 299-313.	1.3	11
17	Mind the gap: Performance metric evaluation in brain age prediction. <i>Human Brain Mapping</i> , 2022, 43, 3113-3129.	3.6	58
18	Genetic variants associated with longitudinal changes in brain structure across the lifespan. <i>Nature Neuroscience</i> , 2022, 25, 421-432.	14.8	75

#	ARTICLE	IF	CITATIONS
19	No additional effect of tDCS on fatigue and depression in chronic stroke patients: A randomized sham-controlled trial combining tDCS with computerized cognitive training. <i>Brain and Behavior</i> , 2022, 12, .	2.2	8
20	Genetic control of variability in subcortical and intracranial volumes. <i>Molecular Psychiatry</i> , 2021, 26, 3876-3883.	7.9	6
21	Reliability, sensitivity, and predictive value of <scp>fMRI</scp> during multiple object tracking as a marker of cognitive training gain in combination with <scp>tDCS</scp> in stroke survivors. <i>Human Brain Mapping</i> , 2021, 42, 1167-1181.	3.6	14
22	Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2021, 42, 1714-1726.	3.6	68
23	Identifying multimodal signatures underlying the somatic comorbidity of psychosis: the COMMITMENT roadmap. <i>Molecular Psychiatry</i> , 2021, 26, 722-724.	7.9	7
24	Divergent relationship between brain structure and cognitive functioning in patients with prominent negative symptomatology. <i>Psychiatry Research - Neuroimaging</i> , 2021, 307, 111233.	1.8	4
25	Replicating extensive brain structural heterogeneity in individuals with schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2021, 42, 2546-2555.	3.6	42
26	Phenotypically independent profiles relevant to mental health are genetically correlated. <i>Translational Psychiatry</i> , 2021, 11, 202.	4.8	15
27	Population-based bodyâ€“brain mapping links brain morphology with anthropometrics and body composition. <i>Translational Psychiatry</i> , 2021, 11, 295.	4.8	17
28	The ascending arousal system promotes optimal performance through mesoscale network integration in a visuospatial attentional task. <i>Network Neuroscience</i> , 2021, 5, 890-910.	2.6	15
29	Neuropsychiatric symptoms and brain morphology in patients with mild cognitive impairment and Alzheimerâ€™s disease with dementia. <i>International Psychogeriatrics</i> , 2021, 33, 1217-1228.	1.0	20
30	Genetic Association Between Schizophrenia and Cortical Brain Surface Area and Thickness. <i>JAMA Psychiatry</i> , 2021, 78, 1020.	11.0	43
31	Structural brain disconnectivity mapping of post-stroke fatigue. <i>NeuroImage: Clinical</i> , 2021, 30, 102635.	2.7	18
32	Linking objective measures of physical activity and capability with brain structure in healthy community dwelling older adults. <i>NeuroImage: Clinical</i> , 2021, 31, 102767.	2.7	17
33	Aberrant Default Mode Connectivity in Adolescents with Early-Onset Psychosis: A resting state fMRI study. <i>NeuroImage: Clinical</i> , 2021, 33, 102881.	2.7	12
34	The genetic architecture of human cortical folding. <i>Science Advances</i> , 2021, 7, eabj9446.	10.3	50
35	Brain scans from 21,297 individuals reveal the genetic architecture of hippocampal subfield volumes. <i>Molecular Psychiatry</i> , 2020, 25, 3053-3065.	7.9	80
36	Using structural MRI to identify bipolar disorders â€“ 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020, 25, 2130-2143.	7.9	127

#	ARTICLE	IF	CITATIONS
37	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1095-1103.	1.5	28
38	Functional brain network modeling in sub-acute stroke patients and healthy controls during rest and continuous attentive tracking. <i>Heliyon</i> , 2020, 6, e04854.	3.2	10
39	Maturation of cortical microstructure and cognitive development in childhood and adolescence: A T1w/T2w ratio <scp>MRI</scp> study. <i>Human Brain Mapping</i> , 2020, 41, 4676-4690.	3.6	30
40	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	12.8	26
41	Differences in directed functional brain connectivity related to age, sex and mental health. <i>Human Brain Mapping</i> , 2020, 41, 4173-4186.	3.6	8
42	Testing relationships between multimodal modes of brain structural variation and age, sex and polygenic scores for neuroticism in children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 251.	4.8	3
43	Patterns of sociocognitive stratification and perinatal risk in the child brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 12419-12427.	7.1	48
44	Dissecting the cognitive phenotype of post-stroke fatigue using computerized assessment and computational modeling of sustained attention. <i>European Journal of Neuroscience</i> , 2020, 52, 3828-3845.	2.6	26
45	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	12.6	450
46	Brain age prediction in stroke patients: Highly reliable but limited sensitivity to cognitive performance and response to cognitive training. <i>NeuroImage: Clinical</i> , 2020, 25, 102159.	2.7	41
47	TVA-based modeling of short-term memory capacity, speed of processing and perceptual threshold in chronic stroke patients undergoing cognitive training: case-control differences, reliability, and associations with cognitive performance. <i>PeerJ</i> , 2020, 8, e9948.	2.0	7
48	Factors Associated With Brain Heterogeneity in Schizophrenia—Reply. <i>JAMA Psychiatry</i> , 2019, 76, 1211.	11.0	1
49	Population-based neuroimaging reveals traces of childbirth in the maternal brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22341-22346.	7.1	95
50	Population-Based Mapping of Polygenic Risk for Schizophrenia on the Human Brain: New Opportunities to Capture the Dimensional Aspects of Severe Mental Disorders. <i>Biological Psychiatry</i> , 2019, 86, 499-501.	1.3	15
51	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623.	14.8	358
52	Cerebellar Gray Matter Volume Is Associated With Cognitive Function and Psychopathology in Adolescence. <i>Biological Psychiatry</i> , 2019, 86, 65-75.	1.3	75
53	Towards an optimised processing pipeline for diffusion magnetic resonance imaging data: Effects of artefact corrections on diffusion metrics and their age associations in UK Biobank. <i>Human Brain Mapping</i> , 2019, 40, 4146-4162.	3.6	64
54	Brain Heterogeneity in Schizophrenia and Its Association With Polygenic Risk. <i>JAMA Psychiatry</i> , 2019, 76, 739.	11.0	195

#	ARTICLE	IF	CITATIONS
55	Hypocretin-deficient narcolepsy patients have abnormal brain activation during humor processing. <i>Sleep</i> , 2019, 42, .	1.1	12
56	Symptoms of fatigue and depression is reflected in altered default mode network connectivity in multiple sclerosis. <i>PLoS ONE</i> , 2019, 14, e0210375.	2.5	22
57	Oxytocin pathway gene networks in the human brain. <i>Nature Communications</i> , 2019, 10, 668.	12.8	200
58	Left hemisphere abnormalities in developmental prosopagnosia when looking at faces but not words. <i>Brain Communications</i> , 2019, 1, fcz034.	3.3	12
59	Low-dose intranasal oxytocin delivered with Breath Powered device modulates pupil diameter and amygdala activity: a randomized controlled pupillometry and fMRI study. <i>Neuropsychopharmacology</i> , 2019, 44, 306-313.	5.4	23
60	Probing Brain Developmental Patterns of Myelination and Associations With Psychopathology in Youths Using Gray/White Matter Contrast. <i>Biological Psychiatry</i> , 2019, 85, 389-398.	1.3	45
61	Association of Heritable Cognitive Ability and Psychopathology With White Matter Properties in Children and Adolescents. <i>JAMA Psychiatry</i> , 2018, 75, 287.	11.0	88
62	Effects of autozygosity and schizophrenia polygenic risk on cognitive and brain developmental trajectories. <i>European Journal of Human Genetics</i> , 2018, 26, 1049-1059.	2.8	10
63	Thalamo-cortical functional connectivity in schizophrenia and bipolar disorder. <i>Brain Imaging and Behavior</i> , 2018, 12, 640-652.	2.1	70
64	Cerebellar volume and cerebellocerebral structural covariance in schizophrenia: a multisite mega-analysis of 983 patients and 1349 healthy controls. <i>Molecular Psychiatry</i> , 2018, 23, 1512-1520.	7.9	175
65	White matter aberrations and age-related trajectories in patients with schizophrenia and bipolar disorder revealed by diffusion tensor imaging. <i>Scientific Reports</i> , 2018, 8, 14129.	3.3	53
66	Mapping the Heterogeneous Phenotype of Schizophrenia and Bipolar Disorder Using Normative Models. <i>JAMA Psychiatry</i> , 2018, 75, 1146.	11.0	290
67	Stability of the Brain Functional Connectome Fingerprint in Individuals With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 749.	11.0	28
68	Widespread white matter changes in post-H1N1 patients with narcolepsy type 1 and first-degree relatives. <i>Sleep</i> , 2018, 41, .	1.1	21
69	Key Brain Network Nodes Show Differential Cognitive Relevance and Developmental Trajectories during Childhood and Adolescence. <i>ENeuro</i> , 2018, 5, ENEURO.0092-18.2018.	1.9	23
70	Assessing distinct patterns of cognitive aging using tissue-specific brain age prediction based on diffusion tensor imaging and brain morphometry. <i>PeerJ</i> , 2018, 6, e5908.	2.0	90
71	Disrupted global metastability and static and dynamic brain connectivity across individuals in the Alzheimer's disease continuum. <i>Scientific Reports</i> , 2017, 7, 40268.	3.3	94
72	Delayed stabilization and individualization in connectome development are related to psychiatric disorders. <i>Nature Neuroscience</i> , 2017, 20, 513-515.	14.8	197

#	ARTICLE	IF	CITATIONS
73	Increased sensitivity to age-related differences in brain functional connectivity during continuous multiple object tracking compared to resting-state. <i>NeuroImage</i> , 2017, 148, 364-372.	4.2	19
74	Increased default-mode variability is related to reduced task-performance and is evident in adults with ADHD. <i>NeuroImage: Clinical</i> , 2017, 16, 369-382.	2.7	41
75	Evidence for cortical structural plasticity in humans after a day of waking and sleep deprivation. <i>NeuroImage</i> , 2017, 156, 214-223.	4.2	36
76	Dissociable diffusion MRI patterns of white matter microstructure and connectivity in Alzheimer's disease spectrum. <i>Scientific Reports</i> , 2017, 7, 45131.	3.3	43
77	Task modulations and clinical manifestations in the brain functional connectome in 1615 fMRI datasets. <i>NeuroImage</i> , 2017, 147, 243-252.	4.2	41
78	Distinct multivariate brain morphological patterns and their added predictive value with cognitive and polygenic risk scores in mental disorders. <i>NeuroImage: Clinical</i> , 2017, 15, 719-731.	2.7	89
79	Distinguishing early and late brain aging from the Alzheimer's disease spectrum: consistent morphological patterns across independent samples. <i>NeuroImage</i> , 2017, 158, 282-295.	4.2	41
80	Brain connectivity aberrations in anabolic-androgenic steroid users. <i>NeuroImage: Clinical</i> , 2017, 13, 62-69.	2.7	56
81	Consistent Functional Connectivity Alterations in Schizophrenia Spectrum Disorder: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 914-924.	4.3	75
82	Clinical Utility of Mindfulness Training in the Treatment of Fatigue After Stroke, Traumatic Brain Injury and Multiple Sclerosis: A Systematic Literature Review and Meta-analysis. <i>Frontiers in Psychology</i> , 2016, 7, 912.	2.1	50
83	Low dose intranasal oxytocin delivered with Breath Powered device dampens amygdala response to emotional stimuli: A peripheral effect-controlled within-subjects randomized dose-response fMRI trial. <i>Psychoneuroendocrinology</i> , 2016, 69, 180-188.	2.7	90
84	Reduced load-dependent default mode network deactivation across executive tasks in schizophrenia spectrum disorders. <i>NeuroImage: Clinical</i> , 2016, 12, 389-396.	2.7	21
85	Age-related differences in brain network activation and coactivation during multiple object tracking. <i>Brain and Behavior</i> , 2016, 6, e00533.	2.2	32
86	The effects of tDCS upon sustained visual attention are dependent on cognitive load. <i>Neuropsychologia</i> , 2016, 80, 1-8.	1.6	39
87	The brain functional connectome is robustly altered by lack of sleep. <i>NeuroImage</i> , 2016, 127, 324-332.	4.2	107
88	Global brain connectivity alterations in patients with schizophrenia and bipolar spectrum disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 331-341.	2.4	51
89	Attentional load modulates large-scale functional brain connectivity beyond the core attention networks. <i>NeuroImage</i> , 2015, 109, 260-272.	4.2	34
90	Disintegration of Sensorimotor Brain Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 1326-1335.	4.3	146

#	ARTICLE	IF	CITATIONS
91	Functional connectivity indicates differential roles for the intraparietal sulcus and the superior parietal lobule in multiple object tracking. <i>NeuroImage</i> , 2015, 123, 129-137.	4.2	21
92	Short-term retention of visual information: Evidence in support of feature-based attention as an underlying mechanism. <i>Neuropsychologia</i> , 2015, 66, 1-9.	1.6	36
93	Pupil size signals mental effort deployed during multiple object tracking and predicts brain activity in the dorsal attention network and the locus coeruleus. <i>Journal of Vision</i> , 2014, 14, 1-1.	0.3	317
94	Top-down Modulation from Inferior Frontal Junction to FEFs and Intraparietal Sulcus during Short-term Memory for Visual Features. <i>Journal of Cognitive Neuroscience</i> , 2013, 25, 1944-1956.	2.3	20
95	Visual short-term memory: Activity supporting encoding and maintenance in retinotopic visual cortex. <i>NeuroImage</i> , 2012, 63, 166-178.	4.2	26
96	Modulation of Activity in Human Visual Area V1 during Memory Masking. <i>PLoS ONE</i> , 2011, 6, e18651.	2.5	12