

# Gennaro Schettini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11319226/publications.pdf>

Version: 2024-02-01

100  
papers

5,583  
citations

57758

44  
h-index

82547

72  
g-index

101  
all docs

101  
docs citations

101  
times ranked

5395  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Phosphorylation of APPâ€™CTFâ€™AICD domains and interaction with adaptor proteins: signal transduction and/or transcriptional role â€™ relevance for Alzheimer pathology. <i>Journal of Neurochemistry</i> , 2010, 115, 1299-1308. | 3.9 | 60        |
| 2  | Î²-Amyloid precursor protein metabolism: focus on the functions and degradation of its intracellular domain. <i>Pharmacological Research</i> , 2010, 62, 308-317.  | 7.1 | 62        |
| 3  | Overexpression of Stromal Cellâ€™Derived Factor 1 and Its Receptor CXCR4 Induces Autocrine/Paracrine Cell Proliferation in Human Pituitary Adenomas. <i>Clinical Cancer Research</i> , 2008, 14, 5022-5032.                        | 7.0 | 104       |
| 4  | Chemokines, their Receptors and Significance in Brain Function. <i>NeuroImmune Biology</i> , 2008, , 242-273.  | 0.2 | 4         |
| 5  | Amyloid Precursor Protein and Presenilin1 Interact with the Adaptor GRB2 and Modulate ERK 1,2 Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 13833-13844.  | 3.4 | 83        |
| 6  | Role of stromal cell-derived factor 1 (SDF1/CXCL12) in regulating anterior pituitary function. <i>Journal of Molecular Endocrinology</i> , 2007, 38, 383-389.  | 2.5 | 42        |
| 7  | CXCR4 and SDF1 expression in human meningiomas: A proliferative role in tumoral meningothelial cells in vitro1. <i>Neuro-Oncology</i> , 2007, 9, 3-11.   | 1.2 | 53        |
| 8  | Amyloid Precursor Protein and Presenilin 1 Interaction Studied by FRET in Human H4 Cells. <i>Annals of the New York Academy of Sciences</i> , 2007, 1096, 249-257.   | 3.8 | 15        |
| 9  | Amino-Terminally Truncated Prion Protein PrP90-231 Induces Microglial Activation in Vitro. <i>Annals of the New York Academy of Sciences</i> , 2007, 1096, 258-270.  | 3.8 | 15        |
| 10 | Expression of CXC chemokine receptors 1â€™5 and their ligands in human glioma tissues: Role of CXCR4 and SDF1 in glioma cell proliferation and migration. <i>Neurochemistry International</i> , 2006, 49, 423-432.                 | 3.8 | 144       |
| 11 | Pattern of Distribution of Calcitonin Gene-Related Peptide in the Dorsal Root Ganglion of Animal Models of Diabetes Mellitus. <i>Annals of the New York Academy of Sciences</i> , 2006, 1084, 296-303.                             | 3.8 | 15        |
| 12 | CXC Receptor and Chemokine Expression in Human Meningioma: SDF1/CXCR4 Signaling Activates ERK1/2 and Stimulates Meningioma Cell Proliferation. <i>Annals of the New York Academy of Sciences</i> , 2006, 1090, 332-343.            | 3.8 | 38        |
| 13 | SDF-1 Controls Pituitary Cell Proliferation through the Activation of ERK1/2 and the Ca2+-Dependent, Cytosolic Tyrosine Kinase Pyk2. <i>Annals of the New York Academy of Sciences</i> , 2006, 1090, 385-398.                      | 3.8 | 33        |
| 14 | Amyloid Precursor Protein Modulates ERK-1 and -2 Signaling. <i>Annals of the New York Academy of Sciences</i> , 2006, 1090, 455-465.   | 3.8 | 17        |
| 15 | Chemokine Stromal Cell-Derived Factor 1Î± Induces Proliferation and Growth Hormone Release in GH4C1 Rat Pituitary Adenoma Cell Line through Multiple Intracellular Signals. <i>Molecular Pharmacology</i> , 2006, 69, 539-546.     | 2.3 | 49        |
| 16 | The rat tyrosine phosphatase Î± increases cell adhesion by activating c-Src through dephosphorylation of its inhibitory phosphotyrosine residue. <i>Oncogene</i> , 2005, 24, 3187-3195.  | 5.9 | 48        |
| 17 | Somatostatin Receptor Subtype-Dependent Regulation of Nitric Oxide Release: Involvement of Different Intracellular Pathways. <i>Molecular Endocrinology</i> , 2005, 19, 255-267.   | 3.7 | 44        |
| 18 | Stromal cell-derived factor-1Î± (SDF-1Î±/CXCL12) stimulates ovarian cancer cell growth through the EGF receptor transactivation. <i>Experimental Cell Research</i> , 2005, 308, 241-253.   | 2.6 | 153       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The amyloid precursor protein and its network of interacting proteins: physiological and pathological implications. <i>Brain Research Reviews</i> , 2005, 48, 257-264.   | 9.0 | 66        |
| 20 | Molecular Mechanisms Mediating Neuronal Cell Death in Experimental Models of Prion Diseases, in vitro. , 2005, , 273-297.  |     | 0         |
| 21 | The Expression of the Phosphotyrosine Phosphatase DEP-1/PTP <sup>δ</sup> Dictates the Responsivity of Glioma Cells to Somatostatin Inhibition of Cell Proliferation. <i>Journal of Biological Chemistry</i> , 2004, 279, 29004-29012.  | 3.4 | 55        |
| 22 | Apoptotic cell death influences the signaling activity of the amyloid precursor protein through ShcA and Grb2 adaptor proteins in neuroblastoma SH-SY5Y cells. <i>Journal of Neurochemistry</i> , 2004, 90, 1359-1370.   | 3.9 | 24        |
| 23 | Expression of Somatostatin Receptor mRNA in Human Meningiomas and their Implication in in vitro Antiproliferative Activity. <i>Journal of Neuro-Oncology</i> , 2004, 66, 155-166.  | 2.9 | 87        |
| 24 | CXCR4 Activation Induces Epidermal Growth Factor Receptor Transactivation in an Ovarian Cancer Cell Line. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 162-169.   | 3.8 | 80        |
| 25 | The Phosphotyrosine Phosphatase $\hat{\delta}$ Mediates Somatostatin Inhibition of Glioma Proliferation via the Dephosphorylation of ERK1/2. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 264-274.  | 3.8 | 33        |
| 26 | BACE1 Overexpression Regulates Amyloid Precursor Protein Cleavage and Interaction with the ShcA Adapter. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 330-338.  | 3.8 | 9         |
| 27 | Apoptotic Cell Death and Amyloid Precursor Protein Signaling in Neuroblastoma SH-SY5Y Cells. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 339-347.  | 3.8 | 7         |
| 28 | Contribution of two conserved glycine residues to fibrillogenesis of the 106-126 prion protein fragment. Evidence that a soluble variant of the 106-126 peptide is neurotoxic. <i>Journal of Neurochemistry</i> , 2003, 85, 62-72.   | 3.9 | 60        |
| 29 | Characterization of the intracellular mechanisms mediating somatostatin and lanreotide inhibition of DNA synthesis and growth hormone release from dispersed human GH-secreting pituitary adenoma cells in vitro. <i>Clinical Endocrinology</i> , 2003, 59, 115-128.                   | 2.4 | 48        |
| 30 | Chemokines and their receptors in the CNS: expression of CXCL12/SDF-1 and CXCR4 and their role in astrocyte proliferation. <i>Toxicology Letters</i> , 2003, 139, 181-189.   | 0.8 | 88        |
| 31 | Pyrrolidinedithiocarbamate induces apoptosis in cerebellar granule cells: involvement of AP-1 and MAP kinases. <i>Neurochemistry International</i> , 2003, 43, 31-38.  | 3.8 | 13        |
| 32 | Basic Fibroblast Growth Factor Activates Endothelial Nitric-Oxide Synthase in CHO-K1 Cells via the Activation of Ceramide Synthesis. <i>Molecular Pharmacology</i> , 2003, 63, 297-310.  | 2.3 | 32        |
| 33 | Stromal cell-derived factor 1alpha stimulates human glioblastoma cell growth through the activation of both extracellular signal-regulated kinases 1/2 and Akt. <i>Cancer Research</i> , 2003, 63, 1969-74.  | 0.9 | 272       |
| 34 | Signal Transduction through Tyrosine-phosphorylated C-terminal Fragments of Amyloid Precursor Protein via an Enhanced Interaction with Shc/Grb2 Adaptor Proteins in Reactive Astrocytes of Alzheimer's Disease Brain. <i>Journal of Biological Chemistry</i> , 2002, 277, 35282-35288. | 3.4 | 110       |
| 35 | Antitumor activity of a new orally active organotin compound: a preliminary study in murine tumor models. <i>Anti-Cancer Drugs</i> , 2002, 13, 599-604.  | 1.4 | 40        |
| 36 | p38 MAP Kinase Mediates the Cell Death Induced by PrP106-126 in the SH-SY5Y Neuroblastoma Cells. <i>Neurobiology of Disease</i> , 2002, 9, 69-81.  | 4.4 | 59        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Isolation of a Long-Lasting $\alpha$ -Related Gene-Type $K^{+}$ Current in MMQ Lactotrophs and Its Accommodating Role during Slow Firing and Prolactin Release. <i>Journal of Neuroscience</i> , 2002, 22, 3414-3425.   | 3.6 | 38        |
| 38 | Characterization of chemokines and their receptors in the central nervous system: physiopathological implications. <i>Journal of Neurochemistry</i> , 2002, 82, 1311-1329.  | 3.9 | 274       |
| 39 | Pyroglutamate-modified amyloid $\beta$ -peptides $A\beta_{1-42}$ strongly affect cultured neuron and astrocyte survival. <i>Journal of Neurochemistry</i> , 2002, 82, 1480-1489.  | 3.9 | 179       |
| 40 | <i>In Vitro</i> effect of human recombinant leptin and expression of leptin receptors on growth hormone-secreting human pituitary adenomas. <i>Clinical Endocrinology</i> , 2002, 57, 449-455.  | 2.4 | 25        |
| 41 | Vasoactive Intestinal Peptide and Forskolin Stimulate Interleukin 6 Production by Rat Cortical Astrocytes in Culture via a Cyclic AMP-Dependent, Prostaglandin-Independent Mechanism. <i>Journal of Neurochemistry</i> , 2002, 63, 344-350.                                   | 3.9 | 33        |
| 42 | Synergistic Stimulation of Interleukin 6 Release and Gene Expression by Phorbol Esters and Interleukin $1\beta$ in Rat Cortical Astrocytes: Role of Protein Kinase C Activation and Blockade. <i>Journal of Neurochemistry</i> , 2002, 64, 1945-1953.                         | 3.9 | 16        |
| 43 | Expression of the Chemokine Receptor CXCR4 and Its Ligand Stromal Cell-Derived Factor 1 in Human Brain Tumors and Their Involvement in Glial Proliferation <i>In Vitro</i> . <i>Annals of the New York Academy of Sciences</i> , 2002, 973, 60-69.                            | 3.8 | 97        |
| 44 | Nitric Oxide Production Stimulated by the Basic Fibroblast Growth Factor Requires the Synthesis of Ceramide. <i>Annals of the New York Academy of Sciences</i> , 2002, 973, 94-104.   | 3.8 | 12        |
| 45 | Signal Transduction through Tyrosine-Phosphorylated Carboxy-Terminal Fragments of APP via an Enhanced Interaction with Shc/Crb2 Adaptor Proteins in Reactive Astrocytes of Alzheimer's Disease Brain. <i>Annals of the New York Academy of Sciences</i> , 2002, 973, 323-333. | 3.8 | 34        |
| 46 | Chemosensitivity of glioblastoma cells during treatment with the organo-tin compound triethyltin(IV)lupinylsulfide hydrochloride. <i>Journal of Neuro-Oncology</i> , 2002, 60, 109-116.   | 2.9 | 10        |
| 47 | HIV-1 Tat Causes Apoptotic Death and Calcium Homeostasis Alterations in Rat Neurons. <i>Biochemical and Biophysical Research Communications</i> , 2001, 288, 301-308.   | 2.1 | 128       |
| 48 | Identification of Amino-Terminally and Phosphotyrosine-Modified Carboxy-Terminal Fragments of the Amyloid Precursor Protein in Alzheimer's Disease and Down's Syndrome Brain. <i>Neurobiology of Disease</i> , 2001, 8, 173-180.  | 4.4 | 74        |
| 49 | The $\beta$ -Amyloid Precursor Protein APP Is Tyrosine-phosphorylated in Cells Expressing a Constitutively Active Form of the Abl Protooncogene. <i>Journal of Biological Chemistry</i> , 2001, 276, 19787-19792.   | 3.4 | 111       |
| 50 | Stromal cell-derived factor-1 induces astrocyte proliferation through the activation of extracellular signal-regulated kinases 1/2 pathway. <i>Journal of Neurochemistry</i> , 2001, 77, 1226-1236.   | 3.9 | 177       |
| 51 | Inhibition of nuclear factor- $\kappa$ B activation induces apoptosis in cerebellar granule cells. <i>Journal of Neuroscience Research</i> , 2001, 66, 1064-1073.   | 2.9 | 51        |
| 52 | Chemokines and Their Receptors in the Central Nervous System. <i>Frontiers in Neuroendocrinology</i> , 2001, 22, 147-184.   | 5.2 | 348       |
| 53 | The Activation of the Phosphotyrosine Phosphatase $\tau$ (r-PTP $\tau$ ) Is Responsible for the Somatostatin Inhibition of PC Cl3 Thyroid Cell Proliferation. <i>Molecular Endocrinology</i> , 2001, 15, 1838-1852.   | 3.7 | 49        |
| 54 | Generation of an Apoptotic Intracellular Peptide by $\beta$ -Secretase Cleavage of Alzheimer's Amyloid $\beta$ Protein Precursor. <i>Journal of Alzheimer's Disease</i> , 2000, 2, 289-301.   | 2.6 | 195       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Somatostatin receptor 1 (SSTR1)-mediated inhibition of cell proliferation correlates with the activation of the MAP kinase cascade: role of the phosphotyrosine phosphatase SHP-2. <i>Journal of Physiology (Paris)</i> , 2000, 94, 239-250.                           | 2.1 | 56        |
| 56 | Apoptotic Cell Death and Impairment of L-Type Voltage-Sensitive Calcium Channel Activity in Rat Cerebellar Granule Cells Treated with the Prion Protein Fragment 106-126. <i>Neurobiology of Disease</i> , 2000, 7, 299-309.   | 4.4 | 64        |
| 57 | Immunofluorescence and biochemical techniques to detect nuclear localization of ciliary neurotrophic factor in glial cells. <i>Brain Research Protocols</i> , 2000, 5, 273-281.  | 1.6 | 3         |
| 58 | Intracellular mechanisms mediating the neuronal death and astrogliosis induced by the prion protein fragment 106-126. <i>International Journal of Developmental Neuroscience</i> , 2000, 18, 481-492.  | 1.6 | 56        |
| 59 | The Type and the Localization of cAMP-dependent Protein Kinase Regulate Transmission of cAMP Signals to the Nucleus in Cortical and Cerebellar Granule Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 6546-6552.   | 3.4 | 34        |
| 60 | Expression of Chemokine Receptors in the Rat Brain. <i>Annals of the New York Academy of Sciences</i> , 1999, 876, 201-209.  | 3.8 | 68        |
| 61 | Nuclear localization of ciliary neurotrophic factor in glial cells. <i>Brain Research</i> , 1999, 818, 565-569.  | 2.2 | 14        |
| 62 | Thrombin mutants with altered enzymatic activity have an impaired mitogenic effect on mouse fibroblasts and are inefficient modulators of stellation of rat cortical astrocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1999, 1451, 173-186. | 4.1 | 7         |
| 63 | Polydeoxyribonucleotides enhance the proliferation of human skin fibroblasts: Involvement of A2 purinergic receptor subtypes. <i>Life Sciences</i> , 1999, 64, 1661-1674.  | 4.3 | 74        |
| 64 | Glial and Neuronal Cells Express Functional Chemokine Receptor CXCR4 and Its Natural Ligand Stromal Cell-Derived Factor 1. <i>Journal of Neurochemistry</i> , 1999, 73, 2348-2357.   | 3.9 | 197       |
| 65 | Intracellular Signalling Mediating HIV-1 gp120 Neurotoxicity. <i>Cellular Signalling</i> , 1998, 10, 75-84.  | 3.6 | 22        |
| 66 | Prion protein fragment 106-126 induces apoptotic cell death and impairment of L-type voltage-sensitive calcium channel activity in the GH3 cell line. , 1998, 54, 341-352.   |     | 73        |
| 67 | Bacterial Lipopolysaccharide Increases Interleukin-6 and Prostaglandin Release in Rat Cortical Type I Astrocytes by Different Mechanisms: Role of Anti-inflammatory Agents. <i>Biochemical and Biophysical Research Communications</i> , 1998, 250, 798-804.           | 2.1 | 15        |
| 68 | Oncogene Transformation of PC Cl3 Clonal Thyroid Cell Line Induces an Autonomous Pattern of Proliferation That Correlates with a Loss of Basal and Stimulated Phosphotyrosine Phosphatase Activity*. <i>Endocrinology</i> , 1997, 138, 3756-3763.                      | 2.8 | 19        |
| 69 | Somatostatin Inhibits Interleukin 6 Release from Rat Cortical Type I Astrocytes via the Inhibition of Adenylyl Cyclase. <i>Biochemical and Biophysical Research Communications</i> , 1997, 235, 242-248.   | 2.1 | 31        |
| 70 | Oncogene Transformation of PC Cl3 Clonal Thyroid Cell Line Induces an Autonomous Pattern of Proliferation That Correlates with a Loss of Basal and Stimulated Phosphotyrosine Phosphatase Activity. <i>Endocrinology</i> , 1997, 138, 3756-3763.                       | 2.8 | 9         |
| 71 | Intracellular Calcium Rise through L-Type Calcium Channels, as Molecular Mechanism for Prion Protein Fragment 106-126-Induced Astroglial Proliferation. <i>Biochemical and Biophysical Research Communications</i> , 1996, 228, 397-405.                               | 2.1 | 76        |
| 72 | Somatostatin Inhibits PC Cl3 Thyroid Cell Proliferation through the Modulation of Phosphotyrosine Phosphatase Activity. <i>Journal of Biological Chemistry</i> , 1996, 271, 6129-6136.   | 3.4 | 70        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | The Differential Response of Protein Kinase A to Cyclic AMP in Discrete Brain Areas Correlates with the Abundance of Regulatory Subunit II. <i>Journal of Neurochemistry</i> , 1996, 66, 1752-1761.  | 3.9 | 45        |
| 74 | $^{25}\text{I}$ Alters Calcium Homeostasis and Induces Neurotoxicity in Cerebellar Granule Cells. <i>Journal of Neurochemistry</i> , 1996, 66, 1995-2003.  | 3.9 | 38        |
| 75 | Aniracetam improves behavioural responses and facilitates signal transduction in the rat brain. <i>Journal of Psychopharmacology</i> , 1994, 8, 109-117.   | 4.0 | 4         |
| 76 | Interleukin 6 modulation of second messenger systems in anterior pituitary cells. <i>Life Sciences</i> , 1992, 51, 1243-1248.  | 4.3 | 10        |
| 77 | Maitotoxin-Induced Intracellular Calcium Rise in PC 12 Cells: Involvement of Dihydropyridine-Sensitive and $\gamma$ -Conotoxin-Sensitive Calcium Channels and Phosphoinositide Breakdown. <i>Journal of Neurochemistry</i> , 1992, 59, 679-688.                                      | 3.9 | 26        |
| 78 | Modulation by GTP of Basal and Agonist-Stimulated Striatal Adenylate Cyclase Activity Following Chronic Blockade of D1 and D2 Dopamine Receptors: Involvement of G Proteins in the Development of Receptor Supersensitivity. <i>Journal of Neurochemistry</i> , 1992, 59, 1667-1674. | 3.9 | 17        |
| 79 | Clinical management of prolactinomas: A ten-year experience. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1992, 9, 93-99.   | 1.1 | 5         |
| 80 | Age-related alterations of somatostatin gene expression in different rat brain areas. <i>Brain Research</i> , 1991, 557, 64-68.  | 2.2 | 27        |
| 81 | RAPID AND LONG-LASTING SUPPRESSION OF PROLACTIN SECRETION AND SHRINKAGE OF PROLACTINOMAS AFTER INJECTION OF LONG-ACTING REPEATABLE FORM OF BROMOCRIPTINE (PARLODEL LAR). <i>Clinical Endocrinology</i> , 1990, 33, 161-170.  | 2.4 | 35        |
| 82 | Interleukin-1 $\beta$ Modulation of Prolactin Secretion from Rat Anterior Pituitary Cells: Involvement of Adenylate Cyclase Activity and Calcium Mobilization*. <i>Endocrinology</i> , 1990, 126, 1435-1441.   | 2.8 | 34        |
| 83 | Interleukin-1 Modulation of Anterior Pituitary Function... <i>Annals of the New York Academy of Sciences</i> , 1990, 594, 489-491.   | 3.8 | 3         |
| 84 | Interleukin 1 beta inhibition of TRH-stimulated prolactin secretion and phosphoinositides metabolism. <i>Biochemical and Biophysical Research Communications</i> , 1989, 165, 496-505.   | 2.1 | 14        |
| 85 | Somatostatin inhibition of adenylate cyclase activity in different brain areas. <i>Brain Research</i> , 1989, 492, 65-71.  | 2.2 | 72        |
| 86 | Somatostatin and SMS 201-995 reverse the impairment of cognitive functions induced by cysteamine depletion of brain somatostatin. <i>European Journal of Pharmacology</i> , 1988, 151, 399-407.  | 3.5 | 48        |
| 87 | Somatostatin inhibition of anterior pituitary adenylate cyclase activity: different sensitivity between male and female rats. <i>Brain Research</i> , 1988, 439, 322-329.  | 2.2 | 32        |
| 88 | Adenylate cyclase activity of $\frac{1}{2}$ -ras -k transformed rat epithelial thyroid cells. <i>FEBS Letters</i> , 1988, 228, 37-41.  | 2.8 | 19        |
| 89 | Effect of interleukin 1 beta on transducing mechanisms in 235-1 clonal pituitary cells. <i>Biochemical and Biophysical Research Communications</i> , 1988, 155, 1089-1096.   | 2.1 | 16        |
| 90 | Effect of interleukin 1 beta on transducing mechanisms in 235-1 clonal pituitary cells. <i>Biochemical and Biophysical Research Communications</i> , 1988, 155, 1097-1104.   | 2.1 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Calmodulin modulates prolactin secretion in vitro: Studies with calmodulin containing liposomes. Life Sciences, 1987, 41, 2437-2444.   | 4.3 | 5         |
| 92  | Dopaminergic Inhibition of Anterior Pituitary Adenylate Cyclase Activity and Prolactin Release: The Effects of Perturbing Calcium on Catalytic Adenylate Cyclase Activity. Neuroendocrinology, 1986, 44, 1-7.  | 2.5 | 7         |
| 93  | The Effects of Maitotoxin on $^{45}\text{Ca}^{2+}$ Flux and Hormone Release in GH3 Rat Pituitary Cells*. Endocrinology, 1985, 116, 622-627.  | 2.8 | 38        |
| 94  | Agents that increase cellular cyclic AMP or calcium stimulate prolactin release from the 235-1 pituitary cell line. European Journal of Pharmacology, 1985, 109, 335-340.  | 3.5 | 8         |
| 95  | Human Pancreatic Tumor Growth Hormone-Releasing Factor Stimulates Anterior Pituitary Adenylate Cyclase Activity, Adenosine $3\text{â}^{\text{2}}$ , $5\text{â}^{\text{2}}$ -Monophosphate Accumulation, and Growth Hormone Release in a Calmodulin-Dependent Manner*. Endocrinology, 1984, 115, 1308-1314. | 2.8 | 60        |
| 96  | Chemical denervation produces supersensitivity of central serotonergic receptors involved in the control of TSH secretion in the rat. Brain Research, 1983, 261, 349-352.  | 2.2 | 6         |
| 97  | Adenosine $3\text{â}^{\text{2}}$ , $5\text{â}^{\text{2}}$ -Monophosphate (cAMP) and Calcium-Calmodulin Interrelation in the Control of Prolactin Secretion: Evidence for Dopamine Inhibition of cAMP Accumulation and Prolactin Release after Calcium Mobilization*. Endocrinology, 1983, 112, 1801-1807.  | 2.8 | 88        |
| 98  | In Vitro Studies on Basal and Stimulated Prolactin Release by Rat Anterior Pituitary: A Possible Role for Calmodulin*. Endocrinology, 1983, 112, 64-70.  | 2.8 | 38        |
| 99  | Penfluridol Decreases Secretagogue-Induced TSH, GH, and LH Secretion in vitro: A Possible Role for Calcium-Calmodulin. Neuroendocrinology, 1983, 37, 229-234.  | 2.5 | 16        |
| 100 | Pharmacological evidence of supersensitivity of central serotonergic receptors involved in the control of prolactin secretion. European Journal of Pharmacology, 1981, 76, 9-13.   | 3.5 | 57        |