

Yujie Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1132491/publications.pdf>

Version: 2024-02-01

19
papers

757
citations

687363

13
h-index

794594

19
g-index

19
all docs

19
docs citations

19
times ranked

1380
citing authors

#	ARTICLE	IF	CITATIONS
1	LncRNA DILA1 inhibits Cyclin D1 degradation and contributes to tamoxifen resistance in breast cancer. <i>Nature Communications</i> , 2020, 11, 5513.	12.8	116
2	Long non-coding RNA NKILA inhibits migration and invasion of tongue squamous cell carcinoma cells via suppressing epithelial-mesenchymal transition. <i>Oncotarget</i> , 2016, 7, 62520-62532.	1.8	102
3	Tamoxifen-resistant breast cancer cells are resistant to DNA-damaging chemotherapy because of upregulated BARD1 and BRCA1. <i>Nature Communications</i> , 2018, 9, 1595.	12.8	89
4	Lin28 Induces Epithelial-to-Mesenchymal Transition and Stemness via Downregulation of Let-7a in Breast Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e83083.	2.5	70
5	E2F7 overexpression leads to tamoxifen resistance in breast cancer cells by competing with E2F1 at miR-15a/16 promoter. <i>Oncotarget</i> , 2015, 6, 31944-31957.	1.8	62
6	MiR-20b Displays Tumor-Suppressor Functions in Papillary Thyroid Carcinoma by Regulating the MAPK/ERK Signaling Pathway. <i>Thyroid</i> , 2016, 26, 1733-1743.	4.5	58
7	<i>MiR-195</i> Inhibits Tumor Growth and Metastasis in Papillary Thyroid Carcinoma Cell Lines by Targeting <i>CCND1</i> and <i>FGF2</i> . <i>International Journal of Endocrinology</i> , 2017, 2017, 1-12.	1.5	49
8	Expression of miRNAs in Papillary Thyroid Carcinomas Is Associated with <i>BRAF</i> Mutation and Clinicopathological Features in Chinese Patients. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-10.	1.5	37
9	Circulating Tumor DNA Predicts the Response and Prognosis in Patients With Early Breast Cancer Receiving Neoadjuvant Chemotherapy. <i>JCO Precision Oncology</i> , 2020, 4, 244-257.	3.0	32
10	Discovery of CCL18 antagonist blocking breast cancer metastasis. <i>Clinical and Experimental Metastasis</i> , 2019, 36, 243-255.	3.3	23
11	Targeting Pin1 by All-Trans Retinoic Acid (ATRA) Overcomes Tamoxifen Resistance in Breast Cancer via Multifactorial Mechanisms. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 322.	3.7	19
12	Regulation of SOX10 stability via ubiquitination-mediated degradation by Fbxw7 ^Δ modulates melanoma cell migration. <i>Oncotarget</i> , 2015, 6, 36370-36382.	1.8	19
13	Inhibitor of glutamine metabolism V9302 promotes ROS-induced autophagic degradation of B7H3 to enhance antitumor immunity. <i>Journal of Biological Chemistry</i> , 2022, 298, 101753.	3.4	19
14	Long non-coding RNA CRALA is associated with poor response to chemotherapy in primary breast cancer. <i>Thoracic Cancer</i> , 2017, 8, 582-591.	1.9	16
15	TET1 is a Tumor Suppressor That Inhibits Papillary Thyroid Carcinoma Cell Migration and Invasion. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-9.	1.5	14
16	Mesenchymal stem cells derived from induced pluripotent stem cells play a key role in immunomodulation during cardiopulmonary resuscitation. <i>Brain Research</i> , 2019, 1720, 146293.	2.2	11
17	LIN9 confers paclitaxel resistance in triple negative breast cancer cells by upregulating CCSAP. <i>Science China Life Sciences</i> , 2020, 63, 419-428.	4.9	11
18	Non-invasive analysis of tumor mutation profiles and druggable mutations by sequencing of cell free DNA of Chinese metastatic breast cancer patients. <i>Thoracic Cancer</i> , 2019, 10, 807-814.	1.9	7

#	ARTICLE	IF	CITATIONS
19	Overexpression of PITPNM3 promotes hepatocellular carcinoma cell metastasis. Science Bulletin, 2014, 59, 1326-1333.	1.7	3