

Atsushi Otsuka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1132568/publications.pdf>

Version: 2024-02-01

219
papers

7,025
citations

57758

44
h-index

71685

76
g-index

219
all docs

219
docs citations

219
times ranked

10399
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-PD-1 and Anti-CTLA-4 Therapies in Cancer: Mechanisms of Action, Efficacy, and Limitations. <i>Frontiers in Oncology</i> , 2018, 8, 86.	2.8	926
2	Germline NLRP1 Mutations Cause Skin Inflammatory and Cancer Susceptibility Syndromes via Inflammasome Activation. <i>Cell</i> , 2016, 167, 187-202.e17.	28.9	317
3	Activated regulatory T cells are the major T cell type emigrating from the skin during a cutaneous immune response in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 883-893.	8.2	253
4	The epithelial immune microenvironment (EIME) in atopic dermatitis and psoriasis. <i>Nature Immunology</i> , 2018, 19, 1286-1298.	14.5	239
5	Langerhans cells are critical in epicutaneous sensitization with protein antigen via thymic stromal lymphopoietin receptor signaling. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 1048-1055.e6.	2.9	216
6	Perivascular leukocyte clusters are essential for efficient activation of effector T cells in the skin. <i>Nature Immunology</i> , 2014, 15, 1064-1069.	14.5	211
7	The Janus kinase inhibitor JTE-052 improves skin barrier function through suppressing signal transducer and activator of transcription 3 signaling. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 667-677.e7.	2.9	195
8	IL-17A as an Inducer for Th2 Immune Responses in Murine Atopic Dermatitis Models. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2122-2130.	0.7	137
9	Flaky Tail Mouse Denotes Human Atopic Dermatitis in the Steady State and by Topical Application with <i>Dermatophagoides pteronyssinus</i> Extract. <i>American Journal of Pathology</i> , 2010, 176, 2385-2393.	3.8	122
10	Requirement of Interaction between Mast Cells and Skin Dendritic Cells to Establish Contact Hypersensitivity. <i>PLoS ONE</i> , 2011, 6, e25538.	2.5	119
11	The interplay between genetic and environmental factors in the pathogenesis of atopic dermatitis. <i>Immunological Reviews</i> , 2017, 278, 246-262.	6.0	112
12	Interleukin-31 and interleukin-31 receptor: New therapeutic targets for atopic dermatitis. <i>Experimental Dermatology</i> , 2018, 27, 327-331.	2.9	109
13	Basophils are required for the induction of Th2 immunity to haptens and peptide antigens. <i>Nature Communications</i> , 2013, 4, 1739.	12.8	108
14	Serum level of interleukin-6 is increased in nivolumab-associated psoriasiform dermatitis and tumor necrosis factor- α is a biomarker of nivolumab recativity. <i>Journal of Dermatological Science</i> , 2017, 86, 71-73.	1.9	105
15	The etiopathogenesis of atopic dermatitis: barrier disruption, immunological derangement, and pruritus. <i>Inflammation and Regeneration</i> , 2017, 37, 14.	3.7	104
16	Hedgehog Pathway Inhibitors Promote Adaptive Immune Responses in Basal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2015, 21, 1289-1297.	7.0	101
17	Tumour hypoxia promotes melanoma growth and metastasis via High Mobility Group Box-1 and M2-like macrophages. <i>Scientific Reports</i> , 2016, 6, 29914.	3.3	99
18	Anti-PD1 checkpoint inhibitor therapy in acral melanoma: a multicenter study of 193 Japanese patients. <i>Annals of Oncology</i> , 2020, 31, 1198-1206.	1.2	96

#	ARTICLE	IF	CITATIONS
19	Resolvin E1 inhibits dendritic cell migration in the skin and attenuates contact hypersensitivity responses. <i>Journal of Experimental Medicine</i> , 2015, 212, 1921-1930.	8.5	92
20	Incidence, features, and prognosis of immune-related adverse events involving the thyroid gland induced by nivolumab. <i>PLoS ONE</i> , 2019, 14, e0216954.	2.5	92
21	Possible new therapeutic strategy to regulate atopic dermatitis through upregulating filaggrin expression. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 139-146.e10.	2.9	87
22	The Enzyme Cyp26b1 Mediates Inhibition of Mast Cell Activation by Fibroblasts to Maintain Skin-Barrier Homeostasis. <i>Immunity</i> , 2014, 40, 530-541.	14.8	81
23	Serum levels of soluble CD163 and CXCL5 may be predictive markers for immune-related adverse events in patients with advanced melanoma treated with nivolumab: a pilot study. <i>Oncotarget</i> , 2018, 9, 15542-15551.	1.8	80
24	Cutaneous angiosarcoma: update on biology and latest treatment. <i>Current Opinion in Oncology</i> , 2018, 30, 107-112.	2.4	76
25	Biomarkers for evaluation of mast cell and basophil activation. <i>Immunological Reviews</i> , 2018, 282, 114-120.	6.0	73
26	Identification of mutations in the prostaglandin transporter gene <i>SLCO2A1</i> and its phenotype-genotype correlation in Japanese patients with pachydermoperiostosis. <i>Journal of Dermatological Science</i> , 2012, 68, 36-44.	1.9	72
27	Exacerbation of psoriasis vulgaris during nivolumab for oral mucosal melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e89-e91.	2.4	71
28	Basophils regulate the recruitment of eosinophils in a murine model of irritant contact dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 100-107.e12.	2.9	68
29	Fluctuations in routine blood count might signal severe immune-related adverse events in melanoma patients treated with nivolumab. <i>Journal of Dermatological Science</i> , 2017, 88, 225-231.	1.9	67
30	Prostaglandin I2-IP Signaling Promotes Th1 Differentiation in a Mouse Model of Contact Hypersensitivity. <i>Journal of Immunology</i> , 2010, 184, 5595-5603.	0.8	65
31	High fat diet exacerbates murine psoriatic dermatitis by increasing the number of IL-17-producing Th17 cells. <i>Scientific Reports</i> , 2017, 7, 14076.	3.3	65
32	Resolvin E1 attenuates murine psoriatic dermatitis. <i>Scientific Reports</i> , 2018, 8, 11873.	3.3	61
33	Innovation in the treatment of atopic dermatitis: Emerging topical and oral Janus kinase inhibitors. <i>Allergology International</i> , 2022, 71, 40-46.	3.3	61
34	Peripheral blood Th9 cells are a possible pharmacodynamic biomarker of nivolumab treatment efficacy in metastatic melanoma patients. <i>Oncolimmunology</i> , 2016, 5, e1248327.	4.6	60
35	Idiopathic thrombocytopenic purpura induced by nivolumab in a metastatic melanoma patient with elevated PD-1 expression on B cells. <i>Annals of Oncology</i> , 2016, 27, 546-547.	1.2	60
36	The inflammasome and IL-1 β : implications for the treatment of inflammatory diseases. <i>Immunotherapy</i> , 2015, 7, 243-254.	2.0	58

#	ARTICLE	IF	CITATIONS
37	Hedgehog signaling in basal cell carcinoma. <i>Journal of Dermatological Science</i> , 2015, 78, 95-100.	1.9	55
38	Infiltration of PD-1-positive cells in combination with tumor site PD-L1 expression is a positive prognostic factor in cutaneous angiosarcoma. <i>Oncolmmunology</i> , 2017, 6, e1253657.	4.6	55
39	PGD2 induces eotaxin-3 via PPAR β from sebocytes: A possible pathogenesis of eosinophilic pustular folliculitis. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 536-543.	2.9	54
40	Mast cells and basophils in cutaneous immune responses. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 131-140.	5.7	52
41	Retrospective study of advanced melanoma patients treated with ipilimumab after nivolumab: Analysis of 60 Japanese patients. <i>Journal of Dermatological Science</i> , 2018, 89, 60-66.	1.9	52
42	Real-time 3D Photoacoustic Visualization System with a Wide Field of View for Imaging Human Limbs. <i>F1000Research</i> , 2018, 7, 1813.	1.6	52
43	Rho-mDia1 pathway is required for adhesion, migration, and T-cell stimulation in dendritic cells. <i>Blood</i> , 2010, 116, 5875-5884.	1.4	50
44	Efficacy and safety of retreatment with nivolumab in metastatic melanoma patients previously treated with nivolumab. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 999-1004.	2.3	50
45	Interaction of peripheral nerves and mast cells, eosinophils, and basophils in the development of pruritus. <i>Experimental Dermatology</i> , 2019, 28, 1405-1411.	2.9	50
46	Baseline neutrophil to lymphocyte ratio combined with serum lactate dehydrogenase level associated with outcome of nivolumab immunotherapy in a Japanese advanced melanoma population. <i>British Journal of Dermatology</i> , 2018, 179, 213-215.	1.5	42
47	CD39: A new surface marker of mouse regulatory T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 1448-1451.	2.9	39
48	Linking air pollution to atopic dermatitis. <i>Nature Immunology</i> , 2017, 18, 5-6.	14.5	39
49	Thromboxane A ₂ facilitates IL-17A production from V β 34 + T cells and promotes psoriatic dermatitis in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 680-683.e2.	2.9	39
50	Cutaneous p38 mitogen-activated protein kinase activation triggers psoriatic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1036-1049.	2.9	37
51	Epithelial TRAF6 drives IL-17-mediated psoriatic inflammation. <i>JCI Insight</i> , 2018, 3, .	5.0	36
52	Pathological characterization of pachydermia in pachydermoperiostosis. <i>Journal of Dermatology</i> , 2015, 42, 710-714.	1.2	33
53	Dermal V β 34 + T Cells Possess a Migratory Potency to the Draining Lymph Nodes and Modulate CD8 + T-Cell Activity through TNF- α Production. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1007-1015.	0.7	33
54	IL-36 β drives skin toxicity induced by EGFR/MEK inhibition and commensal <i>Cutibacterium acnes</i> . <i>Journal of Clinical Investigation</i> , 2020, 130, 1417-1430.	8.2	33

#	ARTICLE	IF	CITATIONS
55	Recent advancement in the mechanism of basophil activation. <i>Journal of Dermatological Science</i> , 2018, 91, 3-8.	1.9	32
56	Real-time 3D Photoacoustic Visualization System with a Wide Field of View for Imaging Human Limbs. <i>F1000Research</i> , 2018, 7, 1813.	1.6	32
57	Effects of cyclosporine on pruritus and serum IL-31 levels in patients with atopic dermatitis. <i>European Journal of Dermatology</i> , 2011, 21, 816-817.	0.6	30
58	Fluctuation of blood and skin plasmacytoid dendritic cells in drug-induced hypersensitivity syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 408-410.	2.9	29
59	Prostaglandin E2 (PGE2)â€“EP2 signaling negatively regulates murine atopic dermatitisâ€“like skin inflammation by suppressing thymic stromal lymphopoietin expression. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1265-1273.e9.	2.9	28
60	Serum Level of Soluble CD163 May Be a Predictive Marker of the Effectiveness of Nivolumab in Patients With Advanced Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2018, 8, 530.	2.8	27
61	Enhanced murine contact hypersensitivity by depletion of endogenous regulatory T cells in the sensitization phase. <i>Journal of Dermatological Science</i> , 2011, 61, 144-147.	1.9	26
62	The efficacy of eribulin mesylate for patients with cutaneous angiosarcoma previously treated with taxane: a multicentre prospective observational study. <i>British Journal of Dermatology</i> , 2020, 183, 831-839.	1.5	26
63	Roles of basophils and mast cells in cutaneous inflammation. <i>Seminars in Immunopathology</i> , 2016, 38, 563-570.	6.1	25
64	Three-dimensional evaluation of subclinical extension of extramammary Paget disease: visualization of the histological border and its comparison to the clinical border. <i>British Journal of Dermatology</i> , 2017, 177, 229-237.	1.5	24
65	Real-world efficacy of anti-PD-1 antibody or combined anti-PD-1 plus anti-CTLA-4 antibodies, with or without radiotherapy, in advanced mucosal melanoma patients: A retrospective, multicenter study. <i>European Journal of Cancer</i> , 2021, 157, 361-372.	2.8	24
66	Anti-PD-1 antibody monotherapy versus anti-PD-1 plus anti-CTLA-4 combination therapy as first-line immunotherapy in unresectable or metastatic mucosal melanoma: a retrospective, multicenter study of 329 Japanese cases (JMAC study). <i>ESMO Open</i> , 2021, 6, 100325.	4.5	24
67	Natural Killer T Cells Are Essential for the Development of Contact Hypersensitivity in BALB/c Mice. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2709-2718.	0.7	23
68	The complete type of pachydermoperiostosis: A novel nonsense mutation p.E141* of the <i>SLCO2A1</i> gene. <i>Journal of Dermatological Science</i> , 2014, 75, 193-195.	1.9	23
69	Sclerodermaâ€“like syndrome associated with nivolumab treatment in malignant melanoma. <i>Journal of Dermatology</i> , 2019, 46, e43-e44.	1.2	23
70	Inhibition of IL-17â€“committed T cells in a murine psoriasis model by a vitamin D analogue. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 972-981.e10.	2.9	22
71	Evaluation of Basophil Infiltration into the Skin Lesions of Tick Bites. <i>Case Reports in Dermatology</i> , 2013, 5, 48-51.	0.8	21
72	An H1-histamine receptor antagonist decreases serum interleukin-31 levels in patients with atopic dermatitis. <i>British Journal of Dermatology</i> , 2011, 164, 455-456.	1.5	20

#	ARTICLE	IF	CITATIONS
73	Oral lichen planus associated with candidiasis during secukinumab treatment. <i>Journal of Dermatology</i> , 2017, 44, e60-e61.	1.2	20
74	Janus kinase inhibitor delgocitinib suppresses pruritus and nerve elongation in an atopic dermatitis murine model. <i>Journal of Dermatological Science</i> , 2020, 97, 161-164.	1.9	20
75	PD-L1 on mast cells suppresses effector CD8+ T-cell activation in the skin in murine contact hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 563-573.e7.	2.9	19
76	Lichen Planus in Irradiated Skin During Nivolumab Treatment. <i>Acta Dermato-Venereologica</i> , 2017, 97, 391-392.	1.3	18
77	Association of Baseline Serum Levels of CXCL5 With the Efficacy of Nivolumab in Advanced Melanoma. <i>Frontiers in Medicine</i> , 2019, 6, 86.	2.6	18
78	Serum granulysin as a possible key marker of the activity of alopecia areata. <i>Journal of Dermatological Science</i> , 2014, 73, 74-79.	1.9	17
79	<i>Malassezia</i> -derived aryl hydrocarbon receptor ligands enhance the CCL20/Th17/soluble CD163 pathogenic axis in extra-mammary Paget's disease. <i>Experimental Dermatology</i> , 2019, 28, 933-939.	2.9	17
80	Predicting marker for early progression in unresectable melanoma treated with nivolumab. <i>International Journal of Clinical Oncology</i> , 2019, 24, 323-327.	2.2	17
81	ADAMTSL5 is upregulated in melanoma tissues in patients with idiopathic psoriasis vulgaris induced by nivolumab. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e100-e101.	2.4	16
82	TRPA1 channel participates in tacrolimus-induced pruritus in a chronic contact hypersensitivity murine model. <i>Journal of Dermatological Science</i> , 2018, 89, 207-209.	1.9	16
83	The novel <i>SLCO2A1</i> heterozygous missense mutation p.E427K and nonsense mutation p.R603* in a female patient with pachydermoperiostosis with an atypical phenotype. <i>British Journal of Dermatology</i> , 2014, 170, 1187-1189.	1.5	15
84	Contribution of Basophils to Cutaneous Immune Reactions and Th2-Mediated Allergic Responses. <i>Frontiers in Immunology</i> , 2015, 6, 393.	4.8	15
85	Multiple neurological abnormalities, including pontine hemorrhage, multiple sclerosis and aseptic meningitis, during anti-TNF- α therapy in psoriatic arthritis. <i>European Journal of Dermatology</i> , 2015, 25, 487-488.	0.6	14
86	Metastatic melanoma cell lines do not secrete IL-1 β but promote IL-1 β production from macrophages. <i>Journal of Dermatological Science</i> , 2014, 74, 167-169.	1.9	13
87	Eosinophilic annular erythema limited on the palms and the soles and possibly associated with thymoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1213-1214.	2.4	13
88	Receptor-interacting protein kinase 3 controls keratinocyte activation in a necroptosis-independent manner and promotes psoriatic dermatitis in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 619-622.e6.	2.9	13
89	Effects of DLC1 Deficiency on Endothelial Cell Contact Growth Inhibition and Angiosarcoma Progression. <i>Journal of the National Cancer Institute</i> , 2018, 110, 390-399.	6.3	13
90	DLC1 deficiency and YAP signaling drive endothelial cell contact inhibition of growth and tumorigenesis. <i>Oncogene</i> , 2019, 38, 7046-7059.	5.9	13

#	ARTICLE	IF	CITATIONS
91	Percutaneous sensitization is limited by in situ inhibition of cutaneous dendritic cell migration through skin-resident regulatory T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1343-1353.e8.	2.9	13
92	Variable indoleamine 2,3-dioxygenase expression in acral/mucosal melanoma and its possible link to immunotherapy. <i>Cancer Science</i> , 2019, 110, 3434-3441.	3.9	13
93	Predictive factors of response to pulse methylprednisolone therapy in patients with alopecia areata: A follow-up study of 105 Japanese patients. <i>Journal of Dermatology</i> , 2019, 46, 522-525.	1.2	13
94	Comparison of basophil infiltration into the skin between eosinophilic pustular folliculitis and neutrophilic folliculitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 527-529.	2.4	12
95	Coexistent Skin Lesions of Vitiligo and Psoriasis Vulgaris. Immunohistochemical Analyses for IL-17A-producing Cells and Regulatory T cells. <i>Acta Dermato-Venereologica</i> , 2014, 94, 329-330.	1.3	12
96	Vascular endothelial growth factor partially induces pruritus via epidermal hyperinnervation in imiquimod-induced psoriasiform dermatitis in mice. <i>Journal of Dermatological Science</i> , 2016, 83, 148-151.	1.9	12
97	Generalized Lichen Nitidus Following Anti-PD-1 Antibody Treatment. <i>JAMA Dermatology</i> , 2018, 154, 367.	4.1	12
98	Accumulation of exhausted CD8+ T cells in extramammary Paget's disease. <i>PLoS ONE</i> , 2019, 14, e0211135.	2.5	12
99	IGF2BP3 (IMP3) expression in angiosarcoma, epithelioid hemangioendothelioma, and benign vascular lesions. <i>Diagnostic Pathology</i> , 2020, 15, 26.	2.0	12
100	Pituitary adenylate cyclase-activating polypeptide promotes cutaneous dendritic cell functions in contact hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 858-866.	2.9	12
101	Trehalose Dimycolate Elicits Eosinophilic Skin Hypersensitivity in Mycobacteria-Infected Guinea Pigs. <i>Journal of Immunology</i> , 2008, 181, 8528-8533.	0.8	11
102	Stevens-Johnson syndrome-like erosive dermatitis possibly related to afatinib. <i>European Journal of Dermatology</i> , 2016, 26, 413-414.	0.6	11
103	Treatment of eosinophilic pustular folliculitis with ciclosporin: suppression of mRNA expression of IL-4 and IL-13. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 1489-1491.	2.4	10
104	Improvement of Anti-TNF- α Antibody-Induced Palmoplantar Pustular Psoriasis Using a 308-nm Excimer Light. <i>Case Reports in Dermatology</i> , 2012, 4, 261-264.	0.8	10
105	A Plaque-Type Solitary Reticulohistiocytoma in a Two-Year-Old Boy. <i>Case Reports in Dermatology</i> , 2015, 7, 7-9.	0.8	10
106	HLA-A*26 Is Correlated With Response to Nivolumab in Japanese Melanoma Patients. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2443-2444.	0.7	10
107	Three cases of facial erythema with dryness and pruritus in psoriasis patients during treatment with IL-17 inhibitors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e122-e123.	2.4	10
108	Photoacoustic imaging system visualizes restoration of peripheral oxygenation in psoriatic lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e449-e451.	2.4	10

#	ARTICLE	IF	CITATIONS
109	Response to imatinib in vaginal melanoma with <i>p.Val559Gly</i> mutation previously treated with nivolumab, pembrolizumab and ipilimumab. <i>Journal of Dermatology</i> , 2019, 46, e203-e204.	1.2	10
110	Pyoderma gangrenosum of the penis possibly associated with pazopanib treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1222-1223.	2.4	9
111	Upregulation of granzyme B and interferon- γ mRNA in responding lesions by treatment with nivolumab for metastatic melanoma: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e231-e232.	2.4	9
112	Local inflammation exacerbates cutaneous manifestations in a murine autoimmune pemphigus model. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 2026-2028.e5.	2.9	9
113	Decrease in serum IL-32 level in patients with atopic dermatitis after cyclosporine treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e449-e450.	2.4	9
114	Decreased Filaggrin Level May Lead to Sweat Duct Obstruction in Filaggrin Mutant Mice. <i>Journal of Investigative Dermatology</i> , 2017, 137, 248-251.	0.7	9
115	A Case of Pityriasis Rubra Pilaris Treated Successfully with the Phosphodiesterase-4 Inhibitor Apremilast. <i>Acta Dermato-Venereologica</i> , 2018, 98, 975-976.	1.3	9
116	Severe bullous pemphigoid in a metastatic lung cancer patient treated with pembrolizumab. <i>Journal of Dermatology</i> , 2019, 46, e232-e233.	1.2	9
117	Immune checkpoint inhibitor-induced vitiligo in advanced melanoma could be related to increased levels of CCL19. <i>British Journal of Dermatology</i> , 2020, 182, 1297-1300.	1.5	9
118	Demographic and clinical characteristics of extramammary Paget's disease patients in Japan from 2000 to 2019. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e133-e135.	2.4	9
119	Inducible skin-associated lymphoid tissue (iSALT) in a patient with Schnitzler syndrome who manifested wheals on recurrent localized erythema. <i>British Journal of Dermatology</i> , 2021, 184, 1199-1201.	1.5	9
120	Diminution of Langerhans cells in keratitis, ichthyosis and deafness (KID) syndrome patient with recalcitrant cutaneous candidiasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e47-e49.	2.4	8
121	Exacerbation of depression in a psoriatic arthritis patient possibly induced by secukinumab. <i>European Journal of Dermatology</i> , 2016, 26, 506-507.	0.6	8
122	Multiple erosive lichen planus preceded by solitary lichen planus after combination therapy with nivolumab and radiation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e382-e384.	2.4	8
123	Two cases of vitiligo vulgaris treated with topical Janus kinase inhibitor delgocitinib. <i>Australasian Journal of Dermatology</i> , 2021, 62, 433-434.	0.7	8
124	Novel insights into cutaneous immune systems revealed by in vivo imaging. <i>Allergology International</i> , 2016, 65, 228-234.	3.3	7
125	Skin Barrier Function and Atopic Dermatitis. <i>Current Dermatology Reports</i> , 2018, 7, 209-220.	2.1	7
126	Treatment of intractable oral lichen planus with intravenous immunoglobulin therapy. <i>European Journal of Dermatology</i> , 2012, 22, 693-693.	0.6	6

#	ARTICLE	IF	CITATIONS
127	Suspected Nagashima-type palmoplantar keratosis with atypical hyperkeratotic lesions on the ears. <i>European Journal of Dermatology</i> , 2012, 22, 392-393.	0.6	6
128	Case of intractable ophiasis type of alopecia areata presumably improved by fexofenadine. <i>Journal of Dermatology</i> , 2012, 39, 1063-1064.	1.2	6
129	Basophils Infiltrate the Skin Lesions in Lepromatous Leprosy. <i>Acta Dermato-Venereologica</i> , 2013, 93, 88-89.	1.3	6
130	Generalized morphea with preceding severe pain and coexistent early primary biliary cirrhosis. <i>European Journal of Dermatology</i> , 2015, 25, 365-366.	0.6	6
131	Adult-onset asthma and periocular xanthogranuloma associated with IgG4-related disease with infiltration of regulatory T cells. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e124-e125.	2.4	6
132	Successful hair regrowth in an acute diffuse form of alopecia areata during oral tacrolimus treatment in a patient with rheumatoid arthritis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e137-e138.	2.4	6
133	Efficacy and safety of concurrent immunoradiotherapy in patients with metastatic melanoma after progression on nivolumab. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 823-827.	2.3	6
134	Skin findings of 21st-century movie characters. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e98-e100.	2.4	6
135	Assessment of the methods used to detect HER2-positive advanced extramammary Paget's disease. <i>Medical Oncology</i> , 2018, 35, 92.	2.5	6
136	Successful treatment of metastatic mucosal melanoma with a Del579 cKIT mutation by imatinib after treatment of anti-PD-1 antibody. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e92-e93.	2.4	6
137	Impacts of cachexia progression in addition to serum IgG and blood lymphocytes on serum nivolumab in advanced cancer patients. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 77-87.	1.9	6
138	DIHS/DRESS-like eruption possibly induced by amoxicillin during treatment with nivolumab. <i>European Journal of Dermatology</i> , 2019, 29, 228-229.	0.6	6
139	Female pattern hair loss possibly caused by tamoxifen: Androgen receptor expression in the outer root sheath in the affected area. <i>Journal of Dermatology</i> , 2012, 39, 1060-1061.	1.2	5
140	Subcorneal Pustular Dermatitis Exhibiting a High Serum TARC/CCL17 Level. <i>Case Reports in Dermatology</i> , 2013, 5, 38-42.	0.8	5
141	Sweet's syndrome presenting as drastically spreading generalized erythema with subcorneal pustulosis in myelodysplastic syndrome. <i>Journal of Dermatology</i> , 2013, 40, 1072-1073.	1.2	5
142	Acantholytic dyskeratotic acanthoma: a possible skin adverse event of vemurafenib treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e474-e475.	2.4	5
143	Retrospective study on the correlation between ^{18}F -fluorodeoxyglucose uptake in positron emission tomography-computer tomography and tumour volume, cytological activity as assessed with Ki-67 and GLUT-1 staining in 10 cases of Merkel cell carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e285-e287.	2.4	5
144	Murine neonatal skin mast cells are phenotypically immature and minimally sensitized with transplacentally transferred IgE. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 617-620.e5.	2.9	5

#	ARTICLE	IF	CITATIONS
145	Improvement of nail lesions in a patient with psoriatic arthritis by switching the treatment from an anti-interleukin-17A antibody to an anti-tumor necrosis factor- α antibody. <i>Journal of Dermatology</i> , 2019, 46, e158-e160.	1.2	5
146	Diffuse hair loss following anti-programmed cell death-1 antibody treatment: a case report with immunohistochemical analysis. <i>European Journal of Dermatology</i> , 2019, 29, 326-327.	0.6	5
147	Narrowband ultraviolet B phototherapy decreased CCR4 ⁺ CD8 ⁺ T cells in a patient with palmoplantar pustulosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 495-496.	2.4	4
148	Extranodal NK/T-cell lymphoma, nasal type, presenting pseudoepitheliomatous hyperplasia mimicking squamous cell carcinoma. <i>European Journal of Dermatology</i> , 2012, 22, 688-689.	0.6	4
149	Narrowband ultraviolet B phototherapy decreased the serum IL-17E level in a patient with psoriasis vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1455-1456.	2.4	4
150	A Case of Churg-Strauss Syndrome: Flow Cytometric Analysis of the Surface Activation Markers of Peripheral Eosinophils. <i>Acta Dermato-Venereologica</i> , 2013, 93, 100-101.	1.3	4
151	Up-regulation of Activation Markers on Basophils in Patients with Papuloerythroderma. <i>Acta Dermato-Venereologica</i> , 2016, 96, 410-411.	1.3	4
152	Case with Brunsting-Perry-like localized subepidermal blister formations and immunoglobulin G antibodies against unidentified basement membrane zone antigen. <i>Journal of Dermatology</i> , 2016, 43, 426-428.	1.2	4
153	Case of pityriasis rubra pilaris with annular pattern as an early manifestation. <i>Journal of Dermatology</i> , 2017, 44, 478-479.	1.2	4
154	Nilotinib-induced panniculitis in a patient with chronic myelogenous leukaemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e418-e419.	2.4	4
155	A case of chilblain lupus erythematosus with lupus erythematosus/lichen planus overlap syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e424-e425.	2.4	4
156	CCR4 and CCR5 expression in a case of subcutaneous panniculitis-like T-cell lymphoma. <i>European Journal of Dermatology</i> , 2017, 27, 414-415.	0.6	4
157	Decrease of superficial serine and lactate in the stratum corneum due to repetitive frictional trauma. <i>International Journal of Dermatology</i> , 2018, 57, 299-305.	1.0	4
158	Drastic effect on giant lung metastatic melanoma by sequential administration of nivolumab with ipilimumab/radiation combination therapy. <i>Journal of Dermatology</i> , 2018, 45, e7-e8.	1.2	4
159	The effect of oral royal jelly administration on skin barrier function: a double-blind randomized placebo-controlled trial. <i>European Journal of Dermatology</i> , 2018, 28, 563-564.	0.6	4
160	Killer immunoglobulin-like receptor genotype did not correlate with response to anti-PD-1 antibody treatment in a Japanese cohort. <i>Scientific Reports</i> , 2018, 8, 15962.	3.3	4
161	Ten-year follow up of longitudinal melanonychia in childhood: A case report. <i>Journal of Dermatology</i> , 2019, 46, e89-e90.	1.2	4
162	Identification of CD49a ⁺ CD8 ⁺ resident memory T cells in vitiligo-like lesions associated with nivolumab treatment for melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e79-e82.	2.4	4

#	ARTICLE	IF	CITATIONS
163	No Basophil Infiltration in Alopecia Areata Irrespective of the Intensity of Eosinophil Infiltration. <i>Acta Dermato-Venereologica</i> , 2013, 93, 185-186.	1.3	3
164	Evaluation of the Effectiveness of Antibiotics against Eosinophilic Pustular Folliculitis. <i>Case Reports in Dermatology</i> , 2013, 5, 144-147.	0.8	3
165	External dental fistula caused by denosumab-related osteonecrosis of the jaw. <i>Journal of Dermatology</i> , 2015, 42, 1202-1204.	1.2	3
166	Comparison of the Efficacy of Olopatadine and Fexofenadine in Chronic Idiopathic Urticaria Patients: A Crossover Study. <i>Pharmacology</i> , 2015, 95, 32-35.	2.2	3
167	<scp>CCR</scp>5 and <scp>CXCR</scp>3 expression in a case of subcutaneous panniculitis-like T-cell lymphoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1413-1415.	2.4	3
168	Efficacy of intravenous immunoglobulins for the treatment of mucous membrane pemphigoid-like epidermolysis bullosa acquisita. <i>European Journal of Dermatology</i> , 2017, 27, 563-564.	0.6	3
169	Inverse responses of the skin and nail lesions of psoriatic arthritis to an anti-interleukin-17A antibody and an anti-tumor necrosis factor- α antibody. <i>Journal of Dermatology</i> , 2019, 46, e440-e441.	1.2	3
170	Abl family tyrosine kinases govern IgG extravasation in the skin in a murine pemphigus model. <i>Nature Communications</i> , 2019, 10, 4432.	12.8	3
171	Dupilumab improved atypical fibrotic skin plaques in atopic dermatitis. <i>British Journal of Dermatology</i> , 2020, 182, 487-488.	1.5	3
172	Increased expression of dermal LL37 may trigger migration of CCR7+ regulatory T cells in extramammary Paget's disease. <i>Journal of Dermatological Science</i> , 2020, 99, 65-68.	1.9	3
173	No recurrence of nivolumab-induced idiopathic thrombocytopenic purpura in a metastatic melanoma patient switched to ipilimumab. <i>European Journal of Dermatology</i> , 2018, 28, 84-85.	0.6	3
174	<i>Clostridium difficile</i> Colitis and Neutropenic Fever Associated with Docetaxel Chemotherapy in a Patient with Advanced Extramammary Paget's Disease. <i>Case Reports in Dermatology</i> , 2012, 4, 177-180.	0.8	2
175	Sparganosis mansoni on abdominal skin, mimicking folliculitis and diagnosed by analysis of the mitochondrial cytochrome c oxidase subunit 1 gene, using polymerase chain reaction. <i>European Journal of Dermatology</i> , 2012, 22, 806-807.	0.6	2
176	No filaggrin gene mutation in a patient with a combination of atopic dermatitis, alopecia areata and food allergy. <i>European Journal of Dermatology</i> , 2012, 22, 785-786.	0.6	2
177	Improvement of anti-TNF- α antibody-induced pustular psoriasis by azathioprine. <i>European Journal of Dermatology</i> , 2012, 22, 565-566.	0.6	2
178	Efficacy of additional methotrexate as a maintenance treatment in a Japanese patient with psoriatic arthritis refractory to infliximab monotherapy. <i>Journal of Dermatology</i> , 2012, 39, 954-955.	1.2	2
179	Prostaglandin E2 Increase in Pachydermoperiostosis Without 15-hydroprostaglandin Dehydrogenase Mutations. <i>Acta Dermato-Venereologica</i> , 2013, 93, 118-120.	1.3	2
180	Pigmented purpuric dermatitis with high expression levels of serum TARC/CCL17 and epidermal TSLP. <i>European Journal of Dermatology</i> , 2013, 23, 701-702.	0.6	2

#	ARTICLE	IF	CITATIONS
181	Calcinosis Cutis Long after Rhinoplasty with Silicone. <i>Case Reports in Dermatology</i> , 2014, 6, 288-290.	0.8	2
182	Perifollicular elastolysis associated with pseudofolliculitis of Behçet's disease. <i>Journal of Dermatology</i> , 2015, 42, 1017-1018.	1.2	2
183	Disseminated <i>Mycobacterium mantenii</i> Infection with Multiple Purulent Cutaneous Lesions. <i>Acta Dermato-Venereologica</i> , 2015, 95, 1028-1029.	1.3	2
184	A subtle case of tuberous sclerosis complex. <i>Epilepsy & Behavior Case Reports</i> , 2015, 4, 88-90.	1.5	2
185	Dual CD4/CD8-positive Ichthyosiform Mycosis Fungoides with Lymph Node, Peripheral Blood and Cardiac Involvement: A Case Report. <i>Acta Dermato-Venereologica</i> , 2016, 96, 564-566.	1.3	2
186	<i>MEDV</i> gene mutation in two cases of pyoderma gangrenosum with aseptic arthritis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e183-e184.	2.4	2
187	Case of unilateral epidermal nevi without extracutaneous anomalies. <i>Journal of Dermatology</i> , 2016, 43, 1241-1242.	1.2	2
188	Pneumocephalus as a fatal complication of scalp angiosarcoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e40-e42.	2.4	2
189	Dermoscopic changes in malignant melanoma after successful treatment with nivolumab: A case report. <i>Journal of Dermatology</i> , 2017, 44, 547-548.	1.2	2
190	p.Glu477Lys mutation in keratin 5 is not necessarily mortal in generalized severe epidermolysis bullosa simplex. <i>Journal of Dermatology</i> , 2018, 45, e209-e210.	1.2	2
191	Angiolymphoid hyperplasia with eosinophilia: A case of spontaneous partial regression postâ€biopsy. <i>Journal of Dermatology</i> , 2018, 45, e284-e285.	1.2	2
192	Autoimmune polyendocrine syndrome type 3, characterized by autoimmune thyroid disease, type 1 diabetes mellitus, and isolated ACTH deficiency, developed during adjuvant nivolumab treatment. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 481-482.	1.1	2
193	Fixed drug eruption induced by cyclophosphamide. <i>European Journal of Dermatology</i> , 2012, 22, 401-402.	0.6	2
194	Sarcoidosis of the scalp presenting as patchy alopecia; analysis of transforming growth factor- β^2 expression in the affected area by immunostaining. <i>European Journal of Dermatology</i> , 2013, 23, 115-116.	0.6	2
195	A case of possible chemical leukoderma secondary to usage of skin whitening agents. <i>European Journal of Dermatology</i> , 2018, 28, 701-702.	0.6	2
196	Incomplete <i>POEMS</i> syndrome presenting for years solely with scleredema and hyperpigmentation. <i>Journal of Dermatology</i> , 2013, 40, 77-78.	1.2	1
197	Severe psoriasis vulgaris exhibiting a high serum thymus and activationâ€regulated chemokine level: Possible association of <i>T_H2</i> conditions. <i>Journal of Dermatology</i> , 2013, 40, 582-583.	1.2	1
198	A case of rosacea fulminans staining negative for LL-37. <i>European Journal of Dermatology</i> , 2016, 26, 101-102.	0.6	1

#	ARTICLE	IF	CITATIONS
199	Novel <i>MEFV</i> variant Q311H in an incomplete Behçet's disease patient with recurrent epididymitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e173-e174.	2.4	1
200	Basophil and M2 macrophage infiltration in lesional skin of eosinophilic granulomatosis with polyangiitis. <i>European Journal of Dermatology</i> , 2017, 27, 552-553.	0.6	1
201	Mild dystrophic epidermolysis bullosa associated with homozygous gene mutation c.6216+5G>T in type VII collagen ultrastructurally suggestive of the decreased number of anchoring fibrils. <i>Journal of Dermatology</i> , 2018, 45, e305-e306.	1.2	1
202	Total cell necrosis of metastatic malignant melanoma at the regional lymph node in a patient treatment with nivolumab. <i>Journal of Dermatology</i> , 2018, 45, e11-e12.	1.2	1
203	Nail pitting and splinter hemorrhage possibly induced by zolpidem. <i>Journal of Dermatology</i> , 2019, 46, e151-e152.	1.2	1
204	Editorial: Recent Developments in Therapies and Diagnostic Tools for Melanoma and Non-melanoma Skin Cancer. <i>Frontiers in Medicine</i> , 2020, 7, 613152.	2.6	1
205	Filaggrin-deficient rats generated using zinc-finger nucleases spontaneously exhibit dry scaly skin. <i>Allergology International</i> , 2022, 71, 545-547.	3.3	1
206	Twelve Months Follow-up of Injection of OnabotulinumtoxinA into Vesical Submucosa for Refractory Non-neurogenic Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013, 5, 55-59.	1.3	0
207	Histological evaluation of a residual metastasis after ipilimumab therapy in a patient with advanced melanoma. <i>Journal of Dermatology</i> , 2015, 42, 927-928.	1.2	0
208	Response to Lee and Park. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1687.	0.7	0
209	Successful treatment with anti-TNF-alpha antibody for localised lipodystrophy. <i>European Journal of Dermatology</i> , 2016, 26, 316-317.	0.6	0
210	A possible primary carcinoid (neuroendocrine) tumour of the skin with multiple metastases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e49-e50.	2.4	0
211	Keratitidis "ichthyosis" deafness syndrome with recurrent pneumonia but no mucocutaneous infection. <i>Journal of Dermatology</i> , 2016, 43, 1386-1387.	1.2	0
212	Case of diffuse panbronchiolitis developed in a patient with epidermodysplasia verruciformis. <i>Journal of Dermatology</i> , 2017, 44, e363-e364.	1.2	0
213	Rapid regression of metastatic brain tumours in a melanoma patient after dabrafenib/trametinib therapy. <i>European Journal of Dermatology</i> , 2017, 27, 548-549.	0.6	0
214	Comments to: skin findings of twenty-first century movie response. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e425.	2.4	0
215	Advanced Invasive Extramammary Paget's Disease Concomitant with Cecal Cancer Possessing Rare Variant of TP53 Single Nucleotide Polymorphism. <i>Case Reports in Oncology</i> , 2020, 12, 855-860.	0.7	0
216	Atypical blue naevus of the labium minus confirmed by whole-exome sequencing. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e59-e61.	2.4	0

#	ARTICLE	IF	CITATIONS
217	Mast Cells and Basophils. , 2016, , 131-146.		0
218	A phenotypic analysis of involucrin-mOVA mice following adoptive transfer of OVA-specific CD8+ T cells. JID Innovations, 2022, , 100127.	2.4	0
219	Anti-allergic effect of ascorbic acid derivative DDH in a mouse model of atopic dermatitis. Experimental Dermatology, 2022, , .	2.9	0