

Martin C Michel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11328517/publications.pdf>

Version: 2024-02-01

227
papers

11,682
citations

26630

56
h-index

37204

96
g-index

232
all docs

232
docs citations

232
times ranked

9736
citing authors

#	ARTICLE	IF	CITATIONS
1	EAU Guidelines on the Treatment and Follow-up of Non-neurogenic Male Lower Urinary Tract Symptoms Including Benign Prostatic Obstruction. <i>European Urology</i> , 2013, 64, 118-140.	1.9	990
2	The Molecular Basis for the Pharmacokinetics and Pharmacodynamics of Curcumin and Its Metabolites in Relation to Cancer. <i>Pharmacological Reviews</i> , 2014, 66, 222-307.	16.0	418
3	$\hat{1} ₁$, $\hat{1} ₂$ and $\hat{2}$ adrenoceptors in the urinary bladder, urethra and prostate. <i>British Journal of Pharmacology</i> , 2006, 147, S88-119.	5.4	386
4	How reliable are G-protein-coupled receptor antibodies?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 379, 385-388.	3.0	264
5	A Systematic Comparison of the Properties of Clinically Used Angiotensin II Type 1 Receptor Antagonists. <i>Pharmacological Reviews</i> , 2013, 65, 809-848.	16.0	233
6	A Contemporary Assessment of Nocturia: Definition, Epidemiology, Pathophysiology, and Management—a Systematic Review and Meta-analysis. <i>European Urology</i> , 2012, 62, 877-890.	1.9	231
7	Mirabegron in overactive bladder: A review of efficacy, safety, and tolerability. <i>Neurourology and Urodynamics</i> , 2014, 33, 17-30.	1.5	228
8	Receptors for neuropeptide Y: multiple subtypes and multiple second messengers. <i>Trends in Pharmacological Sciences</i> , 1991, 12, 389-394.	8.7	209
9	Pharmacological treatment of overactive bladder: report from the International Consultation on Incontinence. <i>Current Opinion in Urology</i> , 2009, 19, 380-394.	1.8	161
10	EFFECT OF DIABETES ON LOWER URINARY TRACT SYMPTOMS IN PATIENTS WITH BENIGN PROSTATIC HYPERPLASIA. <i>Journal of Urology</i> , 2000, 163, 1725-1729.	0.4	154
11	Signal Transduction Underlying Carbachol-Induced Contraction of Human Urinary Bladder. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 1148-1153.	2.5	152
12	A comprehensive non-clinical evaluation of the CNS penetration potential of antimuscarinic agents for the treatment of overactive bladder. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 235-246.	2.4	152
13	Impact of GPCRs in clinical medicine: Monogenic diseases, genetic variants and drug targets. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 994-1005.	2.6	151
14	Myocardial beta-adrenoceptor changes in heart failure: concomitant reduction in beta ₁ - and beta ₂ -adrenoceptor function related to the degree of heart failure in patients with mitral valve disease. <i>Journal of the American College of Cardiology</i> , 1989, 14, 323-331.	2.8	145
15	M3 muscarinic receptors mediate contraction of human urinary bladder. <i>British Journal of Pharmacology</i> , 2002, 136, 641-644.	5.4	142
16	Is the use of parasympathomimetics for treating an underactive urinary bladder evidence-based?. <i>BJU International</i> , 2007, 99, 749-752.	2.5	140
17	Signal transduction underlying the control of urinary bladder smooth muscle tone by muscarinic receptors and $\hat{2}$ -adrenoceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008, 377, 449-462.	3.0	139
18	Cardiovascular effects of sphingosine-1-phosphate and other sphingomyelin metabolites. <i>British Journal of Pharmacology</i> , 2004, 143, 666-684.	5.4	134

#	ARTICLE	IF	CITATIONS
19	Lack of specificity of commercially available antisera against muscarinergic and adrenergic receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 379, 397-402.	3.0	131
20	A new method for isolation of human lymphocyte subsets reveals differential regulation of β_2 -adrenergic receptors by terbutaline treatment. <i>Clinical Pharmacology and Therapeutics</i> , 1989, 46, 429-439.	4.7	122
21	Effects of α_1 -Adrenoceptor Antagonists on Male Sexual Function. <i>Drugs</i> , 2006, 66, 287-301.	10.9	119
22	Elevation of plasma neuropeptide Y levels in congestive heart failure. <i>American Journal of Medicine</i> , 1989, 86, 43-48.	1.5	117
23	Nerve growth factor in bladder dysfunction: Contributing factor, biomarker, and therapeutic target. <i>Neurology and Urodynamics</i> , 2011, 30, 1227-1241.	1.5	115
24	Small and intermediate conductance Ca^{2+} -activated K^{+} channels confer distinctive patterns of distribution in human tissues and differential cellular localisation in the colon and corpus cavernosum. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2004, 369, 602-615.	3.0	112
25	Mitogen-activated protein kinases in the heart. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2001, 363, 245-266.	3.0	109
26	ASSOCIATION OF HYPERTENSION WITH SYMPTOMS OF BENIGN PROSTATIC HYPERPLASIA. <i>Journal of Urology</i> , 2004, 172, 1390-1393.	0.4	108
27	Fesoterodine: a novel muscarinic receptor antagonist for the treatment of overactive bladder syndrome. <i>Expert Opinion on Pharmacotherapy</i> , 2008, 9, 1787-1796.	1.8	105
28	A comprehensive review of the preclinical efficacy profile of the ErbB family blocker afatinib in cancer. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 505-521.	3.0	97
29	A Multicenter, Double-blind, Randomized, Placebo-controlled Trial of the β_3 -Adrenoceptor Agonist Solabegron for Overactive Bladder. <i>European Urology</i> , 2012, 62, 834-840.	1.9	96
30	Sphingosine-1-phosphate and sphingosylphosphorylcholine constrict renal and mesenteric microvessels in vitro. <i>British Journal of Pharmacology</i> , 2000, 130, 1871-1877.	5.4	95
31	Flexible Dose Fesoterodine in Elderly Adults with Overactive Bladder: Results of the Randomized, Double-blind, Placebo-controlled Study of Fesoterodine in an Aging Population Trial. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 185-193.	2.6	95
32	Rho kinase: a target for treating urinary bladder dysfunction?. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 492-497.	8.7	90
33	Tools to study β_3 -adrenoceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007, 374, 385-398.	3.0	90
34	Sequence of Echocardiographic Changes During Development of Right Ventricular Failure in Rat. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1272-1279.	2.8	85
35	Saw palmetto extracts potently and noncompetitively inhibit human α_1 -adrenoceptors in vitro. , 1999, 38, 208-215.		84
36	Spare Receptors for β_2 -Adrenoceptor-Mediated Positive Inotropic Effects of Catecholamines in the Human Heart. <i>Journal of Cardiovascular Pharmacology</i> , 1992, 19, 222-232.	1.9	81

#	ARTICLE	IF	CITATIONS
37	Prevalence and Physician Awareness of Symptoms of Urinary Bladder Dysfunction. <i>European Urology</i> , 2002, 41, 234-239.	1.9	81
38	Regulation of G protein-coupled receptor signalling: Focus on the cardiovascular system and regulator of G protein signalling proteins. <i>European Journal of Pharmacology</i> , 2008, 585, 278-291.	3.5	79
39	Physiological and pathological regulation of the autonomic control of urinary bladder contractility. , 2008, 117, 297-312.		79
40	Is α 1D-adrenoreceptor protein detectable in rat tissues?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1997, 355, 438-446.	3.0	77
41	Sphingosine-1-phosphate reduces rat renal and mesenteric blood flow <i>in vivo</i> in a pertussis toxin-sensitive manner. <i>British Journal of Pharmacology</i> , 2000, 130, 1878-1883.	5.4	77
42	Signal Transduction Underlying Carbachol-Induced Contraction of Rat Urinary Bladder. I. Phospholipases and Ca^{2+} Sources. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 308, 47-53.	2.5	76
43	Biased Agonism in Drug Discovery—Is It Too Soon to Choose a Path?. <i>Molecular Pharmacology</i> , 2018, 93, 259-265.	2.3	76
44	p38 MAP kinase is a mediator of ischemic preconditioning in pigs. <i>Cardiovascular Research</i> , 2002, 55, 690-700.	3.8	74
45	Drug-Induced Urinary Incontinence. <i>Drugs and Aging</i> , 2008, 25, 541-549.	2.7	73
46	The Odd Sibling: Features of α 3-Adrenoceptor Pharmacology. <i>Molecular Pharmacology</i> , 2014, 86, 479-484.	2.3	73
47	Pharmacological profile of α 3-adrenoceptor agonists in clinical development for the treatment of overactive bladder syndrome. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013, 386, 177-183.	3.0	71
48	Does Cyclic AMP Mediate Rat Urinary Bladder Relaxation by Isoproterenol?. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 260-267.	2.5	70
49	Arterial hypotension in chronic hemodialyzed patients. <i>Kidney International</i> , 1987, 32, 728-735.	5.2	69
50	Inconsistent relation of MAPK activation to infarct size reduction by ischemic preconditioning in pigs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1111-H1119.	3.2	66
51	Basic Mechanisms of Urgency: Preclinical and Clinical Evidence. <i>European Urology</i> , 2009, 56, 298-308.	1.9	66
52	How valid are animal models to evaluate treatments for pulmonary hypertension?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 373, 391-400.	3.0	64
53	Do α 1-adrenoceptor antagonists improve lower urinary tract symptoms by reducing bladder outlet resistance?. <i>Neurourology and Urodynamics</i> , 2008, 27, 226-230.	1.5	61
54	Comparison of problem-and lecture-based pharmacology teaching. <i>Trends in Pharmacological Sciences</i> , 2002, 23, 168-170.	8.7	60

#	ARTICLE	IF	CITATIONS
55	Pitfalls in the normalization of real-time polymerase chain reaction data. <i>Basic Research in Cardiology</i> , 2007, 102, 195-197.	5.9	60
56	Opportunities and Challenges for Drug Development: Public-Private Partnerships, Adaptive Designs and Big Data. <i>Frontiers in Pharmacology</i> , 2016, 7, 461.	3.5	60
57	Comparison of the positive inotropic effects of serotonin, histamine, angiotensin II, endothelin and isoprenaline in the isolated human right atrium. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 347, 347-352.	3.0	59
58	Gender comparison of muscarinic receptor expression and function in rat and human urinary bladder: differential regulation of M2 and M3 receptors?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 367, 524-531.	3.0	59
59	Decreased myometrial β_2 -adrenoceptors in women receiving β_2 -adrenergic tocolytic therapy: Correlation with lymphocyte β_2 -adrenoceptors. <i>Clinical Pharmacology and Therapeutics</i> , 1989, 45, 1-8.	4.7	58
60	Cholinergic Innervation and Muscarinic Receptors in the Human Prostate. <i>European Urology</i> , 2008, 54, 326-334.	1.9	58
61	Effects of gender, age and hypertension on β_2 -adrenergic receptor function in rat urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 373, 300-309.	3.0	56
62	Myocardial Dysfunction in Donor Hearts. <i>Circulation</i> , 1999, 99, 2565-2570.	1.6	55
63	Pharmacokinetics and Pharmacodynamics of Tamsulosin in its Modified-Release and Oral Controlled Absorption System Formulations. <i>Clinical Pharmacokinetics</i> , 2010, 49, 177-188.	3.5	55
64	Angiotensin II type 1 receptor antagonists in animal models of vascular, cardiac, metabolic and renal disease. , 2016, 164, 1-81.		55
65	Effects of ageing on muscarinic receptor subtypes and function in rat urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2005, 372, 71-78.	3.0	54
66	Epac and the cardiovascular system. <i>Current Opinion in Pharmacology</i> , 2007, 7, 193-200.	3.5	54
67	The prevention of migraine: a critical review with special emphasis on β_2 -adrenoceptor blockers. <i>British Journal of Clinical Pharmacology</i> , 2001, 52, 237-243.	2.4	53
68	Safety of Telmisartan in Patients with Arterial Hypertension. <i>Drug Safety</i> , 2004, 27, 335-344.	3.2	53
69	New Author Guidelines for Displaying Data and Reporting Data Analysis and Statistical Methods in Experimental Biology. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 372, 136-147.	2.5	53
70	Treatment of lower urinary tract symptoms suggestive of benign prostatic hyperplasia: the cardiovascular system. <i>BJU International</i> , 2005, 95, 19-28.	2.5	52
71	β_3 -Adrenoceptor agonists for overactive bladder syndrome: Role of translational pharmacology in a repositioning clinical drug development project. , 2016, 159, 66-82.		52
72	Nocturia: A non-specific but important symptom of urological disease. <i>International Journal of Urology</i> , 2009, 16, 249-256.	1.0	50

#	ARTICLE	IF	CITATIONS
73	Receptor subtypes Y1 and Y5 are involved in the renal effects of neuropeptide Y. <i>British Journal of Pharmacology</i> , 1997, 120, 1335-1343.	5.4	49
74	A Comprehensive Review of the Pharmacodynamics, Pharmacokinetics, and Clinical Effects of the Neutral Endopeptidase Inhibitor Racecadotril. <i>Frontiers in Pharmacology</i> , 2012, 3, 93.	3.5	49
75	Î±1-Adrenoceptor Subtypes Differentially Couple to Growth Promotion and Inhibition in Chinese Hamster Ovary Cells. <i>Biochemical and Biophysical Research Communications</i> , 2000, 272, 906-911.	2.1	48
76	Signal Transduction Underlying Carbachol-Induced Contraction of Rat Urinary Bladder. II. Protein Kinases. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 308, 54-58.	2.5	48
77	Long-term safety, tolerability and efficacy of flexible-dose fesoterodine in elderly patients with overactive bladder: Open-label extension of the SOFIA trial. <i>Neurourology and Urodynamics</i> , 2014, 33, 106-114.	1.5	47
78	Radioreceptor assay analysis of tamsulosin and terazosin pharmacokinetics. <i>British Journal of Clinical Pharmacology</i> , 1998, 45, 49-55.	2.4	46
79	Comparison of three radioligands for the labelling of human Î²-adrenoceptor subtypes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 374, 99-105.	3.0	46
80	The pharmacological rationale for combining muscarinic receptor antagonists and Î²-adrenoceptor agonists in the treatment of airway and bladder disease. <i>Current Opinion in Pharmacology</i> , 2014, 16, 31-42.	3.5	45
81	Renal Î±-adrenergic receptor alterations: a cause of essential hypertension?. <i>FASEB Journal</i> , 1989, 3, 139-144.	0.5	44
82	Muscarinic receptor subtypes in porcine detrusor: comparison with humans and regulation by bladder augmentation. <i>Urological Research</i> , 1998, 26, 149-154.	1.5	44
83	Treatment of the overactive bladder syndrome with muscarinic receptor antagonists - a matter of metabolites?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 374, 79-85.	3.0	44
84	Comparison of Symptom Severity and Treatment Response in Patients with Incontinent and Continent Overactive Bladder. <i>European Urology</i> , 2005, 48, 110-115.	1.9	43
85	The Î² ₃ -adrenoceptor agonist mirabegron increases human atrial force through Î² ₁ -adrenoceptors: an indirect mechanism?. <i>British Journal of Pharmacology</i> , 2017, 174, 2706-2715.	5.4	43
86	Sphingosine Kinase-Dependent Activation of Endothelial Nitric Oxide Synthase by Angiotensin II. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2043-2048.	2.4	42
87	The effect of bladder outlet obstruction on Î± ₁ - and Î²-adrenoceptor expression and function. <i>Neurourology and Urodynamics</i> , 2009, 28, 349-355.	1.5	42
88	Safety and tolerability of Î² ₃ -adrenoceptor agonists in the treatment of overactive bladder syndrome - insight from transcriptome and experimental studies. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 647-657.	2.4	42
89	Do gene polymorphisms alone or in combination affect the function of human Î² ₃ -adrenoceptors?. <i>British Journal of Pharmacology</i> , 2009, 156, 127-134.	5.4	41
90	Cardiovascular and ocular safety of Î± ₁ -adrenoceptor antagonists in the treatment of male lower urinary tract symptoms. <i>Expert Opinion on Drug Safety</i> , 2014, 13, 1187-1197.	2.4	41

#	ARTICLE	IF	CITATIONS
91	The Forefront for Novel Therapeutic Agents Based on the Pathophysiology of Lower Urinary Tract Dysfunction: α -Blockers in the Treatment of Male Voiding Dysfunction – How Do They Work and Why Do They Differ in Tolerability?. <i>Journal of Pharmacological Sciences</i> , 2010, 112, 151-157.	2.5	39
92	Tissue functions mediated by β -adrenoceptors – findings and challenges. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 382, 103-108.	3.0	39
93	Tocolytic Therapy with Fenoterol Induces Selective Down-Regulation of β -Adrenergic Receptors in Human Myometrium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 1235-1242.	3.6	36
94	Lysosphingolipid receptor-mediated diuresis and natriuresis in anaesthetized rats. <i>British Journal of Pharmacology</i> , 2001, 132, 1925-1933.	5.4	36
95	Role of muscarinic receptor antagonists in urgency and nocturia. <i>BJU International</i> , 2005, 96, 37-42.	2.5	36
96	Specificity evaluation of antibodies against human β -adrenoceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012, 385, 875-882.	3.0	35
97	A ROLE FOR MUSCARINIC RECEPTORS OR RHO-KINASE IN HYPERTENSION ASSOCIATED RAT BLADDER DYSFUNCTION?. <i>Journal of Urology</i> , 2005, 173, 2178-2181.	0.4	34
98	Are there functional β -adrenoceptors in the human heart?. <i>British Journal of Pharmacology</i> , 2011, 162, 817-822.	5.4	34
99	Expression profiling of G-protein-coupled receptors in human urothelium and related cell lines. <i>BJU International</i> , 2012, 110, E293-300.	2.5	34
100	Agonist high- and low-affinity states of dopamine D2 receptors: methods of detection and clinical implications. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013, 386, 135-154.	3.0	34
101	Neuropeptide Y (NPY) receptors in HEL cells: comparison of binding and functional parameters for full and partial agonists and a non-peptide antagonist. <i>British Journal of Pharmacology</i> , 1992, 105, 71-76.	5.4	33
102	Vascular effects of sphingolipids. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 44-48.	1.5	33
103	Pharmacogenomics of G Protein-Coupled Receptor Ligands in Cardiovascular Medicine. <i>Pharmacological Reviews</i> , 2008, 60, 513-535.	16.0	33
104	Effects of voluntary dose escalation in a placebo-controlled, flexible-dose trial of fesoterodine in subjects with overactive bladder. <i>Neurourology and Urodynamics</i> , 2011, 30, 1480-1485.	1.5	33
105	β -Adrenoceptors in the normal and diseased urinary bladder – What are the open questions?. <i>British Journal of Pharmacology</i> , 2019, 176, 2525-2538.	5.4	33
106	Differential calcium signalling by m2 and m3 muscarinic acetylcholine receptors in a single cell type. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1995, 352, 469-476.	3.0	32
107	CHARACTERIZATION OF α -ADRENOCEPTOR SUBTYPES IN THE CORPUS CAVERNOSUM OF PATIENTS UNDERGOING SEX CHANGE SURGERY. <i>Journal of Urology</i> , 1999, 162, 1793-1799.	0.4	32
108	β -Adrenergic Receptor Subtypes in the Urinary Tract. <i>Handbook of Experimental Pharmacology</i> , 2011, , 307-318.	1.8	32

#	ARTICLE	IF	CITATIONS
109	Modulation of lower urinary tract smooth muscle contraction and relaxation by the urothelium. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 675-694.	3.0	32
110	Stimulation of $\hat{1}\pm 1A$ -Adrenoceptors in Rat-1 Cells Inhibits Extracellular Signal-Regulated Kinase by Activating p38 Mitogen-Activated Protein Kinase. <i>Molecular Pharmacology</i> , 1998, 54, 755-760.	2.3	31
111	Extracts from <i>Rhois aromatica</i> and <i>Solidaginis virgaurea</i> inhibit rat and human bladder contraction. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2004, 369, 281-286.	3.0	30
112	Does Phospholipase C Mediate Muscarinic Receptor-Induced Rat Urinary Bladder Contraction?. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 998-1002.	2.5	30
113	Do $\hat{1}^2$ -adrenoceptor agonists induce homologous or heterologous desensitization in rat urinary bladder?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 215-224.	3.0	30
114	Molecular mechanism of $\hat{1}^2$ -adrenergic receptor blockers with intrinsic sympathomimetic activity. <i>FASEB Journal</i> , 1988, 2, 2891-2894.	0.5	29
115	A Benefit-Risk Assessment of Extended-Release Oxybutynin. <i>Drug Safety</i> , 2002, 25, 867-876.	3.2	29
116	Muscarinic receptor antagonists for overactive bladder treatment: does one fit all?. <i>Current Opinion in Urology</i> , 2009, 19, 13-19.	1.8	29
117	$\hat{1}^2$ -Adrenoceptor agonist effects in experimental models of bladder dysfunction. , 2011, 131, 40-49.		29
118	Lack of evidence that nebivolol is a $\hat{1}^23$ -adrenoceptor agonist. <i>European Journal of Pharmacology</i> , 2011, 654, 86-91.	3.5	29
119	In vitro and in vivo uroselectivity of B8805-033, an antagonist with high affinity at prostatic $\hat{1}\pm 1A$ - vs. $\hat{1}\pm 1B$ - and $\hat{1}\pm 1D$ -adrenoceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2001, 363, 649-662.	3.0	28
120	The Neuro-Urological Connection. <i>European Urology Supplements</i> , 2005, 4, 18-28.	0.1	28
121	Activation of sphingosine kinase by muscarinic receptors enhances NO-mediated and attenuates EDHF-mediated vasorelaxation. <i>Basic Research in Cardiology</i> , 2009, 104, 50-59.	5.9	28
122	Functional investigation of $\hat{1}^2$ -adrenoceptors in human isolated detrusor focusing on the novel selective $\hat{1}^23$ -adrenoceptor agonist KUC-7322. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012, 385, 759-767.	3.0	28
123	A systematic review of urinary bladder hypertrophy in experimental diabetes: Part 2. Comparison of animal models and functional consequences. <i>Neurourology and Urodynamics</i> , 2018, 37, 2346-2360.	1.5	28
124	Prejunctional Neuropeptide Y Receptors in Human Kidney and Atrium. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 29, 656-661.	1.9	28
125	Transient receptor potential vanilloid 1 mediates nerve growth factor-induced bladder hyperactivity and noxious input. <i>BJU International</i> , 2012, 110, E422-8.	2.5	27
126	Functional correlates of $\hat{1}\pm 2A$ -adrenoceptor gene polymorphism in the HANE study. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2657-2663.	0.7	26

#	ARTICLE	IF	CITATIONS
127	Agonist-induced desensitisation of β_3 -adrenoceptors: Where, when, and how?. <i>British Journal of Pharmacology</i> , 2019, 176, 2539-2558.	5.4	26
128	Sensitization by dexamethasone of lymphocyte cyclic AMP formation: evidence for increased function of the adenylyl cyclase catalyst. <i>British Journal of Pharmacology</i> , 1994, 113, 240-246.	5.4	25
129	DOES CONCOMITANT STRESS INCONTINENCE ALTER THE EFFICACY OF TOLTERODINE IN PATIENTS WITH OVERACTIVE BLADDER?. <i>Journal of Urology</i> , 2004, 172, 601-604.	0.4	25
130	Bradykinin modulates spontaneous nerve growth factor production and stretch-induced ATP release in human urothelium. <i>Pharmacological Research</i> , 2013, 70, 147-154.	7.1	25
131	Nifedipine inhibits sphingosine-1-phosphate-induced renovascular contraction in vitro and in vivo. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2001, 364, 179-182.	3.0	24
132	Different muscarinic receptor subtypes modulate proliferation of primary human detrusor smooth muscle cells via Akt/PI3K and map kinases. <i>Pharmacological Research</i> , 2013, 74, 1-6.	7.1	24
133	Do saw palmetto extracts block human β_1 -adrenoceptor subtypes in vivo?. <i>Prostate</i> , 2001, 46, 226-232.	2.3	23
134	The new radioligand [3 H]-L 748,337 differentially labels human and rat β_3 -adrenoceptors. <i>European Journal of Pharmacology</i> , 2013, 720, 124-130.	3.5	23
135	Lower Urinary Tract Symptoms: What's New in Medical Treatment?. <i>European Urology Focus</i> , 2018, 4, 17-24.	3.1	23
136	Human Urinary Bladder Strip Relaxation by the β_2 -Adrenoceptor Agonist Isoprenaline: Methodological Considerations and Effects of Gender and Age. <i>Frontiers in Pharmacology</i> , 2011, 2, 11.	3.5	22
137	Are blood vessels a target to treat lower urinary tract dysfunction?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015, 388, 687-694.	3.0	22
138	Cognitive and mood side effects of lower urinary tract medication. <i>Expert Opinion on Drug Safety</i> , 2019, 18, 915-923.	2.4	22
139	Comparison of signalling mechanisms involved in rat mesenteric microvessel contraction by noradrenaline and sphingosylphosphorylcholine. <i>British Journal of Pharmacology</i> , 2003, 138, 261-271.	5.4	21
140	The β_{1B} -adrenoceptor subtype mediates adrenergic vasoconstriction in mouse retinal arterioles with damaged endothelium. <i>British Journal of Pharmacology</i> , 2014, 171, 3858-3867.	5.4	21
141	Therapeutic Modulation of Urinary Bladder Function: Multiple Targets at Multiple Levels. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 269-287.	9.4	21
142	Cardiac β_3 -adrenoceptors: A role in human pathophysiology?. <i>British Journal of Pharmacology</i> , 2019, 176, 2482-2495.	5.4	21
143	Prejunctional and peripheral effects of the cannabinoid CB1 receptor inverse agonist rimonabant (SR) Tj ETQq1 1 0,784314 rgBT /Over	3.0	20
144	Therapeutic targets for overactive bladder other than smooth muscle. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 687-705.	3.4	20

#	ARTICLE	IF	CITATIONS
145	Selectivity of pharmacological tools: implications for use in cell physiology. A Review in the Theme: Cell Signaling: Proteins, Pathways and Mechanisms. American Journal of Physiology - Cell Physiology, 2015, 308, C505-C520.	4.6	20
146	Problem- vs. lecture-based pharmacology teaching in a German medical school. Naunyn-Schmiedeberg's Archives of Pharmacology, 2002, 366, 64-68.	3.0	19
147	Muscarinic receptors stimulate cell proliferation in the human urothelium-derived cell line UROtsa. Pharmacological Research, 2011, 64, 420-425.	7.1	19
148	Muscarinic receptor subtypes and signalling involved in the attenuation of isoprenaline-induced rat urinary bladder relaxation. Naunyn-Schmiedeberg's Archives of Pharmacology, 2011, 384, 555-563.	3.0	19
149	Transient relaxation of rat mesenteric microvessels by ceramides. British Journal of Pharmacology, 2002, 135, 417-426.	5.4	18
150	Similarities and differences in the autonomic control of airway and urinary bladder smooth muscle. Naunyn-Schmiedeberg's Archives of Pharmacology, 2008, 378, 217-224.	3.0	18
151	Î23-Adrenoceptor-mediated relaxation of rat and human urinary bladder: roles of BKCa channels and Rho kinase. Naunyn-Schmiedeberg's Archives of Pharmacology, 2015, 388, 749-759.	3.0	18
152	Normalization of organ bath contraction data for tissue specimen size: does one approach fit all?. Naunyn-Schmiedeberg's Archives of Pharmacology, 2020, 393, 243-251.	3.0	18
153	Is PP56 (D-myo-inositol-1, 2, 6-triphosphate) an antagonist at neuropeptide Y receptors?. Life Sciences, 1993, 52, 1835-1844.	4.3	17
154	Duloxetine in the Treatment of Stress Urinary Incontinence. Women's Health, 2005, 1, 345-358.	1.5	17
155	Indomethacin differentiates the renal effects of sphingosine-1-phosphate and sphingosylphosphorylcholine. Naunyn-Schmiedeberg's Archives of Pharmacology, 2006, 373, 37-44.	3.0	17
156	Rat Î23-adrenoceptor protein expression: antibody validation and distribution in rat gastrointestinal and urogenital tissues. Naunyn-Schmiedeberg's Archives of Pharmacology, 2014, 387, 1117-1127.	3.0	17
157	An Extract From the Bark of Aspidosperma Quebracho Blanco Binds to Human Penile Î±-Adrenoceptors. Journal of Urology, 2002, 168, 160-163.	0.4	16
158	Agonist-induced desensitization of human Î23-adrenoceptors expressed in human embryonic kidney cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 2013, 386, 843-851.	3.0	16
159	Modulation of noradrenaline-induced microvascular constriction by protein kinase inhibitors. Naunyn-Schmiedeberg's Archives of Pharmacology, 2001, 363, 57-65.	3.0	15
160	Tolerability of Amine Uptake Inhibitors in Urologic Diseases. Current Drug Safety, 2006, 1, 73-85.	0.6	15
161	S1P receptor signalling and RGS proteins; expression and function in vascular smooth muscle cells and transfected CHO cells. European Journal of Pharmacology, 2008, 600, 1-9.	3.5	15
162	Are polymorphisms of the Î2₃-adrenoceptor gene associated with an altered bladder function?. Neurourology and Urodynamics, 2013, 32, 276-280.	1.5	15

#	ARTICLE	IF	CITATIONS
163	Factors associated with efficacy of an ibuprofen/pseudoephedrine combination drug in pharmacy customers with common cold symptoms. <i>International Journal of Clinical Practice</i> , 2017, 71, e12907.	1.7	15
164	Where will the next generation of medical treatments for overactive bladder syndrome come from?. <i>International Journal of Urology</i> , 2020, 27, 289-294.	1.0	15
165	NPY and carbachol raise Ca ²⁺ in SK-N-MC cells by three different mechanisms. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1992, 345, 370-4.	3.0	14
166	Differential $\hat{1}$ -adrenoceptor labeling by []prazosin and []tamsulosin. <i>European Journal of Pharmacology</i> , 1998, 342, 85-92.	3.5	14
167	The Pharmacological Profile of the $\hat{1}$ A-Adrenoceptor Antagonist Silodosin. <i>European Urology Supplements</i> , 2010, 9, 486-490.	0.1	14
168	The muscarinic receptor antagonist propiverine exhibits $\hat{1}$ -adrenoceptor antagonism in human prostate and porcine trigonum. <i>World Journal of Urology</i> , 2011, 29, 149-155.	2.2	14
169	Regulation of GAPDH expression by treatment with the $\hat{2}$ -adrenoceptor agonist isoprenaline is a suitable loading control in immunoblot experiments?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015, 388, 1119-1120.	3.0	14
170	A Systematic Review of Inverse Agonism at Adrenoceptor Subtypes. <i>Cells</i> , 2020, 9, 1923.	4.1	14
171	Novel muscarinic antagonists to treat incontinence and/or overactive bladder. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2005, 2, 1-6.	0.5	13
172	Understanding Dose Titration: Overactive Bladder Treatment With Fesoterodine as an Example. <i>European Urology Supplements</i> , 2011, 10, 8-13.	0.1	13
173	Bradykinin Contracts Rat Urinary Bladder Largely Independently of Phospholipase C. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 348, 25-31.	2.5	13
174	Sphingosylphosphorylcholine, a naturally occurring lipid mediator, inhibits human platelet function. <i>British Journal of Pharmacology</i> , 2003, 138, 435-444.	5.4	12
175	$\hat{1}$ -adrenoceptor activity of $\hat{2}$ -adrenoceptor ligands – An expected drug property with limited clinical relevance. <i>European Journal of Pharmacology</i> , 2020, 889, 173632.	3.5	12
176	A year in pharmacology: new drugs approved by the US Food and Drug Administration in 2021. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2022, 395, 867-885.	3.0	12
177	[Pro34]peptide YY is a Y1-selective agonist at peptide YY/neuropeptide Y receptors. <i>European Journal of Pharmacology</i> , 1994, 269, 127-132.	2.6	11
178	Sphingosine-1-phosphate and sphingosylphosphorylcholine: two of a kind?. <i>British Journal of Pharmacology</i> , 2006, 147, 347-348.	5.4	11
179	Differential Regulation of 46 and 54 kDa Jun N-Terminal Kinases and p38 Mitogen-Activated Protein Kinase by Human $\hat{1}$ A-Adrenoceptors Expressed in Rat-1 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1999, 261, 372-376.	2.1	10
180	cAMP-independent relaxation of smooth muscle cells via G _s -coupled receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 368, 329-330.	3.0	10

#	ARTICLE	IF	CITATIONS
181	Validation of a rapid, non-radioactive method to quantify internalisation of G-protein coupled receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007, 375, 329-336.	3.0	10
182	Desirable properties of β_2 -adrenoceptor agonists: Implications for the selection of drug development candidates. <i>European Journal of Pharmacology</i> , 2011, 657, 1-3.	3.5	10
183	Commentary on the <i>BJP</i> 's new statistical reporting guidelines. <i>British Journal of Pharmacology</i> , 2018, 175, 3636-3637.	5.4	10
184	Cardiac and Vascular β_1 -Adrenoceptors in Congestive Heart Failure: A Systematic Review. <i>Cells</i> , 2020, 9, 2412.	4.1	10
185	Established and emerging treatments for diabetes-associated lower urinary tract dysfunction. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2022, 395, 887-906.	3.0	10
186	β_2 -Adrenoceptors: a drug target in ophthalmology?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013, 386, 265-267.	3.0	9
187	Do β_3 -adrenoceptor agonists cause urinary bladder smooth muscle relaxation by inhibiting acetylcholine release?. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F859-F861.	2.7	9
188	Tamsulosin "modified-release and oral-controlled absorption system formulations in the treatment of benign prostatic hyperplasia. <i>Therapy: Open Access in Clinical Medicine</i> , 2006, 3, 237-246.	0.2	8
189	Muscarinic receptor expression and receptor-mediated detrusor contraction: comparison of juvenile and adult porcine tissue. <i>Pflugers Archiv European Journal of Physiology</i> , 2008, 456, 349-358.	2.8	8
190	Sphingosine-1-phosphate regulates RGS2 and RGS16 mRNA expression in vascular smooth muscle cells. <i>European Journal of Pharmacology</i> , 2009, 606, 25-31.	3.5	8
191	Muscarinic receptor subtype mRNA expression in the human prostate: association with age, pathological diagnosis, prostate size, or potentially interfering medications?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 207-214.	3.0	8
192	Factors Associated With Nocturia-Related Quality of Life in Men With Lower Urinary Tract Symptoms and Treated With Tamsulosin Oral Controlled Absorption System in a Non-Interventional Study. <i>Frontiers in Pharmacology</i> , 2020, 11, 816.	3.5	8
193	Model-based meta-analysis of the time to first acute urinary retention or benign prostatic hyperplasia-related surgery in patients with moderate or severe symptoms. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2777-2789.	2.4	8
194	Factors Associated with Decisions for Initial Dosing, Up-Titration of Propiverine and Treatment Outcomes in Overactive Bladder Syndrome Patients in a Non-Interventional Setting. <i>Journal of Clinical Medicine</i> , 2021, 10, 311.	2.4	8
195	Desensitization of cAMP Accumulation via Human β_2 -Adrenoceptors Expressed in Human Embryonic Kidney Cells by Full, Partial, and Biased Agonists. <i>Frontiers in Pharmacology</i> , 2019, 10, 596.	3.5	7
196	Building Robustness into Translational Research. <i>Handbook of Experimental Pharmacology</i> , 2019, 257, 163-175.	1.8	7
197	Can you blame cold feet on Epac (and Rap1A)? Focus on "Cyclic AMP-Rap1A signaling activates RhoA to induce β_2 -adrenoceptor translocation to the cell surface of microvascular smooth muscle cells". <i>American Journal of Physiology - Cell Physiology</i> , 2012, 303, C488-C489.	4.6	6
198	The Effect of Elective Sham Dose Escalation on the Placebo Response During an Antimuscarinic Trial for Overactive Bladder Symptoms. <i>Journal of Urology</i> , 2012, 187, 1721-1726.	0.4	6

#	ARTICLE	IF	CITATIONS
199	Î²-Adrenoceptor-mediated Relaxation of Urinary Bladder Muscle in Î²2-Adrenoceptor Knockout Mice. <i>Frontiers in Pharmacology</i> , 2016, 7, 118.	3.5	6
200	Expression and Signaling of Î²-Adrenoceptor Subtypes in the Diabetic Heart. <i>Cells</i> , 2020, 9, 2548.	4.1	6
201	Why Are New Drugs Expensive and How Can They Stay Affordable?. <i>Handbook of Experimental Pharmacology</i> , 2019, 260, 453-466.	1.8	5
202	An extract from the bark of <i>Aspidosperma quebracho blanco</i> binds to human penile alpha-adrenoceptors. <i>Journal of Urology</i> , 2002, 168, 160-3.	0.4	5
203	What Are Realistic Expectations to Become Free of Overactive Bladder Symptoms? Experience from Non-interventional Studies with Propiverine. <i>Advances in Therapy</i> , 2022, 39, 2489-2501.	2.9	5
204	Preclinical research strategies for newly approved drugs as reflected in early publication patterns. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 187-199.	3.0	4
205	Longitudinal trends and subgroup analysis in publication patterns for preclinical data of newly approved drugs. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 201-209.	3.0	4
206	CHARACTERIZATION OF ??-ADRENOCEPTOR SUBTYPES IN THE CORPUS CAVERNOSUM OF PATIENTS UNDERGOING SEX CHANGE SURGERY. <i>Journal of Urology</i> , 1999, , 1793.	0.4	4
207	Impact of the Neck and/or Shoulder Pain on Self-reported Headache Treatment Responses – Results From a Pharmacy-Based Patient Survey. <i>Frontiers in Neurology</i> , 0, 13, .	2.4	4
208	Interaction Between Î±2-Adrenergic and NPY Receptor Pathways in Human Erythroleukemia Cells. <i>Clinical and Experimental Hypertension</i> , 1989, 11, 281-286.	0.3	3
209	Does verapamil act as an immunomodulatory drug in vivo?. <i>Immunopharmacology</i> , 1991, 22, 85-91.	2.0	3
210	Pathophysiological Factors in the Relationship between Chronological Age and Calculated Lung Age as Detected in a Screening Setting in Community-Dwelling Subjects. <i>Frontiers in Medicine</i> , 2016, 3, 2.	2.6	3
211	Cellular basis of detrusor smooth muscle contraction. <i>BJU International</i> , 2016, 117, 177-178.	2.5	3
212	Impact of guideline awareness in public pharmacies on counseling of patients with acute or chronic constipation in a survey of pharmacy personnel. <i>BMC Gastroenterology</i> , 2020, 20, 191.	2.0	3
213	Study Designs for Evaluation of Combination Treatment: Focus on Individual Patient Benefit. <i>Biomedicines</i> , 2022, 10, 270.	3.2	3
214	Associations between the Patient Perception of Bladder Condition score and overactive bladder syndrome symptoms at baseline and upon treatment. <i>Neurourology and Urodynamics</i> , 2022, 41, 1399-1405.	1.5	3
215	Multiple gene approaches to delineate the role of the renin-angiotensin-aldosterone system in nephropathy. <i>Journal of Hypertension</i> , 2005, 23, 269-272.	0.5	2
216	Function and morphology of the urinary bladder after denervation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 320, R833-R834.	1.8	2

#	ARTICLE	IF	CITATIONS
217	Use of Antibodies in the Research on Muscarinic Receptor Subtypes. <i>Neuromethods</i> , 2016, , 83-94.	0.3	2
218	Clinical pharmacology of functional disorders of the urogenital system. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 183-185.	2.4	1
219	Editorial Comment. <i>Journal of Urology</i> , 2016, 196, 1808-1808.	0.4	1
220	Effects of Nifedipine on Renal and Cardiovascular Responses to Neuropeptide Y in Anesthetized Rats. <i>Molecules</i> , 2021, 26, 4460.	3.8	1
221	Does coupling to ADP ribosylation factor 6 explain differences between muscarinic and other receptors in interaction with β_2 -adrenoceptor-mediated smooth muscle relaxation?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2022, 395, 381-386.	3.0	1
222	Editorial Comment from <sc>D</sc> <sc>M</sc>ichel to Expression and functional role of β_3 -adrenoceptors in the human ureter. <i>International Journal of Urology</i> , 2013, 20, 1015-1015.	1.0	0
223	How much potential for transient receptor potential channels in the bladder?. <i>BJU International</i> , 2015, 115, 350-351.	2.5	0
224	Impact of Formulation on the Pharmacokinetic Profile of Dutasteride. <i>Clinical Drug Investigation</i> , 2016, 36, 769-770.	2.2	0
225	Medications and Drug Targets for the Treatment of Diseases of the Urinary Bladder and Urethra. , 2021, , .		0
226	Pharmacotherapy of Urgency Incontinence. , 2009, , 191-201.		0
227	Pharmacotherapy of Urgency Incontinence. , 2009, , 191-201.		0