## Haoyue Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11330656/publications.pdf Version: 2024-02-01



ΗλΟΥΠΕ ΖΗΛΝΟ

#	Article	IF	CITATIONS
1	Correlated alterations in genome organization, histone methylation, and DNA–lamin A/C interactions in Hutchinson-Gilford progeria syndrome. Genome Research, 2013, 23, 260-269.	5.5	282
2	Chromatin structure dynamics during the mitosis-to-G1 phase transition. Nature, 2019, 576, 158-162.	27.8	167
3	Methylene blue alleviates nuclear and mitochondrial abnormalities in progeria. Aging Cell, 2016, 15, 279-290.	6.7	85
4	A Tissue Engineered Blood Vessel Model of Hutchinson-Gilford Progeria Syndrome Using Human iPSC-derived Smooth Muscle Cells. Scientific Reports, 2017, 7, 8168.	3.3	84
5	Mechanisms controlling the smooth muscle cell death in progeria via down-regulation of poly(ADP-ribose) polymerase 1. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E2261-70.	7.1	76
6	Mouse models of laminopathies. Aging Cell, 2013, 12, 2-10.	6.7	71
7	Distinct properties and functions of CTCF revealed by a rapidly inducible degron system. Cell Reports, 2021, 34, 108783.	6.4	53
8	Lamin A and microtubules collaborate to maintain nuclear morphology. Nucleus, 2017, 8, 433-446.	2.2	49
9	BRD4 orchestrates genome folding to promote neural crest differentiation. Nature Genetics, 2021, 53, 1480-1492.	21.4	48
10	Comprehensive map of age-associated splicing changes across human tissues and their contributions to age-associated diseases. Scientific Reports, 2018, 8, 10929.	3.3	46
11	Alteration of genome folding via contact domain boundary insertion. Nature Genetics, 2020, 52, 1076-1087.	21.4	35
12	CTCF and transcription influence chromatin structure re-configuration after mitosis. Nature Communications, 2021, 12, 5157.	12.8	32
13	Loss of H3K9me3 Correlates with ATM Activation and Histone H2AX Phosphorylation Deficiencies in Hutchinson-Gilford Progeria Syndrome. PLoS ONE, 2016, 11, e0167454.	2.5	19
14	Comparing lamin proteins post-translational relative stability using a 2A peptide-based system reveals elevated resistance of progerin to cellular degradation. Nucleus, 2016, 7, 585-596.	2.2	10
15	Mechanisms of genome instability in Hutchinson-Gilford progeria. Frontiers in Biology, 2017, 12, 49-62.	0.7	0