William Molloy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1134897/publications.pdf

Version: 2024-02-01

83 papers

4,899 citations

30 h-index 98798 67 g-index

84 all docs 84 docs citations

84 times ranked 6143 citing authors

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | The Zarit Burden Interview. Gerontologist, The, 2001, 41, 652-657. | 3.9 | 1,140 |
| 2 | Systematic Implementation of an Advance Directive Program in Nursing Homes. JAMA - Journal of the American Medical Association, 2000, 283, 1437. | 7.4 | 443 |
| 3 | A Guide to the Standardized Mini-Mental State Examination. International Psychogeriatrics, 1997, 9, 87-94. | 1.0 | 376 |
| 4 | Prevalence of frailty in 62 countries across the world: a systematic review and meta-analysis of population-level studies. Age and Ageing, 2021, 50, 96-104. | 1.6 | 333 |
| 5 | A Randomized, Controlled Trial of Doxycycline and Rifampin for Patients with Alzheimer's Disease. Journal of the American Geriatrics Society, 2004, 52, 381-387. | 2.6 | 207 |
| 6 | A systematic review of the psychobiological burden of informal caregiving for patients with dementia: Focus on cognitive and biological markers of chronic stress. Neuroscience and Biobehavioral Reviews, 2017, 73, 123-164. | 6.1 | 165 |
| 7 | Advance care planning: A systematic review of randomised controlled trials conducted with older adults. Maturitas, 2016, 91, 101-109. | 2.4 | 150 |
| 8 | Nilvadipine in mild to moderate Alzheimer disease: A randomised controlled trial. PLoS Medicine, 2018, 15, e1002660. | 8.4 | 131 |
| 9 | Dementia in older people admitted to hospital: a regional multi-hospital observational study of prevalence, associations and case recognition. Age and Ageing, 2015, 44, 993-999. | 1.6 | 124 |
| 10 | A multicenter, blinded, randomized, factorial controlled trial of doxycycline and rifampin for treatment of Alzheimer's disease: the DARAD trial. International Journal of Geriatric Psychiatry, 2013, 28, 463-470. | 2.7 | 103 |
| 11 | Comparison of the quick mild cognitive impairment (Qmci) screen and the SMMSE in screening for mild cognitive impairment. Age and Ageing, 2012, 41, 624-629. | 1.6 | 100 |
| 12 | Screening for Mild Cognitive Impairment: Comparison of "MCI Specific―Screening Instruments. Journal of Alzheimer's Disease, 2016, 51, 619-629. | 2.6 | 95 |
| 13 | Measuring Capacity to Complete an Advance Directive. Journal of the American Geriatrics Society, 1996, 44, 660-664. | 2.6 | 70 |
| 14 | Effects of Centrally Acting Angiotensin Converting Enzyme Inhibitors on Functional Decline in Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 40, 595-603. | 2.6 | 70 |
| 15 | Effects of centrally acting ACE inhibitors on the rate of cognitive decline in dementia. BMJ Open, 2013, 3, e002881. | 1.9 | 66 |
| 16 | Comparison of Frailty Screening Instruments in the Emergency Department. International Journal of Environmental Research and Public Health, 2019, 16, 3626. | 2.6 | 66 |
| 17 | Risk prediction in the community: A systematic review of case-finding instruments that predict adverse healthcare outcomes in community-dwelling older adults. Maturitas, 2015, 82, 3-21. | 2.4 | 64 |
| 18 | Nurses' knowledge of advance directives and perceived confidence in endâ€ofâ€ife care: a crossâ€sectional study in five countries. International Journal of Nursing Practice, 2016, 22, 247-257. | 1.7 | 55 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Which part of the Quick mild cognitive impairment screen (Qmci) discriminates between normal cognition, mild cognitive impairment and dementia?. Age and Ageing, 2013, 42, 324-330. | 1.6 | 54 |
| 20 | Comparing Approaches to Optimize Cut-off Scores for Short Cognitive Screening Instruments in Mild Cognitive Impairment and Dementia. Journal of Alzheimer's Disease, 2017, 57, 123-133. | 2.6 | 51 |
| 21 | Alternate forms of logical memory and verbal fluency tasks for repeated testing in early cognitive changes. International Psychogeriatrics, 2007, 19, 65. | 1.0 | 47 |
| 22 | NILVAD protocol: a European multicentre double-blind placebo-controlled trial of nilvadipine in mild-to-moderate Alzheimer's disease. BMJ Open, 2014, 4, e006364. | 1.9 | 47 |
| 23 | Assessment of frailty in community-dwelling older adults residents in the Lazio region (Italy): A model to plan regional community-based services. Archives of Gerontology and Geriatrics, 2017, 68, 1-7. | 3.0 | 46 |
| 24 | Screening for Mild Cognitive Impairment: Comparing the SMMSE and the ABCS. Canadian Journal of Psychiatry, 2005, 50, 52-58. | 1.9 | 43 |
| 25 | Challenges in implementing an advance care planning programme in long-term care. Nursing Ethics, 2017, 24, 87-99. | 3.4 | 41 |
| 26 | Non-pharmacological treatments for sleep disturbance in mild cognitive impairment and dementia: A systematic review and meta-analysis. Maturitas, 2019, 127, 82-94. | 2.4 | 40 |
| 27 | Active and Healthy Ageing and Independent Living. Journal of Aging Research, 2015, 2015, 1-3. | 0.9 | 35 |
| 28 | Informal caregiving for dementia patients: the contribution of patient characteristics and behaviours to caregiver burden. Age and Ageing, 2020, 49, 52-56. | 1.6 | 35 |
| 29 | Do the ABCS 135 short cognitive screen and its subtests discriminate between normal cognition, mild cognitive impairment and dementia?. International Journal of Geriatric Psychiatry, 2007, 22, 189-194. | 2.7 | 34 |
| 30 | The Quick Mild Cognitive Impairment screen correlated with the Standardized Alzheimer's Disease Assessment Scaleâ€"cognitive section in clinical trials. Journal of Clinical Epidemiology, 2014, 67, 87-92. | 5.0 | 32 |
| 31 | Evaluating the systematic implementation of the †Let Me Decide' advance care planning programme in long term care through focus groups: staff perspectives. BMC Palliative Care, 2015, 14, 55. | 1.8 | 32 |
| 32 | Renin Angiotensin Aldosterone System Inhibition in Controlling Dementia-Related Cognitive Decline. Journal of Alzheimer's Disease, 2014, 42, S575-S586. | 2.6 | 30 |
| 33 | The Risk Instrument for Screening in the Community (RISC): a new instrument for predicting risk of adverse outcomes in community dwelling older adults. BMC Geriatrics, 2015, 15, 92. | 2.7 | 30 |
| 34 | Active and Healthy Ageing and Independent Living 2016. Journal of Aging Research, 2016, 2016, 1-3. | 0.9 | 30 |
| 35 | Validation of the Turkish Version of the Quick Mild Cognitive Impairment Screen. American Journal of Alzheimer's Disease and Other Dementias, 2017, 32, 145-156. | 1.9 | 29 |
| 36 | Comparison of the Quick Mild Cognitive Impairment (Qmci) screen to the Montreal Cognitive Assessment (MoCA) in an Australian geriatrics clinic. International Journal of Geriatric Psychiatry, 2017, 32, 643-649. | 2.7 | 29 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Validation of the Dutch version of the quick mild cognitive impairment screen (Qmci-D). BMC Geriatrics, 2015, 15, 115. | 2.7 | 25 |
| 38 | Patient reported outcome measures of quality of end-of-life care: A systematic review. Maturitas, 2017, 96, 16-25. | 2.4 | 25 |
| 39 | Urinary and Faecal Incontinence: Point Prevalence and Predictors in a University Hospital. International Journal of Environmental Research and Public Health, 2019, 16, 194. | 2.6 | 25 |
| 40 | Improved Reliability of the Standardized Alzheimer's Disease Assessment Scale (SADAS) Compared with the Alzheimer's Disease Assessment Scale (ADAS). Journal of the American Geriatrics Society, 1996, 44, 712-716. | 2.6 | 23 |
| 41 | Economic (gross cost) analysis of systematically implementing a programme of advance care planning in three Irish nursing homes. BMC Research Notes, 2016, 9, 237. | 1.4 | 23 |
| 42 | Early identification of frailty: Developing an international delphi consensus on pre-frailty. Archives of Gerontology and Geriatrics, 2022, 99, 104586. | 3.0 | 23 |
| 43 | European multicentre double-blind placebo-controlled trial of Nilvadipine in mild-to-moderate Alzheimer's diseaseâ€"the substudy protocols: NILVAD frailty; NILVAD blood and genetic biomarkers; NILVAD cerebrospinal fluid biomarkers; NILVAD cerebral blood flow. BMJ Open, 2016, 6, e011584. | 1.9 | 21 |
| 44 | Cognitive Outcomes of Long-term Benzodiazepine and Related Drug (BDZR) Use in People Living With Mild to Moderate Alzheimer's Disease: Results From NILVAD. Journal of the American Medical Directors Association, 2020, 21, 194-200. | 2.5 | 21 |
| 45 | The Italian version of the quick mild cognitive impairment (Qmci-l) screen: normative study on 307 healthy subjects. Aging Clinical and Experimental Research, 2019, 31, 353-360. | 2.9 | 20 |
| 46 | Rethinking palliative care in a public health context: addressing the needs of persons with non-communicable chronic diseases. Primary Health Care Research and Development, 2020, 21, e32. | 1.2 | 17 |
| 47 | Potential for a "Memory Gym―Intervention to Delay Conversion of Mild Cognitive Impairment to Dementia. Journal of the American Medical Directors Association, 2015, 16, 998-999. | 2.5 | 16 |
| 48 | Advance care planning within survivorship care plans for older cancer survivors: A systematic review. Maturitas, 2017, 105, 52-57. | 2.4 | 16 |
| 49 | Predictors of Delirium Development in Older Medical Inpatients: Readily Identifiable Factors at Admission. Journal of Alzheimer's Disease, 2018, 64, 775-785. | 2.6 | 15 |
| 50 | Which Part of a Short, Global Risk Assessment, the Risk Instrument for Screening in the Community, Predicts Adverse Healthcare Outcomes?. Journal of Aging Research, 2015, 2015, 1-7. | 0.9 | 13 |
| 51 | A short screen for depression: the AB Clinician Depression Screen (ABCDS). International Psychogeriatrics, 2006, 18, 481. | 1.0 | 12 |
| 52 | The Quick Mild Cognitive Impairment Screen (Qmci)., 2017,, 255-272. | | 11 |
| 53 | Perceived Risk of Mental Health Problems in Primary Care. Frontiers in Aging Neuroscience, 2015, 7, 212. | 3.4 | 10 |
| 54 | Comparing the Diagnostic Accuracy of Two Cognitive Screening Instruments in Different Dementia Subtypes and Clinical Depression. Diagnostics, 2019, 9, 93. | 2.6 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Sleep Disturbance in Older Patients in the Emergency Department: Prevalence, Predictors and Associated Outcomes. International Journal of Environmental Research and Public Health, 2019, 16, 3577. | 2.6 | 10 |
| 56 | Blood Pressure Lowering With Nilvadipine in Patients With Mildâ€toâ€Moderate Alzheimer Disease Does Not Increase the Prevalence of Orthostatic Hypotension. Journal of the American Heart Association, 2019, 8, e011938. | 3.7 | 10 |
| 57 | Creating a Culture of Health in Planning and Implementing Innovative Strategies Addressing Non-communicable Chronic Diseases. Frontiers in Sociology, 2019, 4, 9. | 2.0 | 10 |
| 58 | Reducing inappropriate prescribing for older adults with advanced frailty: A review based on a survey of practice in four countries. Maturitas, 2019, 126, 1-10. | 2.4 | 9 |
| 59 | Validity of the Japanese Version of the Quick Mild Cognitive Impairment Screen. International Journal of Environmental Research and Public Health, 2019, 16, 917. | 2.6 | 9 |
| 60 | The Diagnostic Accuracy and Clinimetric Properties of Screening Instruments to Identify Frail Older Adults Attending Emergency Departments: A Protocol for a Mixed Methods Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 1380. | 2.6 | 8 |
| 61 | Effect of Visit-to-Visit Blood Pressure Variability on Cognitive and Functional Decline in Mild to Moderate Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 68, 1499-1510. | 2.6 | 7 |
| 62 | Screening for Cognitive Frailty Using Short Cognitive Screening Instruments: Comparison of the Chinese Versions of the MoCA and Qmci Screen. Frontiers in Psychology, 2020, 11, 558. | 2.1 | 7 |
| 63 | Screening for cognitive impairment in an Australian aged care assessment team as part of comprehensive geriatric assessment. Aging, Neuropsychology, and Cognition, 2019, 26, 336-347. | 1.3 | 6 |
| 64 | The inter-rater reliability of the Risk Instrument for Screening in the Community. British Journal of Community Nursing, 2016, 21, 469-475. | 0.4 | 5 |
| 65 | Measuring staff perception of end-of-life experience of older adults in long-term care. Applied Nursing Research, 2016, 30, 245-251. | 2.2 | 5 |
| 66 | 290Development of the Chinese Version of the Quick Mild Cognitive Impairment (Qmci-CN) Screen. Age and Ageing, 2017, 46, iii13-iii59. | 1.6 | 5 |
| 67 | Sedative Load in Community-Dwelling Older Adults with Mild–Moderate Alzheimer's Disease: Longitudinal Relationships with Adverse Events, Delirium and Falls. Drugs and Aging, 2020, 37, 829-837. | 2.7 | 5 |
| 68 | Comparison of the Accuracy of Short Cognitive Screens Among Adults With Cognitive Complaints in Turkey. Alzheimer Disease and Associated Disorders, 2020, 34, 350-356. | 1.3 | 5 |
| 69 | Perceived Risk of Death in Older Primary Care Patients. International Journal of Aging and Human Development, 2017, 84, 366-377. | 1.6 | 4 |
| 70 | Screening for Caregiver Burden in the Community: Validation of the European Portuguese Screening Version of the Zarit Burden Interview (ZBI-4). Clinical Gerontologist, 2020, , 1-13. | 2.2 | 4 |
| 71 | Screening for Cognitive Impairment After Stroke: Validation of the Chinese Version of the Quick Mild Cognitive Impairment Screen. Frontiers in Neurology, 2021, 12, 608188. | 2.4 | 4 |
| 72 | Prevalence and Predictors of Caregiver Burden in a Memory Clinic Population. Journal of Alzheimer's Disease Reports, 2021, 5, 739-747. | 2.2 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | ICT-Supported Interventions Targeting Pre-frailty: Healthcare Recommendations from the Personalised ICT Supported Service for Independent Living and Active Ageing (PERSSILAA) Study. Communications in Computer and Information Science, 2018, , 69-92. | 0.5 | 4 |
| 74 | Comparison of the Greek Version of the Quick Mild Cognitive Impairment Screen and Standardised Mini-Mental State Examination. Archives of Clinical Neuropsychology, 2021, 36, 578-586. | 0.5 | 3 |
| 75 | The Persian Version of the Quick Mild Cognitive Impairment Screen (Qmci-Pr): Psychometric Properties among Middle-Aged and Older Iranian Adults. International Journal of Environmental Research and Public Health, 2021, 18, 8582. | 2.6 | 2 |
| 76 | 269 Early Identification of Frailty: Developing an International Delphi Consensus for a Definition of Pre-frailty. Age and Ageing, 2019, 48, iii17-iii65. | 1.6 | 1 |
| 77 | Selecting a Bedside Cognitive Vital Sign to Monitor Cognition in Hospital: Feasibility, Reliability, and Responsiveness of Logical Memory. International Journal of Environmental Research and Public Health, 2019, 16, 3545. | 2.6 | 1 |
| 78 | Validation of the Portuguese Version of the Risk Instrument for Screening in the Community (RISC) Among Older Patients in Primary Care in Northern Portugal. Frontiers in Public Health, 2021, 9, 614935. | 2.7 | 1 |
| 79 | The Community Assessment of Risk and Treatment Strategies (CARTS): An Integrated Care Pathway to Manage Frailty and Functional Decline in Community Dwelling Older Adults. Communications in Computer and Information Science, 2015, , 3-18. | 0.5 | 1 |
| 80 | 281THE INTER-RATER RELIABILITY OF THE RISK INSTRUMENT FOR SCREENING IN THE COMMUNITY (RISC): PRE AND POST TRAINING. Age and Ageing, 2016, 45, ii13.144-ii56. | 1.6 | 0 |
| 81 | 89Comparison Study of The Montreal Cognitive Assessment(MoCA-CN) and The Quick Mild Cognitive Impairment Screen (Qmci-CN) in Post-Stroke Patients. Age and Ageing, 2018, 47, v13-v60. | 1.6 | 0 |
| 82 | 75Informal Caregiving for Dementia Patients: The Contribution of Patient Age, Cognitive and Functional Impairment and Challenging Behaviours to Caregiver Burden. Age and Ageing, 2018, 47, v13-v60. | 1.6 | 0 |
| 83 | The quick mild cognitive impairment screen and applications to dementia. , 2020, , 429-440. | | O |