

Marzenna Blonska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/113819/publications.pdf>

Version: 2024-02-01

25
papers

2,300
citations

471509

17
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

4054
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutant IDH1 Depletion Downregulates Integrins and Impairs Chondrosarcoma Growth. <i>Cancers</i> , 2020, 12, 141.	3.7	17
2	Proline-rich polypeptide-1 decreases cancer stem cell population by targeting BAFF chromatin remodeling complexes in human chondrosarcoma JJ012 cells. <i>Oncology Reports</i> , 2020, 44, 393-403.	2.6	4
3	Smoothened stabilizes and protects TRAF6 from degradation: A novel non-canonical role of smoothened with implications in lymphoma biology. <i>Cancer Letters</i> , 2018, 436, 149-158.	7.2	10
4	Dissection of SAP-dependent and SAP-independent SLAM family signaling in NKT cell development and humoral immunity. <i>Journal of Experimental Medicine</i> , 2017, 214, 475-489.	8.5	36
5	Active IKK β promotes the stability of GLI1 oncogene in diffuse large B-cell lymphoma. <i>Blood</i> , 2016, 127, 605-615.	1.4	16
6	ATF3, a new player in DLBCL cell survival. <i>Blood</i> , 2016, 127, 1736-1737.	1.4	1
7	Regulation of Linear Ubiquitin Chain Assembly Complex by Caspase-Mediated Cleavage of RNF31. <i>Molecular and Cellular Biology</i> , 2016, 36, 3010-3018.	2.3	16
8	Jun-regulated genes promote interaction of diffuse large B-cell lymphoma with the microenvironment. <i>Blood</i> , 2015, 125, 981-991.	1.4	52
9	The cell cycle regulator 14-3-3 β opposes and reverses cancer metabolic reprogramming. <i>Nature Communications</i> , 2015, 6, 7530.	12.8	65
10	Shaping of the tumor microenvironment: Stromal cells and vessels. <i>Seminars in Cancer Biology</i> , 2015, 34, 3-13.	9.6	41
11	Inflammatory T Cell Responses Rely on Amino Acid Transporter ASCT2 Facilitation of Glutamine Uptake and mTORC1 Kinase Activation. <i>Immunity</i> , 2014, 40, 692-705.	14.3	645
12	Activation of the Transcription Factor c-Maf in T Cells Is Dependent on the CARMA1-IKK β Signaling Cascade. <i>Science Signaling</i> , 2013, 6, ra110.	3.6	11
13	USP18 inhibits NF- κ B and NFAT activation during Th17 differentiation by deubiquitinating the TAK1-TAB1 complex. <i>Journal of Experimental Medicine</i> , 2013, 210, 1575-1590.	8.5	89
14	Trimeric G protein-CARMA1 axis links smoothened, the hedgehog receptor transducer, to NF- κ B activation in diffuse large B-cell lymphoma. <i>Blood</i> , 2013, 121, 4718-4728.	1.4	33
15	CARMA1 Controls Th2 Cell-Specific Cytokine Expression through Regulating JunB and GATA3 Transcription Factors. <i>Journal of Immunology</i> , 2012, 188, 3160-3168.	0.8	30
16	Dampening NF- κ B Signaling by "Self-Eating". <i>Immunity</i> , 2012, 36, 895-896.	14.3	0
17	NF- κ B signaling pathways regulated by CARMA family of scaffold proteins. <i>Cell Research</i> , 2011, 21, 55-70.	12.0	171
18	CARMA1-mediated NF- κ B and JNK activation in lymphocytes. <i>Immunological Reviews</i> , 2009, 228, 199-211.	6.0	93

#	ARTICLE	IF	CITATIONS
19	CARMA3 deficiency abrogates G protein-coupled receptor-induced NF- κ B activation. <i>Genes and Development</i> , 2007, 21, 984-996.	5.9	116
20	The CARMA1-Bcl10 Signaling Complex Selectively Regulates JNK2 Kinase in the T Cell Receptor-Signaling Pathway. <i>Immunity</i> , 2007, 26, 55-66.	14.3	86
21	Phosphorylation and ubiquitination of the I κ B kinase complex by two distinct signaling pathways. <i>EMBO Journal</i> , 2007, 26, 1794-1805.	7.8	97
22	Ubiquitination of RIP Is Required for Tumor Necrosis Factor α -induced NF- κ B Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 13636-13643.	3.4	237
23	TAK1 Is Recruited to the Tumor Necrosis Factor- α (TNF- α) Receptor 1 Complex in a Receptor-interacting Protein (RIP)-dependent Manner and Cooperates with MEKK3 Leading to NF- κ B Activation. <i>Journal of Biological Chemistry</i> , 2005, 280, 43056-43063.	3.4	113
24	Phosphorylation of CARMA1 Plays a Critical Role in T Cell Receptor-Mediated NF- κ B Activation. <i>Immunity</i> , 2005, 23, 575-585.	14.3	277
25	Restoration of NF- κ B Activation by Tumor Necrosis Factor Alpha Receptor Complex-Targeted MEKK3 in Receptor-Interacting Protein-Deficient Cells. <i>Molecular and Cellular Biology</i> , 2004, 24, 10757-10765.	2.3	44