

Tineke Van Veen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11382464/publications.pdf>

Version: 2024-02-01

25
papers

1,434
citations

430874

18
h-index

580821

25
g-index

25
all docs

25
docs citations

25
times ranked

2671
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarkers in burnout: A systematic review. <i>Journal of Psychosomatic Research</i> , 2011, 70, 505-524.	2.6	173
2	Adulthood trauma and HPA-axis functioning in healthy subjects and PTSD patients: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2012, 37, 317-331.	2.7	153
3	Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ). <i>Psychiatry Research</i> , 2010, 179, 101-106.	3.3	132
4	Associations Between Serum Lipids and Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 729-736.	2.2	102
5	The impact of stress systems and lifestyle on dyslipidemia and obesity in anxiety and depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 209-218.	2.7	97
6	Dimensions of Depression and Anxiety and the Hypothalamo-Pituitary-Adrenal Axis. <i>Biological Psychiatry</i> , 2011, 69, 366-373.	1.3	87
7	Correlates of (inappropriate) benzodiazepine use: the Netherlands Study of Depression and Anxiety (NESDA). <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 263-272.	2.4	85
8	Effects of childhood trauma on HPA-axis reactivity in women free of lifetime psychopathology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 889-894.	4.8	82
9	Longitudinal Relationship of Depressive and Anxiety Symptoms With Dyslipidemia and Abdominal Obesity. <i>Psychosomatic Medicine</i> , 2013, 75, 83-89.	2.0	79
10	The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. <i>Journal of Affective Disorders</i> , 2010, 125, 146-154.	4.1	68
11	Antidepressant use and salivary cortisol in depressive and anxiety disorders. <i>European Neuropsychopharmacology</i> , 2011, 21, 691-699.	0.7	58
12	Efficacy versus Effectiveness: A Direct Comparison of the Outcome of Treatment for Mild to Moderate Depression in Randomized Controlled Trials and Daily Practice. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 226-234.	8.8	52
13	Personality traits and childhood trauma as correlates of metabolic risk factors: The Netherlands Study of Depression and Anxiety (NESDA). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 85-91.	4.8	51
14	Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 1198-1203.	4.1	43
15	Long-Term Benzodiazepine Use and Salivary Cortisol. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 160-168.	1.4	27
16	Trauma exposure in relation to basal salivary cortisol and the hormone response to the dexamethasone/CRH test in male railway employees without lifetime psychopathology. <i>Psychoneuroendocrinology</i> , 2010, 35, 878-886.	2.7	26
17	The generalizability of psychotherapy efficacy trials in major depressive disorder: an analysis of the influence of patient selection in efficacy trials on symptom outcome in daily practice. <i>BMC Psychiatry</i> , 2012, 12, 192.	2.6	23
18	Determinants of Initiated and Continued Benzodiazepine Use in the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 774-779.	1.4	19

#	ARTICLE	IF	CITATIONS
19	Characteristics of suicidal outpatients with mood, anxiety and somatoform disorders: The role of childhood abuse and neglect. <i>International Journal of Social Psychiatry</i> , 2016, 62, 316-326.	3.1	16
20	Different gene sets contribute to different symptom dimensions of depression and anxiety. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 519-528.	1.7	14
21	The use of symptom dimensions to investigate the longitudinal effects of life events on depressive and anxiety symptomatology. <i>Journal of Affective Disorders</i> , 2014, 156, 126-133.	4.1	13
22	A comparative analysis of personality pathology profiles among patients with pure depressive-, pure anxiety-, and pure somatoform disorders. <i>Journal of Affective Disorders</i> , 2014, 168, 322-330.	4.1	12
23	Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2012, 46, 1655-1661.	3.1	10
24	High dose benzodiazepines prolong reaction times in chronic users who have major depressive and/or anxiety disorders. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 571-577.	2.4	7
25	Trauma exposure and hypothalamicâ€“pituitaryâ€“ adrenal axis functioning in mentally healthy Dutch peacekeeping veterans, 10â€“25 years after deployment. <i>Journal of Traumatic Stress</i> , 2010, 23, 124-131.	1.8	5