Tineke Van Veen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11382464/publications.pdf

Version: 2024-02-01

25 papers 1,434 citations

430874 18 h-index 25 g-index

25 all docs

25 docs citations

25 times ranked

2671 citing authors

#	Article	IF	CITATIONS
1	Characteristics of suicidal outpatients with mood, anxiety and somatoform disorders: The role of childhood abuse and neglect. International Journal of Social Psychiatry, 2016, 62, 316-326.	3.1	16
2	The use of symptom dimensions to investigate the longitudinal effects of life events on depressive and anxiety symptomatology. Journal of Affective Disorders, 2014, 156, 126-133.	4.1	13
3	High dose benzodiazepines prolong reaction times in chronic users who have major depressive and/or anxiety disorders. British Journal of Clinical Pharmacology, 2014, 77, 571-577.	2.4	7
4	A comparative analysis of personality pathology profiles among patients with pure depressive-, pure anxiety-, and pure somatoform disorders. Journal of Affective Disorders, 2014, 168, 322-330.	4.1	12
5	The impact of stress systems and lifestyle on dyslipidemia and obesity in anxiety and depression. Psychoneuroendocrinology, 2013, 38, 209-218.	2.7	97
6	Longitudinal Relationship of Depressive and Anxiety Symptoms With Dyslipidemia and Abdominal Obesity. Psychosomatic Medicine, 2013, 75, 83-89.	2.0	79
7	Efficacy versus Effectiveness: A Direct Comparison of the Outcome of Treatment for Mild to Moderate Depression in Randomized Controlled Trials and Daily Practice. Psychotherapy and Psychosomatics, 2012, 81, 226-234.	8.8	52
8	Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. Journal of Psychiatric Research, 2012, 46, 1655-1661.	3.1	10
9	Personality traits and childhood trauma as correlates of metabolic risk factors: The Netherlands Study of Depression and Anxiety (NESDA). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 36, 85-91.	4.8	51
10	The generalizability of psychotherapy efficacy trials in major depressive disorder: an analysis of the influence of patient selection in efficacy trials on symptom outcome in daily practice. BMC Psychiatry, 2012, 12, 192.	2.6	23
11	Different gene sets contribute to different symptom dimensions of depression and anxiety. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 519-528.	1.7	14
12	Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. Journal of Affective Disorders, 2012, 136, 1198-1203.	4.1	43
13	Adulthood trauma and HPA-axis functioning in healthy subjects and PTSD patients: A meta-analysis. Psychoneuroendocrinology, 2012, 37, 317-331.	2.7	153
14	Dimensions of Depression and Anxiety and the Hypothalamo-Pituitary-Adrenal Axis. Biological Psychiatry, 2011, 69, 366-373.	1.3	87
15	Biomarkers in burnout: A systematic review. Journal of Psychosomatic Research, 2011, 70, 505-524.	2.6	17 3
16	Antidepressant use and salivary cortisol in depressive and anxiety disorders. European Neuropsychopharmacology, 2011, 21, 691-699.	0.7	58
17	Correlates of (inappropriate) benzodiazepine use: the Netherlands Study of Depression and Anxiety (NESDA). British Journal of Clinical Pharmacology, 2011, 71, 263-272.	2.4	85
18	Determinants of Initiated and Continued Benzodiazepine Use in the Netherlands Study of Depression and Anxiety. Journal of Clinical Psychopharmacology, 2011, 31, 774-779.	1.4	19

#	ARTICLE	IF	CITATION
19	Long-Term Benzodiazepine Use and Salivary Cortisol. Journal of Clinical Psychopharmacology, 2010, 30, 160-168.	1.4	27
20	Trauma exposure in relation to basal salivary cortisol and the hormone response to the dexamethasone/CRH test in male railway employees without lifetime psychopathology. Psychoneuroendocrinology, 2010, 35, 878-886.	2.7	26
21	The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. Journal of Affective Disorders, 2010, 125, 146-154.	4.1	68
22	Trauma exposure and hypothalamic–pituitary– adrenal axis functioning in mentally healthy Dutch peacekeeping veterans, 10–25 years after deployment. Journal of Traumatic Stress, 2010, 23, 124-131.	1.8	5
23	Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ). Psychiatry Research, 2010, 179, 101-106.	3.3	132
24	Associations Between Serum Lipids and Major Depressive Disorder. Journal of Clinical Psychiatry, 2010, 71, 729-736.	2.2	102
25	Effects of childhood trauma on HPA-axis reactivity in women free of lifetime psychopathology. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 889-894.	4.8	82