Jon Arnason

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11385157/publications.pdf

Version: 2024-02-01

567281 377865 2,449 43 15 34 citations h-index g-index papers 43 43 43 2984 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Phase 1 TRANSCEND CLL 004 study of lisocabtagene maraleucel in patients with relapsed/refractory CLL or SLL. Blood, 2022, 139, 1794-1806.	1.4	66
2	Lisocabtagene maraleucel versus standard of care with salvage chemotherapy followed by autologous stem cell transplantation as second-line treatment in patients with relapsed or refractory large B-cell lymphoma (TRANSFORM): results from an interim analysis of an open-label, randomised, phase 3 trial. Lancet, The, 2022, 399, 2294-2308.	13.7	273
3	A phase $1b/2$ study of duvelisib in combination with FCR (DFCR) for frontline therapy for younger CLL patients. Leukemia, 2021, 35, 1064-1072.	7.2	25
4	Case Report: Refractory Cryptosporidiosis after CAR T-Cell Therapy for Lymphoma. American Journal of Tropical Medicine and Hygiene, 2021, 105, 651-653.	1.4	4
5	Progressive Multifocal Leukoencephalopathy After Chimeric Antigen Receptor T-Cell Therapy for Recurrent Non-Hodgkin Lymphoma. Journal of Hematology (Brossard, Quebec), 2021, 10, 212-216.	1.0	2
6	A T cell inflammatory phenotype is associated with autoimmune toxicity of the PI3K inhibitor duvelisib in chronic lymphocytic leukemia. Leukemia, $2021,\ldots$	7.2	14
7	Contribution of clonal hematopoiesis to adult-onset hemophagocytic lymphohistiocytosis. Blood, 2020, 136, 3051-3055.	1.4	15
8	Lisocabtagene maraleucel for patients with relapsed or refractory large B-cell lymphomas (TRANSCEND NHL 001): a multicentre seamless design study. Lancet, The, 2020, 396, 839-852.	13.7	1,224
9	Identification of germline variants in adults with hemophagocytic lymphohistiocytosis. Blood Advances, 2020, 4, 925-929.	5.2	8
10	Ibrutinib plus fludarabine, cyclophosphamide, and rituximab as initial treatment for younger patients with chronic lymphocytic leukaemia: a single-arm, multicentre, phase 2 trial. Lancet Haematology,the, 2019, 6, e419-e428.	4.6	60
11	Hot and Cold: A Concurrent Warm and Cold Autoimmune Hemolytic Anemia in B-cell Prolymphocytic Leukemia. Acta Haematologica, 2019, 141, 222-224.	1.4	2
12	Ofatumumab plus high dose methylprednisolone followed by ofatumumab plus alemtuzumab to achieve maximal cytoreduction prior to allogeneic transplantation for 17p deleted or TP53 mutated chronic lymphocytic leukemia. Leukemia and Lymphoma, 2019, 60, 1312-1315.	1.3	3
13	Voxtalisib (XL765) in patients with relapsed or refractory non-Hodgkin lymphoma or chronic lymphocytic leukaemia: an open-label, phase 2 trial. Lancet Haematology,the, 2018, 5, e170-e180.	4.6	44
14	Phase 1 clinical trial evaluating abatacept in patients with steroid-refractory chronic graft-versus-host disease. Blood, 2018, 131, 2836-2845.	1.4	30
15	MUC1-mediated induction of myeloid-derived suppressor cells in patients with acute myeloid leukemia. Blood, 2017, 129, 1791-1801.	1.4	130
16	Bone marrow stroma protects myeloma cells from cytotoxic damage via induction of the oncoprotein <scp>MUC </scp> 1. British Journal of Haematology, 2017, 176, 929-938.	2.5	34
17	Decitabine Priming Enhances Mucin 1 Inhibition Mediated Disruption of Redox Homeostasis in Cutaneous T-Cell Lymphoma. Molecular Cancer Therapeutics, 2017, 16, 2304-2314.	4.1	10
18	Haemophagocytic lymphohistiocytosis in adults: a multicentre case series over 7Âyears. British Journal of Haematology, 2016, 172, 412-419.	2.5	119

#	Article	IF	CITATIONS
19	Individualized vaccination of AML patients in remission is associated with induction of antileukemia immunity and prolonged remissions. Science Translational Medicine, 2016, 8, 368ra171.	12.4	140
20	Phase I Clinical Trial Evaluating Abatacept in Patient with Steroid-Refractory Chronic Graft Versus Host Disease. Blood, 2016, 128, 387-387.	1.4	2
21	Transcend NHL 001: Immunotherapy with the CD19-Directed CAR T-Cell Product JCAR017 Results in High Complete Response Rates in Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. Blood, 2016, 128, 4192-4192.	1.4	25
22	Phase 1 Study of REGN1979, an Anti-CD20 x Anti-CD3 Bispecific Monoclonal Antibody, in Patients with CD20+ B-Cell Malignancies Previously Treated with CD20-Directed Antibody Therapy. Blood, 2016, 128, 621-621.	1.4	16
23	TGR-1202 in Combination with Ibrutinib in Patients with Relapsed or Refractory CLL or MCL: Preliminary Results of a Multicenter Phase I/Ib Study. Blood, 2016, 128, 641-641.	1.4	10
24	A combination of an anti-SLAMF6 antibody and ibrutinib efficiently abrogates expansion of chronic lymphocytic leukemia cells. Oncotarget, 2016, 7, 26346-26360.	1.8	12
25	Decitabine Priming Enhances Mucin 1 Inhibition Mediated Disruption of Redox Homeostasis in Cutaneous T-Cell Lymphoma. Blood, 2016, 128, 4175-4175.	1.4	0
26	MUC1-C Inhibition Leads to Decrease in PD-L1 Levels Via up-Regulation of Micro RNAs. Blood, 2016, 128, 2871-2871.	1.4	1
27	Acute Myeloid Leukemia Cells Export c-Myc in Extracellular Vesicles Driving a Proliferation of Immune-Suppressive Myeloid-Derived Suppressor Cells. Blood, 2016, 128, 703-703.	1.4	0
28	A Novel Dendritic Cell-Derived Vaccine in Multiple Myeloma. Blood, 2016, 128, 4484-4484.	1.4	0
29	Mucin 1 is a potential therapeutic target in cutaneous T-cell lymphoma. Blood, 2015, 126, 354-362.	1.4	31
30	MUC1 Inhibition Overcomes Chemotherapy Resistance in Acute Myeloid Leukemia. Blood, 2015, 126, 2473-2473.	1.4	2
31	Tumor-Targeted Human T Cells Expressing CD28-Based Chimeric Antigen Receptors Circumvent CTLA-4 Inhibition. PLoS ONE, 2015, 10, e0130518.	2.5	53
32	Mucin-1 (MUC1) Oncoprotein in Multiple Myeloma Cells Inhibits the Th1 Responses By Down Regulating the Expression of Mir-200c and up-Regulating the PDL1 Expression. Blood, 2014, 124, 2072-2072.	1.4	3
33	MUC1 As a Potential Therapeutic Target in Cutaneous T-Cell Lymphoma. Blood, 2014, 124, 808-808.	1.4	0
34	Immunomodulatory Effect of SGI-110, a Novel Hypomethylating Agent in Acute Myeloid Leukemia (AML). Blood, 2014, 124, 2303-2303.	1.4	0
35	Inhibition of Phosphorylation of ERK in CLL Cells Pre-Treatment Correlates Best with Response to Dasatinib, Fludarabine, and Rituximab for Patients with Relapsed CLL. Blood, 2014, 124, 3636-3636.	1.4	18
36	Myeloid-Derived Suppressor Cells Are Expanded in Patients with AML and Are Dependent on MUC1 Expression. Blood, 2014, 124, 226-226.	1.4	0

#	Article	IF	CITATIONS
37	Bone Marrow Stroma Protects Myeloma Cells from Cytotoxic Damage Via Induction of the Oncoprotein MUC1. Blood, 2014, 124, 3378-3378.	1.4	0
38	MUC1 Is a Potential Target for the Treatment of Acute Myeloid Leukemia Stem Cells. Cancer Research, 2013, 73, 5569-5579.	0.9	49
39	Clinical Trial Evaluating DC/AML Fusion Cell Vaccination In AML Patients. Blood, 2013, 122, 3928-3928.	1.4	7
40	SAR245409 Monotherapy In Relapsed/Refractory Follicular Lymphoma: Preliminary Results From The Phase II ARD12130 Study. Blood, 2013, 122, 86-86.	1.4	8
41	Co-Expression Of The MUC1 Oncoprotein and CD34 On Primary Myeloma Bone Marrow Cells Identifies a Population With Myeloma Initiating Potential. Blood, 2013, 122, 127-127.	1.4	O
42	Inhibition Of Lyn and Syk By Treatment With Dasatinib, Fludarabine, and Rituximab Correlates With Apoptosis and Clinical Response In Patients With Relapsed CLL. Blood, 2013, 122, 5300-5300.	1.4	0
43	Evolution of cellular immunotherapy: from allogeneic transplant to dendritic cell vaccination as treatment for multiple myeloma. Immunotherapy, 2012, 4, 1043-1051.	2.0	9