

Koichi Jeremiah Aoki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1138655/publications.pdf>

Version: 2024-02-01

50
papers

631
citations

566801

15
h-index

676716

22
g-index

50
all docs

50
docs citations

50
times ranked

554
citing authors

#	ARTICLE	IF	CITATIONS
1	A Loss of Charge at Reduction of Hydrogen Ion by Fast Scan Voltammetry. <i>Journal of the Electrochemical Society</i> , 2022, 169, 036510.	1.3	2
2	Parallel Combination of Inner Capacitance and Ionic Capacitance, Apparently Inconsistent with Stern's Model. <i>Electrochem</i> , 2021, 2, 71-82.	1.7	2
3	Microscale Ionic Diodes: An Overview. <i>Electroanalysis</i> , 2021, 33, 1398-1418.	1.5	15
4	Microhole's Voltammograms Controlled by Solution Reservoir at Cationic and Anionic Ion Exchange Membranes. <i>Electroanalysis</i> , 2021, 33, 2041-2047.	1.5	0
5	Double-Layer Capacitances Caused by Ion-Solvent Interaction in the Form of Langmuir-Typed Concentration Dependence. <i>Electrochem</i> , 2021, 2, 631-642.	1.7	3
6	Peak potential shift of fast cyclic voltammograms owing to capacitance of redox reactions. <i>Journal of Electroanalytical Chemistry</i> , 2020, 856, 113609.	1.9	43
7	Electric Migration of Hydrogen Ion in Pore-Voltammetry Suppressed by Nafion Film. <i>Electrochem</i> , 2020, 1, 400-409.	1.7	4
8	Participation in Negative Capacitance of Diffusion-Controlled Voltammograms of Hemin. <i>ACS Omega</i> , 2020, 5, 29447-29452.	1.6	6
9	Rectification effects of Nafion-backed micropore-voltammograms by difference in migrational modes. <i>Electrochimica Acta</i> , 2020, 358, 136839.	2.6	9
10	Potential Step for Double-Layer Capacitances Obeying the Power Law. <i>ACS Omega</i> , 2020, 5, 7497-7502.	1.6	7
11	Scientific hints of developing supercapacitors. <i>Journal of Solid State Electrochemistry</i> , 2020, 24, 2055-2058.	1.2	1
12	Electric Field-Dependence of Double Layer Capacitances by Current-Controlled Charge-Discharge Steps. <i>Electrochem</i> , 2020, 1, 217-225.	1.7	5
13	Stripped Charge of Ag Less than Deposited one Owing to Negative Capacitance Caused by Redox Reactions. <i>Electroanalysis</i> , 2019, 31, 2303-2310.	1.5	7
14	Tips of Voltammetry. , 2019, , .		5
15	Cationic Rectifier Based on a Graphene Oxide-Covered Microhole: Theory and Experiment. <i>Langmuir</i> , 2019, 35, 2055-2065.	1.6	25
16	Double Layer Impedance in Mixtures of Acetonitrile and Water. <i>Electroanalysis</i> , 2018, 30, 1634-1641.	1.5	6
17	Effects of the dipolar double layer on elemental electrode processes at micro- and macro-interfaces. <i>Faraday Discussions</i> , 2018, 210, 219-234.	1.6	16
18	Insight of electrolyte-free voltammetry at microelectrodes. <i>Current Opinion in Electrochemistry</i> , 2018, 10, 67-71.	2.5	9

#	ARTICLE	IF	CITATIONS
19	Frequency Dispersion of Double Layer Capacitance of Polyaniline-Coated Electrodes Under the Conducting State. <i>International Journal of Chemistry</i> , 2018, 10, 25.	0.3	2
20	Capacitive Currents Flowing in the Direction Opposite to Redox Currents. <i>Journal of Physical Chemistry C</i> , 2018, 122, 16727-16732.	1.5	13
21	Functionality of reduced graphene oxide flakes at the growth of conducting zone in polyaniline-graphene composite films. <i>Electrochimica Acta</i> , 2017, 228, 125-130.	2.6	1
22	Decrease in the double layer capacitance by faradaic current. <i>RSC Advances</i> , 2017, 7, 22501-22509.	1.7	36
23	Frequency-dependence of electric double layer capacitance without Faradaic reactions. <i>Journal of Electroanalytical Chemistry</i> , 2016, 779, 117-125.	1.9	20
24	Voltammetry at a single nano-electrode by varying electrode diameters: Review. <i>Journal of Electroanalytical Chemistry</i> , 2016, 779, 7-17.	1.9	10
25	Molecular interaction model for frequency-dependence of double layer capacitors. <i>Electrochimica Acta</i> , 2016, 188, 545-550.	2.6	20
26	Power law for frequency-dependence of double layer capacitance of graphene flakes. <i>Journal of Electroanalytical Chemistry</i> , 2015, 741, 114-119.	1.9	15
27	Conditions of predominant occurrence of catalytic reduction of O ₂ by ferrous hemin over formation of ferrous hemin-O ₂ adduct. <i>Journal of Electroanalytical Chemistry</i> , 2015, 743, 134-138.	1.9	4
28	Enhancement of Redox Cycling Currents at Interdigitated Electrodes with Elevated Fingers. <i>Journal of the Electrochemical Society</i> , 2014, 161, H178-H182.	1.3	18
29	Irreversibility of catalytic reduction of dioxygen by dissolved hemin. <i>Journal of Electroanalytical Chemistry</i> , 2014, 713, 131-135.	1.9	3
30	Solvent Variables Controlling Electric Double Layer Capacitance at the Metal-Solution Interface. <i>Journal of Physical Chemistry C</i> , 2014, 118, 10153-10158.	1.5	51
31	Formation of graphite oxide nano-disks by electrochemical oxidation of HOPG. <i>Electrochimica Acta</i> , 2014, 130, 381-386.	2.6	13
32	Examination of the Gouy-Chapman theory for double layer capacitance in deionized latex suspensions. <i>RSC Advances</i> , 2014, 4, 63171-63181.	1.7	25
33	Slow scan voltammetry for diffusion-controlled currents in sodium alginate solutions. <i>Journal of Electroanalytical Chemistry</i> , 2013, 700, 60-64.	1.9	13
34	Heterogeneous reaction rate constants by steady-state microelectrode techniques and fast scan voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2013, 706, 40-47.	1.9	16
35	Blocking of two-electron reduction of non-charged species in the absence of supporting electrolyte at nanoelectrodes. <i>Journal of Electroanalytical Chemistry</i> , 2013, 708, 101-107.	1.9	10
36	Voltammetry in low concentration of electrolyte supported by ionic latex suspensions. <i>Journal of Electroanalytical Chemistry</i> , 2013, 697, 5-9.	1.9	9

#	ARTICLE	IF	CITATIONS
37	Electrolysis of pure water in a thin layer cell. <i>Journal of Electroanalytical Chemistry</i> , 2013, 695, 24-29.	1.9	19
38	Self-dispersion of mercury metal into aqueous solutions. <i>Journal of Electroanalytical Chemistry</i> , 2012, 682, 66-71.	1.9	9
39	Diffusion coefficients in viscous sodium alginate solutions. <i>Electrochimica Acta</i> , 2012, 83, 348-353.	2.6	15
40	Diffusion-controlled current at elliptically deformed microelectrodes. <i>Journal of Solid State Electrochemistry</i> , 2011, 15, 2305-2309.	1.2	3
41	Voltammetric Determination of Both Concentration and Diffusion Coefficient by Combinational Use of Regular and Microelectrodes. <i>Electroanalysis</i> , 2011, 23, 947-952.	1.5	22
42	Size-distribution of droplets in emulsions by statistical mechanics calculation. <i>Journal of Colloid and Interface Science</i> , 2011, 360, 256-261.	5.0	12
43	Voltammetric potentials of polyaniline varying with electric percolation. <i>Electrochimica Acta</i> , 2010, 55, 6959-6963.	2.6	8
44	Fabrication of glass-coated electrodes with nano- and micrometer size by means of dissolution with HF. <i>Electrochimica Acta</i> , 2010, 55, 7328-7333.	2.6	15
45	Simulation for memory effect of Fick's first law. <i>Journal of Chemical Sciences</i> , 2009, 121, 601-605.	0.7	6
46	Spontaneous emulsification at oil/water interface by tetraalkylammonium chloride. <i>Electrochemistry Communications</i> , 2009, 11, 239-241.	2.3	32
47	Diffusion-controlled currents in viscous solutions of polyethylene glycols. <i>Journal of Electroanalytical Chemistry</i> , 2009, 629, 73-77.	1.9	16
48	Electrically conducting suspensions formed by polyaniline. <i>Electrochimica Acta</i> , 2008, 53, 3798-3802.	2.6	6
49	Electrochemically instantaneous reduction of conducting polyaniline-coated latex particles dispersed in acidic solution. <i>Electrochimica Acta</i> , 2008, 53, 7100-7106.	2.6	20
50	Catalytic generation of chlorine with slight overpotential by micellar ferrocene. <i>Electrochemistry Communications</i> , 2007, 9, 2304-2307.	2.3	4