
Eric Yh Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11387450/publications.pdf Version: 2024-02-01



FRIC YH CHEN

#	Article	IF	CITATIONS
1	The Cambridge Neurological Inventory: A clinical instrument for assessment of soft neurological signs in psychiatric patients. Psychiatry Research, 1995, 56, 183-204.	3.3	175
2	Cerebral grey, white matter and csf in never-medicated, first-episode schizophrenia. Schizophrenia Research, 2007, 89, 12-21.	2.0	170
3	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2011, 133, 22-28.	2.0	109
4	Specific executive dysfunction in patients with first-episode medication-naÃ⁻ve schizophrenia. Schizophrenia Research, 2006, 82, 51-64.	2.0	104
5	University Students' Attitudes Towards Mental Patients and Psychiatric Treatment. International Journal of Social Psychiatry, 2001, 47, 63-72.	3.1	84
6	What Does Recovery From Schizophrenia Mean? Perceptions of Long-Term Patients. International Journal of Social Psychiatry, 2008, 54, 118-130.	3.1	80
7	What does recovery from psychosis mean? Perceptions of young first-episode patients. International Journal of Social Psychiatry, 2011, 57, 580-587.	3.1	80
8	Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. Microbial Biotechnology, 2011, 5, 315-323.	1.7	64
9	The components of executive functioning in a cohort of patients with chronic schizophrenia: A multiple single-case study design. Schizophrenia Research, 2006, 81, 173-189.	2.0	55
10	Verbal Fluency in Schizophrenia: Reduction in Semantic Store. Australian and New Zealand Journal of Psychiatry, 2000, 34, 43-48.	2.3	46
11	Early intervention and evaluation for adultâ€onset psychosis: the <scp>JCEP</scp> study rationale and design. Microbial Biotechnology, 2014, 8, 261-268.	1.7	38
12	Blink rate, neurocognitive impairments, and symptoms in schizophrenia. Biological Psychiatry, 1996, 40, 597-603.	1.3	37
13	Self-Administered Instrument to Measure the Patient's Experience of Recovery After First-Episode Psychosis: Development and Validation of the Psychosis Recovery Inventory. Australian and New Zealand Journal of Psychiatry, 2005, 39, 493-499.	2.3	34
14	An association study of RGS4 polymorphisms with clinical phenotypes of schizophrenia in a Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 77-85.	1.7	32
15	Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. Schizophrenia Research, 2011, 126, 87-92.	2.0	30
16	Gender differences in correlates of cognition in first-episode psychosis. Psychiatry Research, 2019, 271, 412-420.	3.3	27
17	How are Psychotic Symptoms Perceived? A Comparison between Patients, Relatives and the General Public. Australian and New Zealand Journal of Psychiatry, 1997, 31, 756-761.	2.3	25
18	Impact of physical activity on functioning of patients with first-episode psychosis — A 6months prospective longitudinal study. Schizophrenia Research, 2013, 150, 538-541.	2.0	25

Eric Yh Chen

#	Article	IF	CITATIONS
19	Grey matter morphological anomalies in the caudate head in first-episode psychosis patients with delusions of reference. Psychiatry Research - Neuroimaging, 2015, 233, 57-63.	1.8	25
20	Neurological Signs, Age, and Illness Duration in Schizophrenia. Journal of Nervous and Mental Disease, 1996, 184, 339-348.	1.0	22
21	Neurological signs and sustained attention impairment in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 1-5.	3.2	22
22	Cost-Effectiveness of An Early Assessment Service for Young People with Early Psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2011, 45, 673-680.	2.3	20
23	Executive function in first-episode schizophrenia: A three-year prospective study of the Hayling Sentence Completion Test. Schizophrenia Research, 2012, 135, 62-67.	2.0	20
24	What does recovery from schizophrenia mean? Perceptions of psychiatrists. International Journal of Culture and Mental Health, 2008, 1, 73-84.	0.6	12
25	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. Asian Journal of Psychiatry, 2012, 5, 68-72.	2.0	12
26	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. Schizophrenia Research, 2014, 153, 204-208.	2.0	12
27	Real-world implementation of early intervention in psychosis: resources, funding models and evidence-based practice. World Psychiatry, 2008, 7, 163-164.	10.4	9
28	Perception towards relapse and its predictors in psychosis patients: A qualitative study. Microbial Biotechnology, 2018, 12, 856-862.	1.7	8
29	Quality of life and functioning in firstâ€episode psychosis <scp>C</scp> hinese patients with different antipsychotic medications. Microbial Biotechnology, 2016, 10, 535-539.	1.7	4
30	Clinical and functional correlates of financially deprived women with firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 639-645.	1.7	4
31	Incidence of hospitalization and its associated factors in firstâ€episode psychosis in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2016, 10, 263-266.	1.7	1
32	CLINICAL AND COGNITIVE CORRELATES OF PERCEIVED EXTENT OF RECOVERY IN CHINESE PATIENTS WITH PSYCHOSIS. Schizophrenia Research, 2010, 117, 516.	2.0	0
33	International services for assessing and treating psychosis risk. , 2020, , 383-398.		0