

GÃ©rard Friedlander

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11399826/publications.pdf>

Version: 2024-02-01

103
papers

5,747
citations

71102

41
h-index

79698

73
g-index

106
all docs

106
docs citations

106
times ranked

7401
citing authors

#	ARTICLE	IF	CITATIONS
1	The naked truth: a comprehensive clarification and classification of current “myths” in naked mole-rat biology. <i>Biological Reviews</i> , 2022, 97, 115-140.	10.4	62
2	Single-cell transcriptomics reveals age-resistant maintenance of cell identities, stem cell compartments and differentiation trajectories in long-lived naked mole-rats skin. <i>Aging</i> , 2022, 14, 3728-3756.	3.1	6
3	Tubular Acidification Defect in Adults with Sickle Cell Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 16-24.	4.5	13
4	Measured glomerular filtration rate (GFR) significantly and rapidly decreases after radical cystectomy for bladder cancer. <i>Scientific Reports</i> , 2020, 10, 16145.	3.3	5
5	Fibroblast growth factor 23 decreases PDE4 expression in heart increasing the risk of cardiac arrhythmia; Klotho opposes these effects. <i>Basic Research in Cardiology</i> , 2020, 115, 51.	5.9	23
6	The primary cilium and lipophagy translate mechanical forces to direct metabolic adaptation of kidney epithelial cells. <i>Nature Cell Biology</i> , 2020, 22, 1091-1102.	10.3	45
7	Signaling pathways predisposing to chronic kidney disease progression. <i>JCI Insight</i> , 2020, 5, .	5.0	6
8	DNA methylation clocks as a predictor for ageing and age estimation in naked mole-rats, <i>Heterocephalus glaber</i> . <i>Aging</i> , 2020, 12, 4394-4406.	3.1	20
9	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , 2019, 124, 849-861.	2.5	30
10	Novel function of PiT1/SLC20A1 in LPS-related inflammation and wound healing. <i>Scientific Reports</i> , 2019, 9, 1808.	3.3	27
11	The metabolomic signature of extreme longevity: naked mole rats versus mice. <i>Aging</i> , 2019, 11, 4783-4800.	3.1	43
12	Hepatic Production of Fibroblast Growth Factor 23 in Autosomal Dominant Polycystic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2319-2328.	3.6	23
13	Use of computed tomography assessed kidney length to predict split renal GFR in living kidney donors. <i>European Radiology</i> , 2017, 27, 651-659.	4.5	13
14	What is the significance of end-stage renal disease risk estimation in living kidney donors?. <i>Transplant International</i> , 2017, 30, 799-806.	1.6	6
15	The Association Between Fibroblast Growth Factor 23 and Renal Transplantation Outcome Is Modified by Follow-up Duration and Glomerular Filtration Rate Assessment Method. <i>Kidney International Reports</i> , 2017, 2, 881-892.	0.8	9
16	Carboxy-terminal fragment of fibroblast growth factor 23 induces heart hypertrophy in sickle cell disease. <i>Haematologica</i> , 2017, 102, e33-e35.	3.5	14
17	Vitamin D3 Prevents Calcium-Induced Progression of Early-Stage Prostate Tumors by Counteracting TRPC6 and Calcium Sensing Receptor Upregulation. <i>Cancer Research</i> , 2017, 77, 355-365.	0.9	38
18	MITF “A” controls branching morphogenesis and nephron endowment. <i>PLoS Genetics</i> , 2017, 13, e1007093.	3.5	12

#	ARTICLE	IF	CITATIONS
19	Association of mGFR of the Remaining Kidney Divided by Its Volume before Donation with Functional Gain in mGFR among Living Kidney Donors. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1369-1376.	4.5	16
20	Primary-cilium-dependent autophagy controls epithelial cell volume in response to fluid flow. <i>Nature Cell Biology</i> , 2016, 18, 657-667.	10.3	127
21	Stat3 Controls Tubulointerstitial Communication during CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3690-3705.	6.1	75
22	Disruption of the Phosphate Transporter Pit1 in Hepatocytes Improves Glucose Metabolism and Insulin Signaling by Modulating the USP7/IRS1 Interaction. <i>Cell Reports</i> , 2016, 16, 2736-2748.	6.4	28
23	Endoplasmic reticulum stress drives proteinuria-induced kidney lesions via Lipocalin 2. <i>Nature Communications</i> , 2016, 7, 10330.	12.8	88
24	Assessment of hydration status in a large population. <i>British Journal of Nutrition</i> , 2015, 113, 147-158.	2.3	104
25	Anti-inflammatory properties of Lipidosterolic extract of <i>Serenoa repens</i> (Permixon®) in a mouse model of prostate hyperplasia. <i>Prostate</i> , 2015, 75, 706-722.	2.3	36
26	CKD and Its Risk Factors among Patients with Cystinuria. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 842-851.	4.5	71
27	High Milk Consumption Does Not Affect Prostate Tumor Progression in Two Mouse Models of Benign and Neoplastic Lesions. <i>PLoS ONE</i> , 2015, 10, e0125423.	2.5	19
28	Determination of optimal vitamin D ₃ dosing regimens in HIV-infected paediatric patients using a population pharmacokinetic approach. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 1113-1121.	2.4	5
29	Inhibition of the mTORC Pathway in the Antiphospholipid Syndrome. <i>New England Journal of Medicine</i> , 2014, 371, 303-312.	27.0	282
30	The Kidney as a Reservoir for HIV-1 after Renal Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 407-419.	6.1	121
31	Determination of optimal cholecalciferol treatment in renal transplant recipients using a population pharmacokinetic approach. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 499-506.	1.9	15
32	AKT2 is essential to maintain podocyte viability and function during chronic kidney disease. <i>Nature Medicine</i> , 2013, 19, 1288-1296.	30.7	187
33	Vitamin D Deficiency and Insufficiency in HIV-infected Children and Young Adults. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 1240-1244.	2.0	26
34	Vitamin D Status and Outcomes After Renal Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 831-841.	6.1	93
35	EKLF-driven PIT1 expression is critical for mouse erythroid maturation in vivo and in vitro. <i>Blood</i> , 2013, 121, 666-678.	1.4	30
36	Mice with Hypomorphic Expression of the Sodium-Phosphate Cotransporter PIT1/Slc20a1 Have an Unexpected Normal Bone Mineralization. <i>PLoS ONE</i> , 2013, 8, e65979.	2.5	34

#	ARTICLE	IF	CITATIONS
37	Plasma Fibroblast Growth Factor 23 Concentration Is Increased and Predicts Mortality in Patients on the Liver-Transplant Waiting List. <i>PLoS ONE</i> , 2013, 8, e66182.	2.5	57
38	Determination of the best method to estimate glomerular filtration rate from serum creatinine in adult patients with sickle cell disease: a prospective observational cohort study. <i>BMC Nephrology</i> , 2012, 13, 83.	1.8	70
39	Effects of Cinacalcet in Renal Transplant Patients with Hyperparathyroidism. <i>American Journal of Nephrology</i> , 2012, 35, 341-348.	3.1	29
40	A New Human NHERF1 Mutation Decreases Renal Phosphate Transporter NPT2a Expression by a PTH-Independent Mechanism. <i>PLoS ONE</i> , 2012, 7, e34764.	2.5	44
41	A transcriptional network underlies susceptibility to kidney disease progression. <i>EMBO Molecular Medicine</i> , 2012, 4, 825-839.	6.9	18
42	Functional Interaction between CFTR and the Sodium-Phosphate Co-Transport Type 2a in <i>Xenopus laevis</i> Oocytes. <i>PLoS ONE</i> , 2012, 7, e34879.	2.5	3
43	Vitamin D metabolism and activity in the parathyroid gland. <i>Molecular and Cellular Endocrinology</i> , 2011, 347, 30-41.	3.2	35
44	Vitamine D : un champ qui sâ€™â©largit. <i>Revue Francophone Des Laboratoires</i> , 2011, 2011, 32-35.	0.0	0
45	Phosphate Handling: New Genes, New Molecules. <i>Hormone Research in Paediatrics</i> , 2011, 76, 71-75.	1.8	4
46	TGF-Î± Mediates Genetic Susceptibility to Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 327-335.	6.1	49
47	Identification of a Novel Transport-independent Function of PiT1/SLC20A1 in the Regulation of TNF-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2010, 285, 34408-34418.	3.4	73
48	Welcome to MEPE in the renal proximal tubule. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3135-3136.	0.7	3
49	Vitamin D and primary hyperparathyroidism (PHPT). <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 121, 199-203.	2.5	38
50	Genetic Disorders of Renal Phosphate Transport. <i>New England Journal of Medicine</i> , 2010, 362, 2399-2409.	27.0	94
51	Lipocalin 2 is essential for chronic kidney disease progression in mice and humans. <i>Journal of Clinical Investigation</i> , 2010, 120, 4065-4076.	8.2	310
52	The Phosphate Transporter PiT1 (Slc20a1) Revealed As a New Essential Gene for Mouse Liver Development. <i>PLoS ONE</i> , 2010, 5, e9148.	2.5	95
53	MHC Class II Deficiency. , 2009, , 1306-1308.		0
54	Identification of a Novel Function of PiT1 Critical for Cell Proliferation and Independent of Its Phosphate Transport Activity. <i>Journal of Biological Chemistry</i> , 2009, 284, 31363-31374.	3.4	127

#	ARTICLE	IF	CITATIONS
55	Effects of vitamin D supplementation on the calcium-phosphate balance in renal transplant patients. <i>Kidney International</i> , 2009, 75, 646-651.	5.2	99
56	Latest findings in phosphate homeostasis. <i>Kidney International</i> , 2009, 75, 882-889.	5.2	143
57	Genetic causes of renal lithiasis. <i>IBMS BoneKEy</i> , 2009, 6, 357-367.	0.0	4
58	<i>GNHRF1</i> Mutations and Responsiveness of Renal Parathyroid Hormone. <i>New England Journal of Medicine</i> , 2008, 359, 1128-1135.	27.0	178
59	Dialogue entre l'angiotensine et le r�cepteur du facteur de croissance �pidermique dans les maladies r�nales chroniques : vers une nouvelle approche th�rapeutique. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2006, 190, 927-934.	0.0	0
60	Recent findings in phosphate homeostasis. <i>Current Opinion in Nephrology and Hypertension</i> , 2005, 14, 318-324.	2.0	52
61	Angiotensin II and EGF receptor cross-talk in chronic kidney diseases: a new therapeutic approach. <i>Nature Medicine</i> , 2005, 11, 867-874.	30.7	312
62	Transport de phosphate et lithiase r�nale. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2005, 189, 309-319.	0.0	1
63	Hypophosphatemia and Calcium Nephrolithiasis. <i>Nephron Experimental Nephrology</i> , 2004, 98, e50-e54.	2.2	18
64	Recovery of Na-glucose cotransport activity after renal ischemia is impaired in mice lacking vimentin. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 287, F960-F968.	2.7	19
65	Sodium-phosphate cotransporters, nephrolithiasis and bone demineralization. <i>Current Opinion in Nephrology and Hypertension</i> , 2004, 13, 675-681.	2.0	30
66	Shear-stress-responsive signal transduction mechanisms in renal proximal tubule cells. <i>Current Opinion in Nephrology and Hypertension</i> , 2003, 12, 31-34.	2.0	15
67	JunD protects against chronic kidney disease by regulating paracrine mitogens. <i>Journal of Clinical Investigation</i> , 2003, 112, 843-852.	8.2	31
68	JunD protects against chronic kidney disease by regulating paracrine mitogens. <i>Journal of Clinical Investigation</i> , 2003, 112, 843-852.	8.2	59
69	Nephrolithiasis and Osteoporosis Associated with Hypophosphatemia Caused by Mutations in the Type 2a Sodium-Phosphate Cotransporter. <i>New England Journal of Medicine</i> , 2002, 347, 983-991.	27.0	322
70	Vimentin affects localization and activity of sodium-glucose cotransporter SGLT1 in membrane rafts. <i>Journal of Cell Science</i> , 2002, 115, 713-24.	2.0	58
71	Proliferation and Remodeling of the Peritubular Microcirculation after Nephron Reduction. <i>American Journal of Pathology</i> , 2001, 159, 547-560.	3.8	68
72	Mechanical strains induced by tubular flow affect the phenotype of proximal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F751-F762.	2.7	91

#	ARTICLE	IF	CITATIONS
73	Two apical multidrug transporters, P-gp and MRP2, are differently altered in chronic renal failure. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, F636-F645.	2.7	85
74	Sulfate homeostasis, NaSi-1 cotransporter, and SAT-1 exchanger expression in chronic renal failure in rats. <i>Kidney International</i> , 2001, 59, 210-221.	5.2	25
75	Frequency of renal phosphate leak among patients with calcium nephrolithiasis. <i>Kidney International</i> , 2001, 60, 272-276.	5.2	84
76	Hypoxia Reduces Alveolar Epithelial Sodium and Fluid Transport in Rats. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001, 25, 554-561.	2.9	161
77	Targeted expression of a dominant-negative EGF-R in the kidney reduces tubulo-interstitial lesions after renal injury. <i>Journal of Clinical Investigation</i> , 2000, 106, 225-234.	8.2	163
78	Sodium Restriction Decreases AP-1 Activation after Nephron Reduction in the Rat: Role in the Progression of Renal Lesions. <i>Nephron Experimental Nephrology</i> , 2000, 8, 104-114.	2.2	14
79	Using Transgenic Mice to Analyze the Mechanisms of Progression of Chronic Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, S144-S148.	6.1	10
80	NaPO ₄ cotransport type III (PiT1) expression in human embryonic kidney cells and regulation by PTH. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F543-F551.	2.7	14
81	Effect of lipid-lowering strategies on tubular cell biology. <i>Kidney International</i> , 1999, 56, S92-S96.	5.2	8
82	Halothane Stimulates a Na ⁺ H ⁺ Antiporter Involved in the Regulation of Intracellular pH in Alveolar Epithelial Cells. <i>Anesthesia and Analgesia</i> , 1999, 89, 480-483.	2.2	6
83	Halothane Decreases Na,K-ATPase, and Na Channel Activity in Alveolar Type II Cells. <i>Anesthesiology</i> , 1998, 88, 1606-1613.	2.5	24
84	Regulation of Phosphate Transport in the Renal Tubule through Parathyroid Hormone Receptor: Unexpected Pathways. <i>Nephron Experimental Nephrology</i> , 1998, 6, 282-287.	2.2	3
85	Hypoxia Downregulates Expression and Activity of Epithelial Sodium Channels in Rat Alveolar Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1997, 17, 508-518.	2.9	133
86	Overexpression of ecto-5'-nucleotidase promotes P-glycoprotein expression in renal epithelial cells. <i>Kidney International</i> , 1997, 52, 953-961.	5.2	9
87	HMG-CoA reductase inhibitors induce apoptosis in mouse proximal tubular cells in primary culture. <i>Kidney International</i> , 1997, 52, 962-972.	5.2	39
88	Lovastatin-induced inhibition of renal epithelial tubular cell proliferation involves a p21 activated, AP-1-dependent pathway. <i>Kidney International</i> , 1997, 52, 1016-1027.	5.2	64
89	Subtotal nephrectomy alters tubular function: Effect of phosphorus restriction. <i>Kidney International</i> , 1997, 52, 1550-1560.	5.2	16
90	Role of renal handling of extracellular nucleotides in modulation of phosphate transport. <i>Kidney International</i> , 1996, 49, 1019-1022.	5.2	9

#	ARTICLE	IF	CITATIONS
91	Inhibition of Ecto-5'-nucleotidase by Nitric Oxide Donors. <i>Journal of Biological Chemistry</i> , 1996, 271, 4659-4664.	3.4	39
92	Extracellular nucleotides as modulators of renal tubular transport. <i>Kidney International</i> , 1995, 47, 1500-1506.	5.2	17
93	Insulin-like Growth Factor I, a Unique Calcium-dependent Stimulator of 1,25-Dihydroxyvitamin D3 Production. <i>Journal of Biological Chemistry</i> , 1995, 270, 25461-25467.	3.4	89
94	Dipyridamole for Renal Phosphate Leak?. <i>New England Journal of Medicine</i> , 1994, 331, 58-59.	27.0	13
95	Primary culture of rabbit proximal tubules as a cellular model to study nephrotoxicity of xenobiotics. <i>Kidney International</i> , 1993, 44, 13-18.	5.2	28
96	Sphingomyelin and cholesterol modulate sodium coupled uptakes in proximal tubular cells. <i>Kidney International</i> , 1992, 41, 983-991.	5.2	15
97	Membrane fluidity and transport properties in epithelia. <i>Kidney International</i> , 1992, 42, 825-836.	5.2	95
98	Increase in membrane fluidity modulates sodium-coupled uptakes and cyclic AMP synthesis by renal proximal tubular cells in primary culture. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1022, 1-7.	2.6	35
99	Tumor necrosis factor stimulates prostaglandin production and cyclic AMP levels in rat cultured mesangial cells. <i>FEBS Letters</i> , 1988, 239, 50-54.	2.8	97
100	Protein kinase C activators and bradykinin selectively inhibit vasopressin-stimulated cAMP synthesis in MDCK cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1987, 929, 311-317.	4.1	14
101	Benzyl alcohol increases membrane fluidity and modulates cyclic AMP synthesis in intact renal epithelial cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1987, 903, 341-348.	2.6	52
102	Somatostatin and β_2 -adrenergic agonists selectively inhibit vasopressin-induced cyclic AMP accumulation in MDCK cells. <i>FEBS Letters</i> , 1986, 198, 38-42.	2.8	31
103	PGE2 binding sites and PG-stimulated cyclic AMP accumulation in rat isolated glomeruli and glomerular cultured cells. <i>Molecular and Cellular Endocrinology</i> , 1983, 30, 201-214.	3.2	43