Victor D Dinglas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/114019/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Core Outcome Measures for Clinical Research in Acute Respiratory Failure Survivors. An International Modified Delphi Consensus Study. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 1122-1130.	5.6	273
2	Physical and Cognitive Performance of Patients with Acute Lung Injury 1 Year after Initial Trophic versus Full Enteral Feeding. EDEN Trial Follow-up. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 567-576.	5.6	230
3	Participant retention practices in longitudinal clinical research studies with high retention rates. BMC Medical Research Methodology, 2017, 17, 30.	3.1	173
4	Risk Factors for Physical Impairment after Acute Lung Injury in a National, Multicenter Study. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 1214-1224.	5.6	162
5	Return to work after critical illness: a systematic review and meta-analysis. Thorax, 2020, 75, 17-27.	5.6	153
6	Psychiatric symptoms after acute respiratory distress syndrome: a 5-year longitudinal study. Intensive Care Medicine, 2018, 44, 38-47.	8.2	148
7	Physical declines occurring after hospital discharge in ARDS survivors: a 5-year longitudinal study. Intensive Care Medicine, 2016, 42, 1557-1566.	8.2	127
8	Updated systematic review identifies substantial number of retention strategies: using more strategies retains more study participants. Journal of Clinical Epidemiology, 2015, 68, 1481-1487.	5.0	124
9	Psychiatric Symptoms in Acute Respiratory Distress Syndrome Survivors. Critical Care Medicine, 2016, 44, 954-965.	0.9	123
10	Muscle Weakness and 5-Year Survival in Acute Respiratory Distress Syndrome Survivors*. Critical Care Medicine, 2017, 45, 446-453.	0.9	122
11	Approaches to Addressing Post–Intensive Care Syndrome among Intensive Care Unit Survivors. A Narrative Review. Annals of the American Thoracic Society, 2019, 16, 947-956.	3.2	121
12	Rosuvastatin versus placebo for delirium in intensive care and subsequent cognitive impairment in patients with sepsis-associated acute respiratory distress syndrome: an ancillary study to a randomised controlled trial. Lancet Respiratory Medicine,the, 2016, 4, 203-212.	10.7	118
13	Joblessness and Lost Earnings after Acute Respiratory Distress Syndrome in a 1-Year National Multicenter Study. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 1012-1020.	5.6	117
14	Patient outcomes after critical illness: a systematic review of qualitative studies following hospital discharge. Critical Care, 2016, 20, 345.	5.8	114
15	Safety of physical therapy interventions in critically ill patients: A single-center prospective evaluation of 1110 intensive care unit admissions. Journal of Critical Care, 2014, 29, 395-400.	2.2	102
16	Screening for posttraumatic stress disorder in ARDS survivors: validation of the Impact of Event Scale-6 (IES-6). Critical Care, 2019, 23, 276.	5.8	92
17	Return to work and lost earnings after acute respiratory distress syndrome: a 5-year prospective, longitudinal study of long-term survivors. Thorax, 2018, 73, 125-133.	5.6	83
18	Healthcare utilization and costs in ARDS survivors: a 1-year longitudinal national US multicenter study. Intensive Care Medicine, 2017, 43, 980-991.	8.2	71

VICTOR D DINGLAS

#	Article	IF	CITATIONS
19	Duration of oral endotracheal intubation is associated with dysphagia symptoms in acute lung injury patients. Journal of Critical Care, 2014, 29, 574-579.	2.2	70
20	Fatigue Symptoms During the First Year Following ARDS. Chest, 2020, 158, 999-1007.	0.8	69
21	Core Domains for Clinical Research in Acute Respiratory Failure Survivors: An International Modified Delphi Consensus Study. Critical Care Medicine, 2017, 45, 1001-1010.	0.9	68
22	Understanding patient-important outcomes after critical illness: a synthesis of recent qualitative, empirical, and consensus-related studies. Current Opinion in Critical Care, 2018, 24, 401-409.	3.2	62
23	One-year outcomes of rosuvastatin versus placebo in sepsis-associated acute respiratory distress syndrome: prospective follow-up of SAILS randomised trial. Thorax, 2016, 71, 401-410.	5.6	60
24	Perspectives of survivors, families and researchers on key outcomes for research in acute respiratory failure. Thorax, 2018, 73, 7-12.	5.6	58
25	Construct Validity and Minimal Important Difference of 6-Minute Walk Distance in Survivors of Acute Respiratory Failure. Chest, 2015, 147, 1316-1326.	0.8	57
26	Understanding patient outcomes after acute respiratory distress syndrome: identifying subtypes of physical, cognitive and mental health outcomes. Thorax, 2017, 72, 1094-1103.	5.6	55
27	Six-Minute Walk Distance After Critical Illness: A Systematic Review and Meta-Analysis. Journal of Intensive Care Medicine, 2021, 36, 343-351.	2.8	50
28	Evaluating Muscle Mass in Survivors of Acute Respiratory Distress Syndrome: A 1-Year Multicenter Longitudinal Study*. Critical Care Medicine, 2018, 46, 1238-1246.	0.9	49
29	Quality of Life Before Intensive Care Using EQ-5D. Critical Care Medicine, 2013, 41, 9-14.	0.9	46
30	Cognitive screening among acute respiratory failure survivors: a cross-sectional evaluation of the Mini-Mental State Examination. Critical Care, 2015, 19, 220.	5.8	44
31	Health Care Resource Use and Costs of Two-Year Survivors of Acute Lung Injury. An Observational Cohort Study. Annals of the American Thoracic Society, 2015, 12, 392-401.	3.2	39
32	A survey of Delphi panelists after core outcome set development revealed positive feedback and methods to facilitate panel member participation. Journal of Clinical Epidemiology, 2018, 102, 99-106.	5.0	39
33	Distribution-based estimates of minimal important difference for hospital anxiety and depression scale and impact of event scale-revised in survivors of acute respiratory failure. General Hospital Psychiatry, 2016, 42, 32-35.	2.4	37
34	Healthcare Resource Use and Costs in Long-Term Survivors of Acute Respiratory Distress Syndrome: A 5-Year Longitudinal Cohort Study*. Critical Care Medicine, 2017, 45, 196-204.	0.9	35
35	Predictors of 6-month health utility outcomes in survivors of acute respiratory distress syndrome. Thorax, 2017, 72, 311-317.	5.6	33
36	A systematic review finds limited data on measurement properties of instruments measuring outcomes in adult intensive care unit survivors. Journal of Clinical Epidemiology, 2017, 82, 37-46.	5.0	33

VICTOR D DINGLAS

#	Article	IF	CITATIONS
37	Patients' Outcomes After Acute Respiratory Failure: A Qualitative Study With the PROMIS Framework. American Journal of Critical Care, 2017, 26, 456-465.	1.6	32
38	The IES-R remains a core outcome measure for PTSD in critical illness survivorship research. Critical Care, 2019, 23, 362.	5.8	29
39	Are physical measures related to patient-centred outcomes in ARDS survivors?. Thorax, 2017, 72, 884-892.	5.6	24
40	Six-month and 12-month patient outcomes based on inflammatory subphenotypes in sepsis-associated ARDS: secondary analysis of SAILS-ALTOS trial. Thorax, 2022, 77, 22-30.	5.6	24
41	Occupational Therapy for Patients With Acute Lung Injury: Factors Associated With Time to First Intervention in the Intensive Care Unit. American Journal of Occupational Therapy, 2013, 67, 355-362.	0.3	24
42	Core outcomes sets for studies evaluating critical illness and patient recovery. Current Opinion in Critical Care, 2020, 26, 489-499.	3.2	22
43	Statistical methods for evaluating delirium in the ICU. Lancet Respiratory Medicine, the, 2016, 4, 534-536.	10.7	21
44	Anemia in Critically Ill Patients With Acute Respiratory Distress Syndrome and Posthospitalization Physical Outcomes. Journal of Intensive Care Medicine, 2021, 36, 557-565.	2.8	14
45	Delphi panelists for a core outcome set project suggested both new and existing dissemination strategies that were feasibly implemented by a research infrastructure project. Journal of Clinical Epidemiology, 2019, 114, 104-107.	5.0	12
46	Evaluating the association between unmet healthcare needs and subsequent clinical outcomes: protocol for the Addressing Post-Intensive Care Syndrome-01 (APICS-01) multicentre cohort study. BMJ Open, 2020, 10, e040830.	1.9	12
47	Does intensive care unit severity of illness influence recall of baseline physical function?. Journal of Critical Care, 2011, 26, 634.e1-634.e7.	2.2	9
48	Association of Job Characteristics and Functional Impairments on Return to Work After ARDS. Chest, 2021, 160, 509-518.	0.8	9
49	Association between unmet medication needs after hospital discharge and readmission or death among acute respiratory failure survivors: the addressing post-intensive care syndrome (APICS-01) multicenter prospective cohort study. Critical Care, 2022, 26, 6.	5.8	8
50	Participant Retention in Follow-Up Studies of Acute Respiratory Failure Survivors. Respiratory Care, 2020, 65, 1382-1391.	1.6	7
51	Association of imbalance between job workload and functional ability with return to work in ARDS survivors. Thorax, 2021, , thoraxjnl-2020-216586.	5.6	6
52	Understanding Patients' Perceived Health After Critical Illness. Chest, 2022, 161, 407-417.	0.8	6
53	Bodily pain in survivors of acute respiratory distress syndrome: A 1-year longitudinal follow-up study. Journal of Psychosomatic Research, 2021, 144, 110418.	2.6	5
54	Factors associated with missed assessments in a 2-year longitudinal study of acute respiratory distress syndrome survivors. BMC Medical Research Methodology, 2018, 18, 55.	3.1	4

VICTOR D DINGLAS

#	Article	IF	CITATIONS
55	Heterogeneity in design and analysis of ICU delirium randomized trials: a systematic review. Trials, 2021, 22, 354.	1.6	4
56	Association Between Participant Contact Attempts and Reports of Being Bothered in a National, Longitudinal Cohort Study of ARDS Survivors. Chest, 2020, 158, 588-595.	0.8	3
57	Hospital Readmission and Subsequent Decline in Long-Term Survivors of Acute Respiratory Distress Syndrome. American Journal of Critical Care, 2019, 28, 76-80.	1.6	2
58	Participant retention in trauma intensive care unit (ICU) follow-up studies: a post-hoc analysis of a previous scoping review. Trauma Surgery and Acute Care Open, 2020, 5, e000584.	1.6	2
59	Authors' response to commentaries on rosuvastatin for delirium and cognitive impairment in sepsis-associated acute respiratory distress syndrome. Journal of Thoracic Disease, 2016, 8, E1534-E1536.	1.4	1
60	Improved risk stratification for clinical trials of delirium – Authors' reply. Lancet Respiratory Medicine,the, 2016, 4, e18.	10.7	0
61	Factors Associated With Home Visits in a 5-Year Study of Acute Respiratory Distress Syndrome Survivors, American Journal of Critical Care, 2020, 29, 429-438.	1.6	0