
Nguyen Van Duy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11416658/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Design and fabrication of effective gradient temperature sensor array based on bilayer SnO2/Pt for gas classification. Sensors and Actuators B: Chemical, 2022, 351, 130979.	7.8	11
2	Investigation of zinc electronucleation and growth mechanisms onto platinum electrode from a deep eutectic solvent for gas sensing applications. Journal of Applied Electrochemistry, 2022, 52, 299-309.	2.9	8
3	Electronic noses based on metal oxide nanowires: A review. Nanotechnology Reviews, 2022, 11, 897-925.	5.8	21
4	Preparation and Gas Sensing Properties of rGO/CuO Nanocomposites. ECS Journal of Solid State Science and Technology, 2022, 11, 035009.	1.8	1
5	A novel design and fabrication of self-heated In2O3 nanowire gas sensor on glass for ethanol detection. Sensors and Actuators A: Physical, 2022, 345, 113769.	4.1	24
6	Au doped ZnO/SnO2 composite nanofibers for enhanced H2S gas sensing performance. Sensors and Actuators A: Physical, 2021, 317, 112454.	4.1	30
7	Porous In2O3 nanorods fabricated by hydrothermal method for an effective CO gas sensor. Materials Research Bulletin, 2021, 137, 111179.	5.2	39
8	Facile Synthesis of Pd-CuO Nanoplates with Enhanced SO2 and H2 Gas-Sensing Characteristics. Journal of Electronic Materials, 2021, 50, 2767-2778.	2.2	8
9	Highly selective H2S gas sensor based on WO3-coated SnO2 nanowires. Materials Today Communications, 2021, 26, 102094.	1.9	29
10	Fabrication of <i>p</i> -Type Co ₃ O ₄ Nanofiber Sensors for Ultra-Low H ₂ S Gas Detection at Low Temperature. Journal of Nanoscience and Nanotechnology, 2021, 21, 2626-2632.	0.9	2
11	Comparative study on the gas-sensing performance of ZnO/SnO2 external and ZnO–SnO2 internal heterojunctions for ppb H2S and NO2 gases detection. Sensors and Actuators B: Chemical, 2021, 334, 129606.	7.8	65
12	Enhanced NH3 and H2 gas sensing with H2S gas interference using multilayer SnO2/Pt/WO3 nanofilms. Journal of Hazardous Materials, 2021, 412, 125181.	12.4	52
13	Gas sensing materials roadmap. Journal of Physics Condensed Matter, 2021, 33, 303001.	1.8	49
14	Quantitative Assessment of Trout Fish Spoilage with a Single Nanowire Gas Sensor in a Thermal Gradient. Nanomaterials, 2021, 11, 1604.	4.1	13
15	MoS2 nanosheets-decorated SnO2 nanofibers for enhanced SO2 gas sensing performance and classification of CO, NH3 and H2 gases. Analytica Chimica Acta, 2021, 1167, 338576.	5.4	29
16	Significantly enhanced NO2 gas-sensing performance of nanojunction-networked SnO2 nanowires by pulsed UV-radiation. Sensors and Actuators A: Physical, 2021, 327, 112759.	4.1	31
17	ZnO coral-like nanoplates decorated with Pd nanoparticles for enhanced VOC gas sensing. Journal of Science: Advanced Materials and Devices, 2021, 6, 453-461.	3.1	15
18	A comparative study on the VOCs gas sensing properties of Zn2SnO4 nanoparticles, hollow cubes, and hollow octahedra towards exhaled breath analysis. Sensors and Actuators B: Chemical, 2021, 343, 130147.	7.8	23

#	Article	IF	CITATIONS
19	Extraordinary H2S gas sensing performance of ZnO/rGO external and internal heterojunctions. Journal of Alloys and Compounds, 2021, 879, 160457.	5.5	23
20	Ultrasensitive NO2 gas sensing performance of two dimensional ZnO nanomaterials: Nanosheets and nanoplates. Ceramics International, 2021, 47, 28811-28820.	4.8	31
21	Room temperature highly toxic NO2 gas sensors based on rootstock/scion nanowires of SnO2/ZnO, ZnO/SnO2, SnO2/SnO2 and, ZnO/ZnO. Sensors and Actuators B: Chemical, 2021, 348, 130652.	7.8	40
22	High-performance acetone gas sensor based on Pt–Zn2SnO4 hollow octahedra for diabetic diagnosis. Journal of Alloys and Compounds, 2021, 886, 161284.	5.5	54
23	Hollow ZnO nanorices prepared by a simple hydrothermal method for NO ₂ and SO ₂ gas sensors. RSC Advances, 2021, 11, 33613-33625.	3.6	15
24	One-step fabrication of SnO2 porous nanofiber gas sensors for sub-ppm H2S detection. Sensors and Actuators A: Physical, 2020, 303, 111722.	4.1	98
25	VOC gas sensor based on hollow cubic assembled nanocrystal Zn2SnO4 for breath analysis. Sensors and Actuators A: Physical, 2020, 302, 111834.	4.1	50
26	Effective monitoring and classification of hydrogen and ammonia gases with a bilayer Pt/SnO2 thin film sensor. International Journal of Hydrogen Energy, 2020, 45, 2418-2428.	7.1	51
27	Dip-coating decoration of Ag ₂ O nanoparticles on SnO ₂ nanowires for high-performance H ₂ S gas sensors. RSC Advances, 2020, 10, 17713-17723.	3.6	17
28	Urea mediated synthesis and acetone-sensing properties of ultrathin porous ZnO nanoplates. Materials Today Communications, 2020, 25, 101445.	1.9	15
29	Enhanced H2S gas-sensing performance of α-Fe2O3 nanofibers by optimizing process conditions and loading with reduced graphene oxide. Journal of Alloys and Compounds, 2020, 826, 154169.	5.5	26
30	Facile synthesis of ultrafine rGO/WO3 nanowire nanocomposites for highly sensitive toxic NH3 gas sensors. Materials Research Bulletin, 2020, 125, 110810.	5.2	80
31	Realization of a portable H2S sensing instrument based on SnO2 nanowires. Journal of Science: Advanced Materials and Devices, 2020, 5, 40-47.	3.1	9
32	Controlled Growth of Vertically Oriented Trilayer MoS ₂ Nanoflakes for Roomâ€Temperature NO ₂ Gas Sensor Applications. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 2000004.	1.8	16
33	Controlled synthesis of ultrathin MoS ₂ nanoflowers for highly enhanced NO ₂ sensing at room temperature. RSC Advances, 2020, 10, 12759-12771.	3.6	67
34	Facile Hydrothermal Synthesis of Two-Dimensional Porous ZnO Nanosheets for Highly Sensitive Ethanol Sensor. Journal of Nanomaterials, 2019, 2019, 1-7.	2.7	13
35	Effective design and fabrication of low-power-consumption self-heated SnO2 nanowire sensors for reducing gases. Sensors and Actuators B: Chemical, 2019, 295, 144-152.	7.8	35
36	An effective H ₂ S sensor based on SnO ₂ nanowires decorated with NiO nanoparticles by electron beam evaporation. RSC Advances, 2019, 9, 13887-13895.	3.6	26

#	Article	IF	CITATIONS
37	New Design of ZnO Nanorod- and Nanowire-Based NO ₂ Room-Temperature Sensors Prepared by Hydrothermal Method. Journal of Nanomaterials, 2019, 2019, 1-9.	2.7	17
38	Self-heated Ag-decorated SnO2 nanowires with low power consumption used as a predictive virtual multisensor for H2S-selective sensing. Analytica Chimica Acta, 2019, 1069, 108-116.	5.4	37
39	Magnetic iron oxide nanoparticles decorated graphene for chemoresistive gas sensing: The particle size effects. Journal of Colloid and Interface Science, 2019, 539, 315-325.	9.4	37
40	Excellent detection of H2S gas at ppb concentrations using ZnFe2O4 nanofibers loaded with reduced graphene oxide. Sensors and Actuators B: Chemical, 2019, 282, 876-884.	7.8	75
41	Ultrasensitive NO2 gas sensors using hybrid heterojunctions of multi-walled carbon nanotubes and on-chip grown SnO2 nanowires. Applied Physics Letters, 2018, 112, .	3.3	26
42	C ₂ H ₅ OH and NO ₂ sensing properties of ZnO nanostructures: correlation between crystal size, defect level and sensing performance. RSC Advances, 2018, 8, 5629-5639.	3.6	55
43	Comparison of NO2 Gas-Sensing Properties of Three Different ZnO Nanostructures Synthesized by On-Chip Low-Temperature Hydrothermal Growth. Journal of Electronic Materials, 2018, 47, 785-793.	2.2	18
44	Ultralow power consumption gas sensor based on a self-heated nanojunction of SnO ₂ nanowires. RSC Advances, 2018, 8, 36323-36330.	3.6	23
45	SO2 and H2S Sensing Properties of Hydrothermally Synthesized CuO Nanoplates. Journal of Electronic Materials, 2018, 47, 7170-7178.	2.2	27
46	A comparative study on the electrochemical properties of nanoporous nickel oxide nanowires and nanosheets prepared by a hydrothermal method. RSC Advances, 2018, 8, 19449-19455.	3.6	57
47	Nanoporous and crystal evolution in nickel oxide nanosheets for enhanced gas-sensing performance. Sensors and Actuators B: Chemical, 2018, 273, 784-793.	7.8	47
48	Facile on-chip electrospinning of ZnFe2O4 nanofiber sensors with excellent sensing performance to H2S down ppb level. Journal of Hazardous Materials, 2018, 360, 6-16.	12.4	87
49	Comparative effects of synthesis parameters on the NO2 gas-sensing performance of on-chip grown ZnO and Zn2SnO4 nanowire sensors. Journal of Alloys and Compounds, 2018, 765, 1237-1242.	5.5	32
50	Ethanol-Sensing Characteristics of Nanostructured ZnO: Nanorods, Nanowires, and Porous Nanoparticles. Journal of Electronic Materials, 2017, 46, 3406-3411.	2.2	34
51	Novel Self-Heated Gas Sensors Using on-Chip Networked Nanowires with Ultralow Power Consumption. ACS Applied Materials & amp; Interfaces, 2017, 9, 6153-6162.	8.0	53
52	On-chip growth of single phase Zn2SnO4 nanowires by thermal evaporation method for gas sensor application. Journal of Alloys and Compounds, 2017, 708, 470-475.	5.5	23
53	On-chip growth of patterned ZnO nanorod sensors with PdO decoration for enhancement of hydrogen-sensing performance. International Journal of Hydrogen Energy, 2017, 42, 16294-16304.	7.1	34
54	Bilayer SnO2–WO3 nanofilms for enhanced NH3 gas sensing performance. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2017, 224, 163-170.	3.5	67

#	Article	IF	CITATIONS
55	Superior enhancement of NO2 gas response using n-p-n transition of carbon nanotubes/SnO2 nanowires heterojunctions. Sensors and Actuators B: Chemical, 2017, 238, 1120-1127.	7.8	53
56	CuO Nanofibers Prepared by Electrospinning for Gas Sensing Application: Effect of Copper Salt Concentration. Journal of Nanoscience and Nanotechnology, 2016, 16, 7910-7918.	0.9	11
57	Synthesis and gas-sensing characteristics of α-Fe2O3 hollow balls. Journal of Science: Advanced Materials and Devices, 2016, 1, 45-50.	3.1	37
58	Nanoporous ZnO nanostructure synthesis by a facile method for superior sensitivity ethanol sensor applications. RSC Advances, 2016, 6, 64215-64218.	3.6	16
59	On-chip hydrothermal growth of ZnO nanorods at low temperature for highly selective NO2 gas sensor. Materials Letters, 2016, 169, 231-235.	2.6	50
60	Chlorine Gas Sensing Performance of On-Chip Grown ZnO, WO ₃ , and SnO ₂ Nanowire Sensors. ACS Applied Materials & Interfaces, 2016, 8, 4828-4837.	8.0	116
61	Ultrasensitive NO2 gas sensors using tungsten oxide nanowires with multiple junctions self-assembled on discrete catalyst islands via on-chip fabrication. Sensors and Actuators B: Chemical, 2016, 227, 198-203.	7.8	27
62	Nitrogen-Doped Graphene Synthesized from a Single Liquid Precursor for a Field Effect Transistor. Journal of Electronic Materials, 2016, 45, 839-845.	2.2	12
63	Enhancement of gas-sensing characteristics of hydrothermally synthesized WO3 nanorods by surface decoration with Pd nanoparticles. Sensors and Actuators B: Chemical, 2016, 223, 453-460.	7.8	70
64	Fabrication of highly sensitive and selective H2 gas sensor based on SnO2 thin film sensitized with microsized Pd islands. Journal of Hazardous Materials, 2016, 301, 433-442.	12.4	119
65	Ammonia-Gas-Sensing Characteristics of WO ₃ /Carbon Nanotubes Nanocomposites: Effect of Nanotube Content and Sensing Mechanism. Science of Advanced Materials, 2016, 8, 524-533.	0.7	15
66	Meso-/Nanoporous Semiconducting Metal Oxides for Gas Sensor Applications. Journal of Nanomaterials, 2015, 2015, 1-14.	2.7	71
67	Micro-wheels composed of self-assembled tungsten oxide nanorods for highly sensitive detection of low level toxic chlorine gas. RSC Advances, 2015, 5, 25204-25207.	3.6	27
68	Effects of gamma irradiation on hydrogen gas-sensing characteristics of Pd–SnO2 thin filmÂsensors. International Journal of Hydrogen Energy, 2015, 40, 12572-12580.	7.1	54
69	Facile synthesis of single-crystal nanoporous α-NiS nanosheets from Ni(OH)2 counterpart. Materials Letters, 2015, 161, 282-285.	2.6	10
70	Scalable fabrication of SnO2 thin films sensitized with CuO islands for enhanced H2S gas sensing performance. Applied Surface Science, 2015, 324, 280-285.	6.1	34
71	Outstanding gas-sensing performance of graphene/SnO2 nanowire Schottky junctions. Applied Physics Letters, 2014, 105, .	3.3	93
72	Controllable growth of ZnO nanowires grown on discrete islands of Au catalyst for realization of planar-type micro gas sensors. Sensors and Actuators B: Chemical, 2014, 193, 888-894.	7.8	69

#	Article	IF	CITATIONS
73	Effective decoration of Pd nanoparticles on the surface of SnO2 nanowires for enhancement of CO gas-sensing performance. Journal of Hazardous Materials, 2014, 265, 124-132.	12.4	125
74	Scalable Fabrication of High-Performance NO ₂ Gas Sensors Based on Tungsten Oxide Nanowires by On-Chip Growth and RuO ₂ -Functionalization. ACS Applied Materials & Interfaces, 2014, 6, 12022-12030.	8.0	36
75	Comparative NO2 gas-sensing performance of the self-heated individual, multiple and networked SnO2 nanowire sensors fabricated by a simple process. Sensors and Actuators B: Chemical, 2014, 201, 7-12.	7.8	51
76	Density-controllable growth of SnO2 nanowire junction-bridging across electrode for low-temperature NO2 gas detection. Journal of Materials Science, 2013, 48, 7253-7259.	3.7	21
77	In-situ decoration of Pd nanocrystals on crystalline mesoporous NiO nanosheets for effective hydrogen gas sensors. International Journal of Hydrogen Energy, 2013, 38, 12090-12100.	7.1	61
78	Facile synthesis of SnO2–ZnO core–shell nanowires for enhanced ethanol-sensing performance. Current Applied Physics, 2013, 13, 1637-1642.	2.4	53
79	Comparative study on CO2 and CO sensing performance of LaOCl-coated ZnO nanowires. Journal of Hazardous Materials, 2013, 244-245, 209-216.	12.4	51
80	On-chip growth of wafer-scale planar-type ZnO nanorod sensors for effective detection of CO gas. Sensors and Actuators B: Chemical, 2013, 181, 529-536.	7.8	74
81	Diameter controlled synthesis of tungsten oxide nanorod bundles for highly sensitive NO2 gas sensors. Sensors and Actuators B: Chemical, 2013, 183, 372-380.	7.8	70
82	Crystalline mesoporous tungsten oxide nanoplate monoliths synthesized by directed soft template method for highly sensitive NO2 gas sensor applications. Materials Research Bulletin, 2013, 48, 440-448.	5.2	39
83	Effective hydrogen gas nanosensor based on bead-like nanowires of platinum-decorated tin oxide. Sensors and Actuators B: Chemical, 2012, 173, 211-217.	7.8	26
84	Synthesis of single-crystal SnO2 nanowires for NOx gas sensors application. Ceramics International, 2012, 38, 6557-6563.	4.8	37
85	Giant enhancement of H2S gas response by decorating n-type SnO2 nanowires with p-type NiO nanoparticles. Applied Physics Letters, 2012, 101, .	3.3	48
86	Design of SnO2/ZnO hierarchical nanostructures for enhanced ethanol gas-sensing performance. Sensors and Actuators B: Chemical, 2012, 174, 594-601.	7.8	174
87	A morphological control of tungsten oxide nanowires by thermal evaporation method for sub-ppm NO2 gas sensor application. Sensors and Actuators B: Chemical, 2012, 171-172, 760-768.	7.8	59
88	Inclusion of SWCNTs in Nb/Pt co-doped TiO2 thin-film sensor for ethanol vapor detection. Physica E: Low-Dimensional Systems and Nanostructures, 2008, 40, 2950-2958.	2.7	34
89	Mixed SnO2/TiO2 included with carbon nanotubes for gas-sensing application. Physica E: Low-Dimensional Systems and Nanostructures, 2008, 41, 258-263.	2.7	67