
Andre Der-Avakian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11417657/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The neurobiology of anhedonia and other reward-related deficits. Trends in Neurosciences, 2012, 35, 68-77.	8.6	792
2	Current Status of Animal Models of Posttraumatic Stress Disorder: Behavioral and Biological Phenotypes, and Future Challenges in Improving Translation. Biological Psychiatry, 2018, 83, 895-907.	1.3	195
3	Enduring Deficits in Brain Reward Function after Chronic Social Defeat in Rats: Susceptibility, Resilience, and Antidepressant Response. Biological Psychiatry, 2014, 76, 542-549.	1.3	134
4	Translational Assessment of Reward and Motivational Deficits in Psychiatric Disorders. Current Topics in Behavioral Neurosciences, 2015, 28, 231-262.	1.7	90
5	Association Between Nicotine Withdrawal and Reward Responsiveness in Humans and Rats. JAMA Psychiatry, 2014, 71, 1238.	11.0	73
6	Negative affective states and cognitive impairments in nicotine dependence. Neuroscience and Biobehavioral Reviews, 2015, 58, 168-185.	6.1	71
7	Social defeat disrupts reward learning and potentiates striatal nociceptin/orphanin FQ mRNA in rats. Psychopharmacology, 2017, 234, 1603-1614.	3.1	56
8	Anhedonia, avolition, and anticipatory deficits: Assessments in animals with relevance to the negative symptoms of schizophrenia. European Neuropsychopharmacology, 2014, 24, 744-758.	0.7	51
9	Dissociation of Learned Helplessness and Fear Conditioning in Mice: A Mouse Model of Depression. PLoS ONE, 2015, 10, e0125892.	2.5	47
10	Serotonergic Plasticity in the Dorsal Raphe Nucleus Characterizes Susceptibility and Resilience to Anhedonia. Journal of Neuroscience, 2020, 40, 569-584.	3.6	45
11	Surgical and pharmacological suppression of glucocorticoids prevents the enhancement of morphine conditioned place preference by uncontrollable stress in rats. Psychopharmacology, 2005, 179, 409-417.	3.1	42
12	Withdrawal from chronic exposure to amphetamine, but not nicotine, leads to an immediate and enduring deficit in motivated behavior without affecting social interaction in rats. Behavioural Pharmacology, 2010, 21, 359-368.	1.7	40
13	The effects of a single exposure to uncontrollable stress on the subsequent conditioned place preference responses to oxycodone, cocaine, and ethanol in rats. Psychopharmacology, 2007, 191, 909-917.	3.1	35
14	Electrolytic lesions and pharmacological inhibition of the dorsal raphe nucleus prevent stressor potentiation of morphine conditioned place preference in rats. Psychopharmacology, 2004, 171, 191-198.	3.1	34
15	The Medial Prefrontal Cortex Regulates the Differential Expression of Morphine-Conditioned Place Preference Following a Single Exposure to Controllable or Uncontrollable Stress. Neuropsychopharmacology, 2009, 34, 834-843.	5.4	34
16	The role of glucocorticoids in the uncontrollable stress-induced potentiation of nucleus accumbens shell dopamine and conditioned place preference responses to morphine. Psychoneuroendocrinology, 2006, 31, 653-663.	2.7	33
17	Translational Assessments of Reward and Anhedonia: A Tribute to Athina Markou. Biological Psychiatry, 2018, 83, 932-939.	1.3	29
18	Modulation of the locomotor properties of morphine and amphetamine by uncontrollable stress. Pharmacology Biochemistry and Behavior, 2002, 71, 345-351.	2.9	21

ANDRE DER-AVAKIAN

#	Article	IF	CITATIONS
19	Effects of adolescent alcohol exposure on stress-induced reward deficits, brain CRF, monoamines and glutamate in adult rats. Psychopharmacology, 2018, 235, 737-747.	3.1	21
20	Effects of early life stress and adolescent ethanol exposure on adult cognitive performance in the 5-choice serial reaction time task in Wistar male rats. Psychopharmacology, 2017, 234, 1549-1556.	3.1	19
21	Risky choice and brain CRF after adolescent ethanol vapor exposure and social stress in adulthood. Behavioural Brain Research, 2016, 311, 160-166.	2.2	18
22	Stress-induced glucocorticoids suppress the antisense molecular regulation of FGF-2 expression. Psychoneuroendocrinology, 2007, 32, 376-384.	2.7	16
23	Activation of the medial prefrontal cortex by escapable stress is necessary for protection against subsequent inescapable stressâ€induced potentiation of morphine conditioned place preference. European Journal of Neuroscience, 2012, 35, 160-165.	2.6	15
24	Preclinical Models to Investigate Mechanisms of Negative Symptoms in Schizophrenia. Schizophrenia Bulletin, 2017, 43, 706-711.	4.3	13
25	Probabilistic Reinforcement Learning and Anhedonia. Current Topics in Behavioral Neurosciences, 2022, , 355-377.	1.7	7
26	The effects of a single session of inescapable tailshock on the subsequent locomotor response to brief footshock and cocaine administration in rats. Psychopharmacology, 2007, 191, 899-907.	3.1	3
27	Effects of modafinil on electroencephalographic microstates in healthy adults. Psychopharmacology, 2022, 239, 2573-2584.	3.1	3
28	Assessing the motivational effects of ethanol in mice using a discrete-trial current-intensity intracranial self-stimulation procedure. Drug and Alcohol Dependence, 2020, 207, 107806.	3.2	2