

Andre Der-Avakian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11417657/publications.pdf>

Version: 2024-02-01

28
papers

1,942
citations

394421

19
h-index

501196

28
g-index

30
all docs

30
docs citations

30
times ranked

3038
citing authors

#	ARTICLE	IF	CITATIONS
1	Probabilistic Reinforcement Learning and Anhedonia. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , 355-377.	1.7	7
2	Effects of modafinil on electroencephalographic microstates in healthy adults. <i>Psychopharmacology</i> , 2022, 239, 2573-2584.	3.1	3
3	Assessing the motivational effects of ethanol in mice using a discrete-trial current-intensity intracranial self-stimulation procedure. <i>Drug and Alcohol Dependence</i> , 2020, 207, 107806.	3.2	2
4	Serotonergic Plasticity in the Dorsal Raphe Nucleus Characterizes Susceptibility and Resilience to Anhedonia. <i>Journal of Neuroscience</i> , 2020, 40, 569-584.	3.6	45
5	Translational Assessments of Reward and Anhedonia: A Tribute to Athina Markou. <i>Biological Psychiatry</i> , 2018, 83, 932-939.	1.3	29
6	Current Status of Animal Models of Posttraumatic Stress Disorder: Behavioral and Biological Phenotypes, and Future Challenges in Improving Translation. <i>Biological Psychiatry</i> , 2018, 83, 895-907.	1.3	195
7	Effects of adolescent alcohol exposure on stress-induced reward deficits, brain CRF, monoamines and glutamate in adult rats. <i>Psychopharmacology</i> , 2018, 235, 737-747.	3.1	21
8	Effects of early life stress and adolescent ethanol exposure on adult cognitive performance in the 5-choice serial reaction time task in Wistar male rats. <i>Psychopharmacology</i> , 2017, 234, 1549-1556.	3.1	19
9	Preclinical Models to Investigate Mechanisms of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, 706-711.	4.3	13
10	Social defeat disrupts reward learning and potentiates striatal nociceptin/orphanin FQ mRNA in rats. <i>Psychopharmacology</i> , 2017, 234, 1603-1614.	3.1	56
11	Risky choice and brain CRF after adolescent ethanol vapor exposure and social stress in adulthood. <i>Behavioural Brain Research</i> , 2016, 311, 160-166.	2.2	18
12	Dissociation of Learned Helplessness and Fear Conditioning in Mice: A Mouse Model of Depression. <i>PLoS ONE</i> , 2015, 10, e0125892.	2.5	47
13	Negative affective states and cognitive impairments in nicotine dependence. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 58, 168-185.	6.1	71
14	Translational Assessment of Reward and Motivational Deficits in Psychiatric Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2015, 28, 231-262.	1.7	90
15	Association Between Nicotine Withdrawal and Reward Responsiveness in Humans and Rats. <i>JAMA Psychiatry</i> , 2014, 71, 1238.	11.0	73
16	Anhedonia, avolition, and anticipatory deficits: Assessments in animals with relevance to the negative symptoms of schizophrenia. <i>European Neuropsychopharmacology</i> , 2014, 24, 744-758.	0.7	51
17	Enduring Deficits in Brain Reward Function after Chronic Social Defeat in Rats: Susceptibility, Resilience, and Antidepressant Response. <i>Biological Psychiatry</i> , 2014, 76, 542-549.	1.3	134
18	The neurobiology of anhedonia and other reward-related deficits. <i>Trends in Neurosciences</i> , 2012, 35, 68-77.	8.6	792

#	ARTICLE	IF	CITATIONS
19	Activation of the medial prefrontal cortex by escapable stress is necessary for protection against subsequent inescapable stress-induced potentiation of morphine conditioned place preference. <i>European Journal of Neuroscience</i> , 2012, 35, 160-165.	2.6	15
20	Withdrawal from chronic exposure to amphetamine, but not nicotine, leads to an immediate and enduring deficit in motivated behavior without affecting social interaction in rats. <i>Behavioural Pharmacology</i> , 2010, 21, 359-368.	1.7	40
21	The Medial Prefrontal Cortex Regulates the Differential Expression of Morphine-Conditioned Place Preference Following a Single Exposure to Controllable or Uncontrollable Stress. <i>Neuropsychopharmacology</i> , 2009, 34, 834-843.	5.4	34
22	Stress-induced glucocorticoids suppress the antisense molecular regulation of FGF-2 expression. <i>Psychoneuroendocrinology</i> , 2007, 32, 376-384.	2.7	16
23	The effects of a single session of inescapable tailshock on the subsequent locomotor response to brief footshock and cocaine administration in rats. <i>Psychopharmacology</i> , 2007, 191, 899-907.	3.1	3
24	The effects of a single exposure to uncontrollable stress on the subsequent conditioned place preference responses to oxycodone, cocaine, and ethanol in rats. <i>Psychopharmacology</i> , 2007, 191, 909-917.	3.1	35
25	The role of glucocorticoids in the uncontrollable stress-induced potentiation of nucleus accumbens shell dopamine and conditioned place preference responses to morphine. <i>Psychoneuroendocrinology</i> , 2006, 31, 653-663.	2.7	33
26	Surgical and pharmacological suppression of glucocorticoids prevents the enhancement of morphine conditioned place preference by uncontrollable stress in rats. <i>Psychopharmacology</i> , 2005, 179, 409-417.	3.1	42
27	Electrolytic lesions and pharmacological inhibition of the dorsal raphe nucleus prevent stressor potentiation of morphine conditioned place preference in rats. <i>Psychopharmacology</i> , 2004, 171, 191-198.	3.1	34
28	Modulation of the locomotor properties of morphine and amphetamine by uncontrollable stress. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 345-351.	2.9	21