

Malcolm W Brown

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11424154/publications.pdf>

Version: 2024-02-01

58
papers

7,569
citations

126907

33
h-index

161849

54
g-index

58
all docs

58
docs citations

58
times ranked

6212
citing authors

#	ARTICLE	IF	CITATIONS
1	Perirhinal Cortex: Neural Representations of Novelty. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 41, 189-207.		0
2	Perirhinal Cortex: Neural Representations of Novelty. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 41, 189-207.		0
3	Finding and Not Finding Rat Perirhinal Neuronal Responses to Novelty. <i>Hippocampus</i> , 2016, 26, 1021-1032.	1.9	13
4	Brain, memory and development: The imprint of Gabriel Horn. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 50, 1-3.	6.1	4
5	Perirhinal cortex lesions in rats: Novelty detection and sensitivity to interference. <i>Behavioral Neuroscience</i> , 2015, 129, 227-243.	1.2	28
6	The medial dorsal thalamic nucleus and the medial prefrontal cortex of the rat function together to support associative recognition and recency but not item recognition. <i>Learning and Memory</i> , 2013, 20, 41-50.	1.3	86
7	Sir Gabriel Horn. 9 December 1927 – 2 August 2012. <i>Biographical Memoirs of Fellows of the Royal Society</i> , 2013, 59, 157-170.	0.1	2
8	MicroRNA-132 regulates recognition memory and synaptic plasticity in the perirhinal cortex. <i>European Journal of Neuroscience</i> , 2012, 36, 2941-2948.	2.6	110
9	Contrasting brain activity patterns for item recognition memory and associative recognition memory: Insights from immediate-early gene functional imaging. <i>Neuropsychologia</i> , 2012, 50, 3141-3155.	1.6	61
10	Interfering with Fos expression in rat perirhinal cortex impairs recognition memory. <i>Hippocampus</i> , 2012, 22, 2101-2113.	1.9	38
11	A role for the CAMKK pathway in visual object recognition memory. <i>Hippocampus</i> , 2012, 22, 466-476.	1.9	12
12	Perirhinal cortex lesions uncover subsidiary systems in the rat for the detection of novel and familiar objects. <i>European Journal of Neuroscience</i> , 2011, 34, 331-342.	2.6	39
13	Interfering with perirhinal brain-derived neurotrophic factor expression impairs recognition memory in rats. <i>Hippocampus</i> , 2011, 21, 121-126.	1.9	25
14	An Infomax Algorithm Can Perform Both Familiarity Discrimination and Feature Extraction in a Single Network. <i>Neural Computation</i> , 2011, 23, 909-926.	2.2	27
15	Separate but interacting recognition memory systems for different senses: The role of the rat perirhinal cortex. <i>Learning and Memory</i> , 2011, 18, 435-443.	1.3	36
16	Differing time dependencies of object recognition memory impairments produced by nicotinic and muscarinic cholinergic antagonism in perirhinal cortex. <i>Learning and Memory</i> , 2011, 18, 484-492.	1.3	50
17	Findings from animals concerning when interactions between perirhinal cortex, hippocampus and medial prefrontal cortex are necessary for recognition memory. <i>Neuropsychologia</i> , 2010, 48, 2262-2272.	1.6	138
18	Recognition memory: Material, processes, and substrates. <i>Hippocampus</i> , 2010, 20, 1228-1244.	1.9	122

#	ARTICLE	IF	CITATIONS
19	L-Type Voltage-Dependent Calcium Channel Antagonists Impair Perirhinal Long-Term Recognition Memory and Plasticity Processes. <i>Journal of Neuroscience</i> , 2009, 29, 9534-9544.	3.6	55
20	Recognition Memory: What's New in Novelty Signals?. <i>Current Biology</i> , 2009, 19, R645-R647.	3.9	8
21	Hippocampal and perirhinal functions in recognition memory. <i>Nature Reviews Neuroscience</i> , 2008, 9, 405-405.	10.2	9
22	The topography of activity transmission between lateral entorhinal cortex and subfield CA1 of the hippocampus. <i>European Journal of Neuroscience</i> , 2008, 27, 3257-3272.	2.6	4
23	The topography of activity transmission between lateral entorhinal cortex and subfield CA1 of the hippocampus. <i>European Journal of Neuroscience</i> , 2008, 28, 417-417.	2.6	0
24	Dynamics of a Memory Trace: Effects of Sleep on Consolidation. <i>Current Biology</i> , 2008, 18, 393-400.	3.9	81
25	Expression of Long-Term Depression Underlies Visual Recognition Memory. <i>Neuron</i> , 2008, 58, 186-194.	8.1	142
26	Learning-Specific Changes in Long-Term Depression in Adult Perirhinal Cortex. <i>Journal of Neuroscience</i> , 2008, 28, 7548-7554.	3.6	30
27	Computational models can replicate the capacity of human recognition memory. <i>Network: Computation in Neural Systems</i> , 2008, 19, 161-182.	3.6	17
28	Interleaving brain systems for episodic and recognition memory. <i>Trends in Cognitive Sciences</i> , 2006, 10, 455-463.	7.8	418
29	Novel temporal configurations of stimuli produce discrete changes in immediate-early gene expression in the rat hippocampus. <i>European Journal of Neuroscience</i> , 2006, 24, 2611-2621.	2.6	32
30	The Different Effects on Recognition Memory of Perirhinal Kainate and NMDA Glutamate Receptor Antagonism: Implications for Underlying Plasticity Mechanisms. <i>Journal of Neuroscience</i> , 2006, 26, 3561-3566.	3.6	101
31	cAMP Responsive Element-Binding Protein Phosphorylation Is Necessary for Perirhinal Long-Term Potentiation and Recognition Memory. <i>Journal of Neuroscience</i> , 2005, 25, 6296-6303.	3.6	83
32	Contrasting Hippocampal and Perirhinalcortex Function using Immediate Early Gene Imaging. <i>Quarterly Journal of Experimental Psychology Section B: Comparative and Physiological Psychology</i> , 2005, 58, 218-233.	2.8	138
33	Differential Roles of NR2A and NR2B-Containing NMDA Receptors in Cortical Long-Term Potentiation and Long-Term Depression. <i>Journal of Neuroscience</i> , 2004, 24, 7821-7828.	3.6	606
34	Neuronal Responses Related to Long-Term Recognition Memory Processes in Prefrontal Cortex. <i>Neuron</i> , 2004, 42, 817-829.	8.1	75
35	An anti-Hebbian model of familiarity discrimination in the perirhinal cortex. <i>Neurocomputing</i> , 2003, 52-54, 1-6.	5.9	8
36	Comparison of computational models of familiarity discrimination in the perirhinal cortex. <i>Hippocampus</i> , 2003, 13, 494-524.	1.9	106

#	ARTICLE	IF	CITATIONS
37	Cholinergic Neurotransmission Is Essential for Perirhinal Cortical Plasticity and Recognition Memory. <i>Neuron</i> , 2003, 38, 987-996.	8.1	206
38	The restricted influence of sparseness of coding on the capacity of familiarity discrimination networks. <i>Network: Computation in Neural Systems</i> , 2002, 13, 457-485.	3.6	14
39	A feast of memories. <i>Trends in Cognitive Sciences</i> , 2002, 6, 488.	7.8	0
40	Fos Imaging Reveals that Lesions of the Anterior Thalamic Nuclei Produce Widespread Limbic Hypoactivity in Rats. <i>Journal of Neuroscience</i> , 2002, 22, 5230-5238.	3.6	71
41	Capacity of perirhinal cortex network for recognising frequently repeating stimuli. <i>Neurocomputing</i> , 2002, 44-46, 337-342.	5.9	1
42	The restricted influence of sparseness of coding on the capacity of familiarity discrimination networks. <i>Network: Computation in Neural Systems</i> , 2002, 13, 457-485.	3.6	7
43	Model of familiarity discrimination in the perirhinal cortex. <i>Journal of Computational Neuroscience</i> , 2001, 10, 5-23.	1.0	81
44	Recognition memory: What are the roles of the perirhinal cortex and hippocampus?. <i>Nature Reviews Neuroscience</i> , 2001, 2, 51-61.	10.2	1,360
45	Model of co-operation between recency, familiarity and novelty neurons in the perirhinal cortex. <i>Neurocomputing</i> , 2001, 38-40, 1121-1126.	5.9	6
46	GABA _B receptors mediate frequency-dependent depression of excitatory potentials in rat perirhinal cortex in vitro. <i>European Journal of Neuroscience</i> , 2000, 12, 803-809.	2.6	32
47	Fos Imaging Reveals Differential Patterns of Hippocampal and Parahippocampal Subfield Activation in Rats in Response to Different Spatial Memory Tests. <i>Journal of Neuroscience</i> , 2000, 20, 2711-2718.	3.6	243
48	Using Fos Imaging in the Rat to Reveal the Anatomical Extent of the Disruptive Effects of Fornix Lesions. <i>Journal of Neuroscience</i> , 2000, 20, 8144-8152.	3.6	61
49	Different Contributions of the Hippocampus and Perirhinal Cortex to Recognition Memory. <i>Journal of Neuroscience</i> , 1999, 19, 1142-1148.	3.6	413
50	Thanks for the memories: Extending the hippocampal-diencephalic mnemonic system. <i>Behavioral and Brain Sciences</i> , 1999, 22, 471-479.	0.7	5
51	Episodic memory, amnesia, and the hippocampal-anterior thalamic axis. <i>Behavioral and Brain Sciences</i> , 1999, 22, 425-444.	0.7	1,862
52	Mapping visual recognition memory through expression of the immediate early gene c-fos. <i>NeuroReport</i> , 1996, 7, 1871-1875.	1.2	129
53	Memory loss during pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1993, 100, 209-215.	2.3	100
54	Electrogenic uptake contributes a major component of the depolarizing action of glutamate in rat hippocampal slices. <i>British Journal of Pharmacology</i> , 1991, 102, 355-362.	5.4	22

#	ARTICLE	IF	CITATIONS
55	Objective and subjective memory impairment in pregnancy. <i>Psychological Medicine</i> , 1991, 21, 647-653.	4.5	87
56	The Effects of Repeating a Recognition Test in Lorazepam-Induced Amnesia: Evidence for Impaired Contextual Memory as a Cause of Amnesia. <i>Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology</i> , 1990, 42, 279-290.	2.3	51
57	Absence of Priming Coupled with Substantially Preserved Recognition in Lorazepam-Induced Amnesia. <i>Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology</i> , 1989, 41, 599-617.	2.3	66
58	Effects of lorazepam on rate of forgetting, on retrieval from semantic memory and on manual dexterity. <i>Neuropsychologia</i> , 1983, 21, 501-512.	1.6	48