## **Brendon Stubbs**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1142921/publications.pdf

Version: 2024-02-01

762 papers

45,599 citations

99 h-index 169 g-index

774 all docs

774 docs citations

times ranked

774

42194 citing authors

#	Article	IF	Citations
1	Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a largeâ€scale metaâ€analysis of 3,211,768 patients and 113,383,368 controls. World Psychiatry, 2017, 16, 163-180.	4.8	1,082
2	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. Journal of Psychiatric Research, 2016, 77, 42-51.	1.5	950
3	Peripheral cytokine and chemokine alterations in depression: a metaâ€analysis of 82 studies. Acta Psychiatrica Scandinavica, 2017, 135, 373-387.	2.2	946
4	Physical Activity and Incident Depression: A Meta-Analysis of Prospective Cohort Studies. American Journal of Psychiatry, 2018, 175, 631-648.	4.0	933
5	Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and metaâ€analysis. World Psychiatry, 2015, 14, 339-347.	4.8	858
6	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	3.7	815
7	Risk of dementia and mild cognitive impairment in older people with subjective memory complaints: meta-analysis. Acta Psychiatrica Scandinavica, 2014, 130, 439-451.	2.2	750
8	Inflammation and frailty in the elderly: A systematic review and meta-analysis. Ageing Research Reviews, 2016, 31, 1-8.	5.0	659
9	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and metaâ€analysis. World Psychiatry, 2017, 16, 308-315.	4.8	600
10	Physical activity and depression: Towards understanding the antidepressant mechanisms of physical activity. Neuroscience and Biobehavioral Reviews, 2019, 107, 525-539.	2.9	539
11	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale metaâ€analysis. World Psychiatry, 2016, 15, 166-174.	4.8	487
12	Assessing the quality of studies in meta-analyses: Advantages and limitations of the Newcastle Ottawa Scale. World Journal of Meta-analysis, 2017, 5, 80.	0.1	480
13	Relationship between depression and frailty in older adults: A systematic review and meta-analysis. Ageing Research Reviews, 2017, 36, 78-87.	5.0	479
14	Inflammation and sarcopenia: A systematic review and meta-analysis. Maturitas, 2017, 96, 10-15.	1.0	451
15	A metaâ€review of "lifestyle psychiatryâ€r the role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. World Psychiatry, 2020, 19, 360-380.	4.8	424
16	Physical activity and sedentary behavior in people with major depressive disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2017, 210, 139-150.	2.0	411
17	An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. Psychiatry Research, 2017, 249, 102-108.	1.7	402
18	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). European Psychiatry, 2018, 54, 124-144.	0.1	377

#	Article	IF	CITATIONS
19	Motivating factors and barriers towards exercise in severe mental illness: a systematic review and meta-analysis. Psychological Medicine, 2016, 46, 2869-2881.	2.7	345
20	Dietary fiber and health outcomes: an umbrella review of systematic reviews and meta-analyses. American Journal of Clinical Nutrition, 2018, 107, 436-444.	2.2	339
21	Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. Neurolmage, 2018, 166, 230-238.	2.1	334
22	The Effects of Dietary Improvement on Symptoms of Depression and Anxiety: A Meta-Analysis of Randomized Controlled Trials. Psychosomatic Medicine, 2019, 81, 265-280.	1.3	312
23	Physical activity and healthy ageing: A systematic review and meta-analysis of longitudinal cohort studies. Ageing Research Reviews, 2017, 38, 6-17.	5.0	302
24	Safety, tolerability, and risks associated with first- and second-generation antipsychotics: a state-of-the-art clinical review. Therapeutics and Clinical Risk Management, 2017, Volume 13, 757-777.	0.9	286
25	How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. Schizophrenia Research, 2016, 176, 431-440.	1.1	284
26	Peripheral Alterations in Cytokine and Chemokine Levels After Antidepressant Drug Treatment for Major Depressive Disorder: Systematic Review and Meta-Analysis. Molecular Neurobiology, 2018, 55, 4195-4206.	1.9	279
27	The effect of active video games on cognitive functioning in clinical and non-clinical populations: A meta-analysis of randomized controlled trials. Neuroscience and Biobehavioral Reviews, 2017, 78, 34-43.	2.9	273
28	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. Schizophrenia Bulletin, 2017, 43, sbw115.	2.3	270
29	Prevalence and predictors of post-stroke mood disorders: A meta-analysis and meta-regression of depression, anxiety and adjustment disorder. General Hospital Psychiatry, 2017, 47, 48-60.	1.2	255
30	High prevalence of erectile dysfunction in diabetes: a systematic review and metaâ€analysis of 145 studies. Diabetic Medicine, 2017, 34, 1185-1192.	1.2	253
31	The "online brain― how the Internet may be changing our cognition. World Psychiatry, 2019, 18, 119-129.	4.8	248
32	Remission and recovery from first-episode psychosis in adults: systematic review and meta-analysis of long-term outcome studies. British Journal of Psychiatry, 2017, 211, 350-358.	1.7	239
33	Case finding and screening clinical utility of the Patient Health Questionnaire (PHQ-9 and PHQ-2) for depression in primary care: a diagnostic meta-analysis of 40 studies. BJPsych Open, 2016, 2, 127-138.	0.3	237
34	Physical activity protects from incident anxiety: A metaâ€analysis of prospective cohort studies. Depression and Anxiety, 2019, 36, 846-858.	2.0	226
35	How sedentary are people with psychosis? A systematic review and meta-analysis. Schizophrenia Research, 2016, 171, 103-109.	1.1	225
36	Physical activity in the treatment of Post-traumatic stress disorder: A systematic review and meta-analysis. Psychiatry Research, 2015, 230, 130-136.	1.7	224

#	Article	IF	CITATIONS
37	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. Sports Medicine, 2020, 50, 151-170.	3.1	222
38	Physical activity and anxiety: A perspective from the World Health Survey. Journal of Affective Disorders, 2017, 208, 545-552.	2.0	211
39	Depression in cancer: The many biobehavioral pathways driving tumor progression. Cancer Treatment Reviews, 2017, 52, 58-70.	3.4	204
40	Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. Journal of Affective Disorders, 2016, 190, 457-466.	2.0	202
41	Pain and the Risk for Falls in Community-Dwelling Older Adults: Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2014, 95, 175-187.e9.	0.5	194
42	Type 2 Diabetes Mellitus in Youth Exposed to Antipsychotics. JAMA Psychiatry, 2016, 73, 247.	6.0	189
43	Neurobiological effects of exercise on major depressive disorder: A systematic review. Neuroscience and Biobehavioral Reviews, 2016, 61, 1-11.	2.9	189
44	The prevalence and predictors of type two diabetes mellitus in people with schizophrenia: a systematic review and comparative metaâ€analysis. Acta Psychiatrica Scandinavica, 2015, 132, 144-157.	2.2	183
45	Prevalence of depressive symptoms and anxiety in osteoarthritis: a systematic review and meta-analysis. Age and Ageing, 2016, 45, 228-235.	0.7	183
46	Risk of cardiovascular disease morbidity and mortality in frail and pre-frail older adults: Results from a meta-analysis and exploratory meta-regression analysis. Ageing Research Reviews, 2017, 35, 63-73.	5.0	182
47	Anxiety disorders in postpartum women: A systematic review and meta-analysis. Journal of Affective Disorders, 2016, 203, 292-331.	2.0	178
48	Measurement of lean body mass using bioelectrical impedance analysis: a consideration of the pros and cons. Aging Clinical and Experimental Research, 2017, 29, 591-597.	1.4	178
49	Associations of moderate to vigorous physical activity and sedentary behavior with depressive and anxiety symptoms in self-isolating people during the COVID-19 pandemic: A cross-sectional survey in Brazil. Psychiatry Research, 2020, 292, 113339.	1.7	176
50	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. General Hospital Psychiatry, 2016, 39, 15-23.	1.2	172
51	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. Sports Medicine, 2017, 47, 343-352.	3.1	170
52	Weight loss is associated with improvements in cognitive function among overweight and obese people: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2017, 72, 87-94.	2.9	169
53	Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. Lancet Psychiatry,the, 2019, 6, 590-600.	3.7	169
54	The prevalence and risk of metabolic syndrome and its components among people with posttraumatic stress disorder: a systematic review and meta-analysis. Metabolism: Clinical and Experimental, 2015, 64, 926-933.	1.5	167

#	Article	IF	Citations
55	Mapping risk factors for depression across the lifespan: An umbrella review of evidence from meta-analyses and Mendelian randomization studies. Journal of Psychiatric Research, 2018, 103, 189-207.	1.5	162
56	Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias. Revista Brasileira De Psiquiatria, 2016, 38, 247-254.	0.9	160
57	Oxidative stress and frailty: A systematic review and synthesis of the best evidence. Maturitas, 2017, 99, 66-72.	1.0	160
58	Dietary intake of people with severe mental illness: systematic review and meta-analysis. British Journal of Psychiatry, 2019, 214, 251-259.	1.7	160
59	Depressive symptoms and objectively measured physical activity and sedentary behaviour throughout adolescence: a prospective cohort study. Lancet Psychiatry,the, 2020, 7, 262-271.	3.7	158
60	Sexual Activity is Associated with Greater Enjoyment of Life in Older Adults. Sexual Medicine, 2019, 7, 11-18.	0.9	155
61	Solving a weighty problem: Systematic review and meta-analysis of nutrition interventions in severe mental illness. British Journal of Psychiatry, 2017, 210, 110-118.	1.7	153
62	The impact of pharmacological and nonâ€pharmacological interventions to improve physical health outcomes in people with schizophrenia: a metaâ€review of metaâ€analyses of randomized controlled trials. World Psychiatry, 2019, 18, 53-66.	4.8	153
63	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. BMC Medicine, 2018, 16, 112.	2.3	143
64	Association of Antidepressant Use With Adverse Health Outcomes. JAMA Psychiatry, 2019, 76, 1241.	6.0	143
65	Association between osteoarthritis and cardiovascular disease: Systematic review and meta-analysis. European Journal of Preventive Cardiology, 2016, 23, 938-946.	0.8	142
66	Physical activity and suicidal ideation: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 225, 438-448.	2.0	140
67	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 907-918.e4.	0.3	140
68	The efficacy and safety of nutrient supplements in the treatment of mental disorders: a metaâ€review of metaâ€analyses of randomizedÂcontrolled trials. World Psychiatry, 2019, 18, 308-324.	4.8	139
69	The effectiveness of hypnosis for pain relief: A systematic review and meta-analysis of 85 controlled experimental trials. Neuroscience and Biobehavioral Reviews, 2019, 99, 298-310.	2.9	139
70	Are Older Adults with Chronic Musculoskeletal Pain Less Active than Older Adults Without Pain? A Systematic Review and Meta-Analysis. Pain Medicine, 2013, 14, 1316-1331.	0.9	138
71	TYPE 2 DIABETES IN PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS OF PREVALENCE ESTIMATES AND PREDICTORS. Depression and Anxiety, 2015, 32, 763-773.	2.0	138
72	Exercise improves depressive symptoms in older adults: An umbrella review of systematic reviews and meta-analyses. Psychiatry Research, 2016, 244, 202-209.	1.7	137

#	Article	IF	CITATIONS
73	Polypharmacy Is Associated With Higher Frailty Risk in Older People: An 8-Year Longitudinal Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 624-628.	1.2	137
74	The kynurenine pathway in major depressive disorder, bipolar disorder, and schizophrenia: a meta-analysis of 101 studies. Molecular Psychiatry, 2021, 26, 4158-4178.	4.1	135
75	The importance of self-determined motivation towards physical activity in patients with schizophrenia. Psychiatry Research, 2013, 210, 812-818.	1.7	133
76	Exercise improves cardiorespiratory fitness in people with depression: A meta-analysis of randomized control trials. Journal of Affective Disorders, 2016, 190, 249-253.	2.0	132
77	Augmentation of clozapine with electroconvulsive therapy in treatment resistant schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2016, 171, 215-224.	1.1	130
78	Osteoarthritis and mortality: A prospective cohort study and systematic review with meta-analysis. Seminars in Arthritis and Rheumatism, 2016, 46, 160-167.	1.6	128
79	Moving to Beat Anxiety: Epidemiology and Therapeutic Issues with Physical Activity for Anxiety. Current Psychiatry Reports, 2018, 20, 63.	2.1	127
80	Selection, Use and Psychometric Properties of Physical Activity Measures to Assess Individuals with Severe Mental Illness: A Narrative Synthesis. Archives of Psychiatric Nursing, 2014, 28, 135-151.	0.7	126
81	Nutritional labelling for healthier food or non-alcoholic drink purchasing and consumption. The Cochrane Library, 2021, 2021, CD009315.	1.5	124
82	Digital behavior change interventions to promote physical activity and/or reduce sedentary behavior in older adults: A systematic review and meta-analysis. Experimental Gerontology, 2019, 120, 68-87.	1.2	124
83	Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. Journal of the American Medical Directors Association, 2018, 19, 981-988.e7.	1.2	123
84	The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. General Hospital Psychiatry, 2016, 43, 63-70.	1.2	122
85	The prevalence and predictors of obstructive sleep apnea in major depressive disorder, bipolar disorder and schizophrenia: A systematic review and meta-analysis. Journal of Affective Disorders, 2016, 197, 259-267.	2.0	120
86	Exercise as treatment for alcohol use disorders: systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 1058-1064.	3.1	120
87	Mental health problems among Chinese adolescents during the COVID-19: The importance of nutrition and physical activity. International Journal of Clinical and Health Psychology, 2021, 21, 100218.	2.7	120
88	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. BMC Medicine, 2016, 14, 189.	2.3	119
89	Analgesic Effects of Alcohol: A Systematic Review and Meta-Analysis of Controlled Experimental Studies in Healthy Participants. Journal of Pain, 2017, 18, 499-510.	0.7	119
90	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. Psychiatry Research, 2016, 241, 47-54.	1.7	118

#	Article	IF	Citations
91	Cholesterol and triglyceride levels in first-episode psychosis: systematic review and meta-analysis. British Journal of Psychiatry, 2017, 211, 339-349.	1.7	118
92	Use of statins and the risk of dementia and mild cognitive impairment: A systematic review and meta-analysis. Scientific Reports, 2018, 8, 5804.	1.6	118
93	The Role of Exercise in Preventing and Treating Depression. Current Sports Medicine Reports, 2019, 18, 299-304.	0.5	117
94	Can high-intensity interval training improve physical and mental health outcomes? A meta-review of 33 systematic reviews across the lifespan. Journal of Sports Sciences, 2020, 38, 430-469.	1.0	116
95	Adherence to the Mediterranean diet is associated with better quality of life: data from the Osteoarthritis Initiative. American Journal of Clinical Nutrition, 2016, 104, 1403-1409.	2.2	115
96	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 6.	2.0	115
97	Food addiction: Prevalence, psychopathological correlates and associations with quality of life in a large sample. Journal of Psychiatric Research, 2018, 96, 145-152.	1.5	115
98	Is Pain Perception Altered in People With Depression? A Systematic Review and Meta-Analysis of Experimental Pain Research. Journal of Pain, 2016, 17, 1257-1272.	0.7	114
99	What Works to Prevent Falls in Community-Dwelling Older Adults? Umbrella Review of Meta-analyses of Randomized Controlled Trials. Physical Therapy, 2015, 95, 1095-1110.	1.1	113
100	What are the factors that influence physical activity participation in adults with knee and hip osteoarthritis? A systematic review of physical activity correlates. Clinical Rehabilitation, 2015, 29, 80-94.	1.0	109
101	Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2016, 201, 145-152.	2.0	109
102	Relationship Between Low Bone Mineral Density and Fractures With Incident Cardiovascular Disease: A Systematic Review and Meta-Analysis. Journal of Bone and Mineral Research, 2017, 32, 1126-1135.	3.1	109
103	Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 4â€^717â€^839 people. Lancet Psychiatry,the, 2020, 7, 52-63.	3.7	109
104	Promotion of cardiorespiratory fitness in schizophrenia: a clinical overview and metaâ€analysis. Acta Psychiatrica Scandinavica, 2015, 132, 131-143.	2.2	108
105	Systematic assessment of environmental risk factors for bipolar disorder: an umbrella review of systematic reviews and metaâ€analyses. Bipolar Disorders, 2017, 19, 84-96.	1.1	108
106	School-related physical activity interventions and mental health among children: a systematic review and meta-analysis. Sports Medicine - Open, 2020, 6, 25.	1.3	108
107	Relationship between sedentary behavior and depression: A mediation analysis of influential factors across the lifespan among 42,469 people in low- and middle-income countries. Journal of Affective Disorders, 2018, 229, 231-238.	2.0	107
108	Breast cancer screening in women with mental illness: comparative meta-analysis of mammography uptake. British Journal of Psychiatry, 2014, 205, 428-435.	1.7	106

#	Article	IF	Citations
109	Depression and physical health multimorbidity: primary data and country-wide meta-analysis of population data from 190 593 people across 43 low- and middle-income countries. Psychological Medicine, 2017, 47, 2107-2117.	2.7	106
110	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of metaâ€analyses. Acta Psychiatrica Scandinavica, 2018, 137, 88-97.	2.2	106
111	Reliability and Validity of the Center for Epidemiologic Studies Depression Scale in a Population-Based Cohort of Middle-Aged U.S. Adults. Journal of Nursing Measurement, 2017, 25, 476-485.	0.2	105
112	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. Lancet Psychiatry,the, 2020, 7, 955-970.	3.7	103
113	Effect of magnesium supplementation on glucose metabolism in people with or at risk of diabetes: a systematic review and meta-analysis of double-blind randomized controlled trials. European Journal of Clinical Nutrition, 2016, 70, 1354-1359.	1.3	102
114	Diet as a hot topic in psychiatry: a populationâ€scale study of nutritional intake and inflammatory potential in severe mental illness. World Psychiatry, 2018, 17, 365-367.	4.8	102
115	Evidence-based umbrella review of 162 peripheral biomarkers for major mental disorders. Translational Psychiatry, 2020, 10, 152.	2.4	102
116	Global physical activity levels among people living with HIV: a systematic review and meta-analysis. Disability and Rehabilitation, 2018, 40, 388-397.	0.9	100
117	Prevalence of Catatonia and Its Moderators in Clinical Samples: Results from a Meta-analysis and Meta-regression Analysis. Schizophrenia Bulletin, 2018, 44, 1133-1150.	2.3	99
118	The renin–angiotensin system: a possible new target for depression. BMC Medicine, 2017, 15, 144.	2.3	98
119	Association of Delirium Response and Safety of Pharmacological Interventions for the Management and Prevention of Delirium. JAMA Psychiatry, 2019, 76, 526.	6.0	98
120	Decreased pain sensitivity among people with schizophrenia. Pain, 2015, 156, 2121-2131.	2.0	95
121	Association between lower limb osteoarthritis and incidence of depressive symptoms: data from the osteoarthritis initiative. Age and Ageing, 2017, 46, 470-476.	0.7	95
122	Sedentary behavior and depressive symptoms among 67,077 adolescents aged 12–15Âyears from 30 lowand middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 73.	2.0	95
123	Bone mineral density, osteoporosis, and fractures among people with eating disorders: a systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2016, 133, 341-351.	2.2	94
124	Passive and mentally-active sedentary behaviors and incident major depressive disorder: A 13-year cohort study. Journal of Affective Disorders, 2018, 241, 579-585.	2.0	93
125	Exercise improves cardiorespiratory fitness in people with schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2015, 169, 453-457.	1.1	92
126	Extra-nodal extension of sentinel lymph node metastasis is a marker of poor prognosis in breast cancer patients: A systematic review and an exploratory meta-analysis. European Journal of Surgical Oncology, 2016, 42, 919-925.	0.5	92

#	Article	IF	Citations
127	The prevalence and predictors of bipolar and borderline personality disorders comorbidity: Systematic review and meta-analysis. Journal of Affective Disorders, 2016, 195, 105-118.	2.0	92
128	Perceived stress and smoking across 41 countries: A global perspective across Europe, Africa, Asia and the Americas. Scientific Reports, 2017, 7, 7597.	1.6	92
129	Barriers to and Facilitators of Physical Activity Among Persons With Schizophrenia: A Survey of Physical Therapists. Psychiatric Services, 2014, 65, 693-696.	1.1	88
130	Physical activity and depression: a large crossâ€sectional, populationâ€based study across 36 low―and middle―ncome countries. Acta Psychiatrica Scandinavica, 2016, 134, 546-556.	2.2	88
131	Chronic Physical Conditions, Multimorbidity, and Mild Cognitive Impairment in Low―and Middleâ€Income Countries. Journal of the American Geriatrics Society, 2018, 66, 721-727.	1.3	87
132	Pain Is Associated with Recurrent Falls in Community-Dwelling Older Adults: Evidence from a Systematic Review and Meta-Analysis. Pain Medicine, 2014, 15, 1115-1128.	0.9	86
133	Adopting and maintaining physical activity behaviours in people with severe mental illness: The importance of autonomous motivation. Preventive Medicine, 2015, 81, 216-220.	1.6	86
134	Prevalence and Predictors of Clozapine-Associated Constipation: A Systematic Review and Meta-Analysis. International Journal of Molecular Sciences, 2016, 17, 863.	1.8	85
135	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. Preventive Medicine, 2016, 93, 159-165.	1.6	85
136	The putative role of oxidative stress and inflammation in the pathophysiology of sleep dysfunction across neuropsychiatric disorders: Focus on chronic fatigue syndrome, bipolar disorder and multiple sclerosis. Sleep Medicine Reviews, 2018, 41, 255-265.	3.8	85
137	Prevalence and Predictors of Type 2 Diabetes Mellitus in People With Bipolar Disorder. Journal of Clinical Psychiatry, 2015, 76, 1490-1499.	1.1	85
138	The association between cardiorespiratory fitness and the incidence of common mental health disorders: A systematic review and meta-analysis. Journal of Affective Disorders, 2019, 257, 748-757.	2.0	83
139	Does exercise improve sleep quality in individuals with mental illness? A systematic review and meta-analysis. Journal of Psychiatric Research, 2019, 109, 96-106.	1.5	83
140	Lithium Exposure During Pregnancy and the Postpartum Period: A Systematic Review and Meta-Analysis of Safety and Efficacy Outcomes. American Journal of Psychiatry, 2020, 177, 76-92.	4.0	83
141	Psychometric Evaluation of the Fear of COVID-19 Scale Among Chinese Population. International Journal of Mental Health and Addiction, 2022, 20, 1273-1288.	4.4	82
142	Poor Physical Performance Predicts Future Onset of Depression in Elderly People: Progetto Veneto Anziani Longitudinal Study. Physical Therapy, 2017, 97, 659-668.	1.1	80
143	The relationship between chronic physical conditions, multimorbidity and anxiety in the general population: A global perspective across 42 countries. General Hospital Psychiatry, 2017, 45, 1-6.	1.2	80
144	The Experience of Parkinson's Disease: A Systematic Review and Meta-Ethnography. Scientific World Journal, The, 2014, 2014, 1-19.	0.8	79

#	Article	IF	Citations
145	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. BMC Medicine, 2017, 15, 209.	2.3	79
146	Peripheral iron levels in children with attention-deficit hyperactivity disorder: a systematic review and meta-analysis. Scientific Reports, 2018, 8, 788.	1.6	79
147	The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. Acta Psychiatrica Scandinavica, 2015, 131, 75-88.	2.2	78
148	Negative symptoms are associated with lower autonomous motivation towards physical activity in people with schizophrenia. Comprehensive Psychiatry, 2015, 56, 128-132.	1.5	77
149	The Validity and Value of Self-reported Physical Activity and Accelerometry in People With Schizophrenia: A Population-Scale Study of the UK Biobank. Schizophrenia Bulletin, 2018, 44, 1293-1300.	2.3	77
150	A meta-analysis of prevalence estimates and moderators of low bone mass in people with schizophrenia. Acta Psychiatrica Scandinavica, 2014, 130, 470-486.	2.2	76
151	Schizophrenia and the risk of fractures: a systematic review and comparative meta-analysis. General Hospital Psychiatry, 2015, 37, 126-133.	1.2	76
152	Biomarkers associated with sedentary behaviour in older adults: A systematic review. Ageing Research Reviews, 2017, 35, 87-111.	5.0	76
153	The transcending benefits of physical activity for individuals with schizophrenia: A systematic review and meta-ethnography. Psychiatry Research, 2014, 220, 11-19.	1.7	75
154	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. Journal of Affective Disorders, 2019, 248, 91-98.	2.0	75
155	Prevalence and clinical features associated with bipolar disorder polypharmacy: a systematic review. Neuropsychiatric Disease and Treatment, 2016, 12, 719.	1.0	74
156	Type 2 Diabetes Among People With Posttraumatic Stress Disorder. Psychosomatic Medicine, 2016, 78, 465-473.	1.3	73
157	Prognostic impact and implications of extracapsular lymph node involvement in colorectal cancer: a systematic review with meta-analysis. Annals of Oncology, 2016, 27, 42-48.	0.6	73
158	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). BMC Psychiatry, 2020, 20, 108.	1.1	73
159	Relationship between prolactin, breast cancer risk, and antipsychotics in patients with schizophrenia: a critical review. Acta Psychiatrica Scandinavica, 2016, 133, 5-22.	2.2	72
160	The Prevalence of Metabolic Syndrome in Alcohol Use Disorders: A Systematic Review and Meta-analysis. Alcohol and Alcoholism, 2016, 51, 515-521.	0.9	72
161	Cognitive effects and acceptability of non-invasive brain stimulation on Alzheimer's disease and mild cognitive impairment: a component network meta-analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 195-203.	0.9	72
162	Do people with mental illness receive adequate smoking cessation advice? A systematic review and meta-analysis. General Hospital Psychiatry, 2015, 37, 14-23.	1.2	71

#	Article	IF	Citations
163	Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. British Journal of Psychiatry, 2020, 217, 413-419.	1.7	71
164	The prevalence and moderators of clinical pain in people with schizophrenia: A systematic review and large scale meta-analysis. Schizophrenia Research, 2014, 160, 1-8.	1.1	70
165	The Avoidance of Activities due to Fear of Falling Contributes to Sedentary Behavior among Community-Dwelling Older Adults with Chronic Musculoskeletal Pain: A Multisite Observational Study. Pain Medicine, 2014, 15, 1861-1871.	0.9	70
166	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 286-296.	0.3	70
167	Exercise increases serum brain-derived neurotrophic factor in patients with major depressive disorder. Journal of Affective Disorders, 2017, 215, 152-155.	2.0	70
168	Depression and pain: primary data and meta-analysis among 237Â952 people across 47 low- and middle-income countries. Psychological Medicine, 2017, 47, 2906-2917.	2.7	70
169	Physical chronic conditions, multimorbidity and sedentary behavior amongst middle-aged and older adults in six low- and middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 147.	2.0	70
170	Cannabis use and suicide attempts among 86,254 adolescents aged 12–15 years from 21 low- and middle-income countries. European Psychiatry, 2019, 56, 8-13.	0.1	70
171	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. Ageing Research Reviews, 2019, 50, 72-80.	5.0	70
172	Physical activity and sedentary behaviour in outpatients with schizophrenia: A systematic review and meta-analysis. International Journal of Therapy and Rehabilitation, 2013, 20, 588-595.	0.1	69
173	Integrating physical activity as medicine in the care of people with severe mental illness. Australian and New Zealand Journal of Psychiatry, 2015, 49, 681-682.	1.3	69
174	A comparative meta-analysis of TEMPS scores across mood disorder patients, their first-degree relatives, healthy controls, and other psychiatric disorders. Journal of Affective Disorders, 2016, 196, 32-46.	2.0	69
175	Accelerometer-assessed light physical activity is protective of future cognitive ability: A longitudinal study among community dwelling older adults. Experimental Gerontology, 2017, 91, 104-109.	1.2	69
176	The Relationship Between the Dietary Inflammatory Index and Incident Frailty: A Longitudinal Cohort Study. Journal of the American Medical Directors Association, 2018, 19, 77-82.	1.2	69
177	What physical performance measures predict incident cognitive decline among intact older adults? A 4.4year follow up study. Experimental Gerontology, 2016, 81, 110-118.	1.2	68
178	Polypharmacy in people with dementia: Associations with adverse health outcomes. Experimental Gerontology, 2018, 106, 240-245.	1.2	68
179	Internet Addiction and Its Relationship With Suicidal Behaviors. Journal of Clinical Psychiatry, 2018, 79, .	1.1	68
180	What are the factors associated with physical activity (PA) participation in community dwelling adults with dementia? A systematic review of PA correlates. Archives of Gerontology and Geriatrics, 2014, 59, 195-203.	1.4	67

#	Article	IF	Citations
181	The prevalence and predictors of comorbid bipolar disorder and obsessive–compulsive disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2015, 186, 99-109.	2.0	67
182	Low vitamin D levels increase the risk of type 2 diabetes in older adults: A systematic review and meta-analysis. Maturitas, 2017, 100, 8-15.	1.0	67
183	Effects of yoga on depressive symptoms in people with mental disorders: a systematic review and meta-analysis. British Journal of Sports Medicine, 2021, 55, 992-1000.	3.1	67
184	The association between smoking prevalence and eating disorders: a systematic review and meta-analysis. Addiction, 2016, 111, 1914-1922.	1.7	65
185	Physical activity correlates in people living with HIV/AIDS: a systematic review of 45 studies. Disability and Rehabilitation, 2018, 40, 1618-1629.	0.9	65
186	Relationship between antipsychotic medication, serum prolactin levels and osteoporosis/osteoporotic fractures in patients with schizophrenia: a critical literature review. Expert Opinion on Drug Safety, 2016, 15, 809-823.	1.0	64
187	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. Journal of Psychiatric Research, 2018, 96, 115-123.	1.5	64
188	What Is the Role of Dietary Inflammation in Severe Mental Illness? A Review of Observational and Experimental Findings. Frontiers in Psychiatry, 2019, 10, 350.	1.3	64
189	Neurobiological effects of physical exercise in schizophrenia: a systematic review. Disability and Rehabilitation, 2014, 36, 1749-1754.	0.9	63
190	Handgrip strength and depression among 34,129 adults aged 50 years and older in six low- and middle-income countries. Journal of Affective Disorders, 2019, 243, 448-454.	2.0	63
191	Identifying the facilitators and processes which influence recovery in individuals with schizophrenia: a systematic review and thematic synthesis. Journal of Mental Health, 2015, 24, 103-110.	1.0	62
192	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. American Journal of Epidemiology, 2017, 186, 979-989.	1.6	62
193	Grip Strength Is Associated With Cognitive Performance in Schizophrenia and the General Population: A UK Biobank Study of 476559 Participants. Schizophrenia Bulletin, 2018, 44, 728-736.	2.3	62
194	Maternal breastfeeding and autism spectrum disorder in children: A systematic review and meta-analysis. Nutritional Neuroscience, 2019, 22, 354-362.	1.5	62
195	Bipolar disorder and its comorbidities between Feinstein and the Diagnostic and Statistical Manual of Mental Disorders. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1073-1073.	1.3	61
196	Adherence to a Mediterranean diet is associated with lower prevalence of osteoarthritis: Data from the osteoarthritis initiative. Clinical Nutrition, 2017, 36, 1609-1614.	2.3	61
197	Nutritional Deficiencies and Clinical Correlates in First-Episode Psychosis: A Systematic Review and Meta-analysis. Schizophrenia Bulletin, 2018, 44, 1275-1292.	2.3	61
198	The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 225, 234-245.	2.0	61

#	Article	IF	CITATIONS
199	Is it possible for people with severe mental illness to sit less and move more? A systematic review of interventions to increase physical activity or reduce sedentary behaviour. Schizophrenia Research, 2018, 202, 3-16.	1.1	60
200	Health benefits, safety and cost of physical activity interventions for mental health conditions: A meta-review to inform translation efforts. Mental Health and Physical Activity, 2019, 16, 140-151.	0.9	60
201	Tea Consumption and Risk of Cancer: An Umbrella Review and Meta-Analysis of Observational Studies. Advances in Nutrition, 2020, 11, 1437-1452.	2.9	60
202	Multiple lifestyle factors and depressed mood: a cross-sectional and longitudinal analysis of the UK Biobank (N = 84,860). BMC Medicine, 2020, 18, 354.	2.3	60
203	Systematic review and meta-analysis of the efficacy and safety of minocycline in schizophrenia. CNS Spectrums, 2017, 22, 415-426.	0.7	59
204	The Endoplasmic Reticulum Stress Response in Neuroprogressive Diseases: Emerging Pathophysiological Role and Translational Implications. Molecular Neurobiology, 2018, 55, 8765-8787.	1.9	59
205	Telomere length and health outcomes: An umbrella review of systematic reviews and meta-analyses of observational studies. Ageing Research Reviews, 2019, 51, 1-10.	5.0	59
206	Exercise and Anxiety. Advances in Experimental Medicine and Biology, 2020, 1228, 345-352.	0.8	59
207	Different prognostic roles of tumor suppressor gene <i>BAP1</i> in cancer: A systematic review with metaâ€analysis. Genes Chromosomes and Cancer, 2016, 55, 741-749.	1.5	58
208	Are leptin levels increased among people with schizophrenia versus controls? A systematic review and comparative meta-analysis. Psychoneuroendocrinology, 2016, 63, 144-154.	1.3	58
209	The effects of vitamin and mineral supplementation on symptoms of schizophrenia: a systematic review and meta-analysis. Psychological Medicine, 2017, 47, 1515-1527.	2.7	58
210	Adherence to a Mediterranean diet is associated with lower incidence of frailty: A longitudinal cohort study. Clinical Nutrition, 2018, 37, 1492-1497.	2.3	58
211	Mobility Limitations and Fallâ€Related Factors Contribute to the Reduced Healthâ€Related Quality of Life in Older Adults With Chronic Musculoskeletal Pain. Pain Practice, 2016, 16, 80-89.	0.9	57
212	Risk factors for eating disorders: an umbrella review of published meta-analyses. Revista Brasileira De Psiquiatria, 2021, 43, 314-323.	0.9	57
213	Social determinants of therapy failure and multi drug resistance among people with tuberculosis: A review. Tuberculosis, 2017, 103, 44-51.	0.8	56
214	Environmental risk factors and nonpharmacological and nonsurgical interventions for obesity: An umbrella review of metaâ€analyses of cohort studies and randomized controlled trials. European Journal of Clinical Investigation, 2018, 48, e12982.	1.7	55
215	Thyroid autoimmunity in bipolar disorder: A systematic review. Journal of Affective Disorders, 2017, 221, 97-106.	2.0	54
216	Treatment Guidelines for Depression: Greater Emphasis on Physical Activity is Needed. European Psychiatry, 2017, 40, 1-3.	0.1	54

#	Article	IF	Citations
217	Association Between Muscular Strength and Cognition in People With Major Depression or Bipolar Disorder and Healthy Controls. JAMA Psychiatry, 2018, 75, 740.	6.0	54
218	Mortality rates in Alzheimer's disease and non-Alzheimer's dementias: a systematic review and meta-analysis. The Lancet Healthy Longevity, 2021, 2, e479-e488.	2.0	54
219	Association between depression and smoking: A global perspective from 48 low- and middle-income countries. Journal of Psychiatric Research, 2018, 103, 142-149.	1.5	53
220	Correlates of sedentary behavior in the general population: A cross-sectional study using nationally representative data from six low- and middle-income countries. PLoS ONE, 2018, 13, e0202222.	1.1	53
221	Effect of nutritional supplementations on physical performance and muscle strength parameters in older people: A systematic review and meta-analysis. Ageing Research Reviews, 2019, 51, 48-54.	5.0	53
222	Physiotherapists can help implement physical activity programmes in clinical practice. British Journal of Psychiatry, 2014, 204, 164-164.	1.7	52
223	Supplementation of omega 3 fatty acids may improve hyperactivity, lethargy, and stereotypy in children with autism spectrum disorders: a meta-analysis of randomized controlled trials. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 2531-2543.	1.0	52
224	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. BMC Medicine, 2020, 18, 215.	2.3	52
225	Physical functional performance and prognosis in patients with heart failure: a systematic review and meta-analysis. BMC Cardiovascular Disorders, 2020, 20, 512.	0.7	52
226	Physical activity and sedentary behavior patterns and sociodemographic correlates in 116,982 adults from six South American countries: the South American physical activity and sedentary behavior network (SAPASEN). International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 68.	2.0	51
227	Magnesium and health outcomes: an umbrella review of systematic reviews and meta-analyses of observational and intervention studies. European Journal of Nutrition, 2020, 59, 263-272.	1.8	51
228	What are the factors that influence physical activity participation in individuals with depression? A review of physical activity correlates from 59 studies. Psychiatria Danubina, 2015, 27, 210-24.	0.2	51
229	Physical intervention: a review of the literature on its use, staff and patient views, and the impact of training. Journal of Psychiatric and Mental Health Nursing, 2009, 16, 99-105.	1.2	50
230	A systematic review of the benefits of physical therapy within a multidisciplinary care approach for people with schizophrenia: An update. Psychiatry Research, 2015, 229, 828-839.	1.7	50
231	Dietary magnesium intake and fracture risk: data from a large prospective study. British Journal of Nutrition, 2017, 117, 1570-1576.	1.2	50
232	Higher levels of objectively measured sedentary behavior is associated with worse cognitive ability: Two-year follow-up study in community-dwelling older adults. Experimental Gerontology, 2017, 99, 110-114.	1.2	50
233	The relationship between the dietary inflammatory index (DII®) and incident depressive symptoms: A longitudinal cohort study. Journal of Affective Disorders, 2018, 235, 39-44.	2.0	50
234	Physical activity and generalized anxiety disorder: results from The Irish Longitudinal Study on Ageing (TILDA). International Journal of Epidemiology, 2018, 47, 1443-1453.	0.9	50

#	Article	IF	Citations
235	Associations of sedentary behaviors and physical activity with social isolation in 100,839 school students: The Brazilian Scholar Health Survey. General Hospital Psychiatry, 2019, 59, 7-13.	1.2	50
236	Disparities in Screening and Treatment of Cardiovascular Diseases in Patients With Mental Disorders Across the World: Systematic Review and Meta-Analysis of 47 Observational Studies. American Journal of Psychiatry, 2021, 178, 793-803.	4.0	50
237	The Patient's Experience of the Psychosocial Process That Influences Identity following Stroke Rehabilitation: A Metaethnography. Scientific World Journal, The, 2014, 2014, 1-13.	0.8	49
238	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. Schizophrenia Bulletin, 2017, 43, sbw111.	2.3	49
239	Frailty Is Associated with an Increased Risk of Incident Type 2 Diabetes in the Elderly. Journal of the American Medical Directors Association, 2016, 17, 902-907.	1.2	49
240	Fried potato consumption is associated with elevated mortality: an 8-y longitudinal cohort study. American Journal of Clinical Nutrition, 2017, 106, 162-167.	2.2	49
241	A comparative meta-analysis of the prevalence of exercise addiction in adults with and without indicated eating disorders. Eating and Weight Disorders, 2021, 26, 37-46.	1.2	49
242	Sedentary behaviour is associated with elevated C-reactive protein levels in people with psychosis. Schizophrenia Research, 2015, 168, 461-464.	1.1	48
243	Physical Activity in People With Posttraumatic Stress Disorder: A Systematic Review of Correlates. Journal of Physical Activity and Health, 2016, 13, 910-918.	1.0	48
244	Protecting physical health in people with mental illness – Authors' reply. Lancet Psychiatry,the, 2019, 6, 890-891.	3.7	48
245	Could autonomous motivation hold the key to successfully implementing lifestyle changes in affective disorders? A multicentre cross sectional study. Psychiatry Research, 2015, 228, 100-106.	1.7	47
246	Physical activity and mental health. Lancet Psychiatry, the, 2018, 5, 873.	3.7	46
247	Cardiovascular Outcomes of Cholinesterase Inhibitors in Individuals with Dementia: A Metaâ€Analysis and Systematic Review. Journal of the American Geriatrics Society, 2018, 66, 1805-1811.	1.3	46
248	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. Journal of the American Medical Directors Association, 2018, 19, 607-612.	1.2	46
249	A Systematic Review of Physical Activity Correlates in Alcohol Use Disorders. Archives of Psychiatric Nursing, 2015, 29, 196-201.	0.7	45
250	Is there a relationship between pain and psychological concerns related to falling in community dwelling older adults? A systematic review. Disability and Rehabilitation, 2014, 36, 1931-1942.	0.9	44
251	Clinical correlates of vitamin D deficiency in established psychosis. BMC Psychiatry, 2016, 16, 76.	1.1	44
252	Leisure-time sedentary behavior and loneliness among 148,045 adolescents aged 12–15 years from 52 low- and middle-income countries. Journal of Affective Disorders, 2019, 251, 149-155.	2.0	44

#	Article	IF	Citations
253	Decline in sexuality and wellbeing in older adults: A population-based study. Journal of Affective Disorders, 2019, 245, 912-917.	2.0	44
254	Handgrip Strength Is Associated With Hippocampal Volume and White Matter Hyperintensities in Major Depression and Healthy Controls: A UK Biobank Study. Psychosomatic Medicine, 2020, 82, 39-46.	1.3	44
255	Consumption of Fish and ω-3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. Advances in Nutrition, 2020, 11, 1134-1149.	2.9	44
256	Atypical Antipsychotics in the Treatment of Acute Bipolar Depression with Mixed Features: A Systematic Review and Exploratory Meta-Analysis of Placebo-Controlled Clinical Trials. International Journal of Molecular Sciences, 2016, 17, 241.	1.8	43
257	Challenges Establishing the Efficacy of Exercise as an Antidepressant Treatment: A Systematic Review and Meta-Analysis of Control Group Responses in Exercise Randomised Controlled Trials. Sports Medicine, 2016, 46, 699-713.	3.1	43
258	Mild cognitive impairment and physical activity in the general population: Findings from six low- and middle-income countries. Experimental Gerontology, 2017, 100, 100-105.	1.2	43
259	Multimorbidity and perceived stress: a population-based cross-sectional study among older adults across six low- and middle-income countries. Maturitas, 2018, 107, 84-91.	1.0	43
260	Is chocolate consumption associated with health outcomes? An umbrella review of systematic reviews and meta-analyses. Clinical Nutrition, 2019, 38, 1101-1108.	2.3	43
261	Perceived Stress and Mild Cognitive Impairment among 32,715 Community-Dwelling Older Adults across Six Low- and Middle-Income Countries. Gerontology, 2019, 65, 155-163.	1.4	43
262	Disparities in COVID-19 infection, hospitalisation and death in people with schizophrenia, bipolar disorder, and major depressive disorder: a cohort study of the UK Biobank. Molecular Psychiatry, 2022, 27, 1248-1255.	4.1	43
263	Why moving more should be promoted for severe mental illness. Lancet Psychiatry, the, 2015, 2, 295.	3.7	42
264	How can we promote smoking cessation in people with schizophrenia in practice? A clinical overview. Acta Psychiatrica Scandinavica, 2015, 132, 122-130.	2.2	42
265	Peer support interventions seeking to improve physical health and lifestyle behaviours among people with serious mental illness: A systematic review. International Journal of Mental Health Nursing, 2016, 25, 484-495.	2.1	42
266	A critical review of exercise as a treatment for clinically depressed adults: time to get pragmatic. Acta Neuropsychiatrica, 2017, 29, 65-71.	1.0	42
267	Frailty and incident depression in communityâ€dwelling older people: results from the <scp>ELSA</scp> study. International Journal of Geriatric Psychiatry, 2017, 32, e141-e149.	1.3	42
268	Dropout from physical activity interventions in people living with HIV: a systematic review and meta-analysis. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 636-643.	0.6	42
269	Relationship Between Cannabis Use and Erectile Dysfunction: A Systematic Review and Meta-Analysis. American Journal of Men's Health, 2019, 13, 155798831989246.	0.7	42
270	The emergence of loss of efficacy during antidepressant drug treatment for major depressive disorder: An integrative review of evidence, mechanisms, and clinical implications. Pharmacological Research, 2019, 139, 494-502.	3.1	42

#	Article	IF	CITATIONS
271	Sedentary behaviours, cognitive function, and possible mechanisms in older adults: a systematic review. Aging Clinical and Experimental Research, 2020, 32, 969-984.	1.4	42
272	The anxiolytic effects of exercise for people with anxiety and related disorders: An update of the available meta-analytic evidence. Psychiatry Research, 2021, 302, 114046.	1.7	42
273	Self-determination and stage of readiness to change physical activity behaviour in schizophrenia. Mental Health and Physical Activity, 2014, 7, 171-176.	0.9	41
274	Falls in older adults with major depressive disorder (MDD): a systematic review and exploratory meta-analysis of prospective studies. International Psychogeriatrics, 2016, 28, 23-29.	0.6	41
275	A Comparison of Objective Physical Performance Tests and Future Mortality in the Elderly People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw139.	1.7	41
276	Extranodal Extension of Nodal Metastases Is a Poor Prognostic Indicator in Gastric Cancer: a Systematic Review and Meta-analysis. Journal of Gastrointestinal Surgery, 2016, 20, 1692-1698.	0.9	41
277	Lowâ€Dose Aspirin Use and Cognitive Function in Older Age: A Systematic Review and Metaâ€analysis. Journal of the American Geriatrics Society, 2017, 65, 1763-1768.	1.3	41
278	Acetyl-l-Carnitine Supplementation and the Treatment of Depressive Symptoms: A Systematic Review and Meta-Analysis. Psychosomatic Medicine, 2018, 80, 154-159.	1.3	41
279	Skin picking disorder: prevalence, correlates, and associations with quality of life in a large sample. CNS Spectrums, 2018, 23, 311-320.	0.7	41
280	Increased mortality from somatic multimorbidity in patients with schizophrenia: a Danish nationwide cohort study. Acta Psychiatrica Scandinavica, 2019, 140, 340-348.	2.2	41
281	The evidence for physical activity in the management of major mental illnesses. Current Opinion in Psychiatry, 2019, 32, 375-380.	3.1	41
282	From impact factors to real impact: translating evidence on lifestyle interventions into routine mental health care. Translational Behavioral Medicine, 2020, 10, 1070-1073.	1.2	41
283	Investigating the benefits of sport participation for individuals with schizophrenia: a systematic review. Psychiatria Danubina, 2015, 27, 2-13.	0.2	41
284	Physical activity ameliorates the association between sedentary behavior and cardiometabolic risk among inpatients with schizophrenia: A comparison versus controls using accelerometry. Comprehensive Psychiatry, 2017, 74, 144-150.	1.5	40
285	Associations of smoking and alcohol consumption with healthy ageing: a systematic review and meta-analysis of longitudinal studies. BMJ Open, 2018, 8, e019540.	0.8	40
286	Incidence of Capillary Leak Syndrome as an Adverse Effect of Drugs in Cancer Patients: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2019, 8, 143.	1.0	40
287	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPaCT). BMC Psychiatry, 2017, 17, 413.	1.1	39
288	Depressive symptoms, handgrip strength, and weight status in US older adults. Journal of Affective Disorders, 2018, 238, 305-310.	2.0	39

#	Article	IF	Citations
289	Association of Central Noninvasive Brain Stimulation Interventions With Efficacy and Safety in Tinnitus Management. JAMA Otolaryngology - Head and Neck Surgery, 2020, 146, 801.	1.2	39
290	A meta-analysis investigating the prevalence and moderators of migraines among people with bipolar disorder. Journal of Affective Disorders, 2015, 178, 88-97.	2.0	38
291	Osteoarthritis Increases the Risk of Cardiovascular Disease: Data from the Osteoarthritis Initiative. Journal of Nutrition, Health and Aging, 2018, 22, 371-376.	1.5	38
292	Sedentary behavior and anxiety: Association and influential factors among 42,469 community-dwelling adults in six low- and middle-income countries. General Hospital Psychiatry, 2018, 50, 26-32.	1.2	38
293	The association between sedentary behaviour and indicators of stress: a systematic review. BMC Public Health, 2019, 19, 1357.	1.2	38
294	Food Insecurity Is Associated with Mild Cognitive Impairment among Middle-Aged and Older Adults in South Africa: Findings from a Nationally Representative Survey. Nutrients, 2019, 11, 749.	1.7	38
295	Mediterranean diet and knee osteoarthritis outcomes: A longitudinal cohort study. Clinical Nutrition, 2019, 38, 2735-2739.	2.3	38
296	Physical Activity Correlates in Persons with Binge Eating Disorder: A Systematic Review. European Eating Disorders Review, 2014, 22, 1-8.	2.3	37
297	Pain Increases the Risk of Developing Frailty in Older Adults with Osteoarthritis. Pain Medicine, 2017, 18, pnw163.	0.9	37
298	Knee Osteoarthritis and Risk of Hypertension: A Longitudinal Cohort Study. Rejuvenation Research, 2018, 21, 15-21.	0.9	37
299	Acetylcholinesterase inhibitors are associated with weight loss in older people with dementia: a systematic review and meta-analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1368-1374.	0.9	36
300	Cardiorespiratory fitness levels and moderators in people with HIV: A systematic review and meta-analysis. Preventive Medicine, 2016, 93, 106-114.	1.6	36
301	A narrative synthesis investigating the use and value of social support to promote physical activity among individuals with schizophrenia. Disability and Rehabilitation, 2016, 38, 123-150.	0.9	36
302	Physical fitness in people with posttraumatic stress disorder: a systematic review. Disability and Rehabilitation, 2017, 39, 2461-2467.	0.9	36
303	Extranodal extension of nodal metastases is a poor prognostic moderator in non-small cell lung cancer: a meta-analysis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 939-947.	1.4	36
304	Editorial: Lifestyle Psychiatry. Frontiers in Psychiatry, 2019, 10, 597.	1.3	36
305	Associations between handgrip strength and mild cognitive impairment in middleâ€aged and older adults in six lowâ€and middleâ€ncome countries. International Journal of Geriatric Psychiatry, 2019, 34, 609-616.	1.3	36
306	Association Between Osteoarthritis and Social Isolation: Data From the EPOSA Study. Journal of the American Geriatrics Society, 2020, 68, 87-95.	1.3	36

#	Article	IF	Citations
307	Healthâ€related quality of life and aerobic fitness in people with schizophrenia. International Journal of Mental Health Nursing, 2015, 24, 394-402.	2.1	35
308	Pain perception in Parkinson's disease: A systematic review and meta-analysis of experimental studies. Ageing Research Reviews, 2017, 35, 74-86.	5.0	35
309	The Effectiveness of Pharmacological and Non-Pharmacological Interventions for Improving Glycaemic Control in Adults with Severe Mental Illness: A Systematic Review and Meta-Analysis. PLoS ONE, 2017, 12, e0168549.	1.1	35
310	Statin Use and Knee Osteoarthritis Outcomes: A Longitudinal Cohort Study. Arthritis Care and Research, 2019, 71, 1052-1058.	1.5	35
311	Depression and Incidence of Frailty in Older People From Six Latin American Countries. American Journal of Geriatric Psychiatry, 2019, 27, 1072-1079.	0.6	35
312	Association of leisure-time sedentary behavior with fast food and carbonated soft drink consumption among 133,555 adolescents aged 12–15 years in 44 low- and middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 35.	2.0	35
313	The efficacy of meditation-based mind-body interventions for mental disorders: A meta-review of 17 meta-analyses of randomized controlled trials. Journal of Psychiatric Research, 2021, 134, 181-191.	1.5	35
314	Understanding the role of physiotherapists in schizophrenia: an international perspective from members of the International Organisation of Physical Therapists in Mental Health (IOPTMH). Journal of Mental Health, 2014, 23, 125-129.	1.0	34
315	Changes in physical activity, physical fitness, self-perception and quality of life following a 6-month physical activity counseling and cognitive behavioral therapy program in outpatients with binge eating disorder. Psychiatry Research, 2014, 219, 361-366.	1.7	34
316	Correlates of vitamin D in psychotic disorders: A comprehensive systematic review. Psychiatry Research, 2017, 249, 78-85.	1.7	34
317	Mortality, morbidity and medical resources utilization of patients with schizophrenia: A case-control community-based study. Psychiatry Research, 2018, 260, 177-181.	1.7	34
318	Maternal breastfeeding and attention-deficit/hyperactivity disorder in children: a meta-analysis. European Child and Adolescent Psychiatry, 2019, 28, 19-30.	2.8	34
319	Is there a relationship between chocolate consumption and symptoms of depression? A crossâ€sectional survey of 13,626 US adults. Depression and Anxiety, 2019, 36, 987-995.	2.0	34
320	The Mini-Mental State Examination as a diagnostic and screening test for delirium: systematic review and meta-analysis. General Hospital Psychiatry, 2014, 36, 627-633.	1.2	33
321	Homocysteine as a peripheral biomarker in bipolar disorder: A meta-analysis. European Psychiatry, 2017, 43, 81-91.	0.1	33
322	Peripheral iron levels in children with autism spectrum disorders vs controls: a systematic review and meta-analysis. Nutrition Research, 2018, 50, 44-52.	1.3	33
323	Sedentary behaviour and sleep problems among 42,489 communityâ€dwelling adults in six low―and middleâ€income countries. Journal of Sleep Research, 2018, 27, e12714.	1.7	33
324	Pain is not associated with cognitive decline in older adults: A four-year longitudinal study. Maturitas, 2018, 115, 92-96.	1.0	33

#	Article	IF	Citations
325	Sedentary behavior and anxiety-induced sleep disturbance among 181,093 adolescents from 67 countries: a global perspective. Sleep Medicine, 2019, 58, 19-26.	0.8	33
326	Dropout from exercise randomized controlled trials among people with anxiety and stress-related disorders: A meta-analysis and meta-regression. Journal of Affective Disorders, 2021, 282, 996-1004.	2.0	33
327	Impact of replacing sedentary behaviour with other movement behaviours on depression and anxiety symptoms: a prospective cohort study in the UK Biobank. BMC Medicine, 2021, 19, 133.	2.3	33
328	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376.	2.0	33
329	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. Schizophrenia Research, 2016, 170, 336-340.	1.1	32
330	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. Psychological Medicine, 2017, 47, 531-542.	2.7	32
331	Hand grip strength and cognitive function among elderly cancer survivors. PLoS ONE, 2018, 13, e0197909.	1.1	32
332	Leisure-time sedentary behavior and suicide attempt among 126,392 adolescents in 43 countries. Journal of Affective Disorders, 2019, 250, 346-353.	2.0	32
333	Immune Aberrations in Obsessive-Compulsive Disorder: a Systematic Review and Meta-analysis. Molecular Neurobiology, 2019, 56, 4751-4759.	1.9	32
334	Declines in Sexual Activity and Function Predict Incident Health Problems in Older Adults: Prospective Findings from the English Longitudinal Study of Ageing. Archives of Sexual Behavior, 2020, 49, 929-940.	1.2	32
335	Individual and combined associations between cardiorespiratory fitness and grip strength with common mental disorders: a prospective cohort study in the UK Biobank. BMC Medicine, 2020, 18, 303.	2.3	32
336	Hypovitaminosis D and orthostatic hypotension. Journal of Hypertension, 2016, 34, 1036-1043.	0.3	31
337	Dance movement therapy and falls prevention. Maturitas, 2017, 102, 1-5.	1.0	31
338	Blockade of the angiotensin system improves mental health domain of quality of life: A meta-analysis of randomized clinical trials. Australian and New Zealand Journal of Psychiatry, 2018, 52, 24-38.	1.3	31
339	Correlates of low physical activity across 46 low- and middle-income countries: A cross-sectional analysis of community-based data. Preventive Medicine, 2018, 106, 107-113.	1.6	31
340	Visual impairment and objectively measured physical activity and sedentary behaviour in US adolescents and adults: a cross-sectional study. BMJ Open, 2019, 9, e027267.	0.8	31
341	Sedentary behavior and depression among community-dwelling adults aged ≥50 years: Results from the irish longitudinal study on Ageing. Journal of Affective Disorders, 2020, 262, 389-396.	2.0	31
342	Internet use, social isolation and loneliness in older adults. Ageing and Society, 2021, 41, 2723-2746.	1.2	31

#	Article	IF	Citations
343	Assessment of Noninvasive Brain Stimulation Interventions for Negative Symptoms of Schizophrenia. JAMA Psychiatry, 2022, 79, 770.	6.0	31
344	Extranodal extension of lymph node metastasis is a marker of poor prognosis in oesophageal cancer: a systematic review with meta-analysis. Journal of Clinical Pathology, 2016, 69, 956-961.	1.0	30
345	Relationship Between Objectively Measured Sedentary Behavior and Cognitive Performance in Patients With Schizophrenia Vs Controls. Schizophrenia Bulletin, 2017, 43, sbw126.	2.3	30
346	Extranodal extension of lymph node metastasis influences recurrence in prostate cancer: a systematic review and meta-analysis. Scientific Reports, 2017, 7, 2374.	1.6	30
347	The association of grip strength with depressive symptoms and cortisol in hair: A crossâ€sectional study of older adults. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 1604-1609.	1.3	30
348	The relationship between the dietary inflammatory index and prevalence of radiographic symptomatic osteoarthritis: data from the Osteoarthritis Initiative. European Journal of Nutrition, 2019, 58, 253-260.	1.8	30
349	Fast food consumption and suicide attempts among adolescents aged 12–15 years from 32 countries. Journal of Affective Disorders, 2020, 266, 63-70.	2.0	30
350	Bipolar I and II Disorders; A Systematic Review and Meta-Analysis on Differences in Comorbid Obsessive-Compulsive Disorder. Iranian Journal of Psychiatry and Behavioral Sciences, 2016, 10, e3604.	0.1	30
351	The benefits of walking for individuals with schizophrenia spectrum disorders: A systematic review. International Journal of Therapy and Rehabilitation, 2014, 21, 410-420.	0.1	29
352	How common is bipolar disorder in general primary care attendees? A systematic review and meta-analysis investigating prevalence determined according to structured clinical assessments. Australian and New Zealand Journal of Psychiatry, 2016, 50, 631-639.	1.3	29
353	Leisure time physical activity and future psychological distress: A thirteen year longitudinal population-based study. Journal of Psychiatric Research, 2018, 101, 50-56.	1.5	29
354	Psychometric properties of the modified Yale Food Addiction Scale 2.0 in a large Brazilian sample. Revista Brasileira De Psiquiatria, 2018, 40, 444-448.	0.9	29
355	Association between urinary incontinence and frailty: a systematic review and meta-analysis. European Geriatric Medicine, 2018, 9, 571-578.	1.2	29
356	NMDA receptor antagonists and pain relief. Neurology, 2019, 92, e1652-e1662.	1.5	29
357	Latent structure of the Centre for Epidemiologic Studies Depression Scale (CES-D) in older adult populations: a systematic review. Aging and Mental Health, 2020, 24, 700-704.	1.5	29
358	Association of bullying victimization with overweight and obesity among adolescents from 41 low― and middleâ€income countries. Pediatric Obesity, 2020, 15, e12571.	1.4	29
359	The association between melatonin and episodic migraine: A pilot network metaâ€analysis of randomized controlled trials to compare the prophylactic effects with exogenous melatonin supplementation and pharmacotherapy. Journal of Pineal Research, 2020, 69, e12663.	3.4	29
360	What works to prevent falls in older adults dwelling in long term care facilities and hospitals? An umbrella review of meta-analyses of randomised controlled trials. Maturitas, 2015, 81, 335-342.	1.0	28

#	Article	IF	CITATIONS
361	Lower Bone Mineral Density at the Hip and Lumbar Spine in People with Psychosis Versus Controls: a Comprehensive Review and Skeletal Site-Specific Meta-analysis. Current Osteoporosis Reports, 2016, 14, 249-259.	1.5	28
362	Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. Schizophrenia Research, 2017, 189, 117-125.	1.1	28
363	Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. PLoS ONE, 2017, 12, e0186992.	1.1	28
364	Monoclonal gammopathy of undetermined significance and bone health outcomes: a systematic review and exploratory meta-analysis. Journal of Bone and Mineral Metabolism, 2018, 36, 128-132.	1.3	28
365	Pro-inflammatory dietary pattern is associated with fractures in women: an eight-year longitudinal cohort study. Osteoporosis International, 2018, 29, 143-151.	1.3	28
366	Cardiorespiratory fitness and response to exercise treatment in depression. BJPsych Open, 2018, 4, 346-351.	0.3	28
367	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12–15 years from 6 high-income, 22 middle-income, and 4 low-income countries. Clinical Nutrition, 2020, 39, 886-892.	2.3	28
368	Can high intensity interval training improve health outcomes among people with mental illness? A systematic review and preliminary meta-analysis of intervention studies across a range of mental illnesses. Journal of Affective Disorders, 2020, 263, 629-660.	2.0	28
369	The prevalence, odds and predictors of lifespan comorbid eating disorder among people with a primary diagnosis of bipolar disorders, and vice-versa: Systematic review and meta-analysis. Journal of Affective Disorders, 2021, 280, 409-431.	2.0	28
370	The efficacy of exergaming in people with major neurocognitive disorder residing in long-term care facilities: a pilot randomized controlled trial. Alzheimer's Research and Therapy, 2021, 13, 70.	3.0	28
371	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 907-918.e4.	0.3	28
372	Older adults with chronic musculoskeletal pain are at increased risk of recurrent falls and the brief pain inventory could help identify those most at risk. Geriatrics and Gerontology International, 2015, 15, 881-888.	0.7	27
373	The prevalence of diabetes mellitus type 2 in people with alcohol use disorders: a systematic review and large scale meta-analysis. Psychiatry Research, 2016, 246, 394-400.	1.7	27
374	What are the top 10 physical activity research questions in schizophrenia?. Disability and Rehabilitation, 2016, 38, 2235-2243.	0.9	27
375	Course of illness in comorbid bipolar disorder and obsessive–compulsive disorder patients. Asian Journal of Psychiatry, 2016, 20, 12-14.	0.9	27
376	A comparison of physical fitness in patients with bipolar disorder, schizophrenia and healthy controls. Disability and Rehabilitation, 2016, 38, 2047-2051.	0.9	27
377	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. Schizophrenia Research, 2018, 201, 70-78.	1.1	27
378	Leisureâ€Time Sedentary Behavior and Obesity Among 116,762 Adolescents Aged 12â€15ÂYears from 41 Low†Middleâ€Income Countries. Obesity, 2019, 27, 830-836.	and 1.5	27

#	Article	IF	CITATIONS
379	The value of social support to encourage people with schizophrenia to engage in physical activity: an international insight from specialist mental health physiotherapists. Journal of Mental Health, 2014, 23, 256-260.	1.0	26
380	Reliability and clinical correlates of the Astrand–Rhyming sub-maximal exercise test in patients with schizophrenia or schizoaffective disorder. Psychiatry Research, 2014, 220, 778-783.	1.7	26
381	Nephrolithiasis, bone mineral density, osteoporosis, and fractures: a systematic review and comparative meta-analysis. Osteoporosis International, 2016, 27, 3155-3164.	1.3	26
382	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. Journal of Affective Disorders, 2017, 212, 25-37.	2.0	26
383	Associations of Neuropsychiatric Symptoms and Antidepressant Prescription with Survival in Alzheimer's Disease. Journal of the American Medical Directors Association, 2017, 18, 1076-1081.	1.2	26
384	More Reasons to Move: Exercise in the Treatment of Alcohol Use Disorders. Frontiers in Psychiatry, 2017, 8, 160.	1.3	26
385	Zika Virus as an Emerging Neuropathogen: Mechanisms of Neurovirulence and Neuro-Immune Interactions. Molecular Neurobiology, 2018, 55, 4160-4184.	1.9	26
386	Correlates of physical activity among 142,118 adolescents aged 12–15†years from 48 low- and middle-income countries. Preventive Medicine, 2019, 127, 105819.	1.6	26
387	Effects of different pharmacologic smoking cessation treatments on body weight changes and success rates in patients with nicotine dependence: A network metaâ€analysis. Obesity Reviews, 2019, 20, 895-905.	3.1	26
388	Does physical activity reduce the risk of psychosis? A systematic review and meta-analysis of prospective studies. Psychiatry Research, 2020, 284, 112675.	1.7	26
389	Independent relationships between different domains of physical activity and depressive symptoms among 60,202 Brazilian adults. General Hospital Psychiatry, 2020, 64, 26-32.	1.2	26
390	The manual handling of the aggressive patient: a review of the risk of injury to nurses. Journal of Psychiatric and Mental Health Nursing, 2009, 16, 395-400.	1.2	25
391	Associations between perceived neighbourhood environmental attributes and self-reported sitting time in patients with schizophrenia: A pilot study. Psychiatry Research, 2014, 215, 33-38.	1.7	25
392	Health-related physical fitness in patients with bipolar disorder vs. healthy controls: An exploratory study. Journal of Affective Disorders, 2015, 177, 22-27.	2.0	25
393	Extranodal extension is an important prognostic parameter for both colonic and rectal cancer. Annals of Oncology, 2016, 27, 955-956.	0.6	25
394	Surgical Management of Obesity Among People with Schizophrenia and Bipolar Disorder: a Systematic Review of Outcomes and Recommendations for Future Research. Obesity Surgery, 2017, 27, 1889-1895.	1.1	25
395	Physical activity is associated with the physical, psychological, social and environmental quality of life in people with mental health problems in a low resource setting. Psychiatry Research, 2017, 258, 250-254.	1.7	25
396	Efficacy, safety and tolerability of aripiprazole in bipolar disorder: An updated systematic review and meta-analysis of randomized controlled trials. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 79, 289-301.	2.5	25

#	Article	IF	CITATIONS
397	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. Schizophrenia Research, 2018, 193, 412-417.	1.1	25
398	Adherence to antidepressant medications is associated with reduced premature mortality in patients with cancer: A nationwide cohort study. Depression and Anxiety, 2019, 36, 921-929.	2.0	25
399	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. British Journal of Psychiatry, 2019, 215, 712-719.	1.7	25
400	Handgrip strength is associated with suicidal thoughts in men: Crossâ€sectional analyses from NHANES. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 92-99.	1.3	25
401	Joint association of ultra-processed food and sedentary behavior with anxiety-induced sleep disturbance among Brazilian adolescents. Journal of Affective Disorders, 2020, 266, 135-142.	2.0	25
402	A systematic review of the latent structure of the Center for Epidemiologic Studies Depression Scale (CES-D) amongst adolescents. BMC Psychiatry, 2021, 21, 197.	1.1	25
403	Employment and relationship outcomes in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. Schizophrenia Research, 2021, 231, 122-133.	1.1	25
404	Pain Interference Is Associated With Psychological Concerns Related to Falls in Community-Dwelling Older Adults: Multisite Observational Study. Physical Therapy, 2014, 94, 1410-1420.	1.1	24
405	Factors influencing patients' hope in stroke and spinal cord injury: A narrative review. International Journal of Therapy and Rehabilitation, 2014, 21, 210-218.	0.1	24
406	Is pain sensitivity altered in people with Alzheimer's disease? A systematic review and meta-analysis of experimental pain research. Experimental Gerontology, 2016, 82, 30-38.	1.2	24
407	Correlates of children's independent outdoor play: Cross-sectional analyses from the Millennium Cohort Study. Preventive Medicine Reports, 2017, 8, 10-14.	0.8	24
408	Periodic limb movements during sleep are associated with cardiovascular diseases: A systematic review and metaâ€analysis. Journal of Sleep Research, 2019, 28, e12720.	1.7	24
409	Factors associated with regular physical activity participation among people with severe mental ill health. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 887-895.	1.6	24
410	Handgrip strength, chronic physical conditions and physical multimorbidity in middle-aged and older adults in six low- and middle income countries. European Journal of Internal Medicine, 2019, 61, 96-102.	1.0	24
411	Physical interventions to manage patients with brain injury: An audit on its use and staff and patient injuries from the techniques. Brain Injury, 2008, 22, 691-696.	0.6	23
412	Preferences and motivations for exercise in early psychosis. Acta Psychiatrica Scandinavica, 2016, 134, 83-84.	2.2	23
413	Within-Person Pain Variability and Mental Health in Older Adults With Osteoarthritis: An Analysis Across 6 European Cohorts. Journal of Pain, 2018, 19, 690-698.	0.7	23
414	Longitudinal Relationship Between Knee Pain Status and Incident Frailty: Data from the Osteoarthritis Initiative. Pain Medicine, 2018, 19, 2146-2153.	0.9	23

#	Article	IF	Citations
415	Driving impairment and crash risk in Parkinson disease. Neurology, 2018, 91, e906-e916.	1.5	23
416	Associations between TV viewing, sitting time, physical activity and insomnia among 100,839 Brazilian adolescents. Psychiatry Research, 2018, 269, 700-706.	1.7	23
417	Cross-sectional and longitudinal association of non-exercise estimated cardiorespiratory fitness with depression and anxiety in the general population: The HUNT study. Journal of Affective Disorders, 2019, 252, 122-129.	2.0	23
418	Can high-intensity interval training improve mental health outcomes in the general population and those with physical illnesses? A systematic review and meta-analysis. British Journal of Sports Medicine, 2022, 56, 279-291.	3.1	23
419	Increased rates of respiratory disease in schizophrenia: A systematic review and meta-analysis including 619,214 individuals with schizophrenia and 52,159,551 controls. Schizophrenia Research, 2021, 237, 131-140.	1.1	23
420	How can we increase physical activity and exercise among youth experiencing firstâ€episode psychosis? A systematic review of intervention variables. Microbial Biotechnology, 2016, 10, 435-440.	0.9	22
421	Comorbid bipolar disorder and obsessive-compulsive disorder: Which came first?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 695-698.	1.3	22
422	Sedentary Behavior in People Living With HIV: A Systematic Review and Meta-Analysis. Journal of Physical Activity and Health, 2017, 14, 571-577.	1.0	22
423	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. Journal of Affective Disorders, 2018, 234, 97-104.	2.0	22
424	Mild cognitive impairment and sedentary behavior: A multinational study. Experimental Gerontology, 2018, 108, 174-180.	1.2	22
425	†Walk this way': results from a pilot randomised controlled trial of a health coaching intervention to reduce sedentary behaviour and increase physical activity in people with serious mental illness. BMC Psychiatry, 2019, 19, 287.	1.1	22
426	The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. Experimental Gerontology, 2019, 120, 62-67.	1.2	22
427	Psychotic experiences and subjective cognitive complaints among 224 842 people in 48 low- and middle-income countries. Epidemiology and Psychiatric Sciences, 2020, 29, e11.	1.8	22
428	Hospitalisation and length of hospital stay following first-episode psychosis: systematic review and meta-analysis of longitudinal studies. Psychological Medicine, 2020, 50, 991-1001.	2.7	22
429	Increased care at discharge from COVID-19: The association between pre-admission frailty and increased care needs after hospital discharge; a multicentre European observational cohort study. BMC Medicine, 2020, 18, 408.	2.3	22
430	Efficacy of pharmacologic treatment in tinnitus patients without specific or treatable origin: A network meta-analysis of randomised controlled trials. EClinicalMedicine, 2021, 39, 101080.	3.2	22
431	Prevention and management of aggression in mental health: An interdisciplinary discussion. International Journal of Therapy and Rehabilitation, 2008, 15, 351-357.	0.1	21
432	Antipsychoticâ€induced hyperprolactinaemia in patients with schizophrenia: considerations in relation to bone mineral density. Journal of Psychiatric and Mental Health Nursing, 2009, 16, 838-842.	1.2	21

#	Article	IF	CITATIONS
433	Screening for osteoporosis: a survey of older psychiatric inpatients at a tertiary referral centre. International Psychogeriatrics, 2009, 21, 180.	0.6	21
434	Physiotherapy students' experiences of bullying on clinical internships: a qualitative study. Physiotherapy, 2014, 100, 41-46.	0.2	21
435	Test–retest reliability, feasibility and clinical correlates of the Eurofit test battery in people with bipolar disorder. Psychiatry Research, 2015, 228, 620-625.	1.7	21
436	The functional exercise capacity and its correlates in obese treatment-seeking people with binge eating disorder: an exploratory study. Disability and Rehabilitation, 2015, 37, 777-782.	0.9	21
437	Lisdexamfetamine in the treatment of moderate-to-severe binge eating disorder in adults: systematic review and exploratory meta-analysis of publicly available placebo-controlled, randomized clinical trials. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 1827-1836.	1.0	21
438	Cardiorespiratory fitness in outpatients with bipolar disorder versus matched controls:ÂAn exploratory study. Journal of Affective Disorders, 2016, 199, 1-5.	2.0	21
439	Musculoskeletal pain characteristics associated with lower balance confidence in community-dwelling older adults. Physiotherapy, 2016, 102, 152-158.	0.2	21
440	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. Journal of Affective Disorders, 2017, 221, 81-88.	2.0	21
441	Low-dose vitamin D supplementation and incident frailty in older people: An eight year longitudinal study. Experimental Gerontology, 2018, 101, 1-6.	1.2	21
442	Associations between active travel and physical multi-morbidity in six low- and middle-income countries among community-dwelling older adults: A cross-sectional study. PLoS ONE, 2018, 13, e0203277.	1,1	21
443	Sedentary behavior and perceived stress among adults aged ≥50 years in six low- and middle-income countries. Maturitas, 2018, 116, 100-107.	1.0	21
444	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. Schizophrenia Research, 2020, 216, 408-415.	1.1	21
445	Efficacy of nonâ€invasive brain stimulation interventions in reducing smoking frequency in patients with nicotine dependence: a systematic review and network metaâ€analysis of randomized controlled trials. Addiction, 2022, 117, 1830-1842.	1.7	21
446	Physical intervention to manage aggression in older adults: how often is it employed?. International Psychogeriatrics, 2008, 20, 855-857.	0.6	20
447	Displays of inappropriate sexual behaviour by patients with progressive cognitive impairment: the forgotten form of challenging behaviour?. Journal of Psychiatric and Mental Health Nursing, 2011, 18, 602-607.	1.2	20
448	The relationship between genetic risk variants with brain structure and function in bipolar disorder: A systematic review of genetic-neuroimaging studies. Neuroscience and Biobehavioral Reviews, 2017, 79, 87-109.	2.9	20
449	A systematic review of physical activity policy recommendations and interventions for people with mental health problems in Sub-Saharan African countries. Pan African Medical Journal, 2017, 26, 104.	0.3	20
450	Correlates of leisure-time sedentary behavior among 181,793 adolescents aged 12-15 years from 66 low-and middle-income countries. PLoS ONE, 2019, 14, e0224339.	1.1	20

#	Article	IF	CITATIONS
451	Exercise Addiction Prevalence and Correlates in the Absence of Eating Disorder Symptomology: A Systematic Review and Meta-analysis. Journal of Addiction Medicine, 2020, 14, e321-e329.	1.4	20
452	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1572-1578.	1.7	20
453	Association of pharmacological prophylaxis with the risk of pediatric emergence delirium after sevoflurane anesthesia: An updated network meta-analysis. Journal of Clinical Anesthesia, 2021, 75, 110488.	0.7	20
454	A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 117, 110540.	2.5	20
455	The Psychosocial Consequences of Sports Participation for Individuals with Severe Mental Illness: A Metasynthesis Review. Advances in Psychiatry, 2015, 2015, 1-8.	0.4	19
456	The functional exercise capacity in patients with bipolar disorder versus healthy controls: A pilot study. Psychiatry Research, 2015, 229, 194-199.	1.7	19
457	Tackling mental health: the role of professional football clubs. Sport in Society, 2017, 20, 281-291.	0.8	19
458	Are people with schizophrenia adherent to diabetes medication? A comparative meta-analysis. Psychiatry Research, 2017, 250, 17-24.	1.7	19
459	Physical activity and metabolic disease among people with affective disorders: Prevention, management and implementation. Journal of Affective Disorders, 2017, 224, 87-94.	2.0	19
460	Imaging genetics paradigms in depression research: Systematic review and meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 86, 102-113.	2.5	19
461	Physical activity and loneliness among adults aged 50 years or older in six low―and middleâ€income countries. International Journal of Geriatric Psychiatry, 2019, 34, 1855-1864.	1.3	19
462	Prevention of Postdental Procedure Bacteremia: A Network Meta-analysis. Journal of Dental Research, 2019, 98, 1204-1210.	2.5	19
463	The Relationship between Dietary Vitamin K and Depressive Symptoms in Late Adulthood: A Cross-Sectional Analysis from a Large Cohort Study. Nutrients, 2019, 11, 787.	1.7	19
464	Behavioral addictions in bipolar disorders: A systematic review. European Neuropsychopharmacology, 2019, 29, 76-97.	0.3	19
465	Physical Multimorbidity and Social Participation in Adult Aged 65 Years and Older From Six Low- and Middle-Income Countries. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2021, 76, 1452-1462.	2.4	19
466	Multimorbidity and obesity in older adults from six low- and middle-income countries. Preventive Medicine, 2021, 153, 106816.	1.6	19
467	Depression and Reduced Bone Mineral Density at the Hip and Lumbar Spine. Psychosomatic Medicine, 2016, 78, 492-500.	1.3	18
468	Sitting time, physical fitness impairments and metabolic abnormalities in people with bipolar disorder: An exploratory study. Psychiatry Research, 2016, 242, 7-12.	1.7	18

#	Article	IF	CITATIONS
469	Pericardial adipose tissue and the metabolic syndrome is increased in patients with chronic major depressive disorder compared to acute depression and controls. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 72, 30-35.	2.5	18
470	Dietary Magnesium and Incident Frailty in Older People at Risk for Knee Osteoarthritis: An Eight-Year Longitudinal Study. Nutrients, 2017, 9, 1253.	1.7	18
471	Disordered eating behaviors as a potential obesogenic factor in schizophrenia. Psychiatry Research, 2018, 269, 450-454.	1.7	18
472	Associations between Depression, Depressive Symptoms, and Incidence of Dementia in Latin America: A 10/66 Dementia Research Group Study. Journal of Alzheimer's Disease, 2019, 69, 433-441.	1.2	18
473	Associations of exercise frequency and cardiorespiratory fitness with symptoms of depression and anxiety - a cross-sectional study of 36,595 adults. Mental Health and Physical Activity, 2020, 19, 100351.	0.9	18
474	The Impact of Pharmacologic and Nonpharmacologic Interventions to Improve Physical Health Outcomes in People With Dementia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. Journal of the American Medical Directors Association, 2020, 21, 1410-1414.e2.	1.2	18
475	Physical multimorbidity and sedentary behavior in older adults: Findings from the Irish longitudinal study on ageing (TILDA). Maturitas, 2020, 134, 1-7.	1.0	18
476	Tuberculosis and Non-Communicable Disease Multimorbidity: An Analysis of the World Health Survey in 48 Low- and Middle-Income Countries. International Journal of Environmental Research and Public Health, 2021, 18, 2439.	1.2	18
477	Physiotherapy students' experiences of bullying on clinical internships: an exploratory study. Physiotherapy, 2013, 99, 178-180.	0.2	17
478	A Meta-Analysis Investigating Falls in Older Adults Taking Selective Serotonin Reuptake Inhibitors Confirms an Association but by No Means Implies Causation. American Journal of Geriatric Psychiatry, 2015, 23, 1098.	0.6	17
479	Aerobic capacity is associated with global functioning in people with schizophrenia. Journal of Mental Health, 2015, 24, 214-218.	1.0	17
480	Physical activity as a vital sign in patients with bipolar disorder. Psychiatry Research, 2016, 246, 218-222.	1.7	17
481	Changes in Frailty Status and Risk of Depression: Results From the Progetto Veneto Anziani Longitudinal Study. American Journal of Geriatric Psychiatry, 2017, 25, 190-197.	0.6	17
482	Sleep Quality, Duration, and Associated Sexual Function at Older Age: Findings from the English Longitudinal Study of Ageing. Journal of Sexual Medicine, 2019, 16, 427-433.	0.3	17
483	Systematic review and exploratory meta-analysis of the efficacy, safety, and biological effects of psychostimulants and atomoxetine in patients with schizophrenia or schizoaffective disorder. CNS Spectrums, 2019, 24, 479-495.	0.7	17
484	Prevalence and correlates of major depressive disorder, bipolar disorder and schizophrenia among nursing home residents without dementia: systematic review and meta-analysis. British Journal of Psychiatry, 2020, 216, 6-15.	1.7	17
485	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 1893-1899.	1.2	17
486	Active school travel is associated with fewer suicide attempts among adolescents from low-and middle-income countries. International Journal of Clinical and Health Psychology, 2021, 21, 100202.	2.7	17

#	Article	IF	Citations
487	Associations between mentally-passive and mentally-active sedentary behaviours during adolescence and psychological distress during adulthood. Preventive Medicine, 2021, 145, 106436.	1.6	17
488	Efficacy of serotonergic antidepressant treatment for the neuropsychiatric symptoms and agitation in dementia: A systematic review and meta-analysis. Ageing Research Reviews, 2021, 69, 101362.	5.0	17
489	Cross-sectional associations of leisure and transport related physical activity with depression and anxiety. Journal of Psychiatric Research, 2021, 140, 228-234.	1.5	17
490	A Review of Pre-Exposure Prophylaxis Adherence among Female Sex Workers. Yonsei Medical Journal, 2020, 61, 349.	0.9	17
491	Trajectory of Antidepressant Effects after Single- or Two-Dose Administration of Psilocybin: A Systematic Review and Multivariate Meta-Analysis. Journal of Clinical Medicine, 2022, 11, 938.	1.0	17
492	Physical assault by patients against physiotherapists working in mental health settings. Physiotherapy, 2009, 95, 170-175.	0.2	16
493	Addressing the disparity in physical health provision for people with schizophrenia: an important role for physiotherapists. Physiotherapy, 2014, 100, 185-186.	0.2	16
494	Associations Between Metabolic and Aerobic Fitness Parameters in Patients With Schizophrenia. Journal of Nervous and Mental Disease, 2015, 203, 23-27.	0.5	16
495	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. Journal of Nervous and Mental Disease, 2016, 204, 15-19.	0.5	16
496	A population study of the association between sleep disturbance and suicidal behaviour in people with mental illness. Journal of Psychiatric Research, 2016, 82, 149-154.	1.5	16
497	Acetylcholinesterase inhibitors and memantine in bipolar disorder: A systematic review and best evidence synthesis of the efficacy and safety for multiple disease dimensions. Journal of Affective Disorders, 2016, 197, 268-280.	2.0	16
498	Top 10 research questions to promote physical activity in bipolar disorders: A consensus statement from the International Organization of Physical Therapists in Mental Health. Journal of Affective Disorders, 2016, 195, 82-87.	2.0	16
499	Higher cardio-respiratory fitness is associated with increased mental and physical quality of life in people with bipolar disorder: A controlled pilot study. Psychiatry Research, 2017, 256, 219-224.	1.7	16
500	Low adherence to antidepressants is associated with increased mortality following stroke: A large nationally representative cohort study. European Neuropsychopharmacology, 2017, 27, 970-976.	0.3	16
501	Serum Thyroid-Stimulating Hormone Levels and Frailty in the Elderly: The Progetto Veneto Anziani Study. Rejuvenation Research, 2017, 20, 165-172.	0.9	16
502	Physical activity and sleep problems in 38 low- and middle-income countries. Sleep Medicine, 2018, 48, 140-147.	0.8	16
503	Non-pharmacological interventions for preventing weight gain in patients with first episode schizophrenia or bipolar disorder: A systematic review Psychiatry Research, 2019, 281, 112556.	1.7	16
504	Vitamin D and clinical symptoms in First Episode Psychosis (FEP): A prospective cohort study. Schizophrenia Research, 2019, 204, 381-388.	1.1	16

#	Article	IF	Citations
505	Prospective associations between physical activity and clinician diagnosed major depressive disorder in adults: A 13-year cohort study. Preventive Medicine, 2019, 118, 38-43.	1.6	16
506	Association of Child and Adolescent Mental Health With Adolescent Health Behaviors in the UK Millennium Cohort. JAMA Network Open, 2020, 3, e2011381.	2.8	16
507	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 123.	2.0	16
508	Do beta-adrenergic blocking agents increase asthma exacerbation? A network meta-analysis of randomized controlled trials. Scientific Reports, 2021, 11, 452.	1.6	16
509	Heredity in comorbid bipolar disorder and obsessive-compulsive disorder patients. Shanghai Archives of Psychiatry, 2015, 27, 307-10.	0.7	16
510	Understanding the experience of initiating community-based group physical activity by people with serious mental illness: A systematic review using a meta-ethnographic approach. European Psychiatry, 2020, 63, e95.	0.1	16
511	Associations between expiratory spirometry parameters and limitations in daily life activities in patients with schizophrenia. General Hospital Psychiatry, 2014, 36, 172-176.	1.2	15
512	Pain is independently associated with reduced health related quality of life in people with psychosis. Psychiatry Research, 2015, 230, 585-591.	1.7	15
513	â€~Walk This Way' – a pilot of a health coaching intervention to reduce sedentary behaviour and increase low intensity exercise in people with serious mental illness: study protocol for a randomised controlled trial. Trials, 2016, 17, 594.	0.7	15
514	Low adherence to antidepressants is associated with increased mortality in Parkinson disease patients. Parkinsonism and Related Disorders, 2017, 43, 92-96.	1.1	15
515	Results of an Observational Cohort Study of Hyperuricemia as a Predictor of Poor Physical Performance in the Elderly. Arthritis Care and Research, 2017, 69, 1238-1244.	1.5	15
516	Correlates of physical activity among depressed older people in six lowâ€income and middleâ€income countries: A communityâ€based crossâ€sectional study. International Journal of Geriatric Psychiatry, 2018, 33, e314-e322.	1.3	15
517	Physical activity and HIV in sub-Saharan Africa: a systematic review of correlates and levels. African Health Sciences, 2018, 18, 394-406.	0.3	15
518	Different patterns of alcohol consumption and the incidence and persistence of depressive and anxiety symptoms among older adults in Ireland: A prospective community-based study. Journal of Affective Disorders, 2018, 238, 651-658.	2.0	15
519	Therapeutic effects of methylphenidate for attention-deficit/hyperactivity disorder in children with borderline intellectual functioning or intellectual disability: A systematic review and meta-analysis. Scientific Reports, 2019, 9, 15908.	1.6	15
520	Human Immunodeficiency Virus Infection and Diverse Physical Health Outcomes: An Umbrella Review of Meta-analyses of Observational Studies. Clinical Infectious Diseases, 2020, 70, 1809-1815.	2.9	15
521	Aerobic exercise impacts the anterior cingulate cortex in adolescents with subthreshold mood syndromes: a randomized controlled trial study. Translational Psychiatry, 2020, 10, 155.	2.4	15
522	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. Psychological Medicine, 2023, 53, 1565-1575.	2.7	15

#	Article	IF	CITATIONS
523	Longitudinal Course of Depressive, Anxiety, and Posttraumatic Stress Disorder Symptoms After Heart Surgery: A Meta-Analysis of 94 Studies. Psychosomatic Medicine, 2021, 83, 85-93.	1.3	15
524	The risk of assault to physiotherapists: beyond zero tolerance?. Physiotherapy, 2009, 95, 134-139.	0.2	14
525	The Assessment, Benefits and Delivery of Physical Activity in People with Schizophrenia: A Survey of Members of the International Organization of Physical Therapists in Mental Health. Physiotherapy Research International, 2014, 19, 248-256.	0.7	14
526	The prevalence and odds of suicidal thoughts, behaviours and deaths among people with painful comorbidities: An updated meta-analysis accounting for publication bias. Journal of Psychiatric Research, 2016, 72, 72-73.	1.5	14
527	Physical activity correlates in people with anxiety: Data from 46 low- and middle-income countries. General Hospital Psychiatry, 2017, 49, 26-31.	1.2	14
528	Cross-sectional associations of active transport, employment status and objectively measured physical activity: analyses from the National Health and Nutrition Examination Survey. Journal of Epidemiology and Community Health, 2018, 72, 764-769.	2.0	14
529	Pain and severe sleep disturbance in the general population: Primary data and meta-analysis from 240,820 people across 45 low- and middle-income countries. General Hospital Psychiatry, 2018, 53, 52-58.	1.2	14
530	Prevalence and Correlates of Exercise Addiction in the Presence vs. Absence of Indicated Eating Disorders. Frontiers in Sports and Active Living, 2020, 2, 84.	0.9	14
531	Efficacy and acceptability of pharmacological and non-pharmacological interventions for non-specific chronic low back pain: a protocol for a systematic review and network meta-analysis. Systematic Reviews, 2020, 9, 130.	2.5	14
532	Metformin and health outcomes: An umbrella review of systematic reviews with metaâ€analyses. European Journal of Clinical Investigation, 2021, 51, e13536.	1.7	14
533	Pharmacologic and hormonal treatments for menopausal sleep disturbances: A network meta-analysis of 43 randomized controlled trials and 32,271 menopausal women. Sleep Medicine Reviews, 2021, 57, 101469.	3.8	14
534	Effectiveness and acceptability of noninvasive brain and nerve stimulation techniques for migraine prophylaxis: a network meta-analysis of randomized controlled trials. Journal of Headache and Pain, 2022, 23, 28.	2.5	14
535	Pharmacologic interventions for Kawasaki disease in children: A network meta-analysis of 56 randomized controlled trials. EBioMedicine, 2022, 78, 103946.	2.7	14
536	Effect of Vitamin D Supplementation on Outcomes in People With Early Psychosis. JAMA Network Open, 2021, 4, e2140858.	2.8	14
537	Exercise is medicine for depression: even when the "pill" is small. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2715-2721.	1.0	13
538	Depressive symptoms and muscular fitness contribute independently to the ability to perform daily life activities in people with bipolar disorder. Nordic Journal of Psychiatry, 2016, 70, 477-482.	0.7	13
539	Physical health policies and metabolic screening in mental health care systems of sub-Saharan African countries: a systematic review. International Journal of Mental Health Systems, 2017, 11, 31.	1.1	13
540	Increased pericardial adipose tissue and cardiometabolic risk in patients with schizophrenia versus healthy controls. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 719-725.	1.8	13

#	Article	IF	CITATIONS
541	The risk of glaucoma and serotonergic antidepressants: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 241, 63-70.	2.0	13
542	Moving more, ageing happy: findings from six low- and middle-income countries. Age and Ageing, 2021, 50, 488-497.	0.7	13
543	TB multimorbidity: a global health challenge demanding urgent attention. International Journal of Tuberculosis and Lung Disease, 2021, 25, 87-90.	0.6	13
544	Autoantibodies against voltageâ€gated potassium channel and glutamic acid decarboxylase in psychosis: <scp>A</scp> systematic review, metaâ€analysis, and case series. Psychiatry and Clinical Neurosciences, 2017, 71, 678-689.	1.0	13
545	Serum Prolactin and Bone Mineral Density in Schizophrenia: A Systematic Review. Clinical Psychopharmacology and Neuroscience, 2019, 17, 333-342.	0.9	13
546	Psilocybin for End-of-Life Anxiety Symptoms: A Systematic Review and Meta-Analysis. Psychiatry Investigation, 2021, 18, 958-967.	0.7	13
547	Differences in the prophylactic effect of serum lithium levels on depression and mania in bipolar disorder: A dose-response meta-analysis. European Neuropsychopharmacology, 2022, 58, 20-29.	0.3	13
548	Falls in older adult psychiatric patients: equipping nurses with knowledge to make a difference. Journal of Psychiatric and Mental Health Nursing, 2011, 18, 457-462.	1.2	12
549	Identifying a Framework for Hope in Order to Establish the Importance of Generalised Hopes for Individuals Who Have Suffered a Stroke. Advances in Medicine, 2014, 2014, 1-8.	0.3	12
550	Does the "Silver Bullet―Lose its Shine Over the Time? Assessment of Loss of Lithium Response in a Preliminary Sample of Bipolar Disorder Outpatients. Clinical Practice and Epidemiology in Mental Health, 2016, 12, 142-157.	0.6	12
551	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. Psychiatry Research, 2017, 247, 208-213.	1.7	12
552	Pharmacological management of diabetes in severe mental illness: a comprehensive clinical review of efficacy, safety and tolerability. Expert Review of Clinical Pharmacology, 2018, 11, 411-424.	1.3	12
553	Violence in mental health settings: A systematic review. International Journal of Mental Health Nursing, 2018, 27, 33-45.	2.1	12
554	Associations of physical activity with anxiety symptoms and disorders: Findings from the Swedish National March Cohort. General Hospital Psychiatry, 2019, 58, 45-50.	1.2	12
555	Leisure time physical activity reduces the association between TV-viewing and depressive symptoms: A large study among 59,401 Brazilian adults. Journal of Affective Disorders, 2019, 252, 310-314.	2.0	12
556	Health care professionals' perspectives on physical activity within the Ugandan mental health care system. Mental Health and Physical Activity, 2019, 16, 1-7.	0.9	12
557	Test-retest reliability and clinical correlates of the Eurofit test battery in people with alcohol use disorders. Psychiatry Research, 2019, 271, 208-213.	1.7	12
558	The association between diabetes and cataract among 42,469 community-dwelling adults in six low-and middle-income countries. Diabetes Research and Clinical Practice, 2019, 147, 102-110.	1.1	12

#	Article	IF	Citations
559	Exergaming for people with major neurocognitive disorder: a qualitative study. Disability and Rehabilitation, 2022, 44, 2044-2052.	0.9	12
560	Effect of lowâ€dose aspirin on health outcomes: An umbrella review of systematic reviews and metaâ€analyses. British Journal of Clinical Pharmacology, 2020, 86, 1465-1475.	1.1	12
561	Genetic variations in MicroRNA genes and cancer risk: A field synopsis and metaâ€analysis. European Journal of Clinical Investigation, 2020, 50, e13203.	1.7	12
562	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. Preventive Medicine, 2020, 132, 106007.	1.6	12
563	Functional objective parameters which may discriminate patients with mild cognitive impairment from cognitively healthy individuals: a systematic review and meta-analysis using an instrumented kinematic assessment. Age and Ageing, 2021, 50, 380-393.	0.7	12
564	A dose response relationship between accelerometer assessed daily steps and depressive symptoms in older adults: a two-year cohort study. Age and Ageing, 2021, 50, 519-526.	0.7	12
565	Significance of the prognostic stratification of extranodal extension in colorectal cancer. Annals of Oncology, 2016, 27, 1647.	0.6	11
566	Dropout from physical activity interventions in children and adolescents with attention deficit hyperactivity disorder: A systematic review and meta-analysis. Mental Health and Physical Activity, 2016, 11, 46-52.	0.9	11
567	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. Journal of Affective Disorders, 2017, 212, 10-16.	2.0	11
568	Lifetime self-reported arthritis is associated with elevated levels of mental health burden: A multi-national cross sectional study across 46 low- and middle-income countries. Scientific Reports, 2017, 7, 7138.	1.6	11
569	Prospective associations between measures of gross and fine motor coordination in infants and objectively measured physical activity and sedentary behavior in childhood. Medicine (United States), 2017, 96, e8424.	0.4	11
570	Physical activity correlates in people with mild cognitive impairment: findings from six low- and middle-income countries. Public Health, 2018, 156, 15-25.	1.4	11
571	Mitochondrial genetic haplogroups and incident obesity: a longitudinal cohort study. European Journal of Clinical Nutrition, 2018, 72, 587-592.	1.3	11
572	Physical activity levels in children with sensory problems: Cross-sectional analyses from the Millennium Cohort Study. Disability and Health Journal, 2018, 11, 58-61.	1.6	11
573	Physical activity of people with mental disorders compared to the general population: a systematic review of longitudinal cohort studies. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1443-1457.	1.6	11
574	Associations of the Built Environment With Physical Activity and Sedentary Time in Ugandan Outpatients With Mental Health Problems. Journal of Physical Activity and Health, 2019, 16, 243-250.	1.0	11
575	Mitochondrial genetic haplogroups and cardiovascular diseases: Data from the Osteoarthritis Initiative. PLoS ONE, 2019, 14, e0213656.	1.1	11
576	Perineural Invasion is a Strong Prognostic Moderator in Ampulla of Vater Carcinoma. Pancreas, 2019, 48, 70-76.	0.5	11

#	Article	IF	CITATIONS
577	Validity and correlates of the International Physical Activity Questionnaire in firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 562-567.	0.9	11
578	Redefining mental healthcare: going multidisciplinary to manage multimorbidity. British Journal of Sports Medicine, 2021, 55, 7-8.	3.1	11
579	Association between cardiorespiratory fitness and depressive symptoms in children and adolescents: A systematic review and meta-analysis. Journal of Affective Disorders, 2021, 282, 1234-1240.	2.0	11
580	Efficacy and acceptability of noninvasive brain stimulation interventions for weight reduction in obesity: a pilot network meta-analysis. International Journal of Obesity, 2021, 45, 1705-1716.	1.6	11
581	Prospective associations between multiple lifestyle behaviors and depressive symptoms. Journal of Affective Disorders, 2022, 301, 233-239.	2.0	11
582	Metabolic syndrome and lung function in schizophrenia: A pilot study. Psychiatry Research, 2014, 220, 58-62.	1.7	10
583	Strategies to deal with comorbid physical illness in psychosis. Epidemiology and Psychiatric Sciences, 2016, 25, 197-204.	1.8	10
584	Effect of acetyl-l-carnitine in the treatment of diabetic peripheral neuropathy: A systematic review and meta-analysis. European Geriatric Medicine, 2017, 8, 117-122.	1.2	10
585	Lifestyle interventions to reduce premature mortality in schizophrenia. Lancet Psychiatry, the, 2017, 4, e14.	3.7	10
586	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPaCT): cost-effectiveness of integrated psychosocial health promotion. BMC Psychiatry, 2017, 17, 407.	1.1	10
587	Correlates of physical activity among community-dwelling individuals aged 65 years or older with anxiety in six low- and middle-income countries. International Psychogeriatrics, 2018, 30, 705-714.	0.6	10
588	Impact of aerobic exercise on muscle mass in patients with major depressive disorder: a randomized controlled trial. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 1969-1974.	1.0	10
589	Barriers and Facilitators of Physical Activity in Children of a South Asian Ethnicity. Sustainability, 2018, 10, 761.	1.6	10
590	Does physical activity influence the association between depressive symptoms and low-grade inflammation in adults? A study of 8,048 adults. Physiology and Behavior, 2020, 223, 112967.	1.0	10
591	Vitamin D supplementation compared to placebo in people with First Episode psychosis - Neuroprotection Design (DFEND): a protocol for a randomised, double-blind, placebo-controlled, parallel-group trial. Trials, 2020, 21, 14.	0.7	10
592	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: A qualitative study investigating patient, carer and staff attitudes. Journal of Affective Disorders, 2021, 283, 198-206.	2.0	10
593	Effects of aerobic exercise on gut microbiota in adolescents with subthreshold mood syndromes and healthy adolescents: A 12-week, randomized controlled trial. Journal of Affective Disorders, 2021, 293, 363-372.	2.0	10
594	Physical interventions for managing aggression in mental health: Should physiotherapists be involved?. International Journal of Therapy and Rehabilitation, 2008, 15, 8-13.	0.1	9

#	Article	IF	Citations
595	The shoulder: taking the strain during restraint. Journal of Psychiatric and Mental Health Nursing, 2011, 18, 177-184.	1.2	9
596	Sexual professional boundaries perceived by undergraduate and graduate physiotherapists: A cross sectional survey. Physiotherapy, 2013, 99, 298-304.	0.2	9
597	Prospective associations of physical fitness and cognitive performance among inpatients with Schizophrenia. Psychiatry Research, 2018, 270, 738-743.	1.7	9
598	Physical activity and sedentary levels among people living with epilepsy: A systematic review and meta-analysis. Epilepsy and Behavior, 2019, 99, 106390.	0.9	9
599	Physical Activity as a Predictor of Clinical Trial Outcomes in Bipolar Depression: A Subanalysis of a Mitochondrial-Enhancing Nutraceutical Randomized Controlled Trial. Canadian Journal of Psychiatry, 2020, 65, 306-318.	0.9	9
600	Metabolic syndrome and its components in people with intellectual disability: a metaâ€analysis. Journal of Intellectual Disability Research, 2020, 64, 804-815.	1.2	9
601	Device-measured sedentary behaviour and anxiety symptoms during adolescence: a 6-year prospective cohort study. Psychological Medicine, 2022, 52, 2962-2971.	2.7	9
602	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. Maturitas, 2021, 143, 157-164.	1.0	9
603	Efficacy and acceptability of different interventions for acrophobia: A network meta-analysis of randomised controlled trials. Journal of Affective Disorders, 2021, 282, 786-794.	2.0	9
604	Prospective associations of different contexts of physical activity with psychological distress and well-being among middle-aged adults: An analysis of the 1970 British Cohort Study. Journal of Psychiatric Research, 2021, 140, 15-21.	1.5	9
605	Independent and combined associations of sugar-sweetened beverage consumption, TV viewing, and physical activity with severe depressive symptoms among 59,402 adults. Revista Brasileira De Psiquiatria, 2021, 43, 574-583.	0.9	9
606	Osteoporosis and falls: some further considerations for the nursing profession. British Journal of Nursing, 2010, 19, 1431-1431.	0.3	8
607	Comorbid bipolar disorder and obsessive–compulsive disorder in children and adolescents: Treatment implications. Australian and New Zealand Journal of Psychiatry, 2016, 50, 594-596.	1.3	8
608	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. Psychiatry Research, 2018, 261, 406-413.	1.7	8
609	Aspirin and incident depressive symptoms: A longitudinal cohort study over 8Âyears. International Journal of Geriatric Psychiatry, 2018, 33, e193-e198.	1.3	8
610	Violent criminal behavior in the context of bipolar disorder: Systematic review and meta-analysis. Journal of Affective Disorders, 2018, 239, 161-170.	2.0	8
611	Physiotherapy for people with mental health problems in Sub-Saharan African countries: a systematic review. Archives of Physiotherapy, 2018, 8, 2.	0.7	8
612	Psychotic experiences in the context of mood and anxiety disorders and their associations with health outcomes among people of color in the United States. Journal of Psychosomatic Research, 2019, 118, 27-33.	1.2	8

#	Article	IF	Citations
613	Correlates of sedentary behavior in middle-aged and old age people with mild cognitive impairment: a multinational study. International Psychogeriatrics, 2019, 31, 579-589.	0.6	8
614	Functional parameters indicative of mild cognitive impairment: a systematic review using instrumented kinematic assessment. BMC Geriatrics, 2020, 20, 282.	1.1	8
615	Antidepressants during and after Menopausal Transition: A Systematic Review and Meta-Analysis. Scientific Reports, 2020, 10, 8026.	1.6	8
616	The role of physical activity in the association between multimorbidity and depressive symptoms: Data from 60,202 adults from the Brazilian National Health Survey. Journal of Psychosomatic Research, 2020, 134, 110122.	1.2	8
617	Therapeutic benefits of pharmacologic and nonpharmacologic treatments for depressive symptoms after traumatic brain injury: a systematic review and network meta-analysis. Journal of Psychiatry and Neuroscience, 2021, 46, E196-E207.	1.4	8
618	Physical activity correlates in children and adolescents, adults, and older adults with an intellectual disability: a systematic review. Disability and Rehabilitation, 2022, 44, 4189-4200.	0.9	8
619	Exercise addiction in athletes: Comparing two assessment instruments and willingness to stop exercise after medical advice Psychological Assessment, 2021, 33, 326-337.	1.2	8
620	Association of mentally-active and mentally-passive sedentary behaviour with depressive symptoms among adolescents. Journal of Affective Disorders, 2021, 294, 143-150.	2.0	8
621	A survey of physiotherapy students' experiences and attitudes towards treating individuals with mental illness. International Journal of Therapy and Rehabilitation, 2014, 21, 324-330.	0.1	7
622	Comorbid bipolar disorder and obsessive-compulsive disorder: A child and adolescent perspective. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1066-1067.	1.3	7
623	The Functional Exercise Capacity Is Associated With Global Functioning in People With Bipolar Disorder. Journal of Nervous and Mental Disease, 2016, 204, 673-677.	0.5	7
624	Physical activity correlates in heavy episodic drinkers: Data from 46 low- and middle-income countries. Mental Health and Physical Activity, 2017, 13, 163-170.	0.9	7
625	Potential influence of physical, psychological and lifestyle factors on the association between television viewing and depressive symptoms: A cross-sectional study. General Hospital Psychiatry, 2019, 60, 37-43.	1.2	7
626	Cannabis use and physical activity among 89,777 adolescents aged 12-15 years from 21 low- and middle-income countries. Drug and Alcohol Dependence, 2019, 205, 107584.	1.6	7
627	Physical injury and depression in six low- and middle-income countries: A nationally representative study. Journal of Affective Disorders, 2019, 248, 99-107.	2.0	7
628	Correlates of sedentary behavior among community-dwelling adults with anxiety in six low- and middle-income countries. Psychiatry Research, 2019, 273, 501-508.	1.7	7
629	Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. Brain Sciences, 2020, 10, 692.	1.1	7
630	Neighborhood environment, social participation, and physical activity in older adults with lower limb osteoarthritis: A mediation analysis. Health and Place, 2021, 68, 102513.	1.5	7

#	Article	IF	CITATIONS
631	Associations between loneliness and acute hospitalisation outcomes among patients receiving mental healthcare in South London: a retrospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 397-410.	1.6	7
632	Device-measured physical activity and sedentary behaviour in relation to mental wellbeing: An analysis of the 1970 British cohort study. Preventive Medicine, 2021, 145, 106434.	1.6	7
633	Association between Active School Travel and Depressive Symptoms among 51,702 Adolescents in 26 Low- and Middle-Income Countries. International Journal of Mental Health Promotion, 2021, 23, 141-153.	0.4	7
634	The Impact of Pharmacological and Non-Pharmacological Interventions to Improve Physical Health Outcomes in People With Schizophrenia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. Focus (American Psychiatric Publishing), 2021, 19, 116-128.	0.4	7
635	Effects of modern technology (exergame and virtual reality) assisted rehabilitation vs conventional rehabilitation in patients with Parkinson's disease: a network meta-analysis of randomised controlled trials. Physiotherapy, 2022, 117, 35-42.	0.2	7
636	Let's talk about sexuality: Whose responsibility is it?. International Journal of Therapy and Rehabilitation, 2008, 15, 286-286.	0.1	6
637	Hypovitaminosis D predicts the onset of orthostatic hypotension in older adults. Journal of the American Society of Hypertension, 2016, 10, 724-732.	2.3	6
638	Considering the Role of Physical Therapists Within the Treatment and Rehabilitation of Individuals With Eating Disorders: An International Survey of Expert Clinicians. Physiotherapy Research International, 2016, 21, 237-246.	0.7	6
639	Mitochondrial genetic haplogroups and depressive symptoms: A large study among people in North America. Journal of Affective Disorders, 2017, 217, 55-59.	2.0	6
640	Exercise works for depression: bridging the implementation gap and making exercise a core component of treatment. Acta Neuropsychiatrica, 2017, 29, 124-126.	1.0	6
641	Catecholâ€ <i>O</i> â€Methyltransferase (COMT) Val158Met Polymorphism and Eating Disorders: Data From a New Biobank and Metaâ€Analysis of Previously Published Studies. European Eating Disorders Review, 2017, 25, 524-532.	2.3	6
642	Low peripheral levels of insulin growth factor-1 are associated with high incidence of delirium among elderly patients: A systematic review and meta-analysis. Archives of Gerontology and Geriatrics, 2018, 77, 13-18.	1.4	6
643	Primary thromboembolic prevention in multiple myeloma patients: An exploratory meta-analysis on aspirin use. Seminars in Hematology, 2018, 55, 182-184.	1.8	6
644	Female-specific association among I, J and K mitochondrial genetic haplogroups and cancer: A longitudinal cohort study. Cancer Genetics, 2018, 224-225, 29-36.	0.2	6
645	Psychotic experiences as an independent risk factor for angina pectoris in 48 low―and middle―ncome countries. World Psychiatry, 2018, 17, 232-234.	4.8	6
646	Sedentary behaviour and chronic stress in old age: A cross-sectional analysis of TV viewing and hair cortisol concentrations. Psychoneuroendocrinology, 2019, 109, 104375.	1.3	6
647	Physical fitness levels and moderators in people with epilepsy: A systematic review and meta-analysis. Epilepsy and Behavior, 2019, 99, 106448.	0.9	6
648	Dietary Protein Intake and Falls in Older People: Longitudinal Analyses From the Osteoarthritis Initiative. Journal of the American Medical Directors Association, 2019, 20, 1623-1627.	1.2	6

#	Article	IF	CITATIONS
649	Social anxiety increases visible anxiety signs during social encounters but does not impair performance. BMC Psychology, 2019, 7, 24.	0.9	6
650	Treatment Efficacy and Acceptabilityof Pharmacotherapies for Dementia with Lewy Bodies: A Systematic Review and Network Meta-Analysis. Archives of Gerontology and Geriatrics, 2021, 96, 104474.	1.4	6
651	The efficacy and tolerability of paliperidone in mania of bipolar disorder: A preliminary meta-analysis Experimental and Clinical Psychopharmacology, 2017, 25, 422-433.	1.3	6
652	Safety of Psychotropic Medications in People With COVID-19: Evidence Review and Practical Recommendations. Focus (American Psychiatric Publishing), 2020, 18, 466-481.	0.4	6
653	Lifestyle behaviors among 4,343 Brazilian adults with severe mental illness and 55,859 general population controls: data from the Brazilian National Health Survey. Revista Brasileira De Psiquiatria, 2020, 42, 245-249.	0.9	6
654	PHYSICAL ACTIVITY AND SYMPTOMS OF ANXIETY AND DEPRESSION AMONG MEDICAL STUDENTS DURING A PANDEMIC. Revista Brasileira De Medicina Do Esporte, 2021, 27, 582-587.	0.1	6
655	Sexuality and Health Care: Can We Carry on Ignoring the Issue?. British Journal of Occupational Therapy, 2008, 71, 269-269.	0.5	5
656	Physical restraint in mental health services: a gap in the knowledge regarding this extreme manual handling task. Ergonomics, 2011, 54, 876-878.	1.1	5
657	Are physical intervention techniques likely to cause pain or injury when applied to manage the severely aggressive older adult? A survey of physiotherapist's expert views in the UK. Journal of Clinical Nursing, 2011, 20, 2666-2675.	1.4	5
658	Physiotherapy students' experience, confidence and attitudes on the causes and management of violent and aggressive behaviour. Physiotherapy, 2011, 97, 313-318.	0.2	5
659	Religiosity and suicidal behaviour in the National Survey of American Life. Acta Psychiatrica Scandinavica, 2016, 134, 183-184.	2.2	5
660	A random effects meta-analysis investigating the prevalence of bipolar disorder in people with fibromyalgia: An updated analysis. Journal of Affective Disorders, 2016, 191, 308-309.	2.0	5
661	Treatment of comorbid bipolar disorder and anxiety disorders: A great challenge to modern psychiatry. Australian and New Zealand Journal of Psychiatry, 2016, 50, 699-700.	1.3	5
662	Top 10 research questions to promote physical activity research in people with binge eating disorder. Eating Disorders, 2016, 24, 326-337.	1.9	5
663	Factors that influence the neurobiological effects of exercise likely extend beyond age and intensity in people with major depression. Neuroscience and Biobehavioral Reviews, 2017, 77, 301-302.	2.9	5
664	Interventions to enhance coping after traumatic brain injury: A systematic review. International Journal of Therapy and Rehabilitation, 2018, 25, 107-119.	0.1	5
665	Correlates of Physical Activity Among Middle-Aged and Older Adults With Hazardous Drinking Habits in Six Low- and Middle-Income Countries. Journal of Aging and Physical Activity, 2018, 26, 589-598.	0.5	5
666	Test-retest reliability, concurrent validity and correlates of the two-minute walk test in outpatients with psychosis. Psychiatry Research, 2019, 282, 112619.	1.7	5

#	Article	IF	CITATIONS
667	Efficacy and acceptability of different anti-fungal interventions in oropharyngeal or esophageal candidiasis in HIV co-infected adults: a pilot network meta-analysis. Expert Review of Anti-Infective Therapy, 2021, 19, 1469-1479.	2.0	5
668	Risk of hospitalised falls and hip fractures in working age adults receiving mental health care. General Hospital Psychiatry, 2021, 72, 81-87.	1.2	5
669	Complex mental health needs in older people living with frailty. British Journal of Hospital Medicine (London, England: 2005), 2020, 81, 1-11.	0.2	5
670	Clinical correlates of global functioning in obese treatment seeking persons with binge eating disorder. Psychiatria Danubina, 2014, 26, 256-60.	0.2	5
671	Antipsychotic treatment, prolactin, and breast tumorigenesis. Psychiatria Danubina, 2016, 28, 243-254.	0.2	5
672	The Dose and Duration-dependent Association between Melatonin Treatment and Overall Cognition in Alzheimer's Dementia: A Network Meta- Analysis of Randomized Placebo-Controlled Trials. Current Neuropharmacology, 2022, 20, 1816-1833.	1.4	5
673	Environmental risk factors, protective factors, and biomarkers for postpartum depressive symptoms: an umbrella review. Neuroscience and Biobehavioral Reviews, 2022, 140, 104761.	2.9	5
674	Injuries to staff from implementation of physical interventions: could poor manual handling be at fault?. British Journal of Forensic Practice, 2008, 10, 12-14.	0.6	4
675	Physical intervention in older adult psychiatry: an audit of physical ailments identified by physiotherapists and the implications for managing aggressive behavior. International Psychogeriatrics, 2009, 21, 1196-1197.	0.6	4
676	Falls in older adult psychiatric inpatients. International Psychogeriatrics, 2010, 22, 160-160.	0.6	4
677	No evidence of a control group response in exercise randomised controlled trials in people with schizophrenia: A systematic review and meta-analysis. Psychiatry Research, 2015, 229, 840-843.	1.7	4
678	Moving beyond the weight-loss paradigm of exercise interventions for mental illness. Psychiatry Research, 2016, 246, 392-393.	1.7	4
679	Visceral adipose tissue in patients with severe mental illness. Hormone Molecular Biology and Clinical Investigation, 2018, 33, .	0.3	4
680	Promoting physical activity in vulnerable adults  at risk' of homelessness: a randomised controlled trial protocol. BMJ Open, 2019, 9, e026466.	0.8	4
681	Angiotensin-Converting Enzyme Inhibitor Use and Incident Frailty: A Longitudinal Cohort Study. Drugs and Aging, 2019, 36, 387-393.	1.3	4
682	Effectiveness of Adjunctive Analgesics in Head and Neck Cancer Patients Receiving Curative (Chemo-) Radiotherapy: A Systematic Review. Pain Medicine, 2021, 22, 152-164.	0.9	4
683	Defining polypharmacy: in search of a more comprehensive determination method applied in a tertiary psychiatric hospital. Therapeutic Advances in Psychopharmacology, 2021, 11, 204512532110006.	1.2	4
684	Different social contexts of leisure-time physical activity: Does the association with depressive symptoms differ?. Mental Health and Physical Activity, 2021, 20, 100390.	0.9	4

#	Article	IF	Citations
685	Resistance training reduces depressive and anxiety symptoms in older women: a pilot study. Aging and Mental Health, 2022, 26, 1136-1142.	1.5	4
686	Eight-week high-intensity interval training is associated with improved sleep quality and cardiorespiratory fitness in patients with depressive disorders. Sleep and Breathing, 2021, , 1.	0.9	4
687	Association between physical activity and leisure-time sedentary behavior among 140,808 adolescents aged 12 to 15 from 47 low- and middle-income countries. Public Health, 2021, 199, 1-9.	1.4	4
688	Epicardial adipose tissue and adrenal gland volume in patients with borderline personality disorder. Journal of Psychiatric Research, 2021, 144, 323-330.	1.5	4
689	Prevalence of diabetes in people with intellectual disabilities and age―and genderâ€matched controls: A metaâ€analysis. Journal of Applied Research in Intellectual Disabilities, 2022, 35, 301-311.	1.3	4
690	Prospective Associations of Leisure-Time Physical Activity With Psychological Distress and Well-Being: A 12-Year Cohort Study. Psychosomatic Medicine, 2022, 84, 116-122.	1.3	4
691	Impact of data extraction errors in meta-analyses on the association between depression and peripheral inflammatory biomarkers: an umbrella review. Psychological Medicine, 2023, 53, 2017-2030.	2.7	4
692	The Metabolic Syndrome Is Associated with Self-Reported Physical Complaints in Patients with Bipolar Disorder. Psychiatria Danubina, 2016, 28, 139-45.	0.2	4
693	Pain management in people with severe mental illness: an agenda for progress. Pain, 2022, 163, 1653-1660.	2.0	4
694	An exploration of walking activity among older psychiatric inpatients. International Journal of Therapy and Rehabilitation, 2007, 14, 532-537.	0.1	3
695	Physical assault by aggressive older adults. International Psychogeriatrics, 2009, 21, 796-797.	0.6	3
696	Managing the risks associated with physical intervention: a discussion paper. British Journal of Forensic Practice, 2011, 13, 257-263.	0.6	3
697	Type 2 Diabetes Mellitus. , 2016, , 255-278.		3
698	â€~You are what you eat' (not what you said you ate yesterday): Why a one-off 24-hour dietary recall fails capture usual dietary intake in schizophrenia. Schizophrenia Research, 2018, 199, 447-448.	1.1	3
699	Do Older People with Diabetes Meet the Recommended Weekly Physical Activity Targets? An Analysis of Objective Physical Activity Data. International Journal of Environmental Research and Public Health, 2019, 16, 2489.	1.2	3
700	Changes in Physical Activity Behavior and Risk of Falls Over 8 Years' Follow-Up: English Longitudinal Study of Aging. Mayo Clinic Proceedings, 2019, 94, 365-367.	1.4	3
701	Is Active Transport and Leisure-Time Physical Activity Associated With Inflammatory Markers in US Adults? A Cross-Sectional Analyses From NHANES. Journal of Physical Activity and Health, 2019, 16, 540-546.	1.0	3
702	Factors that influence participation in physical activity for anxiety or depression: a synthesis of qualitative evidence. The Cochrane Library, 2020, , .	1.5	3

#	Article	IF	CITATIONS
703	Poor self-rated health is associated with sedentary behavior regardless of physical activity in adolescents - PeNSE study Mental Health and Physical Activity, 2021, 20, 100384.	0.9	3
704	Comorbid bipolar disorder and obsessive-compulsive disorder:state of the art in pediatric patients. Shanghai Archives of Psychiatry, 2015, 27, 386-7.	0.7	3
705	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. Programme Grants for Applied Research, 2020, 8, 1-124.	0.4	3
706	Association between psychosocial factors and mental health symptoms to cervical spine pain with or without radiculopathy on health outcomes: systematic review protocol. Pain Reports, 2021, 6, e870.	1.4	3
707	Multimorbidity clusters among people with serious mental illness: a representative primary and secondary data linkage cohort study. Psychological Medicine, 2023, 53, 4333-4344.	2.7	3
708	Physiotherapist involvement and views on the application of physical intervention to manage aggression: data from a national survey. Journal of Psychiatric and Mental Health Nursing, 2010, 17, 754-756.	1.2	2
709	Chronic musculoskeletal pain and falls in community-dwelling older adults: The brief pain inventory shows promising discriminative validity. International Journal of Therapy and Rehabilitation, 2014, 21, S2-S2.	0.1	2
710	Nutrition interventions in people with severe mental illness: Novel strategies for addressing physical health co-morbidity in a high-risk population. European Psychiatry, 2016, 33, S620-S620.	0.1	2
711	Remission and recovery from first-episode psychosis in adults: A systematic review and meta-analysis of long-term outcome studies. European Psychiatry, 2017, 41, s819-s819.	0.1	2
712	S19. EVIDENCE OF THE LIPID PARADOX IN PSYCHOSIS: A META-ANALYSIS OF CHOLESTEROL AND TRIGLYCERIDE LEVELS IN FIRST EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S330-S330.	2.3	2
713	Cannabis use and leisure-time sedentary behavior among 94,035 adolescents aged 12–15†years from 24 low- and middle-income countries. Addictive Behaviors, 2019, 99, 106104.	1.7	2
714	Physical Activity and Exercise as a Treatment of Depression: Evidence and Neurobiological Mechanism. , 2019, , 293-299.		2
715	Highâ€intensity interval training: an adjunctive treatment for schizophrenia spectrum disorders?. Acta Psychiatrica Scandinavica, 2019, 140, 495-497.	2.2	2
716	Predictors of physical activity recording in routine mental healthcare. Mental Health and Physical Activity, 2020, 18, 100329.	0.9	2
717	Physical activity and exercise for the prevention and management of anxiety., 0,, 369-384.		2
718	Interventions for preventing type 2 diabetes in adults with mental disorders in low- and middle-income countries. The Cochrane Library, 2021, 2021, CD013281.	1.5	2
719	Study protocol for a pilot high-intensity interval training intervention in inpatient mental health settings: a two-part study using a randomised controlled trial and naturalistic study design. Pilot and Feasibility Studies, 2021, 7, 198.	0.5	2
720	The effectiveness of interventions and intervention components for increasing physical activity and reducing sedentary behaviour in people with persistent musculoskeletal pain: a systematic review and meta-analysis. Journal of Pain, 2021, , .	0.7	2

#	Article	IF	Citations
721	Associations between daily steps and cognitive function among inpatients with schizophrenia. BMC Psychiatry, 2022, 22, 87.	1.1	2
722	Predictors of falls and fractures leading to hospitalisation in 36 101 people with affective disorders: a large representative cohort study. BMJ Open, 2022, 12, e055070.	0.8	2
723	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). European Archives of Psychiatry and Clinical Neuroscience, 2022, , 1.	1.8	2
724	Considering physical intervention as a manual handling procedure: learning lessons from our general nursing colleagues. British Journal of Forensic Practice, 2009, 11, 32-37.	0.6	1
725	Early ambulation—Consider working with physiotherapists. A comment on Cortes et al. (2009). International Journal of Nursing Studies, 2010, 47, 263.	2.5	1
726	The provision of walking aids to the overtly aggressive older adult who is a high risk of falls: a careful balancing act. International Psychogeriatrics, 2010, 22, 161-162.	0.6	1
727	Psychiatric comorbities in comorbid bipolar disorder and obsessive-compulsive disorder patients. Asian Journal of Psychiatry, 2016, 21, 23-24.	0.9	1
728	S204. NUTRITIONAL DEFICIENCIES AND CLINICAL CORRELATES IN FIRST-EPISODE PSYCHOSIS: A SYSTEMATIC REVIEW AND META-ANALYSIS. Schizophrenia Bulletin, 2018, 44, S405-S405.	2.3	1
729	Exercise Interventions in Secure and Forensic Services. , 2018, , 209-216.		1
730	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. Schizophrenia Research, 2018, 201, 406-412.	1.1	1
731	Prospective associations of cardiovascular disease with physical performance and disability. Wiener Klinische Wochenschrift, 2020, 132, 73-78.	1.0	1
732	Authors' Response. Psychosomatic Medicine, 2020, 82, 534-535.	1.3	1
733	Factors that influence participation in physical activity for people with bipolar disorder: a synthesis of qualitative evidence. The Cochrane Library, 0, , .	1.5	1
734	What are the most common restraint techniques taught by expert practitioners?. Journal of Psychiatric and Mental Health Nursing, 2021, , .	1.2	1
735	Exercise and Posttraumatic Stress Disorder. , 2018, , 375-387.		1
736	Physical intervention. Mental Health Practice, 2008, 12, 12-12.	0.1	1
737	Do nurses and their assistants hold the key to reducing falls in institutionalized older adults?. International Psychogeriatrics, 2011, 23, 1189-1190.	0.6	0
738	The safe application of physical interventions in aggressive older adults: considerations from the physiotherapy profession. International Psychogeriatrics, 2011, 23, 672-674.	0.6	0

#	Article	IF	CITATIONS
739	Prevalence, incidence and comparative meta-analysis of all-cause and specific-cause cardiovascular disease in patients with serious mental illness. European Psychiatry, 2017, 41, S319-S320.	0.1	0
740	Reply to KA Beals and to C Parks. American Journal of Clinical Nutrition, 2018, 107, 849-850.	2.2	0
741	O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S87-S87.	2.3	О
742	Research and Evaluation in Exercise and Mental Health., 2018, , 301-317.		0
743	Interventions for preventing type 2 diabetes in adults with mental disorders in low and middle income countries. The Cochrane Library, 2019, , .	1.5	О
744	Response to the Letter to the Editor. Current Sports Medicine Reports, 2019, 18, 423.	0.5	0
745	Body Mass Index May Explain Some (But Not All) of the Association Between Declines in Sexual Activity and Incident Health Problems in Older Adults: Reply to Mullie (2019). Archives of Sexual Behavior, 2020, 49, 33-35.	1.2	O
746	M189. A PILOT RANDOMISED CONTROLLED TRIAL TO ASSESS THE FEASIBILITY AND ACCEPTABILITY OF HIGH INTENSITY INTERVAL TRAINING (HIIT) AMONG INPATIENTS WITH SEVERE MENTAL ILLNESS (SMI). Schizophrenia Bulletin, 2020, 46, S207-S208.	2.3	0
747	T183. LOW LEVELS OF VITAMIN D ARE ASSOCIATED WITH REDUCED CORTICAL THICKNESS AND SURFACE AREA IN FRONTAL, TEMPORAL AND OCCIPITAL REGIONS IN FIRST-EPISODE PSYCHOSIS PATIENTS. Schizophrenia Bulletin, 2020, 46, S301-S302.	2.3	O
748	T147. CAN HIGH INTENSITY INTERVAL TRAINING (HIIT) IMPROVE PHYSICAL AND MENTAL HEALTH OUTCOMES? A META-REVIEW OF THE GLOBAL BENEFITS OF HIIT AND FOCUSED SYSTEMATIC REVIEW OF THE EFFECTS OF HIIT IN MENTAL DISORDERS. Schizophrenia Bulletin, 2020, 46, S286-S287.	2.3	0
749	Reliability and Convergent Validity of Self-Reported Physical Activity Questionnaires for People With Mental Disorders: A Systematic Review and Meta-Analysis. Journal of Physical Activity and Health, 2021, 18, 109-115.	1.0	O
750	Reducing sedentary behaviour and cognitive function in community-dwelling older people: Study protocol for a randomized feasibility study. Aging and Health Research, 2021, 1, 100005.	0.5	0
751	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: a qualitative study investigating patient, carer and staff attitudes. BJPsych Open, 2021, 7, S269-S269.	0.3	O
752	Reply to Yi M et al. Advances in Nutrition, 2021, 12, 1595-1596.	2.9	0
753	Relative effectiveness of non-surgical interventions for pain management in knee osteoarthritis: a protocol for a component network meta-analysis of randomised controlled trials. BMJ Open, 2021, 11, e048298.	0.8	O
754	THE CONNUNDRUM OF DEPRESSIVE SYMPTOM-FRAILTY commorbidty AND OVERLAP. International Psychogeriatrics, 2021, , 1-8.	0.6	0
755	Poor physical activity as a risk factor for mental health disorders. European Journal of Public Health, 2021, 31, .	0.1	О
756	Exercise and Posttraumatic Stress Disorder. , 2017, , 1-13.		0

#	Article	IF	CITATIONS
757	A response to Staller & Koerner—We do need to talk about restraint. Journal of Psychiatric and Mental Health Nursing, 2022, 29, 616-617.	1.2	0
758	Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study. Journal of Psychiatric Research, 2022, 147, 94-102.	1.5	0
759	Does stressful workplace characteristics moderate or confound the association between occupational physical activity and elevated depressive symptoms? A large study including 36,442 adults. Journal of Affective Disorders, 2022, 303, 196-196.	2.0	0
760	24-hour movement behaviours and the risk of common mental health symptoms: A compositional analysis in the UK biobank. European Psychiatry, 2021, 64, S120-S121.	0.1	0
761	Empirical assessment of biases in cerebrospinal fluid biomarkers of Alzheimer's disease: an umbrella review and re-analysis of data from meta-analyses. European Review for Medical and Pharmacological Sciences, 2021, 25, 1536-1547.	0.5	0
762	Vitamin D and cardiometabolic outcomes in first episode psychosis (FEP): A prospective cohort study. Schizophrenia Research, 2022, 246, 26-29.	1.1	0